

2025

BIKES & COMPONENTS

–

SCOTT

CONTENT

INDEX / SIZE CHART 004

MTB 008

FULL SUSPENSION 009

HARDTAIL 069

ROAD 122

ROAD 123

GRAVEL 184

eRIDE 216

eRIDE MTB 219

eRIDE ROAD GRAVEL 277

eRIDE URBAN / ALL TERRAIN 305

URBAN / ALL TERRAIN 362

KIDS 368

FRAMES 422

ACCESSORIES 430

FITTING SYSTEM 442

SALES SUPPORT 446

ELECTRONIC DATA INTERCHANGE 460

If either code is sold out please check with the sales team whether another country of origin can be ordered.



NO SHORTCUTS

Like the modest champion sitting in the corner listening as others spit their egos all over each other, SCOTT quietly lets its achievements, its victories, its skills speak for themselves. We don't make products for those who yearn to be noticed. We make them for those who are going to do what they do whether there's anyone watching or not. If you're like us, you say what you say, do what you do, ride where you ride because you love it. You do it the right way. You do it for the right reasons.



GLOSSARY

BIKES

12" WHEELS
Bikes with this icon feature 12" wheels.

14" WHEELS
Bikes with this icon feature 14" wheels.

16" WHEELS
Bikes with this icon feature 16" wheels.

20" WHEELS
Bikes with this icon feature 20" wheels.

24" WHEELS
Bikes with this icon feature 24" wheels.

26" WHEELS
Bikes with this icon feature 26" wheels.

27.5" WHEELS
Bikes with this icon feature 27.5" wheels.

29" WHEELS
Bikes with this icon feature 29" wheels.

MX WHEELS
Bikes with this icon come in an MX setup, featuring a 29'' front wheel and a 27.5'' rear wheel.

25 KM/H
These bikes have an assist of up to 25kph.

45 KM/H
These bikes have an assist of up to 45kph.

COLOR EFFECT
These bikes feature a special metallic paint job. Take them into the sun to see them shine!

HAND MADE RAW CARBON
These bikes feature a raw carbon finish, you'll be able to see the beauty of the carbon fibers yourself!

POWER METER
Bikes with this icon come equipped with a power meter.

REAR CARRIER
All bikes with these icons are rack compatible.

RANGE BOOSTER COMPATIBLE
These bikes are compatible with a range booster.

RANGE BOOSTER INCLUDED
Bikes with these icons come equipped with a range booster.

CARRY OVER



BICYCLE SIZE CHART

BODY HEIGHT	< 165 CM	165 - 175 CM	175 - 185 CM	185 - 195 CM	> 195 CM
SPARK LUMEN	S	M	L	XL	
GENIUS RANSOM PATRON PATRON ST AXIS FS VOLTAGE	S	M	L	XL	
GAMBLER		M	L	XL	
ROXTER YZ	ONE SIZE				
SCALE SCALE GRAVEL ASPECT CONTESSA ACTIVE	XS	S	M	L	XL / XXL
ASPECT eRIDE	XS	S	M	L	XL
PLASMA RC	XS	S	M	L	XL
FOIL RC ADDICT RC ADDICT SPEEDSTER ADDICT GRAVEL SPEEDSTER GRAVEL METRIX	XXS / XS	S / M	L	XL	XXL
ADDICT eRIDE SOLACE GRAVEL SOLACE SILENCE	XS	S / M	L	XL	
SUB PASSAGE	S	M	L	XL	

KIDS

BODY HEIGHT	85CM	90 CM	95 CM	115CM	125 CM	135 CM	150 CM
MIN SEATHEIGHT	35CM	43CM	46CM	55CM	64CM	68CM	
APPROXIMATE AGE	2+	3+	4+	5+	8+	10 +	
SPARK RC 700 GENIUS 700						S	
SCALE 700						XS	
RANSOM					WHEELS 24"	WHEELS 26"	
SCALE RC	WHEELS 12"		WHEELS 16"	WHEELS 20"	WHEELS 24"	WHEELS 26"	
CONTRAIL				WHEELS 20"	WHEELS 24"		
SCALE			WHEELS 16"	WHEELS 20"	WHEELS 24"	WHEELS 26"	
ROXTER	WHEELS 12"	WHEELS 14"	WHEELS 16"	WHEELS 20"	WHEELS 24"	WHEELS 26"	
CONTESSA	WHEELS 12"	WHEELS 14"	WHEELS 16"	WHEELS 20"	WHEELS 24"	WHEELS 26"	



EMBARGO INFORMATION

DEAR SCOTT FAMILY,

As we embark on another special year with many new products, we would like you to please take note of and respect the following: All bikes in this workbook are under embargo until further notice unless otherwise specified.

That means that for all bikes in this workbook, no information, photos or specs shall be shared or published in any way until a specific date has been communicated from **SCOTT SPORTS**.

RE-SOURCE BY SCOTT

It is an important step for us in becoming a responsible steward of our planet and society. We look forward to improving our practices in each of these fields.

re source by SCOTT



SINCE 2021

139 TONS OF CO2

COMPENSATED FOR OUR ATHLETE'S TRAVEL WITH ALMIGHTY TREE.



PEOPLE

We consider that all people involved in our supply chain should be treated fairly with dignity and respect.

PLANET

We take into consideration that the earth's resources must be used in such a way that ecosystems and future generations shouldn't be adversely affected.

PRODUCTS

We aim to maximize the sustainable nature of our products while still maintaining their high level of performance through innovation, technology and design.

SUSTAINABLE DEVELOPMENT GOALS

- REDUCED INEQUALITIES
- CLEAN WATER & SANITATION
- SUSTAINABLE CITIES & COMMUNITIES
- PARTNERSHIP FOR THE GOALS
- RESPONSIBLE CONSUMPTION & PRODUCTION
- DECENT WORK & ECONOMIC GROWTH
- CLIMATE ACTION

RE-SOURCE BY SCOTT APPAREL

Either use a minimum of 50% recycled materials or are made with 100% certified renewable. Materials use only pfc-free dwr (durable water repellence) treatments.

57%

SS25 LIFESTYLE APPAREL

93%

SS25 SOFTGOODS

WORLD BICYCLE RELIEF FUNDRAISER

50,000€

collected with fundraisers

UCI SOLIDARITY PROGRAM

70,000€

of equipment donated forsports development

TAGO HELMET

23%

recycled content by weight

BICYCLE ALLIANCE FOR SUSTAINABILITY

In 2022, SCOTT signed up with the Bicycle Alliance for Sustainability, an industry-led initiative that aims at reducing the negative social and environmental impacts of the bike industry while accentuating the positive impacts. The initiative as set some goals to be worked towards set on the pillars of Environment, Society and Governance.

WHAT IS **RE-SOURCE** BY SCOTT FOR **SOFTGOODS**

Re-source by SCOTT Softgoods products, are defined by the use of either a minimum of 50% recycled or 100% renewable 3rd party certified materials and with a PFC-Free Durable Water Repellent treatment.

RE-SOURCE BY SCOTT APPAREL



PFC-FREE DWR IN APPAREL



re source by SCOTT



FULL SUSPENSION LINE-UP

Full Suspension Mountain Bikes are at the core of everything we love at SCOTT. From lightweight race bikes, to descent focused carbon dream-rides, if you're after a bike to hit the trails, we've got what you need.





SPARK RC

Living up to the Spark RC name is no easy task, but this new version does so with flying colors. The Spark RC lineup is comprised of bikes that just have one thing on the agenda, pure race speed. Ultra-light, ultra-integrated, and ultra-capable, this new breed of Cross-Country race bike is like no other seen before.





SPARK 900

Short on travel, big on fun, the Spark 900 is what comes to mind when we think of the perfect mountain bike. Why, you ask? Well, beyond the fact that it is fast, lightweight and ultra capable on all sorts of terrain, it's just damned good lookin'. Short-travel trail bike? "Downcountry" rig? Occasional race bike? Whatever, call it what you want to call it. All we know is that this is one hell of a mountain bike.





GENIUS 900 / ST

The Genius has always been our favorite bike. Smart suspension, smarter features, and the smartest design lead to an unbelievable trail bike that just can't get enough. The All-New Genius, any trail, any time.





RANSOM

The all-new SCOTT Ransom was uncompromisingly engineered for maximum downhill performance and an all-time confidence inspiring ride. Killer geometry paired with a supernatural suspension kinematic results in a bike that doesn't take "no" for an answer. Don't hold yourself hostage, ride Ransom.



GAMBLER

The fastest bike on earth? We think so! Tuned to perfection with some of the World's best on track, the Gambler is the bike racers seek when they aim to make it down the hill in a hurry.



SPARK RC

The Spark RC is the perfect blend of top-notch carbon engineering, never before seen levels of integration and just the right amount of secret sauce. We wanted to make this platform faster than ever before both up and down the hill. Increasing travel, perfecting geometry, and applying input from the world's best athletes, we've created the cross country race bike of all cross country race bikes. If you think fast is fun, then you're going to love this ride.

1870G
FRAME WEIGHT / SHOCK AND HARDWARE

120MM
OF SUSPENSION TRAVEL FRONT AND REAR

















1. INTEGRATED SUSPENSION TECHNOLOGY
The Spark features our patented Integrated Suspension Technology. Not only does this make for a fantastic looking bike, but it allows us to really improve the bikes suspension performance. We can engineer frames with a lower shock placement, which lowers center of gravity. The result is better handling, and a more stable, confidence inspiring ride for the end user. It will also keep your shock protected from the elements when the weather and track turn sour!

2. EVOLAP CARBON TECHNOLOGY
We engineered the Spark to have two main construction zones – a stiffness zone and a lightweight zone. Through strategic carbon reinforcement in the stiffness zone, we can afford to really shave weight in the lightweight zone. Some areas of the frame have less thickness than a credit card!

3. SPARK RC X ROCKSHOX FLIGHT ATTENDANT
The fastest bike in XC now features the all-new RockShox Flight Attendant suspension system, which was developed in close cooperation with the Greatest of All-Time, Nino Schurter. The 2025 Spark RC family of bikes introduces several models with the all-new system, featuring an updated frame and downtube cover, as well as a custom SCOTT RockShox Sid Ultimate Flight Attendant shock making this the spearhead of the 2025 XC collection and the future of XC Racing.

4. SYNCROS FRASER IC
The Spark features the Fraser iC combo from Syncros. Integrating the cables presents a number of unique problems and the Fraser was designed in part to address this. Syncros designers worked on the shape to allow the cables to flow under the bar and around the sides of the stem before disappearing into the headset with integrated plastic parts to keep it clean and efficient. This avoids bends or kinks in the cables and provides a minimalist front end. All our bars and stems feature multiple options for computer, light and camera mounts both on top or under the bar.

5. CROSS COUNTRY GEOMETRY
Looking at the frame layout in general, we took years of feedback from the World's fastest athletes to develop the Spark RC's Geometry. One of the main goals for the bike was to have a platform designed around 120mm of suspension travel front and rear. Having more suspension travel for the increasingly technical racetracks was a priority. The result is the most capable XC race bike ever, and the lightest on the market with 120mm of suspension front and rear coming in at just 1870g with shock.
Working with athletes like Nino Schurter, Kate Courtney and the rest of the SCOTT Sram MTB Racing Team, we were able to pinpoint exactly what we wanted in terms of Geometry. We wanted the most dynamic of XC bikes, so we aimed to have a geometry solution that sacrificed nothing in terms of efficiency when you need to put the power down or fly up technical climbs, while giving athletes a safe, confidence inspiring ride on the way down. From what we're told, we've hit that nail squarely on the head.

6. TWINLOC SUSPENSION SYSTEM
The Spark features our TwinLoc Suspension System. The TwinLoc Suspension System is a proprietary SCOTT Suspension System that works by connecting the shock, fork, and ultimately the frame via a handlebar remote. With the remote, the user has the ability to choose from three ride modes, Descend, Traction Control and Lockout, effectively changing the bikes geometry, suspension damping and spring curve simultaneously. Our new lever also features the dropper post actuation below the bar. This ergonomic solution puts all of the bike's controls in one place making them easily accessible on the fly.

7. DEVIL IN THE DETAILS
Many other small details truly make the Spark RC THE bike to have. It has room for two water bottles, an integrated axle tool, and very clever frame protection amongst other things! Our development team really made sure to maximize value with this bike, and in that they have succeeded!



SYNCROS SILVERTON SL WHEELSET

A precision one-piece carbon system that gives you more speed with more control in a super lightweight package.

syncros



SCOTT SPARK AND SYNCROS

With the Spark comes a range of spec options at a variety of price points and performance levels. Need a set of ultra-competitive World Cup wheels or something to bash about on your local trails? Not a problem. Want to run a riser bar with our semi-integrated stem? Not a problem. Syncros has a range of solutions for every rider, just use our guide below to help you out.



1

SL SADDLE OPTIONS

280295 SYNCROS Belcarra R SL, Channel Saddle
288228 SYNCROS Tofino R SL, Channel Saddle
288229 SYNCROS Tofino V SL, Cut Out Saddle



2

SEATPOST OPTIONS

288156 SYNCROS Duncan SL 10mm Offset Seatpost
288157 SYNCROS Duncan SL 25mm Offset Seatpost
288158 SYNCROS Duncan 1.5, 10mm Offset Seatpost
288159 SYNCROS Duncan1.5, 25mm Offset Seatpost
288160 SYNCROS Duncan2.0, 10mm Offset Seatpost
292899 SYNCROS Duncan Dropper 1.5 125mm
292900 SYNCROS Duncan Dropper 1.5 150mm
292900 SYNCROS Duncan Dropper 1.5 170mm
292900 SYNCROS Duncan Dropper 1.5 200mm
263443 SYNCROS Duncan Dropper 2.0 125mm
265568 SYNCROS Duncan Dropper 2.0 150mm
288161 SYNCROS Duncan Dropper 2.0 170mm D



3

FRAME PROTECTION KIT OPTIONS

288360 Frame Protection kit SPARK Carbon Matt
288360 Frame Protection kit SPARK Carbon Gloss



4

BOTTLE CAGE OPTIONS

288331 Cache cage 2.0
288321 iS Cache cage
288322 iS Cache cage 2.0HV
288323 iS Cache cage CO2
292911 Tailor cage 1.0 R.
292912 Tailor cage 1.0 L.



5

WHEEL OPTIONS

288236 Silverton SL 30mm
270229 Silverton SL 26mm
288237 Silverton 1.0s
288238 Silverton 1.0



6

COMBO OPTIONS

294469/70/71 Fraser iC SL WC
294472 Fraser iC SL XC
294473 Fraser iC SL DC



7

GRIP OPTIONS

280297 SYNCROS Foam Grips
234805 SYNCROS Silicone Grips
288243 SYNCROS XC Lock-On Grips
288244 SYNCROS XC Grips
288245 SYNCROS AM Lock-On Grips
288246 SYNCROS AM Grips



8

MOUNT OPTIONS

288144 Top Cap Comp. Mount MTB XC
288145 Top Cap Comp. Mount MTB DC
288146 Top Cap Comp. Mount MTB AM
288147 Front Comp. Mount iC
288148 Front Comp. Mount iC iM
288149 Front Mount iC, U-Interface
288150 Front Mount iC, GoPro-Interface



9

STEM OPTIONS

288116 XC1.5 stem
288117 XC2.0 stem
288118 DC1.5 stem
288119 DC2.0 stem
288120 DC3.0 stem *riser compatible




MINAS GERAIS
VISIT
MINASGERAIS.COM.BR
9

NINO SCHURTER

10x WORLD CHAMPION
9X WORLD CUP CHAMPION

“Not only did I know that this bike was something else when I saw it for the first time, but when I rode it for the first time I knew that SCOTT Sports had created another winner. Light, fast, capable - everything I want from a modern XC race bike and so much more.”





SPARK RC FAMILY

Living up to the Spark RC name is no easy task, but this new version does so with flying colors. The Spark RC lineup is comprised of bikes that just have one thing on the agenda, pure race speed. Ultra-light, ultra-integrated, and ultra-capable, this new breed of Cross-Country race bike is like no other seen before.

SPARK RC



SPARK RC SL MARTIN GREEN



SPARK RC WORLD CUP EVO



SPARK RC WORLD CUP



SPARK RC TEAM ISSUE



SPARK RC TEAM ISSUE



SPARK RC TEAM CARBON BLACK



SPARK RC TEAM MARTIN GREEN



SPARK RC TEAM



SPARK RC COMP

SPARK RC SL MARTIN GREEN

423152-7961 (EU 1)
423134-7961 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

Rock Shox Flight Attendant, SRAM Rocker Pod, Rock Shox Reverb AXS Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMX SL; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline; Lightest 120mm frame 1870g (w/shock)
FORK	RockShox SID Ultimate Flight Attendant; Electronically controlled Suspension; FA Race Day damper 3 Modes; 15x110mm Maxle Stealth / 44mm offset /Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant Custom; Electronically controlled Suspension; 3 Modes Lockout-Pedal-Descend; Solo Air / Reb. Adj./ Lockout / Travel 120mm / T165X45mm
REMOTE SYSTEM	Automatic electrionic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX SL Eagle AXS Transmission; Carbon crankarm / Spider Power Meter; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB / shell 41x92mm
CHAIN	SRAM CN XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS 1299 Transmission 10-52
BRAKES	SRAM Level Ultimate Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Rock Shox Reverb AXS 31.6mm / S size 100mm / M; L & XL size 125mm
SEAT	Syncros Belcarra SL Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton SL2-30 CL full Carbon; F: 15x110mm; R: 12x148mm / 30mm Tubeless ready rim; DT Swiss 240 Ratchet EXP 36 / XD Driver; SRAM TyreWiz / Syncros SL Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack; SRAM TyreWiz; Syncros Tubeless Handlebar Tool
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	Check website

SPARK RC WORLD CUP EVO

CARBON BLACK

423171-3020 (EU 1)
423124-3020 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

Rock Shox Flight Attendant, SRAM Rocker Pod, Rock Shox Reverb AXS Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID Ultimate Flight Attendant; Electronically controlled Suspension; FA Race Day damper 3 Modes; 15x110mm Maxle Stealth / 44mm offset /Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant Custom; Electronically controlled Suspension; 3 Modes Lockout-Pedal-Descend; Solo Air / Reb. Adj./ Lockout / Travel 120mm / T165X45mm
REMOTE SYSTEM	Automatic electrionic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX Eagle AXS Transmission; Carbon crankarm / Spindle Power Meter; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS 1299 Transmission 10-52
BRAKES	SRAM Level Ultimate Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Rock Shox Reverb AXS 31.6mm / S size 100mm / M; L & XL size 125mm
SEAT	Syncros Belcarra 1.0 Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.0S-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rim 28H; DT Swiss 240 Ratchet EXP 36 / XD Driver; SRAM TyreWiz / Syncros SL Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack; Syncros Tubeless Handlebar Tool
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	Check website

SPARK RC WORLD CUP

ICE GREY/PROGRESSIVE GREY

423175-7960 (EU 1)
423128-7960 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

Rock Shox Flight Attendant, SRAM Rocker Pod, SRAM Power Meter, Rock Shox Reverb AXS Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID Ultimate Flight Attendant; Electronically controlled Suspension; FA Race Day damper 3 Modes; 15x110mm Maxle Stealth / 44mm offset /Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant Custom; Electronically controlled Suspension; 3 Modes Lockout-Pedal-Descend; Solo Air / Reb. Adj./ Lockout / Travel 120mm / T165X45mm
REMOTE SYSTEM	Automatic electrionic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission; Spindle Power Meter / DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
BRAKES	SRAM Level Silver Stealth 4-Piston Disc; SRAM HS2 Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra Regular 1.5; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.0-30 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rim 28H; DT Swiss Ratchet Hubs / XD Driver; SRAM TyreWiz ready / Syncros SL Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack; Syncros Tubeless Handlebar Tool
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	Check website

SPARK RC TEAM ISSUE

CARBON BLACK

423148-3020 (EU 1)
423132-3020 (NON-EU 1)

RAW 29"

S, M, L, XL



WHAT'S NEW

Syncros XC Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID Select 3P Air; Charger RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox NUDE 5 RL3 Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Debon Air / Reb. Adj. / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Level Bronze Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra Regular 1.5; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.0-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
ACCESSORIES	Transport Axle
APPROX. WEIGHT	Check website

SPARK RC TEAM ISSUE

PASTEL GREY/DIM GREY

423148-8085 (EU 1)
423132-8085 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

Syncros XC Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID Select 3P Air; Charger RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox NUDE 5 RL3 Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Debon Air / Reb. Adj. / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Level Bronze Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra Regular 1.5; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.0-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
ACCESSORIES	Transport Axle
APPROX. WEIGHT	Check website

SPARK RC TEAM CARBON BLACK

423161-3020 (EU 1)
423116-3020 (NON-EU 1)

RAW 29"

S, M, L, XL



WHAT'S NEW

Rock Shox SID Fork, Rock Shox Nude Shock, SRAM S1000 Eagle AXS Transmission Drivetrain, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID 3P Air; Rush RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox NUDE 5 RL3 Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Debon Air / Reb. Adj. / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM S1000 Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano SLX M7100 Disc; Shimano SM-RT64 / CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0 / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	Check website

SPARK RC TEAM MARTIN GREEN

423161-7961 (EU 1)
423116-7961 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

Rock Shox SID Fork, Rock Shox Nude Shock, SRAM S1000 Eagle AXS Transmission Drivetrain, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID 3P Air; Rush RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox NUDE 5 RL3 Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Debon Air / Reb. Adj. / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM S1000 Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano SLX M7100 Disc; Shimano SM-RT64 / CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0 / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	Check website

SPARK RC TEAM

CUMULUS WHITE/CARBON BLACK

423161-8086 (EU 1)
423116-8086 (NON-EU 1)

RAW 29"

S, M, L, XL



WHAT'S NEW

Rock Shox SID Fork, Rock Shox Nude Shock, SRAM S1000 Eagle AXS Transmission Drivetrain, 34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID 3P Air; Rush RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 120mm travel
REAR SHOCK	RockShox NUDE 5 RL3 Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Debon Air / Reb. Adj. / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM S1000 Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano SLX M7100 Disc; Shimano SM-RT64 / CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0 / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	Check website

SPARK RC COMP

ICE GREY/PROGRESSIVE GREY

423156-7960 (EU 1)
423120-7960 (NON-EU 1)

29"

S, M, L, XL



WHAT'S NEW

34T Chainring & Crankarm length Size M 170mm

FRAME	Spark RC Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / Kabolt 15x110mm axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 120mm travel
REAR SHOCK	FOX Float LV Custom EVOL Performace Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 120mm / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	SRAM NX Eagle DUB; 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1230 / 11-50
BRAKES	Shimano Deore M6100 Disc; Shimano SM-RT64 / CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0 / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 60TPI Foldable Bead; Tubeless Ready / EXO
APPROX. WEIGHT	Check website



SPARK 900 FAMILY

Short on travel, big on fun, the Spark 900 is what comes to mind when we think of the perfect mountain bike. Why, you ask? Well beyond the fact that it is fast, lightweight and ultra capable on all sorts of terrain, it's just damned good lookin'. Short-travel trail bike? "Downcountry" rig? Occasional race bike? Whatever, call it what you want to call it. All we know is that this is one hell of a mountain bike.

SPARK



SPARK 900 ULTIMATE TR



SPARK 900 TR



SPARK 910



SPARK 920 TR



SPARK 930



SPARK 930



SPARK 940



SPARK 950



SPARK 960



SPARK 960



SPARK 970



SPARK 970

MTB OVERVIEW

CONTESSA SPARK



CONTESSA SPARK 910 TR



CONTESSA SPARK 920



CONTESSA SPARK 930

SPARK 900 ULTIMATE TR

420872

S, M, L, XL



FRAME	Spark Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Factory Air / Kashima FIT4; 3-Modes with low Speed adj. / Kabolt 15x110mm axle / 44mm offset; Tapered steerer / Lockout / Reb. Adj.; 130mm travel
REAR SHOCK	FOX NUDE 5T Factory EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Kashima / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM Eagle AXS Rocker Controller
CRANKSET	SRAM XX SL Eagle Transmission; Carbon crankarm; DUB / 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB / shell 41x92mm
CHAIN	SRAM CN XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS 1299 Transmission 10-52
BRAKES	Shimano XTR M9120 4 Piston Disc; Shimano RT-MT900 CL / F&R 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Factory Dropper Post Kashima; 31.6mm / S size 125mm / M size 140mm / L size 150mm / XL size 150mm
SEAT	Syncros Tofino Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton SL2-30 CL full Carbon; F: 15x110mm; R: 12x148mm / 30mm Tubeless ready rim; DT Swiss 240 Ratchet EXP 36 / XD Driver; SRAM TyreWiz / Syncros SL Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Powerpack; SRAM TyreWiz; Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	10.9 KG (Tubeless setup) 24.03 LBS (Tubeless setup)

SPARK 900 TR

420873

29" CO

S, M, L, XL



FRAME	Spark Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Factory Air / Kashima FIT4; 3-Modes with low Speed adj. / Kabolt 15x110mm axle / 44mm offset; Tapered steerer / Lockout / Reb. Adj.; 130mm travel
REAR SHOCK	FOX NUDE 5T Factory EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Kashima / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	SRAM X0 Eagle Transmission; DUB / 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
BRAKES	Shimano XT M8120 4 Piston Disc; Shimano RT-MT800 CL / F&R 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Factory Dropper Post Kashima; 31.6mm / S size 125mm / M size 140mm / L size 150mm / XL size 150mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.0-30 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rim 28H; DT Swiss Ratchet Hubs / XD Driver; SRAM TyreWiz / Syncros SL Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Powerpack; Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	11.4 KG (Tubeless setup) 25.13 LBS (Tubeless setup)

SPARK 910

290124 (EU 1)
290112 (NON-EU 1)

S, M, L, XL



FRAME	Spark Carbon HMF; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Performance Elite Air FIT4; 3-Modes with low Speed adj. / Kabolt 15x110mm axle; 44mm offset / tapered steerer / Reb. Adj. / Lockout; 130mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano XT SL-M8100-IR / Rapidfire Plus; Ispec EV clamp
CRANKSET	Shimano XT FC-M8120-1 / Hollowtech 2; 32T
BB-SET	Shimano SM-BB71-41A / shell 41x92mm
CHAIN	Shimano SLX CN-M7100
CASSETTE	Shimano XT CS-M8100-12 / 10-51 T
BRAKES	Shimano XT M8120 4 Piston Disc; Shimano SM-RT76 / 6 Bolt / F&R 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Performance Elite Dropper Post; 31.6mm / S size 125mm / M size 140mm / L size 150mm / XL size 150mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.0-30 6 Bolt; F: 15x110mm, R: 12x148mm; 30mm Tubeless ready rim 28H / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen, T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	12.3 KG (Tubeless setup) 27.12 LBS (Tubeless setup)

SPARK 920 TR

420874 (EU 1)
420644 (NON-EU 1)

S, M, L, XL



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Performance Air Grip; 3-Modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	SRAM GX Eagle Transmission; DUB / 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM DB8 4 Piston Disc; SRAM HS2 Rotos / 6 Bolt / F&R 180mm
HANDLEBAR	Syncros Fraser 1.5 DC Alloy 7075 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 1.5; Syncros Cable Integration System; 0° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5; 31.6mm / S size 125mm / M size 140mm / L size 150mm / XL size 150mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	12.9 KG (Tubeless setup) 28.44 LBS (Tubeless setup)

SPARK 930 GREEN

290126 (EU 1)
290114 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Rhythm Air Grip; 3-Modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; Ispec EV clamp
CRANKSET	Shimano SLX FC-M7120-1 / Hollowtech 2; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	Shimano Deore CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano Deore M6120 4 Piston Disc; Shimano SM-RT64 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen, T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	13.5 KG (Tubeless setup) 29.76 LBS (Tubeless setup)

SPARK 930 WHITE

290127 (EU 1)
290115 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Rhythm Air Grip; 3-Modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; Ispec EV clamp
CRANKSET	Shimano SLX FC-M7120-1 / Hollowtech 2; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	Shimano Deore CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano Deore M6120 4 Piston Disc; Shimano SM-RT64 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen, T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	13.5 KG (Tubeless setup) 29.76 LBS (Tubeless setup)

SPARK 940

290128 (EU 1)
290116 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Pike RL3 Air; Custom Charger 3-Mode Damper; 15x110mm Maxle Lite / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 130mm travel
REAR SHOCK	RockShox Deluxe Select RL3 Trunnion; 3 modes / Lockout-Trail-Descend; Debon Air / Reb. Adj.; Travel 120mm / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM X1 Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm; Syncros Axle w/Removable Lever; with 6mm Allen, T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Ground / TLE / 67EPI / Addix Speed Grip
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Ground / TLE / 67EPI / Addix Speed Grip
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	13.5 KG (Tubeless setup) 29.76 LBS (Tubeless setup)

SPARK 950

290129 (EU 1)
290117 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Pike RL3 Air; Custom Charger 3-Mode Damper; 15x110mm Maxle Lite / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 130mm travel
REAR SHOCK	RockShox Deluxe Select RL3 Trunnion; 3 modes / Lockout-Trail-Descend; Debon Air / Reb. Adj.; Travel 120mm / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle 12 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	SRAM X1 Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S size 100mm/ M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will 29x2.4"; Performance / TLR / Foldable / Addix
REAR TIRES	Schwalbe Wicked Will / 29x2.4"; Performance / TLR / Foldable / Addix
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	14.5 KG (with tubes) 31.97 LBS (with tubes)

SPARK 960 BLUE

290130 (EU 1)
290118 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; 2-Modes / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm/ M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248M / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will / 29x2.4"; Performance / TLR / Foldable / Addix
REAR TIRES	Schwalbe Wicked Will 29x2.4"; Performance / TLR / Foldable / Addix
APPROX. WEIGHT	14.95 KG (with tubes) 32.96 LBS (with tubes)

SPARK 960 BLACK

290131 (EU 1)
290119 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; 2-Modes / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm/ M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Shimano HB-MT410-B CL / 15x110mm; Syncros 15x110mm
HUB (REAR)	Shimano FH-MT410-B CL / 12x148mm / Micro Spline; Syncros 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will / 29x2.4"; Performance / TLR / Foldable / Addix
REAR TIRES	Schwalbe Wicked Will 29x2.4"; Performance / TLR / Foldable / Addix
APPROX. WEIGHT	14.95 KG (with tubes) 32.96 LBS (with tubes)

SPARK 970 BLUE

290132 (EU 1)
422552 (EU 2)
290120 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; 2-Modes / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT201 Disc; Shimano SM-RT10 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post; 31.6mm / S size 100m / M size 130mm / L & XL size 150mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will 29x2.4"; Performance / Addix
REAR TIRES	Schwalbe Wicked Will 29x2.4"; Performance / Addix
APPROX. WEIGHT	14.95 KG (with tubes) 32.96 LBS (with tubes)

SPARK 970 SILVER

290133 (EU 1)
290121 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; 2-Modes / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT201 Disc; Shimano SM-RT10 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post; 31.6mm / S size 100m / M size 130mm / L & XL size 150mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will 29x2.4"; Performance / Addix
REAR TIRES	Schwalbe Wicked Will 29x2.4"; Performance / Addix
APPROX. WEIGHT	14.95 KG (with tubes) 32.96 LBS (with tubes)

CONTESSA SPARK 910 TR

420880 (EU 1)
420648 (NON-EU 1)

29" CO

S, M, L



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 34 Float Performance Air Grip; 3-Modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	SRAM GX Eagle Transmission; DUB / 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM DB8 4 Piston Disc; SRAM HS2 Rotos / 6 Bolt / F&R 180mm
HANDLEBAR	Syncros Fraser 1.5 DC Alloy 7075 D.B.; Mini Rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 1.5; Syncros Cable Integration System; 0° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 110mm / M size 140mm / L size 160mm
SEAT	Syncros Savona 2.0 V-Concept; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	12.9 KG (Tubeless setup) 28.44 LBS (Tubeless setup)

CONTESSA SPARK 920

290289 (EU 1)
290285 (NON-EU 1)

29" CO

S, M, L



FRAME	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Pike RL3 Air; Custom Charger 3-Mode Damper; 15x110mm Maxle Lite / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 130mm travel
REAR SHOCK	RockShox Deluxe Select RL3 Trunnion; 3 modes / Lockout-Trail-Descend; Debon Air / Reb. Adj.; Travel 120mm / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM X1 Eagle DUB; 55mm CL / 30T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; Mini Rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm; Syncros Axle w/Removable Lever; with 6mm Allen, T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Ground / TLE / 67EPI / Addix Speed Grip
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Ground / TLE / 67EPI / Addix Speed Grip
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	13.5 KG (Tubeless setup) 29.76 LBS (Tubeless setup)

CONTESSA SPARK 930

290290 (EU 1)
290286 (NON-EU 1)

29" CO

S, M, L



FRAME	Spark Alloy SL 6011; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; 2-Modes / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 120-80-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 30T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT54 CL / F&R 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; Mini Rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm / M size 125mm / L size 150mm
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248M / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm
FRONT TIRES	Schwalbe Wicked Will / 29x2.4"; Performance / TLR / Foldable / Addix
REAR TIRES	Schwalbe Wicked Will 29x2.4"; Performance / TLR / Foldable / Addix
APPROX. WEIGHT	14.95 KG (Tubeless setup) 32.96 LBS (Tubeless setup)





GENIUS

The Genius has always been our favorite bike. Smart suspension, smarter features, and the smartest design lead to an unbelievable trail bike that just cant get enough. This lastest version builds upon a heritage of success in the mountains and continues to offer the ultimate ride.



1 FRAME PLATFORM,
2 CONFIGURATIONS
GENIUS 900 & GENIUS ST

160/150MM
OF SUSPENSION TRAVEL FRONT/REAR















1. ONE FRAME, TWO PLATFORMS
The all-new Genius comes in two options, the Genius 900 and the Genius ST, or "Super Trail." While they share a frame platform, they have very different characters. The biggest difference between the two is their suspension platforms. The Genius 900 features our tried and true TwinLoc Suspension System, wheras the Genius ST has suspension components that favor more adjustability, including an all new FOX Float X NUDE shock. If you're after the do-it-all mountain bike that can get you around the mountain all day long, Genius 900 is just the bike. If you want similar features but with more of a focus on adjustability and the ride back down the mountain? Genius ST is perfect for that.

2. INTEGRATED SUSPENSION TECHNOLOGY
The Genius features our patented Integrated Suspension Technology. Not only does this make for a fantastic looking bike, but it allows us to really improve the bikes suspension performance. We can engineer frames with a lower shock placement, which lowers center of gravity. The result is better handling, and a more stable, confidence inspiring ride for the end user. It will also keep your shock protected from the elements when the weather and track turn sour!

3. EXTERNAL SAG AND TRAVEL INDICATOR
Setting sag and checking travel use is easier than ever before with the new Genius. An external indicator on the link allows the end user to easily set sag and to identify how much travel they're using.

4. EASY SHOCK ACCESS
We really focussed on smart integration with the new Genius, making it just as easy to work on your bike as with any other system. Accessing the shock on the Genius is a piece of cake. A simple push of a button is needed to remove a door on the downtube to access the shock, it can be done in the blink of an eye. Additionally, an access port on the seattube gives immediate access to the shock bolt should you ever need to remove your shock for servicing etc.

5. SCOTT NUDE SUSPENSION TECHNOLOGY
At the heart of all Genius models is our NUDE shock platform. You'll find the NUDE 5T shock on the Genius 900, and a brand-new addition to the NUDE Family on the Genius ST – the Float X NUDE from FOX. With this shock, we apply our unique in-house technologies to a platform that suits even more aggressive riding. All NUDE shocks feature three modes that can be selected via a handlebar remote: Descend, Traction Control, and a firm pedal mode or lockout (depending on the shock.) What makes these shocks truly unique is our Traction Control mode. When transitioning from fully open to Traction Control mode, one air chamber in the NUDE shock is closed off, reducing the shock's air volume, resulting in a more progressive shock. Like with all NUDE shocks, this volume reduction also changes the bike's dynamic geometry when switching from Descend Mode to Traction Control Mode. You sit higher in the shock's suspension travel, ground to pedal clearance is increased, and you effectively move forward into a more centered position on the bike, improving balance at lower speeds and when climbing technical sections.

6. FRAME CONSTRUCTION
We've applied our stiffness and lightweight zone principle to the Genius. Through strategic reinforcement of certain areas in the stiffness zone, we can really maximize weight savings elsewhere. The Genius features a 55mm chainline. Through this, we can really optimize tire clearance while not sacrificing rear end stiffness.



SYNCROS REVELSTOKE 1.0S

The second generation of the Revelstoke carbon wheels come with an entirely new carbon rim with a shallower design to reduce weight, increasing then compliance and comfort. The internal width is now 30mm. This allows the option for larger volume tires, optimizing grip and rolling resistance.

syncros




MAXXIS
MAXXIS



GENIUS FAMILY

The Genius is the ultimate Trail Bike. Smart suspension, smarter features, and the smartest design lead to an unbelievable trail bike that just can't get enough, no matter whether you're conquering high alpine trails or shredding single tracks with your buddies. The Genius, any trail, any time.

GENIUS



GENIUS 920



GENIUS 930



GENIUS 940



CONTESSA GENIUS 920



GENIUS ST 910 TR



GENIUS ST 920



CONTESSA GENIUS ST 910 TR

GENIUS 920

290145 (EU 2)
290140 (NON-EU 1)

S, M, L, XL



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Rhythm Air Grip; 3-Modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 160mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; Ispec EV clamp
CRANKSET	Shimano SLX FC-M7120-1 / Hollowtech 2; 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	Shimano Deore CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano Deore M6120 4 Piston Disc; Shimano SM-RT64 CL / 203/F and 180/R
HANDLEBAR	Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5; 31.6mm / S size 140mm / M size 160mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	14.8 KG (Tubeless setup) 32.63 LBS (Tubeless setup)

GENIUS 930

290146 (EU 2)
290141 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Genius Alloy 6061; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Rhythm Air Grip; 3-Modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 160mm travel
REAR SHOCK	FOX Float Custom EVOL Performace Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 150mm / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Praxis Cadet M24HD; 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	Praxis M24 BB92 / shell 41x92mm
CHAIN	Shimano Deore CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	SRAM DB8 4 Piston Disc; SRAM Centerline CL Rotors 200/F and 180/R
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; 12mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L & XLsize 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO
REAR TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	15.5 KG (Tubeless setup) 34.17 LBS (Tubeless setup)

GENIUS 940

290147 (EU 2)
290142 (NON-EU 1)

S, M, L, XL



FRAME	Genius Alloy 6061; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Marzocchi Z2 Air Rail; 3-Modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT501 Disc; Shimano SM-RT30 CL / 203/F and 180/R
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; 12mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post; 31.6mm / S size 130mm / M size 150mm / L & XLsize 170mm
SEAT	Syncros Tofino 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint
FRONT TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO
REAR TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO
APPROX. WEIGHT	15.8 KG (with tubes) 34.83 LBS (with tubes)

CONTESSA GENIUS 920

290294 (EU 2)
290292 (NON-EU 1)

29" CO

S, M, L



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Rhythm Air Grip; 3-Modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 160mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large air volume / DPS / Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; Ispec EV clamp
CRANKSET	Shimano SLX FC-M7120-1; Hollowtech 2; 55mm CL / 30T
CHAINGUIDE	SCOTT custom
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	Shimano Deore CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano Deore M6120 4 Piston Disc; Shimano SM-RT64 CL / 203/F and 180/R
HANDLEBAR	Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5; 31.6mm / S size 140mm / M size 160mm; L size 170mm
SEAT	Syncros Savona 2.0 V-Concept; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	14.8 KG (Tubeless setup) 32.63 LBS (Tubeless setup)

GENIUS ST 910 TR

420647 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Ohlins RXF36 m.2 Air; TTX-Technology HSC - LSC - LSR adjustable / 15x110mm Axle; 44mm offset / tapered steerer; 160mm travel
REAR SHOCK	FOX FLOAT X NUDE PE EVOL Piggy Back Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Climb-Traction Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 150-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	SRAM GX Eagle Transmission; Bash guard / DUB / 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Shimano XT M8120 4 Piston Disc; Shimano SM-RT76 / 6 Bolt / 203/F and 180/R
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M&L size 170mm / XL size 200mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 2.0 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Minion DHF / 2.6" / 120TPI Foldable; Tubeless Ready / EXO 3C maxxTerra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxxTerra
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	14.4 KG (Tubeless setup) 31.75 LBS (Tubeless setup)

GENIUS ST 920

290153 (EU 2)
290150 (NON-EU 1)

29" CO

S, M, L, XL



FRAME	Genius Alloy 6061; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Lyrik Air; Rush RC Damper; 15x110mm Maxle Stealth; 44mm offset / Tapered steerer; Comp & Reb. Adj. / 160mm travel
REAR SHOCK	FOX FLOAT X NUDE PE EVOL Piggy Back Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Climb-Traction Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 150-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	SRAM DB8 4 Piston Disc; SRAM Centerline CL Rotors 200/F and 180/R
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; 12mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5; 31.6mm / S size 140mm / M size 160mm; L size 170mm / XL size 200mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint
FRONT TIRES	Maxxis Minion DHF / 60TPI Foldable; Tubeless Ready / EXO
REAR TIRES	Maxxis Dissector / 60TPI Foldable; Tubeless Ready / EXO
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	15.8 KG (Tubeless setup) 34.83 LBS (Tubeless setup)

CONTESSA GENIUS ST 910 TR

420881 (EU 2)
420649 (NON-EU 1)

S, M, L



FRAME	Genius Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 36 Float Performance Elite Grip 2 Air; HSC - LSC - HSR-LSR adjustable / Kabolt 15x110mm axle; 44mm offset / tapered steerer; 160mm travel
REAR SHOCK	FOX Float X NUDE PE EVOL Piggy Back Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Climbing-Traction Control-Descend; Custom large air volume / Comp & Reb. Adj.; Travel 150-100-Climbing / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	SRAM GX Eagle Transmission; Bash guard / DUB / 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Shimano XT M8120 4 Piston Disc; Shimano SM-RT76 / 6 Bolt / 203/F and 180/R
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5; 31.6mm / S size 140mm / M size 160mm; L size 170mm
SEAT	Syncros Savona 2.0 V-Concept; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 2.0 6 Bolt; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Minion DHF / 2.6" / 120TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	SRAM AXS Powerpack; Syncros Fork Fender
APPROX. WEIGHT	14.4 KG (Tubeless setup) 31.75 LBS (Tubeless setup)



RANSOM

The latest version of RANSOM is everything we want out of a modern enduro bike. It was developed to help you tackle the most demanding of enduro stages, while offering you oodles of confidence to have the grin of all grins on your face after every park lap. With Ransom, we followed a strictly performance driven approach. Working with The latest version of RANSOM is everything we want out of a modern enduro bike. It was developed to help you tackle the most demanding of enduro stages, while offering you oodles of confidence to have the grin of all grins on your face after every park lap.



CONFIDENCE INSPIRING

INTEGRATED SUSPENSION TECHNOLOGY / 6-LINK KINEMATIC, SUPERNATURAL GEOMETRY, BALANCED STIFFNESS

VERSATILE

HEAD ANGLE ADJUSTMENT, MULLET COMPATIBILITY, INTEGRATED STORAGE, FOX FLOAT X NUDE

STRONG

PROTECTED FRAME PACKAGE, TESTED TO HIGHEST STANDARD, SUPER COMPOSED FEEL

PERFORMANCE DRIVEN

MAXIMIZED SUSPENSION PERFORMANCE









1. INTEGRATED SUSPENSION TECHNOLOGY
The all-new Ransom features our Patented Integrated Suspension system in unison with a 6-Bar Linkage. The resulting kinematic allows for maximized downhill capabilities and stability all the while maintaining its status as an efficient pedaler.

2. FRAME CONSTRUCTION
Developed as a bike for demanding gravity use, the Ransom's frame features meticulously engineered structural strength and even load distribution througout, resulting in a strong bike that's ready to take a beating.

3. VERSATILITY
With versatility being the key for todays' riders, adaptability is an integral part of the bike's DNA to ensure the ride experience can be tailored to personal preferences or different racetrack conditions.
This includes adjustable head angle, wheel size compatibility (mullet) and advanced shock compatibility.

4. GEOMETRY
The Ransom features a modern enduro geometry combining various aspects for a confidence inspiring ride in the roughest and fastest DH sections, but without compromising the bike's agility and precision when needed in tight corners and on technical terrain.



SYNCROS HIXON IC SL RISE

Designed for aggressive trail and enduro riders, the Hixon iC Rise features a stronger carbon layup, higher rise, complimentary ergonomic adjustments and is extended to a width of 800m, providing an extra 20mm of width over our Hixon iC SL.



INTERNAL STORAGE

The easy access to the inner frame frees further possibilities: Fully integrated in the down tube is the Syncros Matchbox Kit, which contains a Spare tube, Tire levers, Chain Tools and Multitool; This very clean and functional solution is easy to pull out and stow again ensuring one always has the most necessary.



NUDE SUSPENSION

The Ransom platform features our NUDE Suspension technology with the Float-X NUDE shock from FOX paired with fork options that favor more adjustability. When you pedal up to have the most fun on the way down, you want a shock that gives you full factory performance when things point downwards, but also a shock that won't slow you down when you need to ride back up. This is where the Float-X NUDE shines.







RANSOM FAMILY

Introducing the all-new SCOTT Ransom. Our latest version of Ransom was uncompromisingly engineered for maximum downhill performance and an all-time confidence inspiring ride. Killer geometry paired with a super-natural suspension kinematic results in a bike that doesn't take "no" for an answer. Don't hold yourself hostage, ride Ransom.

REMY ABSALON

“The Ransom is an incredibly capable bike- for Enduro it is perfect. You ride faster, saving energy, having fun everywhere and always finishing a trail thinking, “Woah! I didn’t know i could go that fast!” This is what I love.”



RANSOM RC



RANSOM 900 RC

RANSOM



RANSOM 910



RANSOM 920



RANSOM 930

CONTESSA RANSOM



CONTESSA RANSOM 910

GAMBLER RC



GAMBLER 920

ROXTER



ROXTER YZ 0.1

RANSOM 900 RC

293024

29" CO

S, M, L, XL



FRAME	Ransom Carbon HMX; Integrated Suspension Technology; 6 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline / MX Ready
FORK	FOX 38 Float Factory Grip 2 Air / Kashima; HSC - LSC - HSR- LSR adjustable / Kabolt 15x110mm axle; 44mm offset / tapered steerer; 170mm travel
REAR SHOCK	FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion; Kashima / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 170-130-Climb / T205X65mm / Bearing Hardware
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Controller
CRANKSET	SRAM X0 Eagle Transmission; Bash guard / DUB / 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
BRAKES	SRAM Code Ultimate Stealth 4 Piston Disc; SRAM HS2 Rotors F&R 200mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm / 40mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 1.5; Titanium Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Race Face Turbine R 30 / 110x15 / 148x12 rear / 29" / 28H / Tubeless Ready Rims / XD driver; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Maxxis Assegai / 2.5" / 60TPI Foldable / EXO+ / TR / 3C Maxx Gripp
REAR TIRES	Maxxis Dissector / 2.4" / 120TPI Foldable / DD/ TR / 3C Maxx Terra
EXTRAS	SRAM AXS Powerpack; Syncros Trail Fender 2 36/38; Syncros Eco Sealant
ACCESSORIES	Syncros IS Matchbox kit; Syncros IS tubeless Handlebar tool / Syncros Multi-tool Matchbox 8
APPROX. WEIGHT	15.2 KG (Tubeless setup without Matchbox IS) 33.51 LBS (Tubeless setup without Matchbox IS)

RANSOM 910

293025

29" CO

S, M, L, XL



FRAME	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; 6 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline / MX Ready
FORK	FOX 38 Float Performance Elite Grip 2 Air; HSC - LSC - HSR- LSR adjustable / Kabolt 15x110mm axle; 44mm offset / tapered steerer; 170mm travel
REAR SHOCK	FOX FLOAT X NUDE EVOL Piggy Back Trunnion / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 170-130-Climb / T205X65mm / Bearing Hardware
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Controller
CRANKSET	SRAM GX Eagle Transmission; Bash guard / DUB / 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Code RSC Stealth 4 Piston Disc; SRAM HS2 Rotors F&R 200mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm / 40mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 1.5; Titanium Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 2.0 6 Bolt; F: 15x110mm; R: 12x148mm Boost; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Maxxis Assegai / 2.5" / 60TPI Foldable / EXO+ / TR / 3C Maxx Gripp
REAR TIRES	Maxxis Dissector / 2.4" / 120TPI Foldable / DD/ TR / 3C Maxx Terra
EXTRAS	SRAM AXS Powerpack; Syncros Trail Fender 2 36/38
ACCESSORIES	Syncros IS Matchbox kit; Syncros IS tubeless Handlebar tool / Syncros Multi-tool Matchbox 8
APPROX. WEIGHT	15.7 KG (Tubeless setup without Matchbox IS) 34.61 (Tubeless setup without Matchbox IS)

RANSOM 920

293026

29" CO

S, M, L, XL



FRAME	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; 6 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline / MX Ready
FORK	RockShox Zeb Select+ Charger 3; HSC - LSC - LSR adjustable / 15x110mm Maxle stealth axle; 42mm offset / Tapered Steerer; / 170mm travel
REAR SHOCK	FOX FLOAT X NUDE EVOL Piggy Back Trunnion / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 170-130-Climb / T205X65mm / Bearing Hardware
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM X1 1000 Eagle DUB Boost; 32T / Chainline 55mm
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF integrated / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM NX / PG1210 / 11-50 T
BRAKES	SRAM DB8 4 Piston Disc; SRAM Centerline Rotors F&R 200mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; Size S & M 12mm Rise / Size L & XL 20mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 40mm
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 2.0; Crmo Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 2.5 6 Bolt; F: 15x110mm; R: 12x148mm Boost; 30mm Tubeless ready rim 28Hr; Syncros Axle w/ Removable Lever with Tool
FRONT TIRES	Maxxis Assegai / 2.5" / 60TPI Foldable / EXO+ / TR / 3C Maxx Gripp
REAR TIRES	Maxxis Dissector / 2.4" / 120TPI Foldable / DD/ TR / 3C Maxx Terra
EXTRAS	RS Zeb Fender
ACCESSORIES	Syncros IS Matchbox Kit / Syncros Multi-tool Matchbox 8
APPROX. WEIGHT	16.4 KG (Tubeless setup without Matchbox IS) 36.16 LBS (Tubeless setup without Matchbox IS)

RANSOM 930

293027

29" CO

S, M, L, XL



FRAME	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; 6 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline / MX Ready
FORK	RockShox Domain R Solo Air; 15x110mm Maxle stealth axle; 42mm offset / Tapered Steerer; Reb. Adj. / 170mm travel
REAR SHOCK	FOX FLOAT X NUDE EVOL Piggy Back Trunnion / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 170-130-Climb / T205X65mm / Bearing Hardware
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	Shimano Deore RD M6100 / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC MT512; 32T / Chainline 55mm
CHAINGUIDE	SCOTT custom
BB-SET	Shimano BB-MT500-PA / shell 41x92mm
CHAIN	Shimano CN M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT520 4 Piston Disc; Shimano SM-RT64 / centerlock / 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; Size S & M 12mm Rise / Size L & XL 20mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 40mm
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 2.0; Crmo Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL 811 / 15x110mm
HUB (REAR)	Formula CL 148M / Boost 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Assegai / 2.5" / 60TPI Foldable; EXO / TR / Dual
REAR TIRES	Maxxis Dissector / 2.4" / 120TPI Foldable / DD/ TR / 3C Maxx Terra
EXTRAS	RS Zeb Fender
ACCESSORIES	Syncros IS Matchbox Kit / Syncros Multi-tool Matchbox 8
APPROX. WEIGHT	16.7 KG (with tubes without Matchbox IS) 36.82 LBS (with tubes without Matchbox IS)

CONTESSA RANSOM 910

293141

29" CO

S, M, L



FRAME	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm; Integrated Suspension Technology; 6 Link kinematic / Adjustable head angle; Syncros Cable Integration System; BB92 / UDH Interface / 12x148mm with 55mm Chainline / Mullet Ready
FORK	FOX 38 Float Performance Elite Grip 2 Air; HSC - LSC - HSR- LSR adjustable / Kabolt 15x110mm axle; 44mm offset / tapered steerer; 170mm travel
REAR SHOCK	FOX FLOAT X NUDE EVOL Piggy Back Trunnion / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 170-130-Climb / T205X65mm / Bearing Hardware
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
REAR DERAILLEUR	SRAM GX Eagle Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Controller
CRANKSET	SRAM GX Eagle AXS Transmission; Bash guard / DUB / 55mm CL / 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Code RSC Stealth 4 Piston Disc; SRAM HS2 Rotors F&R 200mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm / 40mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 210mm
SEAT	Syncros Savona 1.5; Titanium Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 2.0 6 Bolt; F: 15x110mm; R: 12x148mm Boost; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Maxxis Assegai / 2.5" / 60TPI Foldable / EXO+ / TR / 3C Maxx Gripp
REAR TIRES	Maxxis Dissector / 2.4" / 120TPI Foldable / DD/ TR / 3C Maxx Terra
EXTRAS	SRAM AXS Powerpack; Syncros Trail Fender 2 36/38
ACCESSORIES	Syncros IS Matchbox kit; Syncros IS tubeless Handlebar tool / Syncros Multi-tool Matchbox 8
APPROX. WEIGHT	15.7 KG 34.61 LBS

GAMBLER 920

425080

M, L, XL



FRAME	Gambler Alloy 6061 / Hydroformed custom butted / BB107,VLK Virtual 4 Link kinematic,27.5" (2.6) and 29" (2.5) tire compatible with Geo-BB adj.,SW DH 12x157mm dropout
FORK	RockShox Boxxer Base / Rush RC /Comp. Reb. adjust / 52mm Offset,20mm Boost thru axle / 200mm Travel
REAR SHOCK	RockShox Vivid Coil / rebound Adj.,Custom tune / TR225x75mm
REAR DERAILLEUR	SRAM GX DH,Short cage / 7 Speed
SHIFTERS	SRAM GX DH,Trigger Shifter / 7 Speed
CRANKSET	SRAM Descendant DH DUB,34T Steel chainring DM / 165mm
CHAINGUIDE	SCOTT DH Custom
BB-SET	SRAM DUB PF MTB107,Shell 107x41mm
CHAIN	KMC X11
CASSETTE	SRAM CS PG-720 DH 11-25
BRAKES	Sram DB8 Stealth, Sram Centerline / 6bolt / 200mm
HANDLEBAR	Syncros Hixon 1.5 DH,31.8mm / 15mm Rise / 8° / 800mm,Syncros Pro DH dual lock-on grips
HANDLEBAR STEM	Syncros DH1.5,31.8mm / Direct Mount 50mm
SEATPOST	Syncros DH2.0 / 31.6mm / Alloy6061
SEAT	Syncros Kaslo 2.0,Crmo Rails
HEADSET	Syncros DH,Semi integrated,ID 49.6mm / OD 56mm
HUB (FRONT)	Formula DHL-93 Boost / 110x20mm / thru axle
HUB (REAR)	Formula DHL-157,157x12mm thru axle / sealed bearings
SPOKES	DT Swiss Industry / 2.0 black
RIMS	Syncros MD30 Disc / 29" / 32H black / Tubeless Ready
FRONT TIRES	Maxxis Assegai 29x2.5" / 2x60TPI / DH / TR / 3C Maxx Grip
REAR TIRES	Maxxis Assegai 27.5x2.5" / 2x60TPI / DH / TR / 3C Maxx Grip
PEDALS	Wellgo B155U SCT / flat / w/replaceable pins
APPROX. WEIGHT	Check website

ROXTER YZ 0.1

294442

26" CO

One size



FRAME	Roxter YZ 6061 Alloy; Hydroformed tubing; Disc Dropout / horizontal for 135x10mm single speed
FORK	Manitou Circus Expert; Air / Comp. Reb. adjust / 20mm thru axle / 100mm travel
CRANKSET	Prowheel MPX-CR094S-TT / 165mm / 30T
BB-SET	Prowheel BSA 73mm
CHAIN	KMC Z1
CASSETTE	Sprocket / 14 T
BRAKES	Tektro HDM280 rear Hydr. Disc; Tektro / 6 Bolt / 160mm
HANDLEBAR	Syncros Hixon 2.0 Rise; 31.8mm / 800mm / 20mm Rise; Syncros Pro DH lock-on grips
HANDLEBAR STEM	Syncros XM1.5; 31.8mm / 40mm / 0°
SEATPOST	Syncros DJ1.5 / Pivotal / 31.6mm
SEAT	Syncros DJ1.5 / Pivotal
HEADSET	Syncros OE Press Fit E2 / Tapered 1.5"-1 1/8"; OD 50/62mm / ID 44/56mm
HUB (FRONT)	Formula DHL-92 / 110x20mm / thru axle
HUB (REAR)	Formula DC42-N; w/tracknut / single Speed
SPOKES	Stainless 14G / black / 2.0mm
RIMS	Syncros DP25 Disc / 32H
FRONT TIRES	Kenda 3-Sixty; 30TPI / wire / 26x2.25"
REAR TIRES	Kenda 3-Sixty; 30TPI / wire / 26x2.25"
PEDALS	Wellgo B107.N flat
APPROX. WEIGHT	11.5 KG (with tubes) 25.35 LBS(with tubes)

HARDTAIL LINE-UP

Our Hardtail mountain bikes are suitable for anything from racing at the highest level, to allowing you to make your first forays into the world of MTB. When it comes to efficiency, these bikes are tough to beat!





SCALE RC

The Scale RC is the perfect blend of stiffness, light weight, and 30 years of carbon expertise. These characteristics, encompassed in an uncompromising frame design decisively accelerate the Scale away from the pack with every pedal stroke.



SCALE

The Scale family of bikes takes inspiration from their race bred cousins, and focus more on ride comfort and affordability. Available in both Carbon and Alloy frame materials, these bikes are used around the world as race bikes, adventure bikes, and for everything in between.





ASPECT

The Aspect family of bikes is one of our most versatile. Well-thought-out design with carefully selected specs make these hardtail mountain bikes great for those who are getting into the sport or those who are looking to get their first serious mountain bike.



SCALE

The Scale is the perfect blend of stiffness, light weight, and 30 years of carbon expertise. These characteristics, encompassed in an uncompromising frame design decisively accelerate the Scale away from the pack with every pedal stroke. From the carbon fiber to the manufacturing process to the final result, the Scale is the pinnacle of modern mtb design. The result is a benchmark for race hardtail frames.



847 G
FRAME WEIGHT W/ HARDWARE (HMX-SL)

±0.6 DEGREES
EASY HEAD ANGLE ADJUST FOR 100/110MM FORK TRAVEL


1


2


3


4


5


6


7

1. ZERO-COMPROMISE FRAME DESIGN
When it came to designing the Scale, the idea of form follows function was ever present. We were after the ultimate yet most simple of constructions – fast, light and efficient. The result is a straightforward and clear design, providing the Scale with its distinctive character and aggressive look, a bike that proudly shows off its characteristics.

2. NEW MONOCOQUE CONSTRUCTION
The monocoque construction enables a production using only 1 mold for the main section of the bike, the front triangle. This directly translates into an increased level of efficiency due to the reduced number of junctions required decreasing weight while keeping superior stiffness – something we're always after with hardtail race bikes.

3. OPTIMIZED WEIGHT
When pushing products at the highest level, it all comes down to marginal gains. These are what make a real impact on the performance of both the bike and the rider. With more than single grams in mind, this meticulously developed system balancing an optimal blend of stiffness, strength and just the right amount of compliance is what we were looking to create. We hit the sweet spot with the all-new Scale RC, and optimized weight throughout the all-new Scale product range.

4. POLYMER INSERTS
With the all-new Scale RC, hardware weight has almost halved. This was achieved through reducing the use of metal inserts including the chain guide, bottle cage inserts and a reduced amount of cable routing parts. Instead of metal, lighter polymer versions were incorporated and can be found as the bottle cage inserts on the HMX-SL frames. These can be plugged completely sitting flush on the frame due to a smart and flexible clipping mechanism.

5. HOLLOW DROPOUT CONSTRUCTION
The dropout's feature advanced, hollow construction, which allows the axle head to clamp against the inner surface of the dropout and leaves the head flush with the surface. This enables the lightest possible construction approach and a clean looking design from the outside. While being able to shave off 7.5g with the new dropout construction directly, the optimized design favored a narrower construction of the rear triangle area, which in turn enabled a reduction of 20g in this area of the frame.

6. SERVICE DOOR
A little service door, which is accessible through a downtube cover, allows easy access to the interior of the frame without the need to remove the Bottom Bracket. Frame maintenance is made easy with regards to cable routing.

7. CROSS-COUNTRY GEOMETRY
Working with athletes like Kate Courtney, Nino Schurter and the rest of the SCOTT-SRAM MTB Racing Team, we were able to pinpoint exactly what we wanted in terms of geometry, optimized to carve out the characteristics of a thoroughbred XC hardtail.
A clear focus was set on the bikes ability to compete on anything from local XC loops to World Cup tracks right from the start of the development process. Especially the Scale's slacker head angle provides the rider with more aggressive handling when descending and cornering, all without compromising the bike's outstanding climbing performance. The ability to adjust the head angle for about 0.6 degrees allows riders to run the 100mm standard or a 110mm front suspension setup and to fine tune the bike for any challenge coming up their way.



SYNCROS FRASER IC SL

As used by the Scott-Sram team at the World Cup, our Fraser iC SL bar is a precision carbon construction that gives you a stronger, lighter and more integrated cockpit.

syncros







SCALE FAMILY

With the Scale family of bikes we've created a whole new breed in the world of hardtail mountain bikes. Super light and super fast, this multiple World Cup winner epitomizes what it means when we say 100% power in, 100% power out. Available in both Carbon and Alloy frame materials, these bikes are used around the world as race bikes, adventure bikes, and for everything in between.

SCALE RC



SCALE RC WORLD CUP CARBON BLACK



SCALE RC TEAM ISSUE CUMULUS WHITE/CARBON BLACK



SCALE RC TEAM MARTIN GREEN



SCALE RC COMP CARBON BLACK

SCALE



SCALE 920



SCALE 925



SCALE 930 BLUE



SCALE 930 WHITE



SCALE 940 BLACK



SCALE 940 RED



SCALE 950



SCALE 960



SCALE 965 BLUE



SCALE 965 GREEN



SCALE 970 GREY



SCALE 970 RED



SCALE 980 BLACK



SCALE 980 BLUE

CONTESSA SCALE



CONTESSA SCALE 920



CONTESSA SCALE 930



CONTESSA SCALE 940

SCALE RC WORLD CUP

CARBON BLACK

423088-3020

RAW P 29"

S, M, L, XL



WHAT'S NEW

110mm Fork travel, Syncros XC Dropper, SRAM Level 4P Brakes, 34T Chainring & Crankarm length Size M 170mm

FRAME	Scale Carbon HMX; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID SL Ultimate 3P Air; Charger Race Day 2 Damper 3-Modes; 15x110mm Maxle Stealth / 44mm offset /Tapered steerer; Lockout / Reb. Adj. / 110mm travel
REMOTE SYSTEM	SCOTT RideLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX Eagle AXS Transmission; Carbon crankarm / Spindle Power Meter; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN XX Eagle Transmission
CASSETTE	SRAM XX Eagle XS 1297 Transmission 10-52
BRAKES	SRAM Level Ultimate Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra 1.0 Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Fulcurm Red Zone Carbon CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rims 28H / XD Driver; Syncros SL Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack; Syncros Tubeless Handlebar Tool
APPROX. WEIGHT	Check website Check website

SCALE RC TEAM ISSUE

CUMULUS WHITE/CARBON BLACK

423083-8086

RAW 29"

S, M, L, XL



WHAT'S NEW

110mm Fork travel, Syncros XC Dropper, SRAM Level 4P Brakes, 34T Chainring & Crankarm length Size M 170mm

FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID SL Select 3P Air; Charger RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 110mm travel
REMOTE SYSTEM	SCOTT RideLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Level Bronze Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -12° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra Regular 1.5; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Fulcrum Red Zone 300 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	Check website Check website

SCALE RC TEAM MARTIN GREEN

423078-7961

29"

S, M, L, XL



WHAT'S NEW

110mm Fork travel, SRAM S1000 Eagle AXS Transmission Drivetrain, Syncros XC Dropper, 34T Chainring & Crankarm length Size M 170mm

FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID SL 3P Air; Rush RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 110mm travel
REMOTE SYSTEM	SCOTT RideLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM S1000 Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano Deore M6100 Disc; Shimano SM-RT64 / CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5XC / 31.6mm; all sizes 100mm
SEAT	Syncros Belcarra Regular 2.0; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 2.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim / 28H / XD Driver; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
EXTRAS	SRAM AXS Powerpack
APPROX. WEIGHT	Check website

SCALE RC COMP CARBON BLACK

423422-3020

RAW 29"

S, M, L, XL



WHAT'S NEW

110mm Fork travel, 34T Chainring & Crankarm length Size M 170mm

FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox SID SL 3P Air; Rush RL 3-Mode Damper; 15x110mm Maxle Stealth / 44mm offset / Tapered steerer; Lockout / Reb. Adj. / 110mm travel
REMOTE SYSTEM	SCOTT RideLoc Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	SRAM NX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1230 / 11-50
BRAKES	Shimano MT401 Disc; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Rekon Race / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
APPROX. WEIGHT	Check website

SCALE 920

290168

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 SC Float Performance Air Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Lockout / Reb. Adj. / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM GX Eagle 12 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	SRAM GX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM XG1275 / 10-52 T
BRAKES	Shimano Deore M6100 Disc Brake; Shimano SM-RT64 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-14811 / 12x148mm / XD Driver
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Racing Ray 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
REAR TIRES	Schwalbe Racing Ralph 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
APPROX. WEIGHT	11.3 KG (with tubes) 24.91 LBS (with tubes)

SCALE 925

290169

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano SLX FC-M7120-1 / Hollowtech 2; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm

CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT501 Disc Brake; Shimano SM-RT54 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CrMo rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB

HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Racing Ray 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
REAR TIRES	Schwalbe Racing Ralph 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
APPROX. WEIGHT	11.7 KG (with tubes) 25.79 LBS (with tubes)

SCALE 930 BLUE

290170

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT401 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Shimano FH-MT410-B CL / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Racing Ray 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
REAR TIRES	Schwalbe Racing Ralph 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
APPROX. WEIGHT	12.2 KG (with tubes) 26.9 LBS (with tubes)

SCALE 930 WHITE

290171

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT401 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Shimano FH-MT410-B CL / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Racing Ray 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
REAR TIRES	Schwalbe Racing Ralph 29x2.35"; Performance Folding / TLE Tubeless ready / Addix
APPROX. WEIGHT	12.2 KG (with tubes) 26.9 LBS (with tubes)

SCALE 940 BLACK

290172

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Smart Sam 29x2.35" / Active line
REAR TIRES	Schwalbe Smart Sam 29x2.35" / Active line
APPROX. WEIGHT	12.7 KG (with tubes) 28 LBS (with tubes)

SCALE 940 RED

290173

29" CO

S, M, L, XL



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 11/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Smart Sam 29x2.35" / Active line
REAR TIRES	Schwalbe Smart Sam 29x2.35" / Active line
APPROX. WEIGHT	12.7 KG (with tubes) 28 LBS(with tubes)

SCALE 950

290182 (EU 1)
290190 (NON-EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT501 Disc Brake; Shimano SM-RT64 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CrMo rails
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248M / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI Foldable
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI Foldable
PEDALS	Femin FP873ZU
APPROX. WEIGHT	12.7 KG (with tubes / wo Pedals) 28 LBS (with tubes / wo Pedals)

SCALE 960

290183 (EU 1)
290191 (NON-EU 1)

29" CO

S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	FOX 32 Float Rhythm Grip; 3-Modes / 15x110mm QR axle / 44mm offset / tapered steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Technology; 3 Suspension modes
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM NX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT401 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	12.9 KG (with tubes / wo Pedals) 28.44 LBS (with tubes / wo Pedals)

SCALE 965 BLUE

290184 (EU 1)
290192 (NON-EU 1)
290176 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	Shimano SLX RD-M7100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500-PA / shell 41x89.5mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT201 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Shimano HB-MT410-B CL / 15x110mm
HUB (REAR)	Shimano FH-MT410-B CL / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros R27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.3 KG (with tubes / wo Pedals) 29.32 LBS (with tubes / wo Pedals)

SCALE 965 GREEN

290185 (EU 1)
290193 (NON-EU 1)
290177 (NON-EU 2)

29" CO

S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	Shimano SLX RD-M7100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500-PA / shell 41x89.5mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT201 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Shimano HB-MT410-B CL / 15x110mm
HUB (REAR)	Shimano FH-MT410-B CL / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros R27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.3 KG (with tubes / wo Pedals) 29.32 LBS (with tubes / wo Pedals)

SCALE 970 GREY

290186 (EU 1)
290194 (NON-EU 1)
290178 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / QR 5x141mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 46mm offset / Tapered Steerer / Reb. Adj.; Lockout / 100mm travel
REMOTE SYSTEM	RockShox PopLoc Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 DiscBrake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-51
HUB (REAR)	Formula CL-2241 / QR 5x141mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.5 KG (with tubes / wo Pedals) 29.76 LBS (with tubes / wo Pedals)

SCALE 970 RED

290187 (EU 1)
290195 (NON-EU 1)
290179 (NON-EU 2)

29" CO

S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / QR 5x141mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 46mm offset / Tapered Steerer / Reb. Adj.; Lockout / 100mm travel
REMOTE SYSTEM	RockShox PopLoc Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 32T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 DiscBrake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 11/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-51
HUB (REAR)	Formula CL-2241 / QR 5x141mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros R27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.5 KG (with tubes / wo Pedals) 29.76 LBS (with tubes / wo Pedals)

SCALE 980 BLACK

290188 (EU 1)
290196 (NON-EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / QR 5x141mm with 55mm Chainline
FORK	Suntour X1 32 RL-R / Coil Spring; Tapered Steerer / Reb. Adj.; Remote Lockout / 100mm travel
REMOTE SYSTEM	Suntour Remote
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT200 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-51
HUB (REAR)	Formula CL-3341M / 5x141mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	14.3 KG (with tubes / wo Pedals) 31.53 LBS (with tubes / wo Pedals)

SCALE 980 BLUE

290189 (EU 1)
290197 (NON-EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / QR 5x141mm with 55mm Chainline
FORK	Suntour X1 32 RL-R / Coil Spring; Tapered Steerer / Reb. Adj.; Remote Lockout / 100mm travel
REMOTE SYSTEM	Suntour Remote
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 32T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT200 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-51
HUB (REAR)	Formula CL-3341M / 5x141mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	14.3 KG (with tubes / wo Pedals) 31.53 LBS (with tubes / wo Pedals)

CONTESSA SCALE 920

290296

29" CO

S, M, L



FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 30T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 700mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Smart Sam 29x2.35" / Active line
REAR TIRES	Schwalbe Smart Sam 29x2.35" / Active line
APPROX. WEIGHT	12.7 KG (Tubeless setup) 28 LBS (Tubeless setup)

CONTESSA SCALE 930

290298 (EU 1)
290300 (NON-EU 1)

29" CO

S, M, L



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 15x110mm QR axle / 42mm offset / Tapered Steerer; Reb. Adj. / Lockout / 100mm travel
REMOTE SYSTEM	SCOTT RideLoc 2 Remote
REAR DERAILLEUR	Shimano SLX RD-M7100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-R / Rapidfire Plus
CRANKSET	Shimano FC-MT512-1; 55mm CL / 30T
BB-SET	Shimano BB-MT500 / shell 41x92mm
CHAIN	KMC X12
CASSETTE	Shimano Deore CS-M6100-12 / 10-51 T
BRAKES	Shimano MT201 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 700mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248M / 12x148mm / Micro Spline
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.3 KG (with tubes / wo Pedals) 29.32 LBS (with tubes / wo Pedals)

CONTESSA SCALE 940

290299 (EU 1)
290301 (NON-EU 1)

29" CO

XS, S, M, L



FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / QR 5x141mm with 55mm Chainline
FORK	RockShox Judy Silver TK Solo Air; 46mm offset / Tapered Steerer / Reb. Adj.; Lockout / 100mm travel
REMOTE SYSTEM	RockShox PopLoc Remote
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM SX Eagle DUB; 55mm CL / 30T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210 / 11-50 T
BRAKES	Shimano MT200 DiscBrake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 700mm; Syncros Performance XC grips
HANDLEBAR STEM	Syncros Alloy 6061; oversized 31.8mm / 1 1/8" / 6° angle
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-51
HUB (REAR)	Formula CL-2241 / QR 5x141mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-27 / 32H / 27mm
FRONT TIRES	Maxxis Rekon Race / 2.4" / 60TPI
REAR TIRES	Maxxis Rekon Race / 2.4" / 60TPI
PEDALS	Femin FP873ZU
APPROX. WEIGHT	13.5 KG (with tubes / wo Pedals) 29.76 LBS (with tubes / wo Pedals)



ASPECT

The SCOTT Aspect is a Hardtail that is designed to be light, efficient and reasonably priced. With inspiration stemming from our know-how developed on our top-notch mountain bikes, the Aspect has everything a great mountain bike should. The bike features a lock-out system, proven suspension and durable, reliable components. This is the perfect bike for the novice and budget conscious mountain biker.

2
WHEEL SIZES

68.5°
HEADTUBE ANGLE

SHORTER TOP TUBE

6
FRAME SIZES



CONFIDENCE AND COMFORT
The shorter top tube and higher head tube allow for a comfortable position and with a 68.5° head tube angle, novice riders and MTB enthusiasts alike gain the confidence of better stability and control of the bike.

CONSTRUCTION
We give the Aspect the same level of attention to detail as our most high end bikes. The Aspect is built to be efficient, easy to use and versatile at an attractive price point with a great design. It has built in mounts for racks, fenders, a bottle cage and lights.

PROVEN COMPONENTS
At SCOTT, we trust in our partners and set up our bikes with the most proven and reliable components to give you all the confidence you need to go from point A to point B and back with ease. Our Aspect range comes equipped with SRAM or Shimano drivetrains, RockShox or SR Suntour forks, Syncros components and ergonomic saddles and grips.



ASPECT FAMILY

The Aspect family of bikes is one of our most versatile. Well-thought-out design with carefully selected specs make these hardtail mountain bikes great for those who are getting into the sport or those who are looking to get their first serious mountain bike.

ASPECT



ASPECT 910



ASPECT 920 CU



ASPECT 930 CU BLACK



ASPECT 930 CU BLUE



ASPECT 940 CU BLUE



ASPECT 940 CU ORANGE



ASPECT 950 EQ CU



ASPECT 950 CU

ASPECT



ASPECT 950 CU YELLOW



ASPECT 960 BLACK



ASPECT 960 ORANGE



ASPECT 970 BLUE



ASPECT 970 GREEN

ASPECT 910

290216 (EU 1)
290198 (NON-EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900 series / Alloy 6061 Custom Butted Tubing; Boost QR 5x141mm / Tapered Headtube / BB92; Internal Cable Routing / replaceable hanger
FORK	RockShox Judy Silver TK; Solo Air / Alloy steerer; PopLoc Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	SCOTT RideLoc Remote Technology / 2 modes
REAR DERAILLEUR	SRAM SX Eagle; 12 Speed
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM X1000 Eagle DUB; 30T
BB-SET	SRAM DUB BB92 PF / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM CS PG-1210 Eagle / 11-50T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Comfort Lock-on Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / Reduce 1.5"-1 1/8"; OD 50/62mm / ID 44/56mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Formula CL2241 / 141QR
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	13.5 KG (with tubes / wo Pedals) 29.76 LBS (with tubes / wo Pedals)

ASPECT 920 CU

296580 (EU 1)
296298 (NON-EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900 series / Alloy 6061 Custom Butted Tubing; Boost QR 5x141mm / Tapered Headtube / BB92; Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32-RL-R; Air / Alloy Steerer; Remote Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	Suntour Remote lockout
REAR DERAILLEUR	Shimano CUES RD-U6000-SGS; Shadow Type / 11 Speed
SHIFTERS	Shimano CUES SL-U6000-11 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-MT500-PA / shell 41x92mm
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-11 / 11-50T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Comfort Lock-on Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / Reduce 1.5"-1 1/8"; OD 50/62mm / ID 44/56mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Formula CL2241 / 141QR
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	13.9 KG (with tubes / wo Pedals) 30.64 LBS (with tubes / wo Pedals)

ASPECT 930 CU BLACK

296581

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900 series / Alloy 6061 Custom Butted Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-RL-R; Remote Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	Suntour Remote lockout
REAR DERAILLEUR	Shimano CUES RD-U6000-SGS; Shadow Type / 10 Speed
SHIFTERS	Shimano CUES SL-U6000-10 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-BBMT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-10 / 11-48T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Comfort Lock-on Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	13.95 KG (with tubes / wo Pedals) 30.75 LBS (with tubes / wo Pedals)

ASPECT 930 CU BLUE

296582

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900 series / Alloy 6061 Custom Butted Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-RL-R; Remote Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	Suntour Remote lockout
REAR DERAILLEUR	Shimano CUES RD-U6000-SGS; Shadow Type / 10 Speed
SHIFTERS	Shimano CUES SL-U6000-10 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-BBMT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-10 / 11-48T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Comfort Lock-on Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	13.95 KG (with tubes / wo Pedals) 30.75 LBS (with tubes / wo Pedals)

ASPECT 940 CU BLUE

296301

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Butted Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-LO-R; Hyd. Lockout / Reb. Adj.; 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-BBMT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL rotor / F&R 160mm
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Pro Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Shimano HB TX505
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	14.15 KG (with tubes / wo Pedals) 31.2 LBS (with tubes / wo Pedals)

ASPECT 940 CU ORANGE

296302

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Butted Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-LO-R; Hyd. Lockout / Reb. Adj.; 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-BBMT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Shimano MT200 / Hydr. Disc Brakes; Shimano SM-RT10 CL rotor / F&R 160mm
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Pro Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Shimano HB TX505
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	14.15 KG (with tubes / wo Pedals) 31.2 LBS (with tubes / wo Pedals)

ASPECT 950 EQ CU

296583 (EU 1)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCT30-HLO; Hyd. Lockout / 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U4000-1; 32T
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Tektro HDM275 Hydr. Disc Brakes; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Pro Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
ACCESSORIES	Syncros 2 Bolts Direct Mount Kickstand
APPROX. WEIGHT	14.9 KG (with tubes / wo Pedals) 32.85 LBS (with tubes / wo Pedals)

ASPECT 950 CU GREY

296584

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCT30-HLO; Hyd. Lockout / 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U4000-1; 32T
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Tektro HDM275 Hydr. Disc Brakes; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Pro Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.4 KG (with tubes / wo Pedals) 31.75 LBS (with tubes / wo Pedals)

ASPECT 950 CU YELLOW

296585

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCT30-HLO; Hyd. Lockout / 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U4000-1; 32T
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Tektro HDM275 Hydr. Disc Brakes; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	Syncros 3.0 / 720mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Pro Grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.4 KG (with tubes / wo Pedals) 31.75 LBS (with tubes / wo Pedals)

ASPECT 960 BLACK

290229 (EU 1)
290243 (NON-EU 1)
290211 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TX800; 16 Speed
FRONT DERAILLEUR	Shimano FD-M315-TS / 31.8mm
SHIFTERS	Shimano SL-M315; R-fire plus / 2 way release; w/gear indicator
CRANKSET	Prowheel TM-CY01; 36X22 w/CG
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC Z-8.3
CASSETTE	Sunrace CSM55 8AV / 11-34T
BRAKES	Clarks Clout Hydr. Disc Brakes; Clarks / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 720mm / black / 12mm rise; Syncros Pro Grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.6 KG (with tubes / wo Pedals) 32.19 LBS (with tubes / wo Pedals)

ASPECT 960 ORANGE

290230 (EU 1)
290212 (NON-EU 1)
290244 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TX800; 16 Speed
FRONT DERAILLEUR	Shimano FD-M315-TS / 31.8mm
SHIFTERS	Shimano SL-M315; R-fire plus / 2 way release; w/gear indicator
CRANKSET	Prowheel TM-CY01; 36X22 w/CG
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC Z-8.3
CASSETTE	Sunrace CSM55 8AV / 11-34T
BRAKES	Clarks Clout Hydr. Disc Brakes; Clarks / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 720mm / black / 12mm rise; Syncros Pro Grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.6 KG (with tubes / wo Pedals) 32.19 LBS (with tubes / wo Pedals)

ASPECT 970 BLUE

290232 (EU 1)
290214 (NON-EU 1)
290246 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TY300; 21 Speed
FRONT DERAILLEUR	MicroShift FD-M20 / 31.8mm
SHIFTERS	Shimano ST-EF-41-L / 7R; EZ-fire plus w/gear indicator
CRANKSET	Prowheel TA-CQ01; 42x34x24 w/CG
BB-SET	Feimin FP.B902; BB73 / square taper
CHAIN	KMC Z-7
CASSETTE	Sunrace CSM40 7AV / 11-34T
BRAKES	Tektro SCM-02 Mech. Disc Brakes; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 720mm / black / 12mm rise; Syncros Pro Grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-27A 7s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-803
APPROX. WEIGHT	14.95 KG (with tubes / wo Pedals) 32.96 LBS (with tubes / wo Pedals)

ASPECT 970 GREEN

290233 (EU 1)
290215 (NON-EU 1)
290247 (NON-EU 2)

29" CO

XS, S, M, L, XL, XXL



FRAME	Aspect 900-700 series / Alloy 6061 Custom Tubing; BSA73 / Internal Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TY300; 21 Speed
FRONT DERAILLEUR	MicroShift FD-M20 / 31.8mm
SHIFTERS	Shimano ST-EF-41-L / 7R; EZ-fire plus w/gear indicator
CRANKSET	Prowheel TA-CQ01; 42x34x24 w/CG
BB-SET	Feimin FP.B902; BB73 / square taper
CHAIN	KMC Z-7
CASSETTE	Sunrace CSM40 7AV / 11-34T
BRAKES	Tektro SCM-02 Mech. Disc Brakes; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 720mm / black / 12mm rise; Syncros Pro Grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros 3.0
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-27A 7s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-803
APPROX. WEIGHT	14.95 KG (with tubes / wo Pedals) 32.96 LBS (with tubes / wo Pedals)



CONTESSA ACTIVE 10 CU



CONTESSA ACTIVE 20 CU



CONTESSA ACTIVE 30 CU



CONTESSA ACTIVE 40 CU PURPLE



CONTESSA ACTIVE 40 CU BLUE



CONTESSA ACTIVE 50 PINK



CONTESSA ACTIVE 50 GREEN



CONTESSA ACTIVE 60

CONTESSA ACTIVE 10 CU

296587 (EU 1)
296308 (NON-EU 1)

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Butted Tubing; Boost QR 5x141mm / Tapered Headtube / BB92 / PF; Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32-RL-R; Air / Alloy Steerer; Remote Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	Suntour Remote lockout
REAR DERAILLEUR	Shimano CUES RD-U6000-SGS; Shadow Type / 11 Speed
SHIFTERS	Shimano CUES SL-U6000-11 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-MT500-PA / shell 41x92mm
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-11 / 11-50T
BRAKES	Shimano MT200 / Hydr. Disc; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 680mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Women Comfort lock-on grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / Reduce 1.5"-1 1/8"; OD 50/62mm / ID 44/56mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Formula CL2241 / 141QR
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	Check website

CONTESSA ACTIVE 20 CU

296588 (EU 1)
296309 (NON-EU 1)

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Butted Tubing; OLD 135mm / BSA73; Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-RL-R; Remote Lockout / Reb. Adj.; 100mm travel
REMOTE SYSTEM	Suntour Remote lockout
REAR DERAILLEUR	Shimano CUES RD-U6000-SGS; Shadow Type / 10 Speed
SHIFTERS	Shimano CUES SL-U6000-10 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-SM-BB52; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-10 / 11-48T
BRAKES	Shimano MT200 / Hydr. Disc; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros 3.0 / 680mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Women Pro grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula CL51
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	13.9 KG 30.64 LBS

CONTESSA ACTIVE 30 CU

296310

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Butted Tubing; OLD 135mm / BSA73; Internal Cable Routing / replaceable hanger
FORK	Suntour XCR32/X1-LO-R / Hyd. Lockout / Reb. Adj.; 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U6000-1; 32T
BB-SET	Shimano BB-MT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Shimano BR-MT200 / Hydr. Disc; Shimano SM-RT10 CL rotor / F&R 160mm
HANDLEBAR	Syncros 3.0 / 680mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Women Pro grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Shimano HB TX505
HUB (REAR)	Shimano FH-TX5058
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	VP VP-536
APPROX. WEIGHT	14.1 KG 31.09 LBS

CONTESSA ACTIVE 40 CU PURPLE

296589

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Tubing; OLD 135mm / BSA73; Internal shifting Cable Routing / replaceable hanger
FORK	Suntour XCT30-HLO; Hyd. Lockout / 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U4000-1; 32T
BB-SET	Shimano BB-MT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Tektro HDM276 / Hydr. Disc; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	Syncros 3.0 / 680mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Women Pro grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.3 KG 31.53 LBS

CONTESSA ACTIVE 40 CU BLUE

296590 (EU 1)
296311 (NON-EU 1)

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Tubing; OLD 135mm / BSA73; Internal shifting Cable Routing / replaceable hanger
FORK	Suntour XCT30-HLO; Hyd. Lockout / 100mm travel
REAR DERAILLEUR	Shimano CUES RD-U4000-GS; Shadow Type / 9 Speed
SHIFTERS	Shimano CUES SL-U4000-9 / 2 way release
CRANKSET	Shimano CUES FC-U4000-1; 32T
BB-SET	Shimano BB-MT500; Hollowtech II / threaded
CHAIN	KMC X11
CASSETTE	Shimano CUES CS-LG400-9 / 11-46T
BRAKES	Tektro HDM276 / Hydr. Disc; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	Syncros 3.0 / 680mm; black / 31.8mm / 12mm rise / 9° BS; Syncros Women Pro grip
HANDLEBAR STEM	Syncros 3.0 / 7° / Black
SEATPOST	Syncros 3.0; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.3 KG 31.53 LBS

CONTESSA ACTIVE 50 PINK

290321 (EU 1)
290310 (NON-EU 1)
290330 (NON-EU 2)

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Tubing; OLD 135mm / BSA73; Internal shifting Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TX800; 16 Speed
FRONT DERAILLEUR	Shimano FD-M315-TS / 31.8mm
SHIFTERS	Shimano SL-M315; R-fire plus / 2 way release; w/gear indicator
CRANKSET	Prowheel TM-CY01; 36X22 w/CG
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC Z8.3
CASSETTE	Sunrace CSM55 8AV / 11-34T
BRAKES	Clarks Clout Hydr. Disc Brakes; Clarks / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 680mm / black / 12mm rise; Syncros Women Pro grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.5 KG 31.97 LBS

CONTESSA ACTIVE 50 GREEN

290322 (EU 1)
290311 (NON-EU 1)
290331 (NON-EU 2)

27.5" 29" CO

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Tubing; OLD 135mm / BSA73; Internal shifting Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TX800; 16 Speed
FRONT DERAILLEUR	Shimano FD-M315-TS / 31.8mm
SHIFTERS	Shimano SL-M315; R-fire plus / 2 way release; w/gear indicator
CRANKSET	Prowheel TM-CY01; 36X22 w/CG
BB-SET	Feimin FP.B908N; BB73 / square taper
CHAIN	KMC Z8.3
CASSETTE	Sunrace CSM55 8AV / 11-34T
BRAKES	Clarks Clout Hydr. Disc Brakes; Clarks / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 680mm / black / 12mm rise; Syncros Women Pro grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-25 8s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-873-ZU
APPROX. WEIGHT	14.5 KG 31.97 LBS

CONTESSA ACTIVE 60

290312 (NON-EU 1)
290332 (NON-EU 2)

XS7, S7, M9, L9



FRAME	Contessa Active 700/900 series / Alloy 6061 Custom Tubing; OLD 135mm / BSA73; Internal shifting Cable Routing / replaceable hanger
FORK	Suntour XCE28; 100mm travel
REAR DERAILLEUR	Shimano Tourney RD-TY300; 21 Speed
FRONT DERAILLEUR	MicroShift FD-M20 / 31.8mm
SHIFTERS	Shimano ST-EF 41 L / 7R; EZ-fire plus w/gear indicator
CRANKSET	Prowheel TA-CQ01; 42x34x24 w/CG
BB-SET	Feimin FP.B902; BB73 / square taper
CHAIN	KMC Z7
CASSETTE	Sunrace CSM40 7AV / 11-34T
BRAKES	Tektro SCM-02 mech. Disc; Tektro / 6 bolt / F&R 160mm
HANDLEBAR	HL MTB-AL-312BT / 680mm / black / 12mm rise; Syncros Women Pro grip
HANDLEBAR STEM	TDS-C301-8FOV / 10° / 31.8 / Black
SEATPOST	HL SP C207; 31.6mm / 350mm / Black
SEAT	Syncros Savona 2.5 V-Concept
HEADSET	Syncros OE Press Fit / 1 1/8"; OD 50mm / ID 44mm
HUB (FRONT)	Formula DC-19 FQR Disc
HUB (REAR)	Formula DC-27A 7s RQR Disc
SPOKES	14 G / stainless / black
RIMS	Syncros X-20 Disc; 32H / black
FRONT TIRES	Kenda Booster; 2.4" / 30TPI
REAR TIRES	Kenda Booster; 2.4" / 30TPI
PEDALS	Feimin FP-803
APPROX. WEIGHT	14.8 KG 32.63 LBS



ROAD AND GRAVEL LINE-UP

Every single one of our road and gravel bikes was designed with incredible precision, paying attention to the smallest of details. No matter your level or your preferred type of riding you will be able to find your perfect road or gravel partner. Lightweight, aero, triathlon or gravel bikes, the tough part will be to decide.





ADDICT RC

Engineered to defy gravity and elevate your performance, the all-new Addict RC is our lightest production race bike ever. Whether you're attacking steep climbs or sprinting for the finish line, every aspect of this bike was meticulously crafted with one thing in mind – leave everyone else in the dust.





FOIL RC

Aero, Lightweight or Comfort – choose three. Welcome to the next evolution of aero bikes with the Foil RC. Designed to meet the demands of WorldTour sprinters, attackers and breakaway riders, this is the fastest road bike we've ever produced.





ADDICT

The Addict was designed from the ground up with those longer days in mind. With geometry that is less focused on racing and more on enduring, this bike is yearning to eat up some miles!





ADDICT GRAVEL

The Addict Gravel is designed to be the pinnacle of what a Gravel race bike should offer. To make this possible, the Addict Gravel is more progressive, faster, lighter, more durable and has more mounts for bags and accessories to make riding more fun than ever before.



PLASMA RC

With the Plasma 6 we decided to really flex our "Aero Muscles". This Triathlon-specific Plasma features fully integrated cables, a hydration system and storage boxes. We've also made it versatile, making sure that anyone can find their most efficient cockpit position on the bike.



SPEEDSTER

The Speedster is lighter and more stylish than ever before. The frame kit features a carbon fork, internal cable routing and comfortable geometry.



SPEEDSTER GRAVEL

The Speedster Gravel is your one stop shop for when the path gets less traveled. Comfortable geometry for all-day rides, room for big tires and fully internal cable routing make this a great option for those looking to take it off road!



PLASMA

The goal for the Plasma 6 was simple: build the fastest bike the triathlon world had ever seen. We wanted to develop the bike you want to have when you strive for Kona glory or want to smash your previous bike split records. To make this possible, our engineers came up with completely new ways to look at aerodynamics, cockpit adjustability and storage integration. The bike is specifically developed for the needs of triathletes and, unlike the Plasma 5, is not UCI compliant.

TRIATHLON SPECIFIC DESIGN

FULLY INTEGRATED STORAGE AND CABLING




1


2


3


4


5

1. SEAT POST BOTTLE

2. HYDRATION BOTTLE

3. NUTRITION BOX

4. STORAGE BOX

5. GEL BOTTLE



STORAGE INTEGRATION
The Plasma 5 was ahead of its competitors when it came to storage integration. The Plasma 6 reaches an even higher level. Hydration, nutrition and storage integration have been considered as a cornerstone of the design from day one. Hydration and nutrition systems are integrated into the frame and cockpit, allowing the rider to drink and eat without leaving the aero position and making it easier to refill on the fly. The storage box and seatpost are designed to work together as a unique airfoil, while also allowing you to transport spare parts. Rider and bike become one system, working together to generate more speed.


1


2

1. AERO FEATURES
A moving rider has substantial influence on the airflow around the bike and, ultimately, on aerodynamic performance. Despite the extra effort required to examine this complex phenomenon, the airflow of the moving rider was considered from day 1 to make the Plasma 6 the fastest triathlon bike in real-life conditions.

2. ADJUSTABILITY
Both pedaling efficiency and aerodynamic performance hugely depend on rider position. Syncros engineers focused on creating a complete system of base bars, extensions and saddle positioning to allow for a huge range of adjustability, perfectly matching the unique needs of each rider, from Sebastian Kienle racing Ironman Kona to age groupers facing their first 70.3.



MAGNUS DITLEV

2023 & 2024 CHALLENGE ROTH WINNER

“I love my SCOTT Plasma for triathlon because it’s more than just a bike—it’s a weapon in the race against the clock. Its aerodynamic design slices through the wind, giving me that extra edge on the bike leg. The lightweight frame feels like an extension of my body, allowing me to climb hills with ease and power through the flats. Additionally, the customizable fit ensures I’m in the optimal position for maximum efficiency and comfort, so I can focus on pushing my limits and achieving my goals. Simply put, my SCOTT Plasma is my trusted partner in the pursuit of triathlon excellence.”





PLASMA FAMILY

The Plasma is the fastest bike we've ever made - period. No stranger to the podium, the Plasma now features two models - one for long-distance triathlon and a UCI legal version for time trialing and short-mid distance triathlon.

PLASMA RC



PLASMA RC ULTIMATE



PLASMA RC PRO

FOIL RC



FOIL RC ULTIMATE



FOIL RC PRO



FOIL RC TEAM



FOIL RC 10 BLACK



FOIL RC 10 PURPLE



FOIL RC 20



FOIL RC 30

PLASMA RC ULTIMATE

SUNBEAM BLACK

423296-8096 (SAP)

XS, S, M, L, XL



WHAT'S NEW

New SRAM RED AXS, Syncros Capital SL Aero 80mm wheels

FRAME	Plasma 6 HMX; TRI Geometry / Plasma HMX seatpost / Replaceable Derailleur Hanger
FORK	Plasma 6 HMX; 11/4"- 11/2" Carbon; Flatmount Disc
REAR DERAILLEUR	SRAM RED AXS; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS; Electronic Shift System
SHIFTERS	SRAM RED eTap Clicks; SRAM eTap AXS Wireless Blips
CRANKSET	SRAM RED AXS Power meter; 48/35 T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RED
CASSETTE	SRAM RED XG 1290 E1; 10-30
BRAKE LEVERS	SRAM S-900 Aero HRD
BRAKES	SRAM S900 HRD flat mount; SRAM PACELINE X rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC TRI; 400mm; Syncros E1 Carbon extension
SEATPOST	Syncros Plasma 6 HMX with Ritchey WCS clamp; adjustable head
SEAT	Syncros Belcarra 1.0 TRI
HEADSET	Syncros Integrated; 11/4"- 11/2" drop-in headset
WHEELSET	Syncros Capital SL Aero 80mm; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C Schwalbe Aerothan Tube
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C Schwalbe Aerothan Tube
APPROX. WEIGHT	Check website

PLASMA RC PRO

293177 (EU 1)
293175 (NON-EU 1)

XS, S, M, L, XL



FRAME	Plasma 6 Disc / HMX; TRI Geometry / Plasma HMX seatpost / Replaceable Derailleur Hanger
FORK	Plasma 6 Disc; 1 1/4”- 1 1/2” Carbon / integrated
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Di2 SW-R9160; Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; 52/36 T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12; 11-30
BRAKE LEVERS	Shimano Di2 ST-R9180; Electronic Shift System
BRAKES	Shimano BR-R9170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC TRI; 400mm; Syncros E1 Carbon extension
SEATPOST	Syncros Plasma 6 HMX with Ritchey WCS clamp; adjustable head
SEAT	Syncros Belcarra 1.5 TRI
HEADSET	Syncros Integrated; 1 1/4”- 1 1/2” drop-in headset
WHEELSET	Zipp 404 Firecrest Carbon tubless disc-brake; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	9.9 KG 21.89 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



FOIL RC

WIN EVERY RIDE

The SCOTT Foil RC has won nearly everything there is to win and has nothing left to prove - which is exactly why we decided to make it even better. Taking into account new UCI regulations, we reimagined what was possible with an Aero bike with the goal of making a bike for the breakaway rider and for the sprinter, for the classics specialist and the coffee ride enthusiast ready for an aero boost. The result is a bike where you no longer need to choose between Aero, Lightweight and Comfort – with the Foil RC you can have all three.



9% LIGHTER
THAN PREVIOUS FOIL

1MIN 18S FASTER
THAN PREVIOUS FOIL OVER 40K













1. AERODYNAMIC
With updated regulations from the UCI, SCOTT engineers and designers started from scratch with the new Foil RC. By applying F01 Airfoil Technnology and reworking the frame's tubes and junctions, the team were able to design a bike that is as fast as possible with a rider on. Verified by wind tunnel testing, the result is a bike that is a staggering 21% faster than the previous Foil RC.

2. LIGHTWEIGHT
Traditionally, Aero Bikes excel on the flats but the extra material that makes them slice the wind would tip the scales. However, by reducing the number of carbon pieces and joints used in the frame build, implementing a better carbon lay-up and through a meticulous attention to detail, the new Foil RC is 9% lighter than the previous bike without sacrificing any stiffness.

3. SYNCROS CRESTON iC SL AERO
Taking the Syncros Creston iC SL into the wind-tunnel, we boosted its aero cred by slimming its profile to better slice the wind while taking advantage of our carbon expertise improving both comfort and stiffness. Exclusive on the SCOTT Foil RC, the Syncros Creston iC SL Aero offers compliance under a light load – for example riding along on the hoods. But when a rider sinks into the drops, it delivers maximum power transfer across the finish line – whatever that may be.

4. REAL WORLD FAST
The team always considered a complete system when designing the bike – the frame, the components and, crucially, the rider. Considering the three elements together is what delivers an aero boost in real life - not just in the wind tunnel. Each and every Aero design decision was taken with the aim of delivering the fastest complete system - bike and rider.

5. ALL-DAY COMFORT
Tire clearance up to 30mm, dropped seatstays and of course the innovative Syncros Creston iC SL Aero and the patented Syncros Duncan SL AERO CFT means that this is a bike ready to tackle any thing you throw at it.

6. FULLY INTEGRATED CABLING
All models of the Foil RC feature fully integrated cable routing for both electronic and mecahnical shifting. Besides making the front of the bike look clean, fully integrated cabling provides a significant aero boost.



SYNCROS DUNCAN SL AERO CFT

One of the most innovative features on the Foil RC is the patented new carbon seatpost, the Duncan SL Aero CFT. It features a two-piece profile with the front part flexing under load or on rougher surfaces to deliver maximum comfort. And to make this seatpost even more versatile, we've added the option to install an integrated USB rechargeable light. Available seperately, the Syncros Campbell 20 Aero iL Rear Light slots directly into the Duncan SL Aero CFT seatpost while maintaining the aerodynamic profile of the post.

syncros





FOIL RC FAMILY

The SCOTT Foil RC has won nearly everything there is to win and has nothing left to prove - which is exactly why we decided to make it even better. The Foil RC has received a massive aero boost, dropped the frame weight and now includes innovative comfort features. There is no doubt - this is the evolution of the aero bike.

FOIL RC ULTIMATE

293184 (EU 1)
293178 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

New SRAM RED AXS

FRAME	FOIL RC Disc HMX SL; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX SL; 1" Excentric Carbon steerer
REAR DERAILLEUR	SRAM RED eTap AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RED eTap AXS Electronic Shift System
SHIFTERS	SRAM RED eTap AXS HRD Shift-Brake System Electronic Shift System
CRANKSET	SRAM RED Power meter Crankset; 48/35 T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1 10-33
BRAKES	SRAM RED eTap AXS HRD Shift-Brake System; SRAM PACELINE X rotor 160/F and 140/R
HANDLEBAR	Syncros Creston iC SL Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V1.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital SL Aero 60mm; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	6.95 KG 15.32 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

FOIL RC PRO

293185 (EU 1)
293179 (NON-EU 1)

RAW CO

XXS, XS, S, M, L, XL, XXL



FRAME	FOIL RC Disc HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX; 1" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250; Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270; 24 Speed Electronic Shift System
CRANKSET	Shimano Dura-Ace FC-R9200; Hollowtech II 52x36 T
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura-Ace CS-R9200-12; 11-30
BRAKES	Shimano BR-R9270 Hyd.Disc; Shimano RT-CL900 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V1.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0S Aero 60mm; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	7.3 KG 15.98 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

FOIL RC TEAM

ICE GREY/PROGRESSIVE GREY

424584-7960

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Former SRAM RED eTab AXS

FRAME	FOIL RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL RC HMX; Flatmount Disc; 1" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RED AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	SRAM RED Power meter Crankset; 48/35
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290; 10-33
BRAKES	SRAM RED AXS HRD Shift-Brake System; SRAM CENTERLINE XR rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 1.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Zipp 303S Carbon tubeless disc-brake; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	Check website

FOIL RC 10 BLACK

293186 (EU 1)
293180 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



FRAME	FOIL RC Disc HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX; 1" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; 24 Speed Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36 T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12; 11-30
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 Aero
HANDLEBAR STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V2.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 Aero 60mm; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	7.8 KG 17.2 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

FOIL RC 10 PURPLE

293187 (EU 1)
293181 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



FRAME	FOIL RC Disc HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX; 1" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; 24 Speed Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36 T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12; 11-30
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 Aero
HANDLEBAR STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V-Concept 2.0
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 Aero 60mm; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	7.9 KG 17.31 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

FOIL RC 20

293188 (EU 1)
293182 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



FRAME	FOIL RC Disc HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX; 1" Excentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170; 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 52x36 T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7100; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Aero
HANDLEBAR STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V2.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 Aero 60mm; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
REAR TIRES	Schwalbe PRO ONE Aero; TL-Easy; Fold; 700x28C
APPROX. WEIGHT	8.2 KG 17.99 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

FOIL RC 30

293189 (EU 1)
293183 (NON-EU 1)

CO

XXS, XS, S, M, L, XL, XXL



FRAME	FOIL RC Disc HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	FOIL Disc HMX; 1" Excentric Carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS Electronic Shift System
CRANKSET	SRAM RIVAL Crankset; 48/35 T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250; 10-30
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Aero
HANDLEBAR STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V2.0 NEO Cut Out
HEADSET	Acros AIF-1138
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Race-Guard Fold; 700x25C
REAR TIRES	Schwalbe ONE Race-Guard Fold; 700x28C
APPROX. WEIGHT	8.4 KG 18.5 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

ADDICT LINE-UP







ADDICT RC

The acronym RC stands for Racing Concept, a line meticulously crafted to meet the exacting standards of professional teams. The Addict RC has always been about shedding grams. The latest iteration has been engineered to help riders in the pursuit of defying gravity. SCOTT's development team had light weight on the brain 24/7 for this bike – the result? Our lightest production race bike ever.



ADDICT

The disc version combines the superior control of disc brakes with our super-light Addict frame resulting in the perfect bike for any ride. Just be aware, your excuses won't work anymore if you can't keep up going down or up the hill with your friends.



ADDICT GRAVEL

Our gravel is a real explorer and literally made for every road, wherever you might go. To be able to switch between gravel, asphalt or forest road whenever you want gives you endless possibilities to mix up your ride and explore in an unrestricted fashion. Just hop on your Gravel and see where things go.

ADDICT FAMILY

AN ADDICT FOR EVERYONE



ROAD GEOMETRY

There are two different geometries for the Addict on-road bike. The Addict RC's geometry is the one for local KOM/QOM hunters or professional riders. It has also undergone a comprehensive redesign to align seamlessly with our modern specifications for this bike, accommodating wider tires while enhancing overall handling consistency across all sizes. The Addict one comes with a less aggressive and more comfortable endurance geometry. The beauty with the Addict family is that there is a lightweight and capable road bike for anyone and everyone.

→ **ENDURANCE GEOMETRY** (Addict)

→ **RACE GEOMETRY** (Addict RC)

A LIGHT WEIGHT OBSESSION FOR EVERY RIDER

When the Addict made its debut in 2008, it instantly claimed the title of the lightest bike on the market, setting a new standard for the industry. Since then, the Addict family has expanded into one of the most comprehensive bike series available today. From ultra-lightweight road bikes to versatile gravel grinders, there's a model to captivate light weight enthusiasts in every discipline.

At the forefront of our lightweight offerings are the Racing Concept (RC) models, engineered to give riders the competitive edge needed for the biggest victories. The exceptionally lightweight frame of the RC series makes it the ultimate dream bike for climbers. For added accessibility, we've introduced a more budget-friendly version with endurance geometry, catering to the needs of everyday riders. For those who don't want to stick to asphalt, there's the Gravel option.

Powered by advanced carbon fibers, all Addict models share the standout feature of a remarkably lightweight frame.



ADDICT RANGE

HMX SL

OUTSTANDING STIFFNESS-TO-WEIGHT RATIO

HMX

EXCELLENT STIFFNESS-TO-WEIGHT RATIO

HMF

PRICE-VALUE CARBON TECHNOLOGY



ADDICT RC

Engineered and designed to defy gravity and elevate your performance, the all-new Addict RC is our lightest production race bike ever. Whether you're attacking steep climbs or sprinting for the finish line, every aspect of this bike was meticulously crafted with one thing in mind – leave everyone else in the dust.



34C TIRE COMPATIBILITY

630G (+/-10G) HMX-SL FRAME
710G (+/-20G) HMX FRAME

100X12MM142X12MM
FRONT / REAR THRU AXLE

POSITIONING



ADDICT RC RANGE

HMX SL
OUTSTANDING STIFFNESS-TO-WEIGHT RATIO

HMX
EXCELLENT STIFFNESS-TO-WEIGHT RATIO


1


2


3


4


5


6

1. LIGHTWEIGHT EXPERTISE
SCOTT's commitment to crafting lightweight bikes is inseparable from its expertise of carbon technology. For the all-new Addict RC, we took our approach to carbon road bike manufacturing and flipped it on its head. Drawing inspiration from our approach to mountain bikes, we meticulously reevaluated our molding techniques, seeking innovative ways to enhance performance on the road. The outcome? A remarkable 300g reduction in the frame kit weight compared to its predecessor, and without any compromise on race performance.

2. PRECISION ENGINEERING
Our innovative manufacturing process (PP Mandrel) enables high-precision molding of inner surfaces and transition zones, paired with strength-optimized tube shapes that eliminates additional reinforcements and unnecessary filler material. The result is best-in-class tubes profiles and surfaces, significantly reducing the total weight of the frame without sacrificing strength or stiffness.

3. OPTIMIZED GEOMETRY
The new Addict RC's geometry has undergone a comprehensive redesign to align seamlessly with our modern specifications for this bike, accommodating wider tires while enhancing overall handling consistency across all sizes. Whether you're a professional rider or chasing after the local KOMs/QOMs on the weekends, the new Addict RC promises heightened agility and responsiveness, ensuring an unparalleled riding experience.

4. COMFORT
The integration of advanced molding technology and a redesigned seat post clamping system allows for thinner seat tube walls and reduced material usage in this key frame part. Paired with the new innovative Syncros SP-R101-CF seatpost, the lower thickness of the seat tube enhances flexibility and promotes added comfort during longer rides. Furthermore, the all-new Addict RC offers a generous 34mm tire clearance, ensuring enhanced comfort even on the most challenging terrain.

5. SYNCROS INTEGRATION
The introduction of the all-new Addict RC set the stage for the development of a new innovative Syncros cockpit. With modern road groupsets featuring brake levers that flare out, our goal was to create an aerodynamic handlebar, achieved by incorporating a subtle flare on the drops to seamlessly blend with the brake levers, resulting in enhanced watt savings but also improved handling. Additionally, we improved cable routing and revamped the clamping system to shed additional grams. We offer multiple cockpit configurations, featuring 8 stem lengths from 70mm to 140mm paired with 5 bar widths from 360mm to 420mm, ensuring an optimal fit for every rider.

6. USER-FRIENDLY ADJUSTMENTS
We've engineered the new Addict RC to be effortlessly adjustable, setting a new standard in ease of setup. By streamlining bolt specifications and integrating a universal tool, we've revolutionized the adjustment process. Located discreetly within the cockpit or handlebar drop, the T25 key empowers riders to fine-tune stem, handlebar, seat post, saddle clamps, and even bottle cages with unparalleled simplicity. This innovative solution not only enhances user experience but also simplifies setup procedures for mechanics.



SYNCROS BELCARRA R 1.0 CHANNEL SADDLE

Our performance saddle range designed to offer the maximum tailored bike fit solution for an off the peg saddle. Carbon rails with a central channel for the perfect blend of support and comfort.

syncros







ADDICT RC FAMILY

Engineered to defy gravity and elevate your performance, the all-new Addict RC is our lightest production race bike ever. Whether you're attacking steep climbs or sprinting for the finish line, every aspect of this bike was meticulously crafted with one thing in mind – leave everyone else in the dust.



ADDICT RC ULTIMATE



ADDICT RC PRO



ADDICT RC 10 SUNBEAM BLACK



ADDICT RC 10 BAHAMA YELLOW



ADDICT RC 20 CARBON BLACK



ADDICT RC 20 HUSHED PINK



ADDICT RC 30 CARBON BLACK



ADDICT RC 30 WHALE GREY



ADDICT RC 30 ASH PINK

ADDICT RC ULTIMATE

SUNBEAM BLACK

423306-8096 (EU 1)
423309-8096 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL, New SRAM RED AXS

FRAME	Addict RC HMX SL; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX SL Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RED AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System Electronic Shift System
CRANKSET	SRAM RED Power meter Crankset; 46/33
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1; 10-33
BRAKES	SRAM RED AXS HRD Shift-Brake System; SRAM PACELINE X rotor 160/F and 140/R
HANDLEBAR	Syncros IC-R100-SL; Carbon combo
SEATPOST	Syncros SP-R100-SL
SEAT	Syncros Belcarra Regular SL
HEADSET	Acros AIF-1317S
WHEELSET	Syncros Capital SL 40mm; Syncros SL Axle
FRONT TIRES	Schwalbe Aerothan; TL-Easy; Fold 700x28C; Schwalbe Aerothan Tube
REAR TIRES	Schwalbe Aerothan; TL-Easy; Fold 700x28C; Schwalbe Aerothan Tube
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC PRO

CUMULUS WHITE/CARBON BLACK

423295-8086 (EU 1)
423302-8086 (NON-EU 1)

RAW

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Dura-Ace RD-R9250; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace FD-R9250 Electronic Shift System
SHIFTERS	Shimano Dura-Ace ST-R9270; Dual control 24 Speed Eletroninc Shift System
CRANKSET	Shimano Dura-Ace FC-R9200; Hollowtech II 52x36
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura Ace CS-R9200-12; 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc; Shimano RT-CL900 rotor 160/F and 140/R
HANDLEBAR	Syncros IC-R100-SL; Carbon combo
SEATPOST	Syncros SP-R100-SL
SEAT	Syncros Belcarra Regular 1.0
HEADSET	Acros AIF-1317S
WHEELSET	Syncros Capital 1.0S 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe PRO ONE Microskin; TL-Easy; Fold; 700x30C Schwalbe Aerothan Tube
REAR TIRES	Schwalbe PRO ONE Microskin; TL-Easy; Fold; 700x30C Schwalbe Aerothan Tube
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 10 SUNBEAM BLACK

423241-8096 (EU 1)
423246-8096 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL,Syncros Carbon combo, Syncros Capital 1.0S wheels

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 140/R
HANDLEBAR	Syncros IC-R100-SL; Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 10 BAHAMA YELLOW

423241-8098 (EU 1)
423246-8098 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL,Syncros Carbon combo, Syncros Capital 1.0S wheels

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 140/R
HANDLEBAR	Syncros IC-R100-SL; Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 20 CARBON BLACK

423261-3020 (EU 1)
423265-3020 (NON-EU 1)

RAW

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 140/R
HANDLEBAR	Syncros HB-R100-CF
HANDLEBAR STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 20 HUSHED PINK

423261-8097 (EU 1)
423265-8097 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170; Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 52x36
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 140/R
HANDLEBAR	Syncros HB-R100-CF
HANDLEBAR STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 30 CARBON BLACK

423250-3020 (EU 1)
423283-3020 (NON-EU 1)

RAW

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150
SHIFTERS	Shimano 105 Di2 ST-R7170; Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 52x36
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 140/R
HANDLEBAR	Syncros HB-R100-AL
HANDLEBAR STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 30 WHALE GREY

423250-8099 (EU 1)
423283-8099 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150
SHIFTERS	Shimano 105 Di2 ST-R7170; Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 52x36
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 140/R
HANDLEBAR	Syncros HB-R100-AL
HANDLEBAR STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website

ADDICT RC 30 ASH PINK

423250-8100 (EU 1)
423283-8100 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Addict RC HMX; Road Race geometry / Replaceable Derailleur Hanger; Internal cable routing
FORK	Addict RC HMX Flatmount Disc; 27.2mm Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150
SHIFTERS	Shimano 105 Di2 ST-R7170; Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 52x36
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 140/R
HANDLEBAR	Syncros HB-R100-AL
HANDLEBAR STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40mm; 24 Front / 24 Rear; Syncros SL Axle
FRONT TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE TLE Race-Guard Fold; 700x30C
ACCESSORIES	Syncros iS Drop Bar Tool 2
APPROX. WEIGHT	Check website





ADDICT FAMILY

Designed from the ground up with long days in mind, the Addict features geometry that is less focused on racing and more on enduring. This is a bike yearning to eat up some miles!



ADDICT 10 CARBON BLACK



ADDICT 20 CARBON GREEN



ADDICT 30 SLATE GREY



ADDICT 30 HUSHED PINK



ADDICT 40 CHAMPION BLACK



ADDICT 40 BAHAMA YELLOW



ADDICT 40 ICEBERG GREEN



ADDICT 50 SLATE GREY



ADDICT 50 MINERAL GREY



ADDICT 50 ASH PINK

ADDICT 10 CARBON BLACK

423376-3020

RAW

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Syncros Creston iC SL carbon combo

FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Dura-Ace RD-R9250; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace FD-R9250; Electronic Shift System
SHIFTERS	Shimano Dura-Ace ST-R9270; Dual control 24 Speed Eletroninc Shift System
CRANKSET	Shimano Dura-Ace FC-R9200; Hollowtech II 50x34
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano CS-R8101; 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc; Shimano RT-CL900 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL; Carbon combo
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 1.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Fulcrum WIND 42 DB Carbon; 24 Front / 24 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 20 CARBON GREEN

423372-7956

RAW

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Syncros Creston iC SL carbon combo

FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150-SS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150; Electronic Shift System
SHIFTERS	Shimano Ultegra ST-R8170; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 50x34
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL; Carbon combo
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Fulcrum WIND 42 DB Carbon; 24 Front / 24 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 30 SLATE GREY

423380-6985

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Syncros Capital 1.0 35 Carbon wheels

FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 FD-R7150; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 Compact; Carbon 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital 1.0 35 Disc; 24 Front / 24 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 30 HUSHED PINK

423380-8097

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Syncros Capital 1.0 35 Carbon wheels

FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 FD-R7150; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 Compact; Carbon 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital 1.0 35 Disc; 24 Front / 24 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 40 CHAMPION BLACK

423384-7965

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 FD-R7150; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 40 BAHAMA YELLOW

423384-8098

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 FD-R7150; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 40 ICEBERG GREEN

423384-8089

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed; Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 FD-R7150; Dual control 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 50 SLATE GREY

423387-6985

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100; 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100
SHIFTERS	Shimano 105 ST-R7120 Disc; Dual control 24 Speed
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 50 MINERAL GREY

423387-7241

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100; 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100
SHIFTERS	Shimano 105 ST-R7120 Disc; Dual control 24 Speed
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website

ADDICT 50 ASH PINK

423387-8100

XXS, XS, S, M, L, XL, XXL



FRAME	Addict HMF Carbon; Endurance geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict HMF; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100; 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100
SHIFTERS	Shimano 105 ST-R7120 Disc; Dual control 24 Speed
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0; 27.2/350mm
SEAT	Syncros Tofino Regular 2.0 Channel
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; 28 Front / 28 Rear; Syncros Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe ONE Fold; 700x32C
REAR TIRES	Schwalbe ONE Fold; 700x32C
APPROX. WEIGHT	Check website







SPEEDSTER FAMILY

The SCOTT Speedster is an alloy bike ready to take on any terrain you throw at it. It's light and cost efficient, featuring fully integrated cables, which makes it a bike that definitely punches above it's weight.

SPEEDSTER



SPEEDSTER 10 CHAMPION BLACK



SPEEDSTER 10 ICEBERG GREEN



SPEEDSTER 20 COSMIC BLUE



SPEEDSTER 20 LILA PURPLE



SPEEDSTER 30



SPEEDSTER 40



SPEEDSTER 50

CONTESSA SPEEDSTER



CONTESSA SPEEDSTER 15



CONTESSA SPEEDSTER 25

SPEEDSTER 10 CHAMPION BLACK

423303-7965

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100; 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100
SHIFTERS	Shimano 105 ST-R7120 Disc; Dual control 24 Speed
CRANKSET	Shimano FC-RS520; 50/34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	Check website

SPEEDSTER 10 ICEBERG GREEN

423303-8089

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100; 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100
SHIFTERS	Shimano 105 ST-R7120 Disc; Dual control 24 Speed
CRANKSET	Shimano FC-RS520; 50/34
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	Check website

SPEEDSTER 20 COSMIC BLUE

423304-7959

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Tiagra RD-4700-GS; 20 Speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700
SHIFTERS	Shimano Tiagra ST-4700; Dual control 20 Speed
CRANKSET	Shimano Tiagra FC-R4700; 50/34
BB-SET	Shimano BB-RS500-PB
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-32
BRAKES	Shimano BR-RS305 Black Mech.Disc; Shimano SM-RT64 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	Check website

SPEEDSTER 20 LILA PURPLE

423304-8126

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Tiagra RD-4700-GS; 20 Speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700
SHIFTERS	Shimano Tiagra ST-4700; Dual control 20 Speed
CRANKSET	Shimano Tiagra FC-R4700; 50/34
BB-SET	Shimano BB-RS500-PB
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-32
BRAKES	Shimano BR-RS305 Black Mech.Disc; Shimano SM-RT64 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	Check website

SPEEDSTER 30

290378 (EU 1)
290373 (NON-EU 1)
290383 (NON-EU 2)

CO

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Sora RD-R3000-GS; 18 Speed
FRONT DERAILLEUR	Shimano Sora FD-R3000
SHIFTERS	Shimano Sora ST-R3000; Dual control 18 Speed
CRANKSET	FSA CK-617ST 50x34T
BB-SET	Shimano BB-ES300
CHAIN	KMC X9
CASSETTE	Shimano CS-HG400; 9 Speed 11-32 T
BRAKES	Tektro MD-C511 Mech.Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	10.5 KG 23.15 LBS 120kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SPEEDSTER 40

290379 (EU 1)
290374 (NON-EU 1)
290384 (NON-EU 2)



XXS, XS, S, M, L, XL, XXL

FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster Alloy Disc; 1 1/4"-1 1/2" Excentric Alloy steerer
REAR DERAILLEUR	Shimano Claris RD-R2000-GS; 16 Speed
FRONT DERAILLEUR	Shimano Claris FD-R2000
SHIFTERS	Shimano Claris ST-R2000; Dual control 16 Speed
CRANKSET	Shimano Claris FC-RS200; 50x34 T
BB-SET	Shimano BB-UN300
CHAIN	KMC X8
CASSETTE	Shimano CS-HG50; 8 Speed 11-32 T
BRAKES	Tektro SCD-550 Mech.Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	11.2 KG 24.69 LBS 120kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SPEEDSTER 50

290380 (EU 1)
290375 (NON-EU 1)
290385 (NON-EU 2)

CO

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster Alloy Disc; 1 1/4"-1 1/2" Excentric Alloy steerer
REAR DERAILLEUR	Shimano RD-A070; 14 Speed
FRONT DERAILLEUR	Shimano FD-A070
SHIFTERS	Shimano ST-A070; Dual control 14 Speed
CRANKSET	Shimano FC-A070; 50x34 T
BB-SET	Shimano BB-UN300
CHAIN	KMC Z-7
CASSETTE	Shimano CS-HG41; 7 Speed 11-28 T
BRAKES	Tektro MD-C511 Mech.Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	11.28 KG 24.87 LBS 120kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA SPEEDSTER 15

290500 (EU 1)
290502 (NON-EU 1)



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Tiagra RD-4700-GS; 20 Speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700
SHIFTERS	Shimano Tiagra ST-4700; Dual control 20 Speed
CRANKSET	Shimano Tiagra FC-R4700; 50/34 T
BB-SET	Shimano BB-RS500-PB
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34 T
BRAKES	Shimano BR-RS305 Black Mech.Disc; Shimano SM-RT64 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Savona 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	10.4 KG 22.93 LBS 120kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA SPEEDSTER 25

290501 (EU 1)
290503 (NON-EU 1)

XXS, XS, S, M, L



FRAME	Speedster Disc / 6061 D.Butted Alloy; Endurance geometry / int. cable routing; Syncros fender kit ready
FORK	Speedster HMF Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
REAR DERAILLEUR	Shimano Sora RD-R3000-GS; 18 Speed
FRONT DERAILLEUR	Shimano Sora FD-R3000
SHIFTERS	Shimano Sora ST-R3000; Dual control 18 Speed
CRANKSET	FSA CK-617ST 50x34T
BB-SET	Shimano BB-ES300
CHAIN	KMC X9
CASSETTE	Shimano CS-HG400; 9 Speed 11-32 T
BRAKES	Tektro MD-C511 Mech.Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros RR 2.0 S-Compact; 31.8mm
HANDLEBAR STEM	Syncros RR2.5; 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Savona 2.5 (V-Concept) Channel
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24; 28 Front / 28 Rear
FRONT TIRES	Schwalbe Lugano; 700x32C
REAR TIRES	Schwalbe Lugano; 700x32C
APPROX. WEIGHT	10.5 KG 23.15 LBS 120kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

GRAVEL BIKES





EARLY MORNING ALARMS.
MOTIVATION LACKING.
GOING ANYWAY.
RIDING TOGETHER.
UP.
DOWN.
GOOD LEGS.
BAD LEGS.
ROAD-SIDE PUNCTURES.
COFFEE STOPS.
BEATING THE STORM.
RACING TO THE NEXT SIGN.
THE LAST METERS OF THE CLIMB.
PRESSING THE END-BUTTON.
AGAIN.

FOR THE LOVE OF RIDING.

FOR THE LO VE OF RIDING

ULTD.

ULTD.SCOTT



ADDICT GRAVEL

The goal from day one was to build the ultimate gravel & adventure bike. To have one bike that can do it all. Be fast on tarmac, have comfort on rough terrain and optimal handling when it gets gnarly. The Addict Gravel is most likely the fastest, most capable, and most fun bicycle we have ever created. Just leave the daily routine behind and see where the road, gravel will take you!



45 MM
TIRE CLEARANCE TO FUEL ADVENTURES

160MM
DISC ROTORS FOR PERFECT BRAKING PERFORMANCE


1


2


3


4


5

1. COMFORT
To guarantee a controlled and smooth riding experience we increased tire clearance to 45mm, lowered the seat stays and designed a carbon layering which guarantees both optimal pedaling efficiency and enough comfort for when it gets rough.

2. GEOMETRY
The geometry has been optimized for modern, aggressive gravel riding. Our goal was to create a well-balanced geometry for controllable and predictable handling even in tricky situations on narrow trails. It comes with increased reach, longer fork rake, lower bottom bracket and a shorter stem to make for a more agile and stable bike off-road, that still provides the optimal position for pedaling efficiency even with bigger tires.

3. INTEGRATION
The SYNCROS Creston ic SL X handlebar delivers the same integrated cable routing for both mechanical and electronic shifting you know from the Addict RC and Foil. Integrated cable routing not only makes for a clean and premium look, but also improves the airflow and provides more space with no cable rubbing for handlebar bags.

4. MOUNTS
The Addict Gravel comes with smart mounts for gear and accessories making the Addict Gravel ready for serious adventure rides. You will find a mounting option for bolt-on top-tube bags and accessories. There are extra mounts on the down tube for an additional bottle cage or toolbox. Two different bottle cage positions for better access when riding with a frame bag. It also has fender mounts!

5. LIGHT WEIGHT
All models in the SCOTT Addict family are known for their extremely lightweight construction and the Addict Gravel is no exception. Taking into consideration the type of riding this bike is designed for, we have created the strongest carbon road frame set we have ever built. Through clever layering and reinforcement in certain zones, we came up with a light but also extremely durable frame set. 930g. for the Size M frame and 395g for the fork.



SYNCROS CAPITAL 1.0, 40MM WHEELSET

A UD carbon fiber rim with a rim depth of 40mm and a modern 25mm inner width. Tubeless ready for gravel adventures.

syncros







ADDICT GRAVEL **FAMILY**

Ready to tackle any terrain, it’s when the road ends that the Addict Gravel really start to shine. Designed for control when the going gets rough and plenty of mount points, these bikes are asking for adventure.

ADDICT GRAVEL RC

BELUGA GREY

423204-7969

XS, S, M, L, XL



WHAT'S NEW

New SRAM RED XPLR AXS

FRAME	Addict Gravel HMX Carbon; Gravel geometry / Replaceable UDH Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMX Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RED XPLR AXS; 13 Speed Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	SRAM RED XPLR Power Meter Crankset; 42 T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RED
CASSETTE	SRAM RED XPLR XG1391; 10-47
BRAKES	SRAM RED AXS HRD Shift-Brake System; SRAM PACELINE X rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL X; Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 1.0 Cutout
HEADSET	Acros AIF-1135
WHEELSET	Fulcrum Sharq Carbon; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One RS Evolution; 700x45C
REAR TIRES	Schwalbe G-One RS Evolution; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 10

CARBON BLACK

423221-3020

RAW

XS, S, M, L, XL



WHAT'S NEW

Shimano GRX Di2

FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano RD-RX825 GRX Di2; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano FD-RX825F GRX Di2; Electronic Shift System
SHIFTERS	Shimano GRX ST-RX825; Dual control 24 Speed Eletroninc Shift System
CRANKSET	Shimano GRX FC-RX820-2 48/31
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano CS-HG710-12; 11-36
BRAKES	Shimano BR-RX820 Hyd.Disc; Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 X; Carbon 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Fulcrum Rapid RED Carbon; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 20

PETROL BLACK

423226-7315

RAW

XS, S, M, L, XL



FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset; 46/33
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250; 10-36
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital X40 Carbon; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 20

NARWAL GREY/FADE PURPLE

423226-8101

XS, S, M, L, XL



FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS; 24 Speed Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset; 46/33
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250; 10-36
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital X40 Carbon; 24 Front / 24 Rear; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 30

CARBON BLACK

423229-3020

RAW

XS, S, M, L, XL



FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RIVAL XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL 1 WIDE Crankset; 42
BB-SET	SRAM DUB PF ROAD WIDE 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM XPLR XG1251; 10-44
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 30

HUSHED PINK

423229-8097

XS, S, M, L, XL



FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM RIVAL XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL 1 WIDE Crankset; 42
BB-SET	SRAM DUB PF ROAD WIDE 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM XPLR XG1251; 10-44
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 40

PYTHON BLACK

423234-8102

XS, S, M, L, XL



WHAT'S NEW

Shimano GRX 1x12 speed

FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS; 12 Speed
SHIFTERS	Shimano GRX ST-RX610 / BL-RX610L; 12 Speed
CRANKSET	Shimano GRX FC-RX610-1; 40
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12; 10-45
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 40

MINERAL GREY

423234-7241

XS, S, M, L, XL



WHAT'S NEW

Shimano GRX 1x12 speed

FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS; 12 Speed
SHIFTERS	Shimano GRX ST-RX610 / BL-RX610L; 12 Speed
CRANKSET	Shimano GRX FC-RX610-1; 40
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12; 10-45
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 40

OLIVINE GREEN/BLACKBERRY PURPLE

423234-8094

XS, S, M, L, XL



WHAT'S NEW

Shimano GRX 1x12 speed

FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS; 12 Speed
SHIFTERS	Shimano GRX ST-RX610 / BL-RX610L; 12 Speed
CRANKSET	Shimano GRX FC-RX610-1; 40
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12; 10-45
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

ADDICT GRAVEL 50

UNDERGROWTH GREEN

423237-8103

XS, S, M, L, XL



FRAME	Addict Gravel HMF Carbon; Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX820; 24 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX820-F
SHIFTERS	Shimano GRX ST-RX610; 24 Speed
CRANKSET	Shimano GRX FC-RX610-2; 46-30
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710-12; 11-36
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1134
WHEELSET	Syncros RP2.0 Disc; Syncros SL Axle / Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SCALE GRAVEL RC



SCALE GRAVEL RC BELUGA GREY

SCALE GRAVEL



SCALE GRAVEL 10 CARBON BLACK



SCALE GRAVEL 20

SPEEDSTER GRAVEL



SPEEDSTER GRAVEL 10 MASTAPHORA GREY



SPEEDSTER GRAVEL 10 HUSHED PINK



SPEEDSTER GRAVEL 20 SHARK GREY



SPEEDSTER GRAVEL 30 COSMIC BLUE



SPEEDSTER GRAVEL 30 MENTHA GREEN



SPEEDSTER GRAVEL 30 ASH PINK

SPEEDSTER GRAVEL



SPEEDSTER GRAVEL 40 MASTAPHORA GREY



SPEEDSTER GRAVEL 50 UNDERGROWTH GREEN



SPEEDSTER GRAVEL 50 EQ



SPEEDSTER GRAVEL 60

SCALE GRAVEL RC BELUGA GREY

423541-7969

S, M, L, XL



WHAT'S NEW

NEW MODEL

FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Scale Rigid HMF; Postmount Disc Standard; Tapered Carbon steerer
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission; Spindle Power Meter / DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
BRAKES	SRAM Level Silver Stealth 4-Piston Disc; SRAM HS2 CL Rotors 180/F and 160/R
HANDLEBAR	Syncros Fraser iC SL XC Carbon; -20° rise / back sweep 8° / 740mm; Syncros Performance XC lock-on grips
SEATPOST	Syncros Duncan 1.0 Carbon / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 1.5; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.0X CL; F: 15x110mm; R: 12x148mm; Tubeless ready Carbon rim 28H / XD Driver; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Thunder Burt 29x2.35" EVO,Super Ground / TLE / 67EPI / ; Addix Speed
REAR TIRES	Schwalbe Thunder Burt 29x2.35" EVO,Super Ground / TLE / 67EPI / ; Addix Speed
ACCESSORIES	SRAM AXS Powerpack; Inner Bar ends
APPROX. WEIGHT	Check website

SCALE GRAVEL 10 CARBON BLACK

423542-3020

S, M, L, XL



WHAT'S NEW

NEW MODEL

FRAME	Scale Carbon HMF; Adjustable head angle / Syncros Cable Integration System; Advanced Shock & Standing Damping System; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Scale Rigid HMF; Postmount Disc Standard; Tapered Carbon steerer
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM S1000 Eagle Transmission; DUB / 55mm CL / 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano Deore M6100 Disc; Shimano SM-RT64 CL / 180/F and 160/R
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B.; Flat Bar / 8° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros XC 2.0; Syncros Cable Integration System; -12° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan 2.0 / 10mm offset; 31.6x400mm
SEAT	Syncros Belcarra Regular 2.0; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-28 / 28H / Tubeless ready
FRONT TIRES	Maxxis Aspen / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Aspen / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
ACCESSORIES	SRAM AXS Powerpack; Inner Bar ends
APPROX. WEIGHT	Check website

SCALE GRAVEL 20

OLIVINE GREEN/BLACKBERRY PURPLE

423544-8094

S, M, L, XL, XXL



WHAT'S NEW

NEW MODEL

FRAME	Scale Alloy 6061 Custom Butted Tubing; Syncros Cable Integration System / Tapered Headtube; BB92 / UDH Interface / 12x148mm with 55mm Chainline
FORK	Scale Rigid HMF; Postmount Disc Standard; Tapered Carbon steerer
REAR DERAILLEUR	SRAM NX Eagle 12 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	SRAM NX Eagle DUB; 55mm CL / 34T
BB-SET	SRAM DUB PF 92 MTB Wide / shell 41x92mm
CHAIN	SRAM CN NX Eagle
CASSETTE	SRAM SX-PG1230 / 11-50
BRAKES	Shimano MT401 Disc Brake; Shimano SM-RT10 CL / 180/F and 160/R
HANDLEBAR	Syncros Alloy 6061; T shape Flat / 9° / 740mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 3.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros / 31.6x400mm
SEAT	Syncros Belcarra Regular 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System; OD 50/62mm / ID 42/56mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-3248 / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-28 / 28H / Tubeless ready
FRONT TIRES	Maxxis Aspen / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
REAR TIRES	Maxxis Aspen / 29x2.4" / 120TPI Foldable Bead; Tubeless Ready / EXO
ACCESSORIES	Inner Bar ends
APPROX. WEIGHT	Check website

HOW TO HELP A RIDER CHOOSE

WHICH BIKE IS RIGHT FOR THEM

When it comes to choosing the perfect bike to meet a rider's Gravel needs we know that the choice can be hard, especially when there are more and more varied models available. To help clarify their choice, we selected a set of unique selling points that can help you guide a rider in understanding what SCOTT model is right for them and, hopefully, get them riding in no time.



TO CHOOSE THE ADDICT GRAVEL

- The rider wants the best and will not settle for less.
- The rider wants race ready geometry.
- The rider prioritizes stiffness and speed.
- The rider values slight weight.
- The rider needs a gravel bike that will not let them down if they need to ride pavement.
- The rider wants the option to do some lightweight or credit card bikepacking.



TO CHOOSE THE SPEEDSTER GRAVEL

- The rider is looking for a do-it-all gravel bike.
- The rider prefers a more comfortable geometry.
- The rider values durability over weight.
- The rider plans to do longer, loaded, bikepacking trips.
- The rider's gravel bike will also be their commuter bike.
- The rider wants the option to mount fenders and a rear rack.



TO CHOOSE THE SCALE GRAVEL

- The rider plans for longer and heavier bike-packing trips.
- The rider is looking for an adventure gravel bike.
- The rider is looking for a gravel bike with bigger tires that can roll over anything
- The rider is wants a more upright position
- The rider values durability over weight.



SPEEDSTER GRAVEL FAMILY

The SCOTT Speedster is an alloy bike ready to take on any terrain you throw at it. It's light and cost efficient, featuring fully integrated cables, which makes it a bike that definitely punches above it's weight.

SPEEDSTER GRAVEL 10

MASTAPHORA GREY

423248-8104

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX820; 24 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX820-F
SHIFTERS	Shimano GRX ST-RX610 Disc; 24 Speed
CRANKSET	Shimano GRX FC-RX610-2; 46-30
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710; 11-36
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 10

HUSHED PINK

423248-8097

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX820; 24 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX820-F
SHIFTERS	Shimano GRX ST-RX610 Disc; 24 Speed
CRANKSET	Shimano GRX FC-RX610-2; 46-30
BB-SET	Shimano BB-RS500 PB
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710; 11-36
BRAKES	Shimano BR-RX410 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 20

SHARK GREY

423252-7842

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	SRAM APEX XPLR; 12 Speed
SHIFTERS	SRAM APEX HRD Shift-Brake System
CRANKSET	SRAM APEX 1 WIDE Crankset; 42
BB-SET	BB DUB BSA 68 ROAD WIDE
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231; 11-44
BRAKES	SRAM APEX HRD Shift-Brake System; SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 30

COSMIC BLUE

423256-7959

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX400; 20 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX400-F
SHIFTERS	Shimano GRX ST-RX400 Disc; 20 Speed
CRANKSET	Shimano GRX FC-RX600-10; 46x30
BB-SET	Shimano BB-RS500
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34
BRAKES	Shimano BR-RX400 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 30

MENTHA GREEN

423256-8105

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX400; 20 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX400-F
SHIFTERS	Shimano GRX ST-RX400 Disc; 20 Speed
CRANKSET	Shimano GRX FC-RX600-10; 46x30
BB-SET	Shimano BB-RS500
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34
BRAKES	Shimano BR-RX400 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 30

ASH PINK

423256-8100

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX400; 20 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX400-F
SHIFTERS	Shimano GRX ST-RX400 Disc; 20 Speed
CRANKSET	Shimano GRX FC-RX600-10; 46x30
BB-SET	Shimano BB-RS500
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34
BRAKES	Shimano BR-RX400 Hyd. Disc; Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 40

MASTAPHORA GREY

423260-8104

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR	Shimano Tiagra RD-4700-GS; 20 Speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700
SHIFTERS	Shimano Tiagra ST-4700; Dual control 20 Speed
CRANKSET	Shimano Tiagra FC-4700; 50x34
BB-SET	Shimano BB-UN300
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34
BRAKES	Shimano BR-RS305 Black Mech. Disc; Shimano SM-RT64 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 50

UNDERGROWTH GREEN

423264 - 8103

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel Alloy Flatmount Disc; 1 1/4"-1 1/2" Eccentric Alloy steerer
REAR DERAILLEUR	Shimano Claris RD-R2000-GS; 16 Speed
FRONT DERAILLEUR	Shimano Claris FD-R2000
SHIFTERS	Shimano Claris ST-R2000; Dual control 16 Speed; Shimano Claris FC-RS200; 50x34
BB-SET	Shimano BB-UN300
CHAIN	KMC X8
CASSETTE	Shimano CS-HG50; 8 Speed 11-32
BRAKES	Tektro SCD-550 Mech. Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race X25 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x45C
REAR TIRES	Schwalbe G-One Bite Performance; 700x45C
APPROX. WEIGHT	Check website

SPEEDSTER GRAVEL 50 EQ

293264 (EU 1)
293271 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel Alloy Flatmount Disc; 1 1/4"-1 1/2" Excentric Alloy steerer
REAR DERAILLEUR	Shimano Tiagra RD-4700-GS; 20 Speed
FRONT DERAILLEUR	Shimano Tiagra FD-4700
SHIFTERS	Shimano Tiagra ST-4700; Dual control 20 Speed
BB-SET	Shimano BB-UN300
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34 T
BRAKES	Shimano BR-RS305 Black Mech. Disc; Shimano SM-RT64 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x40C
REAR TIRES	Schwalbe G-One Bite Performance; 700x40C
ACCESSORIES	Syncros fender kit
APPROX. WEIGHT	11.8 KG 26.01 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SPEEDSTER GRAVEL 60

293265 (EU 1)
293272 (NON-EU 1)

XXS, XS, S, M, L, XL, XXL



FRAME	Speedster Gravel Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Internal cable routing; Syncros fender kit ready
FORK	Speedster Gravel Alloy Flatmount Disc; 1 1/4"-1 1/2" Excentric Alloy steerer
REAR DERAILLEUR	Shimano Claris RD-R2000-GS; 16 Speed
FRONT DERAILLEUR	Shimano Claris FD-R2000
SHIFTERS	Shimano Claris ST-R2000; Dual control 16 Speed
CRANKSET	Shimano Claris FC-RS200; 50x34 T
BB-SET	Shimano BB-UN300
CHAIN	KMC X8
CASSETTE	Shimano CS-HG50; 8 Speed 11-32 T
BRAKES	Tektro SCD-550 Mech. Disc; Tektro TR-160-35 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1133
HUB (FRONT)	Formula Team II CL Disc 28 H
HUB (REAR)	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc; 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Bite Performance; 700x40C
REAR TIRES	Schwalbe G-One Bite Performance; 700x40C
APPROX. WEIGHT	11.8 KG 26.01 LBS 120 kg; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



MOTORS

At SCOTT we have three partners for our eRIDE segment: Bosch, Mahle and TQ. The three motor manufacturers have their unique strengths and purposes, which is why we've matched them to fit with the bike and its rider.







BOSCH

SCOTT eMTB, eURBAN and eALL TERRAIN bikes powered by Bosch fit the rider who seeks a bike to ride everywhere, anytime and always feel fresh. These motors and their large batteries ensure a longer range, more assistance in the climbs and offers several riding modes to swipe between. The Bosch motors have a maximum torque of 85Nm, and batteries up to 800Wh.

MAHLE

The Mahle X20 motor is hub-based and minimalist for sportive riders who still want the natural look and feeling of a race bike but wish for some extra support when the road gets tough. The Mahle X20 system is developed with a dedicated road bike assistance technology which learns from your riding style and adapts its response. It has a maximum Torque of 55Nm and is powered by a 236Wh battery in the down tube.

TQ

The TQ-HPR50 motor is crank based and is fitted on SCOTT Endurance eROAD, eGRAVEL and lightweight eURBAN and eMTB. The TQ motor is compact and light and gives a natural and dragless riding feeling throughout the whole ride. This technology allows for a very balanced bike with exceptional handling due to a low centre of gravity in the middle of the bike. The TQ-HPR50 system has a maximum torque of 50Nm and the 360Wh battery can be topped with a range extender of 160Wh, giving a total of 520Wh.



DRIVE UNIT	MAX TORQUE (NM)	BATTERY	CONNECTIVITY	RANGE EXTENDER READY
BOSCH PERFORMANCE LINE CX				
PATRON 900, 910, 920	85	800Wh + 250Wh	Smart System	yes
PATRON ST TUNED, ST RC, ST 910	85	800Wh + 250Wh	Smart System	yes
STRIKE 930	85	625Wh + 250Wh	Smart System	yes
CONTESSA STRIKE 920	85	625Wh + 250Wh	Smart System	yes
APECT eRIDE 900, WAVE	85	800Wh + 250Wh	Smart System	yes
APECT eRIDE 910, WAVE	85	600Wh + 250Wh	Smart System	yes
SUB 10 AND WAVE	85	800Wh + 250Wh	Smart System	yes
SUB 20, 30, 40 AND WAVE	85	600Wh + 250Wh	Smart System	yes
AXIS FS 10, 20	85	800Wh + 250Wh	Smart System	yes
AXIS 10 AND WAVE	85	800Wh + 250Wh	Smart System	yes
AXIS 20, 30 AND WAVE	85	600Wh + 250Wh	Smart System	yes
BOSCH PERFORMANCE LINE				
AXIS 40	75	625Wh	Smart System	no
BOSCH PERFORMANCE LINE SX				
PASSAGE 10, 20, 30 AND SLOPE	55	400Wh + 250Wh	Smart System	yes
TQ HPR50				
LUMEN 900 SL	50	360Wh + 160Wh	Bluetooth ANT +	yes, included
LUMEN 900, 910, 920	50	360Wh + 160Wh	Bluetooth ANT +	yes
CONTESSA LUMEN 900	50	360Wh + 160Wh	Bluetooth ANT +	yes
VOLTAGE 900 SL	50	360Wh + 160Wh	Bluetooth ANT +	yes, included
VOLTAGE 900 TUNED, 910, 920	50	360Wh + 160Wh	Bluetooth ANT +	yes
CONTESSA VOLTAGE 900, 910	50	360Wh + 160Wh	Bluetooth ANT +	yes
SILENCE	50	360Wh	Bluetooth ANT +	yes
SOLACE 10	50	360Wh + 160Wh	Bluetooth ANT +	yes, included
SOLACE 20	50	360Wh + 160Wh	Bluetooth ANT +	yes
SOLACE GRAVEL ULTIMATE, 10	50	360Wh + 160Wh	Bluetooth ANT +	yes, included
SOLACE GRAVEL 20, 30	50	360Wh + 160Wh	Bluetooth ANT +	yes
MAHLE X35				
METRIX eRIDE	40	250Wh + 208Wh	Bluetooth ANT +	yes
SPEEDSTER eRIDE GRAVEL	40	250Wh + 208Wh	Bluetooth ANT +	yes
MAHLE X20				
ADDICT RC eRIDE ULTIMATE	55	236Wh + 171Wh	Bluetooth ANT +	yes, included
ADDICT eRIDE 10, 20	55	236Wh + 171Wh	Bluetooth ANT +	yes
CONTESSA ADDICT RC eRIDE 15	55	236Wh + 171Wh	Bluetooth ANT +	yes



MOUNTAIN
eRIDE

eRIDE MTB LINE-UP

SCOTT eRIDE Mountain Bikes are poised and ready to take you further and faster than ever before. They can tackle the steepest of climbs and the most demanding of descents. Wherever and however you're dreaming of conquering the trails, SCOTT covers all eMTB segments, from long-travel Trail eMTB to Lightweight Trail eMTB. Regardless of your ride style or aspirations, the SCOTT eRIDE range has it all.

POWER EMTB

Bosch equipped eMTBs have a bigger battery capacity, giving you greater assistance and longer range, while the extra weight leads to supernatural grip on the trails.
Power ratio up to 340% of your own input.

CRUSH ANY TRAIL

Be your own shuttle up the mountain.
Adventure further.

KEY FEATURES

- Power ratio up to 400% of your own input
- Unlock new trails
- Be your own shuttle up the mountain
- Transforms your ride into a whole new kind of fun



PATRON/PATRON ST eRIDE

With the Patron eRIDE you are equipped to tackle every zone on the mountain, with the power to then take on another once you're done. With 150mm of confidence inspiring travel and the most advanced full-power drive unit, the only limit is your imagination. Embrace the Power. Boss the trails!



STRIKE/STRIKE EVO eRIDE

Looking to head off road? The Strike eRIDE is the definition of comfort for a full suspension Sport E-MTB. Clever components and a powerful Bosch drive unit combine to give you a solid choice for any outing. 150mm of travel front and rear.



ASPECT eRIDE

The Aspect eRIDE features proven electric assist technology in a comfortable off-road package for hours of riding on your favourite trails and paths. Equipped with the best Bosch drive unit and battery for ultimate peace of mind. 120mm of front travel.

LIGHTWEIGHT EMTB

For riders looking to experience the same characteristics as a regular MTB – namely weight, handling, design and aesthetics, but with the added benefit of powerful, natural-feeling assistance. The SCOTT Lightweight eRIDE range is the ultimate solution for all-in trail riding.

KEY FEATURES

- +200% of your own input, with only +20% weight than a regular MTB
- Agile and quick, excels in tight, technical terrain
- Two bikes in one: ride with the assistance off to save on range for when you really need it
- Range Extender ready



LUMEN eRIDE

An E-MTB at 15.5kg! Take the best Downcountry platform to date, the Spark 900, top it off with 140mm/130mm of travel, add near-silent and powerful electric assistance, yet keep its legendary lightweight DNA, and you are ready to ride any trail at Nino's speed.



VOLTAGE eRIDE

Imagine giving the world's best trail bike a secret weapon. With the Voltage eRIDE, that's just what we did. Designed for existing MTB enthusiasts who crave an agile, lightweight and capable trail bike with the addition of a compact and quiet motor, the all-new Voltage eRIDE overdelivers trail after trail... after trail.

eRIDE MTB

When it comes to the design of our off-road range of eride bikes, our goal is to always provide the best e-bike possible to the rider. Drawing from decades of knowledge, we work with a team of engineers and designers focused solely on electric bikes to do just this. From all-mountain machines, to e-mtb's for the trail-curious, we've got top notch models for any type of riding. The devil is in the details. Explore our electric assist bike technologies and see why SCOTT eride is one step ahead.

WHICH SCOTT E-MTB I NEED?
WHERE DO YOU RIDE?
WHAT TYPE OF RIDER ARE YOU?
HOW MUCH SUSPENSION DO YOU NEED?
IDEAL BIKE

GRAVEL ROADS, FLOW TRAILS, ALPINE TRAILS, DH TRAILS, STRAIGHT COMFORT POSITION, SPORTY POSITION, HARDTAIL, FULL SUSPENSION

	DRIVE UNIT	BATTERY	RANGE EXTENDER	CONNECTIVITY	MAX TORQUE (NM)
LUMEN eRIDE	TQ HPR50	360Wh	160Wh	Bluetooth ANT+	50
VOLTAGE eRIDE	TQ HPR50	360Wh	160Wh	Bluetooth ANT+	50
PATRON 900 ULTIMATE **PATRON ST 900 TUNED** **PATRON 900/910/920** **PATRON ST TUNED/ST RC/ST 910** **ASPECT eRIDE 900**	Bosch Performance Line CX	800Wh	250Wh	Smart System	85
ASPECT eRIDE 910	Bosch Performance Line CX	600Wh	250Wh	Smart System	85
STRIKE 930 **CONTESSA STRIKE 920**	Bosch Performance Line CX	625Wh		Smart System	85





LUMEN eRIDE

An e-mtb weighing just 15.5kg. Yup, you read that right. The SCOTT Lumen takes the world's fastest XC/Trail frame platform and adds silent and powerful electric assistance all while maintaining SCOTT's legendary lightweight dna.



65KM
MAXIMUM RANGE OF ASSIST (520WH)

25KM/H
MAXIMUM SPEED ASSIST

2.5H
RECHARGE TIME TO 100% (360WH)

130MM
OF TRAVEL

KEY FEATURES

- Complete bike at 15.5KG
- TQ 50Nm silent motor
- Bluetooth and ANT+ connection
- 130mm of travel
- Doesn't look like an E-Bike
- Range extender compatible













1. COMPACT POWERFUL ASSISTANCE
The TQ HPR50 spearheads the next generation of electric bike systems - a compact, light and powerful motor of 50Nm motor powered by up to 520Wh. The battery and the range extender are slim and light, leading to seamless integration. The system is controlled via a minimalistic handlebar remote paired with a display integrated in the top tube, it's easy to know the range, the battery%, the watts thanks to a power meter. The ANT+ allows connection with a Garmin, and the Bluetooth connects to a phone for more in-depth tunings.

2. LIGHTWEIGHT AND RIDING FEELING
The SCOTT Lumen takes the world's fastest XC/Trail frame platform and adds a silent and powerful electric assistance, all while maintaining SCOTT's legendary lightweight DNA. The bike has an agile and playful feeling on the trail, more like a regular bike than a traditional E-Bike. It's even possible to ride with the drive unit powered off.

3. FRAME CONSTRUCTION
The development objective was to create a riding position that feels just like a regular Downcountry bike. We wanted the ability to descend like a trail bike without sacrificing anything when you need to put the hammer down, and a trail bike that can fly up the hill to do it all again on the next descent.

4. INTEGRATED SHOCK
The Lumen uses the same suspension layout as featured in the SCOTT Spark, a multiple World Championship winning bike. Our integrated suspension technology also helps us to engineer frames with a lower shock placement which lowers centre of gravity Why integrated you ask? This keeps the shock fully protected from any foreign elements so it can work better for longer. Rainy wintry ride? No problem, your shock will continue to perform at its best regardless. And lastly? We also think it looks fantastic.

5. RANGE EXTENDER & WATER BOTTLES
Unlike most full suspension E-Bikes, on the Lumen there is no need to choose between the range extender or a water bottle - between longer rides and staying hydrated. Thanks to the integrated shock there is space for both an external battery and water. An optional sliding mount system also allows an easy switch between the rear water bottle and the range extender, allowing both to be easily transported when out on longer rides.

6. INTEGRATED CABLES
The Lumen 900 SL and 900 models feature the Fraser IC DC combo from Syncros. The designers worked on the shape to allow the cables to flow under the bar and around the sides of the stem before disappearing into the headset with integrated plastic parts to keep it clean and efficient. This avoids bends or kinks in the cables and provides a minimalist front end.



RANGE EXTENDER

Tailor made for the Lumen eRIDE, the 160Wh range extender is an external dual battery system. It gets fixed on one of the water bottle mounts and is easy to transport.



LUMEN eRIDE FAMILY

An e-mtb weighing just 15.5kg. Yup, you read that right. The SCOTT Lumen takes the world's fastest xc/ down-country frame platform and adds silent and powerful electric assistance all while maintaining SCOTT's legendary lightweight dna.

LUMEN



LUMEN 900 SL



LUMEN 900 TR



LUMEN 900



LUMEN 905 CUMULUS WHITE/CARBON BLACK



LUMEN 910 (EU) - (INT)



LUMEN 920 CARBON BLACK



LUMEN 920 MAUVE PURPLE



CONTESSA LUMEN 900

LUMEN 900 SL

293286 (EU 1)

S, M, L, XL



FRAME	Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 130mm / Rear: 130mm
FORK	FOX 34 Float Factory Air / Kashima FIT4; 3 modes with low Speed adj. / Kabolt 15x110mm axle / 44mm offset; Tapered steerer / Lockout / Reb. Adj.; 130mm travel
REAR SHOCK	FOX NUDE 6T Factory EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Kashima / Reb. Adj.; Bearing Hardware / Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh + Range Extender 160Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM XX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Ultimate Controller
CRANKSET	e*thirteen / e*spec Race Carbon / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN XX Eagle Transmission
CASSETTE	SRAM XX Eagle XS 1297 Transmission 10-52
BRAKES	SRAM Level Ultimate Stealth 4-Piston Disc, SRAM HS2 CL Rotors / F&R 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Factory Dropper Post Kashima; 31.6mm / S size 125mm / M size 140mm; L ize 150mm / XL size 175mm
SEAT	Syncros Tofino Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton SL2-30 CL full Carbon; F: 15x110mm; R: 12x148mm / 30mm Tubeless ready rim; DT Swiss 240 Ratchet EXP 36 / XD Driver; SRAM TyreWiz / Syncros SL Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Powerpack; Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	15.5 KG (tubeless / without range extender) 34.17 LBS (tubeless / without range extender) 110 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

LUMEN 900 TR

420650 (INT)

S, M, L, XL



FRAME	Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 130mm / Rear: 130mm
FORK	FOX 34 Float Performance Elite Air FIT4; 3-Modes with low Speed adj. / Kabolt 15x110mm axle; 44mm offset / tapered steerer / Reb. Adj. / Lockout; 130mm travel
REAR SHOCK	FOX NUDE 5T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Custom large Air volume / DPS / Reb. Adj.; Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	FSA Carbon crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Shimano XT / BR-M8120 4 Piston, Front: RT-MT800 CL 180mm / Rear: RT-EM810 CL 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Dropper Post; 31.6mm / S size 125mm / M size 140mm; L size 150mm / XL size 175mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Powerpack; Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	16.3 KG (Tubeless setup) 35.94 LBS (Tubeless setup) 128KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

LUMEN 900

293287 (EU 1)

S, M, L, XL



FRAME	Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 130mm / Rear: 130mm
FORK	FOX 34 Float Performance Elite Air FIT4; 3 modes with low Speed adj. / Kabolt 15x110mm axle; 44mm offset / tapered steerer / Reb. Adj. / Lockout; 130mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	FSA Carbon crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Level Silver Stealth 4-Piston Disc, SRAM HS2 CL Rotors / F&R 180mm
HANDLEBAR	Syncros Fraser iC SL DC Carbon; 0° rise / back sweep 8° / mini Rise / 760mm; Syncros Performance XC lock-on grips
SEATPOST	FOX Transfer Dropper Post; 31.6mm / S size 125mm / M size 140mm; L size 150mm / XL size 175mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.5-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready rim 28H / XD Driver; Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Powerpack; Syncros Fork Fender
ACCESSORIES	Syncros Eco Sealant; Transport Axle
APPROX. WEIGHT	16.6 KG (with tubes) 36.6 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

LUMEN 905 CUMULUS WHITE/CARBON BLACK

423358-8086 (EU 1)
423365-8086 (INT)

25 km/h | RAW | 29"

S, M, L, XL



WHAT'S NEW

SRAM S1000 Eagle AXS RD, SRAM POD Controller, SRAM CS XS 1270

FRAME	Carbon HMX; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 140mm / Rear: 130mm
FORK	FOX 34 Float Rhythm Air Grip; 3-Modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 140mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50; TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano Deore M6120 4 Piston Disc, Front: SM-RT64 CL 180mm / Rear: RT-EM600 CL 180mm
HANDLEBAR	; Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
EXTRAS	SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

LUMEN 910

293288 (EU 1)
290599 (INT)

S, M, L, XL



FRAME	Carbon HMF Main Frame / Alloy SST-CST; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 130mm / Rear: 130mm
FORK	FOX 34 Float Rhythm Air Grip; 3 modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51 T
BRAKES	Shimano Deore M6120 4 Piston Disc, Front: SM-RT64 CL 180mm / Rear: RT-EM600 CL 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	17.6 KG (Tubeless setup) 38.8 LBS (Tubeless setup)

LUMEN 920 BLACK

423425-3020 (EU 1)
423424-3020 (INT)

S, M, L, XL



WHAT'S NEW

RockShox Recon Silver RL Solo Air 140mm, X-Fusion Nude

FRAME	Carbon HMF Main Frame / Alloy SST-CST; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 140mm / Rear: 130mm
FORK	RockShox Recon Gold RL Solo Air; 2-Modes / 15x110mm axle / tapered steerer; 42mm offset / Reb. Adj. / Lockout / 140mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50; TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 180mm / Rear: RT-EM600 CL 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	Check website

LUMEN 920 MAUVE PURPLE

423425-7963 (EU 1)
423424-7963 (INT)

S, M, L, XL



WHAT'S NEW

RockShox Recon Silver RL Solo Air 140mm, X-Fusion Nude

FRAME	Carbon HMF Main Frame / Alloy SST-CST; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 140mm / Rear: 130mm
FORK	RockShox Recon Gold RL Solo Air; 2-Modes / 15x110mm axle / tapered steerer; 42mm offset / Reb. Adj. / Lockout / 140mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50; TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 180mm / Rear: RT-EM600 CL 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Tofino 2.0 Regular; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4" EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	Check website

CONTESSA LUMEN 900

293342 (EU 1)

S, M, L



FRAME	Carbon HMF Main Frame / Alloy SST-CST; Integrated Suspension Technology; Flex Pivot / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 130mm / Rear: 130mm
FORK	FOX 34 Float Rhythm Air Grip; 3 modes / Kabolt 15x110mm axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 130mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 130-90-Lockout / T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51T
BRAKES	Shimano Deore M6120 4 Piston Disc, Front: SM-RT64 CL 180mm / Rear: RT-EM600 CL 180mm
HANDLEBAR	Syncros Fraser 2.0 DC Alloy 6061 D.B.; mini Rise / back sweep 8° / 760mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros DC 2.0; Syncros Cable Integration System; 0° rise / 6061 Alloy / 31.8mm / 1 1/8”
SEATPOST	Syncros Duncan Dropper Post 2.0; 31.6mm / S & M size 125mm / L size 150mm
SEAT	Syncros Savona 1.5; CRMO rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm / Micro Spline; Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30SE / 32H / 30mm; Tubeless ready
FRONT TIRES	Schwalbe Wicked Will 29x2.4” EVO; Super Race / TLE / 67EPI / Addix Speed Soft
REAR TIRES	Schwalbe Wicked Will 29x2.4” EVO; Super Race / TLE / 67EPI / Addix Speed Grip
APPROX. WEIGHT	Check website



VOLTAGE eRIDE

The Voltage eRIDEis the latest addition to our lightweight range of eMTBs. Designed for MTB riders searching for a lightweight, agile trail bike with extra power, the Voltage eRIDE utilises the celebrated TQ HPR50 drive unit for an exceptional riding experience.

65 KM
MAXIMUM RANGE OF ASSIST (520WH)

2.5 H
RECHARGE TIME TO 100% (360WH)

25KM/H
MAXIMUM SPEED ASSIST



KEY FEATURES

- 17.9kg lightweight trail eMTB
- 155mm rear, 160mm front
- 2 shock options
- TQ HPR50 motor and battery
- Range extender compatible


1


2


3


4


5

1. COMPACT POWERFUL ASSISTANCE
The heart of Voltage eRIDE is the TQ HPR50 system. The system is light, powerful, and delivers zero drag when turned off. TQ's patented Harmonic Pin Ring allows for a fluid power delivery no matter how much, or how little assistance you want. The TQ HPR50 motor has a maximum Torque of 50Nm and offers three assistance modes. The Voltage eRIDE is powered with a 360Wh battery, but can go up to 520Wh thanks to a 160Wh range extender which may be installed just as easily as sliding a water bottle into its cage.

2. RIDE CHARACTERISTICS
The ride feeling and handling of the Voltage eRIDE is just as nimble, lightweight, and quick as an acoustic MTB, while offering simply more fun. Tipping the scales at just 17.9 kg, you can head out and tackle trails like you always have, without needing to adapt your riding style or position. The best part though? You no longer have to wait for a shuttle or lift. You can be your own one. On the Voltage eRIDE, you can ride wherever, whenever.

3. INTEGRATED SUSPENSION TECHNOLOGY
The integrated rear shock features 155mm of travel specced with a FOX Nude 6T, Float custom or the piggyback FOX Float X Nude. A special internal cage keeps everything separated and clean inside, while our patented suspension linkages mean the shock is just as easy to remove as you'll know from the Lumen. For the Voltage eRIDE, an extra linkage was added, delivering a plethora of benefits: it lowers the shock within the frame, makes it possible to fit many aftermarket shocks, while the linkage's top bearings allow for smoother shock activation than ever before. This is the bike for suspension fettlers who like to have maximum adjustment options, allowing them to perfectly dial in their ideal settings.

4. FRAME DETAILS
The Voltage eRIDE range features both full-Carbon HMF frames and Carbon-Alloy hybrid frames, all flaunting a 55mm chainline for superb tire clearance, and angled headset cups to give a variable range of 1.2 degrees of adjustment to the rider straight out of the box. Cable routing is fully integrated and runs smoothly and cleanly under the bar into the headset. Special attention was also paid to dropper seat post length to allow for maximum travel independent of size.

5. PERSONALIZATION
The display located on the top tube gives you all the stats you'll need for your ride, and offers connection via both Bluetooth and ANT+. Bluetooth capability allows you to link up your Voltage eRIDE with the TQ App, meaning you can personalize assistance levels by tuning the motor to fit your needs and riding style. If you prefer seeing your stats on a bike computer, the ANT+ connects easily with your bike.



SYNCROS HIXON IC SL

The All mountain inspired Hixon features our integrated bar and stem concept, which now also allows for the integration of cables on the front of the bike.





VOLTAGE eRIDE FAMILY

Imagine giving the world's best trail bike a secret weapon. With the Voltage eRIDE, that's just what we did. Designed for existing MTB enthusiasts who crave an agile, lightweight and capable trail bike with the addition of a compact and quiet motor, the all-new Voltage eRIDE overdelivers trail after trail... after trail.

VOLTAGE



VOLTAGE 900 SL



VOLTAGE 900 TUNED



VOLTAGE 910



VOLTAGE 920



CONTESSA VOLTAGE 900



CONTESSA VOLTAGE 910

VOLTAGE 900 SL

293293 (EU 1)
293289 (INT)

S, M, L, XL



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline; Range Extender Ready
TRAVEL	Front: 160mm / Rear: 155mm
FORK	FOX 36 Float Factory Air / Kashima FIT4; 3 modes with low Speed adj. / Kabolt 15x110mm axle; 44mm offset / tapered steerer / Reb. Adj. / Lockout; 160mm travel
REAR SHOCK	FOX NUDE 6T Factory EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Kashima / Reb. Adj.; Travel 155-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh + Range Extender 160Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM XX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Ultimate Controller
CRANKSET	FSA Carbon crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN XX Eagle Transmission
CASSETTE	SRAM XX Eagle XS 1297 Transmission 10-52
BRAKES	SRAM Code Ultimate Stealth 4-Piston Disc, SRAM HS2 Rotors F&R 200mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino SL Regular 1.0; Carbon rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 1.0S-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rim 28H; DT Swiss 240 Ratchet EXP 36 / XD Driver; SRAM TyreWiz / Syncros Axle w/ Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	SRAM AXS Extension Cord; SRAM TyreWiz; Syncros Fork Fender
APPROX. WEIGHT	17.9 KG (tubeless / without range extender) 39.46 LBS (tubeless / without range extender) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

VOLTAGE 900 TUNED

293294 (EU 1)
293290 (INT)

S, M, L, XL



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline; Range Extender Ready
TRAVEL	Front: 160mm / Rear: 155mm
FORK	FOX 36 Float Factory Grip 2 Air / Kashima; HSC - LSC - HSR-LSR adjustable / Kabolt 15x110mm axle; 44mm offset / tapered steerer; 160mm travel
REAR SHOCK	FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion; Kashima / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj.; Travel 155-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS Rocker Controller
CRANKSET	e*thirteen / e*spec Race Carbon / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	SRAM Code Silver Stealth 4-Piston Disc, SRAM HS2 Rotors F&R 200mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke 1.0-30 CL; F: 15x110mm; R: 12x148mm; 30mm Tubeless ready Carbon rim 28H; DT Swiss Ratchet Hubs / XD Driver; SRAM TyreWiz / Syncros Axle w/Removable Lever; with 6mm Allen; T30 and T25 Tools
FRONT TIRES	Maxxis Assegai / 2.6" / 60TPI Foldable; Tubeless Ready / EXO+ 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO+ 3C maxx Terra
EXTRAS	SRAM AXS Extension Cord; SRAM TyreWiz; Syncros Fork Fender
APPROX. WEIGHT	18.6 KG (with tubes) 41.01 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

VOLTAGE 910

293295 (EU 1)
293291 (INT)

S, M, L, XL



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline; Range Extender Ready
TRAVEL	Front: 160mm / Rear: 155mm
FORK	FOX 36 Float Rhythm Air Grip; 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 160mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Travel 155-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51 T
BRAKES	Shimano Deore M6120 4-Piston Disc, Shimano SM-RT64 CL / F&R 203mm
HANDLEBAR	Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6" / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	19.5 KG (with tubes) 42.99 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

VOLTAGE 920

293296 (EU 1)
293292 (INT)

S, M, L, XL



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline; Range Extender Ready
TRAVEL	Front: 150mm / Rear: 155mm
FORK	Marzocchi Z2 Air Rail; 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	FOX Float Custom EVOL Performace Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 155mm / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51 T
BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors F&R 200mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; 12mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8”
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L & XL size 210mm
SEAT	Syncros Tofino 2.0 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 29x2.6” / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Dissector / 29x2.6” / 60TPI Wire Bead; EXO; Dual
APPROX. WEIGHT	19.3 KG (with tubes) 42.55 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA VOLTAGE 900

293343 (EU 1)

S, M, L



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline; Range Extender Ready
TRAVEL	Front: 160mm / Rear: 155mm
FORK	FOX 36 Float Rhythm Air Grip; 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 160mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Travel 155-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51T
BRAKES	Shimano Deore M6120 4 Piston Disc, Shimano SM-RT64 CL / F&R 203mm
HANDLEBAR	Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8”
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 210mm
SEAT	Syncros Tofino 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 2.6” / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
REAR TIRES	Maxxis Dissector / 2.6” / 60TPI Foldable; Tubeless Ready / EXO 3C maxx Terra
EXTRAS	Syncros Fork Fender
APPROX. WEIGHT	19.5 KG (with tubes) 42.99 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA VOLTAGE 910

293344 (EU 1)

S, M, L



FRAME	Carbon HMF; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; TQ HPR50 / UDH Interface / 12x148mm with 55mm Chainline
TRAVEL	Front: 150mm / Rear: 155mm
FORK	Marzocchi Z2 Air Rail; 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	FOX Float Custom EVOL Performace Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 155mm / T185X55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 Suspension modes
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano XT RD-M8100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus; I-spec EV clamp
CRANKSET	FSA Alloy crankset / 175mm / 34T
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51T
BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors F&R 200mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061 D.B.; 12mm Rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm
SEAT	Syncros Savona 2.0
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros X-30S / 32H / 30mm / Sleeve Joint; Tubeless ready
FRONT TIRES	Maxxis Dissector / 29x2.6" / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Dissector / 29x2.6" / 60TPI Wire Bead; EXO; Dual
APPROX. WEIGHT	19.3 KG (with tubes) 42.55 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



PATRON eRIDE

With the Patron eRIDE you are assured to tackle any terrain from cruisy fireroad to technical singletrack with 150mm of confidence inspiring travel. “ST” stands for Super Trail. We add 10mm more suspension up front for riders who like to hit the big stuff and really tune their suspension. Patron’s monster 750Wh battery range is not the limitation, you are!

BOSS THE TRAILS WITH THE SCOTT PATRON eRIDE.

120KM
MAXIMUM RANGE OF ASSIST

25KM/H
MAXIMUM SPEED ASSIST

7 H
RECHARGE TIME TO 100%

150 MM
OF TRAVEL FRONT AND REAR



	FRONT TRAVEL	REAR TRAVEL	TWINLOC
PATRON ST eRIDE	170MM	150MM	REAR ONLY
PATRON eRIDE	150MM	150MM	FRONT AND REAR


1


2


3


4


5


6

1. MOTOR & BATTERY
For the mountain biker looking to unlock new zones and ride more terrain than ever, the ALL-NEW Patron eRIDE holsters the cutting edge of full-power motor and battery technology in a package built for singletrack domination. With the latest Bosch Performance CX drive unit paired with the 800Wh Powertube battery, the Patron is your ticket to freedom in the mountains.

2. HANDLEBAR DISPLAY
Connectivity, flexibility and visibility are the key words for the Kiox 300 and the LED Mini Remote. The Kiox is a 2" colored screen integrated in the stem. It displays all necessary info including speed, GPS, cadence and a Bluetooth connection to the eBike Flow App. You don't want to have a screen on your handlebar? You can take it off and control everything from the LED remote or your phone. The new LED remote, displays the current charge status and allows an easy switch from one mode to the other. The ambient light sensor automatically controls the brightness of the LEDs.
In order to minimize distractions when you're getting rowdy, all ST models opt for just the Mini Remote and Sytem controller, without the addition of the display. All key metrics can still be tracked and displayed via a cycling computer of your choice.

3. PATENTED INTEGRATED SHOCK TECHNOLOGY
A stellar day on the trails begins with stellar suspension design, and the Patron's 150mm of integrated travel will keep you tracking the ground smoothly no matter the terrain. Integrating the shock has allowed us to achieve desired shock characteristics, while also granting us the space to ideally position elements such as the motor, the battery and a water bottle. Riding a range of varied terrain? The TracLoc remote on the handlebar alters suspension characteristics with just a oush of the thumb, allowing you to match your suspension to the trail ahead.

4. FRAME CONSTRUCTION
The Patron eRIDE lineup features carbon and alloy models, both meticulously engineered to harness the unique charactersitics of each material. Subjected to the highest degree of testing and numerous iterations in the development phase, the Patron eRIDE exhibits the perfect blend of stiffness and strength and weight distribution to lead to an unmatched ride feel - especially when things get rough.

5. ACCESSORIES & COMPATIBILITIES
Featuring tailor made details such as integrated fender and LED rear lights, the Patron eRIDE has been developed to be a "just get on and ride" kind of bike. To take this a step further, the Patron is pre-wired and ready for you to link up a front light to the main battery if you desire. A range of Syncros accessories are also available for the Patron eRIDE such as a kickstand, a rear rack or an action camera mount.

6. CABLE INTEGRATION
Fact: With E-bikes come cables. Thankfully, on the Patron eRIDE, these are all cleanly integrated into the frame to hide them from sight, protect them from the elements and ensure no unnecessary bends impede on their function.



SYNCROS HIXON iC SL

Our updated Hixon now features semi-integrated cables to clean up your cockpit. We've also refreshed the ergonomics and added several mount options while still offering massive weight savings.





PATRON eRIDE FAMILY

From flow to rougher trails, the Patron eRIDE is like a Swiss knife, able to bring you up the trail with efficiency and ride down with confidence. It has the biggest internal battery and the latest technologies. 150mm of travel front and rear. ST 170mm front.

PATRON



PATRON 900



PATRON 900 CUMULUS WHITE/CARBON BLACK



PATRON 910 SHARK GREY



PATRON 910 MAUVE PURPLE



PATRON 920 GRANITE BLACK



PATRON 920 MARTIN GREEN



PATRON 920 CLAY PINK



PATRON ST 900 TUNED CARBON BLACK



PATRON ST 900 RC LUMINARY GREEN/SWIRLY BLACK



PATRON ST 910 LODEN GREEN

PATRON 900 CARBON BLACK

423355-3020 (EU 1)
423398-3020 (INT)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch ABS Pro, FOX 36 Perf. Grip

FRAME	Carbon Main Frame / Alloy SST-CST; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	FOX 36 Perf. Air / eMTB+ / Grip / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle / Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Magura MT7 4 Piston / Bosch ABS Pro, Front: MDR-P 220mm / Rear: MDR-P 203mm
HANDLEBAR	; Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 180mm / XL size 210mm
SEAT	Syncros Tofino-E 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula DC-711 / 15x110mm
HUB (REAR)	Formula EHT-1481 / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON 900

CUMULUS WHITE/CARBON BLACK

423355-8086 (EU 1)
423398-8086 (INT)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch ABS Pro, FOX 36 Perf. Grip

FRAME	Carbon Main Frame / Alloy SST-CST; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	FOX 36 Perf. Air / eMTB+ / Grip / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	FOX NUDE 6T EVOL Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Low Speed Adj. / Custom large Air volume / Reb. Adj.; Bearing Hardware / Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle / Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Magura MT7 4 Piston / Bosch ABS Pro, Front: MDR-P 220mm / Rear: MDR-P 203mm
HANDLEBAR	Syncros Hixon 1.5 Alloy 7050; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Performance XC lock-on grips
HANDLEBAR STEM	Syncros AM 1.5; Syncros Cable Integration System; 4° rise / 7050 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 180mm / XL size 210mm
SEAT	Syncros Tofino-E 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula DC-711 / 15x110mm
HUB (REAR)	Formula EHT-1481 / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON 910 SHARK GREY

423403-7842 (EU 1)
423366-7842 (INT)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, FOX 36 Rhythm Grip, SRAM S1000 Eagle AXS RD, SRAM CS XS 1270

FRAME	Carbon Main Frame / Alloy SST-CST; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	FOX 36 Rhythm Air / eMTB+ / Grip / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	FOX Float EVOL Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 150mm / 185x55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.0 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON 910 MAUVE PURPLE

423403-7963 (EU 1)
423366-7963 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, FOX 36 Rhythm Grip, SRAM S1000 Eagle AXS RD, SRAM CS XS 1270

FRAME	Carbon Main Frame / Alloy SST-CST; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	FOX 36 Rhythm Air / eMTB+ / Grip / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	FOX Float EVOL Trunnion; 3 modes / Lockout-Trail-Descend; DPS / Reb. Adj.; Travel 150mm / 185x55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SCOTT custom spider / SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.0 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON 920 GRANITE BLACK

423363-6922 (EU 1)
423378-6922 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, RockShox Psylo Silver RC

FRAME	Alloy Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	RockShox Psylo Silver RC Air / E-Bike / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	FSA 12 Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148M / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
APPROX. WEIGHT	Check website

PATRON 920 MARTIN GREEN

423363-7961 (EU 1)
423378-7961 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, RockShox Psylo Silver RC

FRAME	Alloy Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	RockShox Psylo Silver RC Air / E-Bike / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	FSA 12 Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148M / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
APPROX. WEIGHT	Check website

PATRON 920 CLAY PINK

423363-8108 (EU 1)
423378-8108 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, RockShox Psylo Silver RC

FRAME	Alloy Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 150mm / Rear: 150mm
FORK	RockShox Psylo Silver RC Air / E-Bike / Comp & Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 150mm travel
REAR SHOCK	X-Fusion NUDE 5 RLX Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / T185X55mm
REMOTE SYSTEM	SCOTT TracLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	FSA 12 Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	; Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148M / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
REAR TIRES	Maxxis Forekaster 29x2.6"; 120TPI Foldable Bead; EXO / TR Tubeless ready; 3C Maxx Terra
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
APPROX. WEIGHT	Check website

PATRON ST 900 TUNED

CARBON BLACK

423549-3020 (EU 1)
423546-3020 (INT)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch ABS Pro, FOX 38 Factory Grip X2, FOX Float X Nude Factory

FRAME	Carbon Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 170mm / Rear: 150mm
FORK	FOX 38 Factory Grip X2 Air / Kashima; HSC - LSC - HSR- LSR adjustable / QR Axle 15x110mm; 44mm offset / tapered steerer; 170mm travel
REAR SHOCK	FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion; Kashima / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj. Travel 150-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote
CHARGER	4A Charger
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM GX Eagle / Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
BRAKES	Magura MT7 4 Piston / Bosch ABS Pro, Front: MDR-P 220mm / Rear: MDR-P 203mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 180mm / XL size 210mm
SEAT	Syncros Tofino-E 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke-E 1.5 IS; F: 15x110mm; R: 12x148mm Boost; 30mm Tubeless ready rim 28H; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe Magic Mary 29x2.5"; SuperGravity / PSF / Ultra Soft; Tubeless ready; 120TPI Foldable Bead
REAR TIRES	Schwalbe Explore 29x2.5"; SuperGravity / PSF / Soft; Tubeless ready; 120TPI Foldable Bead
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON ST 900 RC

LUMINARY GREEN/SWIRLY BLACK

423550-8093 (EU 1)
423547-8093 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, FOX 38 Perf. ELITE Grip X2, FOX Float X Nude

FRAME	Carbon Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 170mm / Rear: 150mm
FORK	FOX 38 Perf. ELITE Grip X2 Air / HSC - LSC - HSR- LSR adjustable / QR Axle 15x110mm; 44mm offset / tapered steerer; 170mm travel
REAR SHOCK	FOX FLOAT X NUDE EVOL Piggy Back Trunnion / SCOTT custom w. travel / geo adj.; 3 modes: Climb-Ramp Control-Descend; Custom large Air volume / Comp & Reb. Adj. Travel 150-100-Climb / T185X55mm
REMOTE SYSTEM	TracLoc Technology; Rear Suspension & Dropper Remote; 3 Rear Suspension modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote
CHARGER	4A Charger
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed; Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	SRAM Eagle Transmission 34T chainring
CHAIN	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
BRAKES	Shimano SLX / BR-M7120 4 Piston, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon iC Carbon; Size S & M 15mm rise / Size L & XL 25mm rise; back sweep 8° / 780mm; Syncros Endurance lock-on grips
SEATPOST	Syncros Duncan Dropper Post 1.5S / Travel Adjust / 31.6mm; S size 140mm / M size 180mm / L size 180mm / XL size 210mm
SEAT	Syncros Tofino-E 1.5 Regular; Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Revelstoke-E 1.5 CL; F: 15x110mm; R: 12x148mm Boost; 30mm Tubeless ready rim 28H; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe Magic Mary 29x2.5"; SuperGravity / PSF / Ultra Soft; Tubeless ready; 120TPI Foldable Bead
REAR TIRES	Schwalbe Explore 29x2.5"; SuperGravity / PSF / Soft; Tubeless ready; 120TPI Foldable Bead
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
EXTRAS	Syncros Fork Fender; SRAM AXS Extension Cord
APPROX. WEIGHT	Check website

PATRON ST 910 LODEN GREEN

423551-8109 (EU 1)
423548-8109 (INT)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, RockShox Domain R, RockShox SuperDeluxe

FRAME	Alloy Frame; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 170mm / Rear: 150mm
FORK	RockShox Domain R Air / E-Bike / Reb Adj. / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 170mm travel
REAR SHOCK	RockShox SuperDeluxe Piggy Back Trunnion / Reb Adj. / Large Air volume / Travel 150-100-Climb / T185X55mm
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Mini Remote
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore SL-M6100-IR / Rapidfire Plus
CRANKSET	FSA Alloy
CHAINGUIDE	e*thirteen / e*spec Slider
CHAINRING	FSA 12Speed 34T chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Alloy 6061; Size S & M 15mm rise / Size L & XL 25mm rise / back sweep 8° / 780mm; Syncros Endurance lock-on grips
HANDLEBAR STEM	Syncros AM 2.0; Syncros Cable Integration System; 4° rise / 6061 Alloy / 31.8mm / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5 / 31.6mm; S size 125mm / M size 150mm / L size 170mm / XL size 200mm
SEAT	Syncros Tofino-E 2.5 Regular
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula ECT-148M / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Schwalbe Magic Mary 29x2.5"; SuperGravity / PSF / Ultra Soft; Tubeless ready; 120TPI Foldable Bead
REAR TIRES	Schwalbe Explore 29x2.5"; SuperGravity / PSF / Soft; Tubeless ready; 120TPI Foldable Bead
LIGHTS	Syncros integrated rear fender light; Front Light Cable pre-installed
APPROX. WEIGHT	Check website



STRIKE eRIDE

Based on the patron eRIDE platform, the Strike eRIDE offers SCOTT's latest technologies together with the newest Bosch motor. Versatile, reliable, and accessible, the Strike puts the accent on the comfort with 150mm of travel, slicker tires, thicker grips and saddle to give you a solid choice for any outing.

100 KM
MAXIMUM RANGE OF ASSIST

25KM/H
MAXIMUM SPEED ASSIST

6 H
RECHARGE TIME TO 100% (625WH)

150 MM
OF TRAVEL FRONT AND REAR



KEY FEATURES

- Bosch motor and 750Wh battery
- Comfort and versatile oriented components
- Bluetooth connection to the eBike Flow App
- 150mm of travel front and rear
- Integrated rear shock
- Rear light integrated in the fender
- Integrated cables

	MOTOR	BATTERY	DISPLAY	BLUETOOTH	TRAVEL
STRIKE eRIDE EVO	BOSCH PERFORMANCE CX Smart System	625Wh to 750Wh	KIOX 300 COLORED DISPLAY	YES	150MM
STRIKE eRIDE	BOSCH PERFORMANCE CX	500Wh to 625Wh	PURION BLACK AND WHITE	NO	140MM



1



2



3



4

1. MOTOR & BATTERY
The Bosch Performance CX Generation 4 has a maximum output of 85 Nm and 340 W. You can choose between 5 assistance modes as well as a comfortable eMTB mode.

2. HANDLEBAR DISPLAY
Equipped - To set the bike up for adventure, the Strike eRIDE can be equipped with luggage rack and mudguard.

4. FRAME CONSTRUCTION
The Kiox display offers all the classic functions of an on-board computer and at the same time gives the eRIDE access to the digital world thanks to Bluetooth connectivity and its own smartphone app.

5. ACCESSORIES & COMPATIBILITIES
Strike eRIDE frames are compatible with 625Wh batteries, making it easy to swap out a 400 or 500Wh battery with a more powerful option.



SYNCROS TRAIL 2 FENDER

This fender is specifically designed for the latest generation of FOX® 36 forks you can find on the Strike eRide 900 Evo & 910 Evo. The fender mounts directly to the fork using two screws in the crown and the bleeding ports - no zipties here!

syncros





STRIKE eRIDE FAMILY

Looking to head off road? The Strike eRIDE is the definition of comfort for a full suspension E-MTB. Clever components and the best Bosch drive unit combine to give you a solid choice for any outing. 140mm of travel front and rear. EVO 150mm of travel front and rear.



STRIKE eRIDE 930 BLACK



STRIKE eRIDE 930 GREY



CONTESSA STRIKE eRIDE 920 PURPLE



CONTESSA STRIKE eRIDE 920 WHITE

STRIKE eRIDE 930 BLACK

293304 (EU 1)

S, M, L, XL



FRAME	Alloy Frame / Virtual 4 link kinematic VLK; 27.5" and 29" compatible / geo adj. / Boost 148x12mm; 150mm travel / Bosch SmartSystem / Integr. removable Battery; 1.5" Headtube; Central Kickstand Mount; Integr. Cable; Bosch PowerMore Ready
TRAVEL	Front & Rear: 150mm
FORK	Marzocchi Z2 Air / eMTB+; Rail 3 / 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	X-Fusion NUDE Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / 185x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 625Wh
DISPLAY	Bosch LED Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click
CRANKSET	FSA CK-320 / 165mm / 34T
CHAINRING	SRAM Eagle 34T DM / Steel
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50T
BRAKES	Shimano / BR-MT420 4 Piston, Shimano / SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Rise / Alloy 6061D.B.; 20mm rise / 8° / 760mm; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros FL2.0 / 6061 Alloy; L-Shape Spacer & Top Cap / 31.8mm / 6° / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm / M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"; ZS56 OD62 / BlockLock / integr. Cable
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	24.4 KG (with tubes) 53.79 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

STRIKE eRIDE 930 GREY

293305 (EU 1)

S, M, L, XL



FRAME	Alloy Frame / Virtual 4 link kinematic VLK; 27.5" and 29" compatible / geo adj. / Boost 148x12mm; 150mm travel / Bosch SmartSystem / Integr. removable Battery; 1.5" Headtube; Central Kickstand Mount; Integr. Cable; Bosch PowerMore Ready
TRAVEL	Front & Rear: 150mm
FORK	Marzocchi Z2 Air / eMTB+; Rail 3 / 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	X-Fusion NUDE Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / 185x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 625Wh
DISPLAY	Bosch LED Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click
CRANKSET	FSA CK-320 / 165mm / 34T
CHAINRING	SRAM Eagle 34T DM / Steel
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50T
BRAKES	Shimano / BR-MT420 4 Piston, Shimano / SM-RT64 CL 203mm
HANDLEBAR	Syncros Hixon 2.0 Rise / Alloy 6061D.B.; 20mm rise / 8° / 760mm; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros FL2.0 / 6061 Alloy; L-Shape Spacer & Top Cap / 31.8mm / 6° / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm / M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"; ZS56 OD62 / BlockLock / integr. Cable
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	24.4 KG (with tubes) 53.79 LBS (with tubes) 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA STRIKE eRIDE 920

PURPLE

293346 (EU 1)

S, M, L



FRAME	Alloy Frame / Virtual 4 link kinematic VLK; 27.5" and 29" compatible / geo adj. / Boost 148x12mm; 150mm travel / Bosch SmartSystem / Integr. removable Battery; 1.5" Headtube; Central Kickstand Mount; Integr. Cable; Bosch PowerMore Ready
TRAVEL	Front & Rear: 150mm
FORK	Marzocchi Z2 Air / eMTB+; Rail 3 / 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	X-Fusion NUDE Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / 185x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 625Wh
DISPLAY	Bosch LED Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click
CRANKSET	FSA CK-320 / 165mm / 34T
CHAINRING	SRAM Eagle 34T DM / Steel
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50T
BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors 200mm F&R
HANDLEBAR	Syncros Hixon 2.0 Rise / Alloy 6061D.B.; 20mm rise / 8° / 760mm; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros FL2.0 / 6061 Alloy; L-Shape Spacer & Top Cap / 31.8mm / 6° / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm / M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"; ZS56 OD62 / BlockLock / integr. Cable
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	24.4 KG 53.79 LBS 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA STRIKE eRIDE 920

WHITE

293347 (EU 1)

25 km/h | 29" | CO

S, M, L



FRAME	Alloy Frame / Virtual 4 link kinematic VLK; 27.5" and 29" compatible / geo adj. / Boost 148x12mm; 150mm travel / Bosch SmartSystem / Integr. removable Battery; 1.5" Headtube; Central Kickstand Mount; Integr. Cable; Bosch PowerMore Ready
TRAVEL	Front & Rear: 150mm
FORK	Marzocchi Z2 Air / eMTB+; Rail 3 / 3 modes / 15x110mm QR axle / tapered steerer; 44mm offset / Reb. Adj. / Lockout / 150mm travel
REAR SHOCK	X-Fusion NUDE Trunnion; SCOTT custom w. travel / geo adj.; 3 modes: Lockout-Traction Control-Descend; Reb. Adj.; Travel 150-100-Lockout / 185x55mm
REMOTE SYSTEM	SCOTT TwinLoc 2 Technology; Suspension & Dropper Remote; 3 modes
DRIVE UNIT	Bosch Performance CX; EU: 25kmh / INT: 20mph
BATTERY	PowerTube 625Wh
DISPLAY	Bosch LED Remote & Intuvia 100
CHARGER	4A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click
CRANKSET	FSA CK-320 / 165mm / 34T
CHAINRING	SRAM Eagle 34T DM / Steel
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50T
BRAKES	SRAM DB8 4 Piston Disc, SRAM Centerline CL Rotors 200mm F&R
HANDLEBAR	Syncros Hixon 2.0 Rise / Alloy 6061D.B.; 20mm rise / 8° / 760mm; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros FL2.0 / 6061 Alloy; L-Shape Spacer & Top Cap / 31.8mm / 6° / 1 1/8"
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S size 100mm / M size 125mm / L size 150mm / XL size 170mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"; ZS56 OD62 / BlockLock / integr. Cable
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / Boost 148x12mm
SPOKES	Stainless Black
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
REAR TIRES	Maxxis Rekon / 29x2.6" / 60TPI Wire Bead; EXO; Dual
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	24.4 KG 53.79 LBS 128 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



ASPECT eRIDE

The Aspect eride! more autonomy, more connectivity and the latest Bosch technology featured in an accessible package. From off road commuting to your local trails, the Aspect is all about versatility and fun.



100KM
MAXIMUM RANGE OF ASSIST

25KM/H
MAXIMUM SPEED ASSIST

6H
RECHARGE TIME TO 100% (800WH)

120MM
OF FRONT TRAVEL

KEY FEATURES

- Bosch motor and 750Wh battery
- Comfort and versatile oriented components
- Bluetooth connection to the eBike Flow App
- 120mm of travel front
- Compatible with fender, racks, kickstand
- Integrated cables



1. MOTOR & BATTERY
The Aspect eRIDE comes with the latest electric technology from Bosch. Looking for more autonomy? The Aspect sets a new standard with the new 800Wh, 600Wh batteries. Having up to 85Nm and 340% of additional power, the Bosch Performance CX motor can provide light to very powerful support and thanks to the Bluetooth connection, you can adjust and customize the modes on the fly. The battery can be easily removed thanks to quick release door.

2. HANDLEBAR DISPLAY
Connectivity, flexibility, and visibility are the key words for the Kiox 300 and the LED Remote. The Kiox is a 2" colored screen integrated in the stem. It displays all necessary info including speed, cadence and a Bluetooth connection to the eBike Flow App. The new Intuvia 100 display is the small brother of the Kiox 300, it comes with a black and white screen and will display the most essential info. Still compatible with Bluetooth.

3. FRAME CONSTRUCTION
The Aspect eRIDE kinematic has been reviewed from scratch to match the latest motor needs.

4. ACCESSORIES & COMPATIBILITIES
Give a SUV style to your Aspect eRIDE with bolt in rack and fenders. Tailored made by Syncros, they will be stiff enough to still use your bike off road. The frame is also compatible with a kickstand. Like the fenders, the fixation is integrated in the frame for a high stiffness.

5. CABLE INTEGRATION
The boundaries are pushed even further with the cable integration. With a dedicated new headset designed to route the cables directly into the frame, the Aspect eRIDE surpasses the competition with its minimalistic cockpit.



SYNCROS E-MTB KICKSTAND

Your bike deserves more than lying on the floor when you take a break! The SYNCROS E-MTB dedicated kickstand is perfectly fixed to the frame to ensure your bike stays upright at all times.





ASPECT eRIDE FAMILY

The Aspect eRIDE features proven electric assist technology in a comfortable off-road package for hours of riding on your favorite trails and paths. Equipped with the best Bosch drive unit and battery, enjoy hours of trail riding. 120mm of front travel. Now with step-through Wave frame options.

ASPECT



ASPECT eRIDE 900 HIGHLAND GREEN



ASPECT eRIDE 900 WAVE HIGHLAND GREEN



ASPECT eRIDE 910 MIDNIGHT GREY



ASPECT eRIDE 910 AVENTURINE GREEN



ASPECT eRIDE 910 WAVE FLAKE GREY

ASPECT eRIDE 900

HIGHLAND GREEN

423277-8113 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready

FRAME	Alloy XS-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCR34X LOR Air / Tapered 120mm Travel / 15x110 bolt Axle / Remote Lock Out
REMOTE SYSTEM	SR Suntour Remote
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Kiox 300; Mini Remote
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore Trigger SL-M6100RC
CRANKSET	FSA CK-220; 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	KMC e12S
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / 9° / 12mm rise; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros AM2.0 / 6061 Alloy; 31.8mm / 0°
SEATPOST	Syncros M3.0 / 31.6mm; 350mm
SEAT	Syncros Tofino E 2.0
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula MSC-148S / 148x12mm
SPOKES	Black Spokes
RIMS	Cross X19 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Kenda Booster 29x2.6" / 30TPI
REAR TIRES	Kenda Booster 29x2.6" / 30TPI
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	Check website

ASPECT eRIDE 900 WAVE

HIGHLAND GREEN

423552-8113 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCR34X LOR Air / Tapered 120mm Travel / 15x110 bolt Axle / Remote Lock Out
REMOTE SYSTEM	SR Suntour Remote
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch LED Remote; Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	Shimano Deore RD-M6100 SGS; Shadow Plus / 12 Speed
SHIFTERS	Shimano Deore Trigger SL-M6100RC
CRANKSET	FSA CK-220; 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	KMC e12S
CASSETTE	Shimano CS-M6100 / 10-51
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / 9° / 12mm rise; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros AM2.0 / 6061 Alloy; 31.8mm / 0°
SEATPOST	Syncros M3.0 / 31.6mm; 350mm
SEAT	Syncros Tofino E 2.0
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula MSC-148S / 148x12mm
SPOKES	Black Spokes
RIMS	Cross X19 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Kenda Booster 29x2.6" / 30TPI
REAR TIRES	Kenda Booster 29x2.6" / 30TPI
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	Check website

ASPECT eRIDE 910 MIDNIGHT GREY

423282-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy XS-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 RL Coil / Tapered 120mm Travel / 15x110 bolt Axle / Remote Lock Out
REMOTE SYSTEM	SR Suntour Remote
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch System Controller; Intuvia 100; Mini Remote
CHARGER	2A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click Trigger
CRANKSET	FSA CK-220; 165mm
CHAINRING	SRAM CR T-Type 36T DM w/Chain Guard
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / 9° / 12mm rise; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros AM2.0 / 6061 Alloy; 31.8mm / 0°
SEATPOST	Syncros M3.0 / 31.6mm; 350mm
SEAT	Syncros Tofino E 2.0
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 148x12mm
SPOKES	Stainless Black
RIMS	Cross X19 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Kenda Booster 29x2.6" / 30TPI
REAR TIRES	Kenda Booster 29x2.6" / 30TPI
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	Check website

ASPECT eRIDE 910

AVENTURINE GREEN

423282-8128 (EU 1)

25 km/h 29"

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy XS-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 RL Coil / Tapered 120mm Travel / 15x110 bolt Axle / Remote Lock Out
REMOTE SYSTEM	SR Suntour Remote
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch System Controller; Intuvia 100; Mini Remote
CHARGER	2A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click Trigger
CRANKSET	FSA CK-220; 165mm
CHAINRING	SRAM CR T-Type 36T DM w/Chain Guard
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / 9° / 12mm rise; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros AM2.0 / 6061 Alloy; 31.8mm / 0°
SEATPOST	Syncros M3.0 / 31.6mm; 350mm
SEAT	Syncros Tofino E 2.0
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 148x12mm
SPOKES	Stainless Black
RIMS	Cross X19 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Kenda Booster 29x2.6" / 30TPI
REAR TIRES	Kenda Booster 29x2.6" / 30TPI
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	Check website

ASPECT eRIDE 910 WAVE

FLAKE GREY

423553-7950 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 RL Coil / Tapered 120mm Travel / 15x110 bolt Axle / Remote Lock Out
REMOTE SYSTEM	SR Suntour Remote
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch LED Remote; Intuvia 100
CHARGER	2A Charger
REAR DERAILLEUR	SRAM NX Eagle / 12 Speed
SHIFTERS	SRAM SX Eagle Single Click Trigger
CRANKSET	FSA CK-220; 165mm
CHAINRING	SRAM CR T-Type 36T DM w/Chain Guard
CHAIN	SRAM SX Eagle
CASSETTE	SRAM PG1210 / 11-50
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / 9° / 12mm rise; Syncros Comfort lock-on grips
HANDLEBAR STEM	Syncros AM2.0 / 6061 Alloy; 31.8mm / 0°
SEATPOST	Syncros M3.0 / 31.6mm; 350mm
SEAT	Syncros Tofino E 2.0
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148S / 148x12mm
SPOKES	Stainless Black
RIMS	Cross X19 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Kenda Booster 29x2.6" / 30TPI
REAR TIRES	Kenda Booster 29x2.6" / 30TPI
LIGHTS	Bosch Light Cable pre-installed F&R
APPROX. WEIGHT	Check website



ROAD GRAVEL
eRIDE

ROAD | GRAVEL
eRIDE LINE-UP

SCOTT eROAD and eGRAVEL bikes are powered by TQ and Mahle. The mid-drive TQ HPR50 ensures a flowy, natural, and silent riding experience thanks to the direct response of the pedal input. The Mahle X20 drive unit is hub based and minimalist for sportive riders who still want the natural look and feeling of a traditional road bike but need that gentle push once in a while. Both TQ and Mahle are near dragless drive units, which can be switched off, allowing you to use the assistance when you need it, conserving battery for when it gets really steep.





SOLACE eRIDE

The Solace eRIDE is the eROAD bike for comfort, confidence, and carefree riding. The TQ HPR50 drive unit ensures a riding experience that's quiet, unintrusive and natural with or without assistance. It's the most versatile platform we've ever made and can become a gravel bike by just switching wheelset.



ADDICT RC eRIDE

The Addict RC eRIDE is the lightest eROAD bike in our line-up. With the smooth X20 Mahle motor, it has both the looks and the handling of a conventional road bike. Get hooked on the climbs and fly in the descents.





SOLACE GRAVEL eRIDE

The Solace Gravel eRIDE is your ticket for fun, fast rides, whether there's a spare moment for a quick spin or longer weekend outings. It's quiet, solid and encourages the exploration of every centimeter of gravel. The TQ HPR50 drive unit together with the massive 50c tires ensures a riding experience that's quiet, unintrusive and natural with or without assistance.



SPEEDSTER GRAVEL eRIDE

The Speedster Gravel eRIDE is equipped with the hub-based Mahle X35 motor. The X35 system is almost as smooth, quiet and dragless as the X20 system, but comes in a more cost-friendly package.

SCOTT eROAD

The SCOTT eROAD segment includes two bikes: the Addict RC eRIDE and the Solace eRIDE. Both bikes share the heritage of the Addict platform and are lightweight electric road bikes with minimal drag.

SO, WHAT'S THE DIFFERENCE BETWEEN THEM?

ADDICT RC eRIDE

The Addict RC eRIDE bikes are equipped with the hub-based Mahle X20 system. This is silent, discrete and leaves you with zero drag. The system is developed with a dedicated road bike assistance technology, which ensures a natural riding feeling both when the assistance shuts off, and when it starts to give you power again.



KEY FEATURES
- Performance Geometry
- For the traditional roadie
- One of the lightest eROAD bikes on the market
- Keeps the drivetrain as on a traditional road bike
- Learns from the rider and adapts its response
- Torque and cadence sensor in bottom bracket
- Silent and fully dragless system

SOLACE eRIDE

The Solace eRIDE is powered by the TQ HPR50 system which is a crank-based motor. The TQ motor is compact, light and silent and gives a natural, close to dragless riding feeling throughout the whole ride.



KEY FEATURES
- eEndurance geometry
- Lightweight carbon frame
- Crank-based motor keeps the gravity centred and low
- Low drag and keeps a natural pedalling feeling
- Confident inspiring with 50c tire clearance
- Versatile on road/off-road

SCOTT eGRAVEL

SCOTT eGRAVEL segment includes two bikes: The Solace Gravel eRIDE and the Speedster Gravel eRIDE. They have different motors and frames but are both lightweight, agile and without almost zero motor drag.

SPEEDSTER GRAVEL eRIDE

The Speedster Gravel eRIDE is equipped with the hub-based Mahle X35 motor. The X35 system is almost as smooth, quiet and dragless as the X20 system, but comes in a more cost-friendly package.



KEY FEATURES
- Solid alloy frame
- Easy handling
- Minimalistic system
- Keeps the look of the drivetrain as on a traditional gravel bike
- Confident and dragless motor
- 45c tire clearance

MOTOR	MAX TORQUE (NM)	BATTERY	MOTOR WEIGHT(KG)	BLUETOOTH	ANT+
MAHLE X20 ADDICT eRIDE	55	Up to 407Wh	1.4	YES	YES
MAHLE X35 SPEEDSTER GRAVEL eRIDE	40	Up to 458Wh	2.1	YES	YES
TQ HPR50 SOLACE eRIDE SOLACE GRAVEL eRIDE	50	Up to 520Wh	1.8	YES	YES



ADDICT RC eRIDE

Electric Road bikes are on this earth to make things more fun and interesting. They're here to challenge you, to climb steeper and make outings longer. We dig these bikes, and we think you'll get a kick out of them too. Light, performant, and just as capable as its world tour sibling, the Addict RC eRIDE is a revelation to the world of cycling.



145 KM
MAXIMUM RANGE OF ASSIST (236WH)

2H50
RECHARGE TIME TO 100%

25KM/H
MAXIMUM SPEED OF ASSIST

407 WH
MAXIMUM BATTERY CAPACITY, INTERNAL + RANGE EXTENDER

KEY FEATURES

- Light drive unit
- Dragless and silent motor
- Drivetrain as on a traditional road bike
- Integrated color remote
- Fast wire-unplug motor for changing the rear wheel
- Quick-release rear axle
- Derailleur hanger compatible with SRAM Red AXS



ASSISTANCE MODES

The Mahle X20 system offers four assistance modes. You can distinguish between the modes thanks to a color code around the power button. The battery level is shown by the intensity of the power meter, making it easy to keep track of the most essential things for the ride.


1


2


3


4


5

1. DISCRETE AND POWERFUL
The Addict RC eRIDE has the Mahle X20 drive unit located in the rear hub. With the motor's low weight of only 1399 gram, its impact on the bike's riding feel and handling is minimal. The Mahle X20 motor has a maximum Torque of 55Nm and is powered by a 236Wh battery in the down tube. There are three assist modes available, as well as a new automatic mode, which are easily shifted through with the remote on the top tube. That same remote is minimalistic and simple, yet giving you all the data you need for the ride.

2. ASSISTANCE
The Addict RC eRIDE provides assistance up to 25km/h, after which it becomes a regular road bike. Thanks to a dedicated road bike assistance technology, Mahle ensures a natural riding feeling both when the assistance shuts off, and when it starts to give you power again. The Mahle X20 system learns from your riding style and adapts its response, this through the torque- and cadence sensor placed in the bottom bracket.

3. LIGHTWEIGHT & INTEGRATION
The Addict RC eRIDE shares the same DNA as the Addict RC and is one of the lightest eRoad bikes on the market. Besides being lightweight, it's implemented with SCOTT's latest technologies. The complete internal cable routing and the carbon construction results in an outstanding design. It's hard to tell which one is the Addict RC eRIDE or the RC version- the future is now.

4. RANGE EXTENDER
The Addict RC eRIDE is Range Extender compatible, giving you additional 171Wh of battery and a total of 407Wh. The Range Extender comes as an accessory and looks like a simple bottle. For connecting it to the system, it's just as easy as sliding a bottle into a bottle cage, and the system will automatically adapt to having two power sources.

5. ACCESSORIES & COMPATIBILITIES
The Addict RC eRIDE Ultimate features a Pulsar ONE display from Mahle, which gives you further detailed information about the bike and your ride. The Pulsar ONE is an ANT+ Bike computer and connects seamlessly to the Mahle system.



SYNCROS CRESTON iC SL

The ultimate in integration comes to eRIDE, an electric bike that's fully cable free.

syncros







ADDICT RC
eRIDE FAMILY

The Addict RC eRIDE is the lightest eRoad bike in our lineup. With the smooth X20 Mahle motor, it has both the looks and the handling of an acoustic road bike. Get hooked on the climbs and fly in the decsents.

ADDICT RC



ADDICT RC eRIDE ULTIMATE



ADDICT RC eRIDE 10



ADDICT RC eRIDE 20



CONTESSA ADDICT RC eRIDE 15

SOLACE



SOLACE eRIDE 10 (EU)



SOLACE eRIDE 10 (INT)



SOLACE eRIDE 20

ADDICT RC eRIDE ULTIMATE

293356 (EU 1)
290611 (INT)

XS, S, M, L, XL



FRAME	Addict eRIDE Disc HMX; Endurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Included
FORK	Addict eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X20 Motor Hub drive 55Nm max Torque / EU: 25kmh - US: 20mph
BATTERY	Mahle 36V-236Wh + xTra Power Bottle Cage Battery 36v-171Wh
DISPLAY	Mahle HMI; Bluetooth, ANT+ /Pulsar One Display / Dedicated Smartphone app
CHARGER	Mahle 100-240V 4A Active Charger
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250; 24 Speed
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250
SHIFTERS	Shimano Dura-Ace ST-R9270
CRANKSET	Shimano Dura-Ace FC-R9200; Hollowtech II 50x34
BB-SET	Mahle Torque sensor
CHAIN	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura-Ace CS-R9200-12; 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc; flatmount, 160/F SM-MT800 CL and 160/R SM-RT86 6B
HANDLEBAR	Syncros Creston iC SL; Carbon combo
SEATPOST	Syncros Duncan SL D-shape
SEAT	Syncros Belcarra Regular 1.0
HEADSET	Syncros Addict RC Integrated
WHEELSET	Syncros Capital 1.0 40e Disc; 24 Front 12x100mmTA /28 Rear 12x142mmTA
FRONT TIRES	Schwalbe PRO ONE Microskin; TL-Easy 700x30C
REAR TIRES	Schwalbe PRO ONE Microskin; TL-Easy 700x30C
APPROX. WEIGHT	10.65 KG (with tubes) 23.48 LBS (with tubes) 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

ADDICT RC eRIDE 10

293357 (EU 1)
290612 (INT)



FRAME	Addict eRIDE Disc HMX; Endurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Addict eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X20 Motor Hub drive 55Nm max Torque / EU: 25kmh - US: 20mph
BATTERY	Mahle 36V-236Wh
DISPLAY	Mahle HMI; Bluetooth, ANT+ / Dedicated Smartphone app
CHARGER	Mahle 100-240V 4A Active Charger
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150; 24 Speed
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150
SHIFTERS	Shimano Ultegra ST-R8170
CRANKSET	Shimano Ultegra FC-R8100; Hollowtech II 50x34
BB-SET	Mahle Torque sensor
CHAIN	Shimano Ultegra CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12; 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc; flatmount, 160/F SM-MT800 CL and 160/R SM-RT86 6B
HANDLEBAR	Syncros Creston iC 1.5; Compact Alloy
HANDLEBAR STEM	Syncros RR 1.5 iC; 1 1/4"
SEATPOST	Syncros Duncan 1.0 D-shape
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Syncros Addict RC Integrated
WHEELSET	Syncros Capital 1.0 40e Disc; 24 Front 12x100mmTA /28 Rear 12x142mmTA
FRONT TIRES	Schwalbe ONE Race-Guard; 700x30C
REAR TIRES	Schwalbe ONE Race-Guard; 700x30C
APPROX. WEIGHT	11.06 KG (with tubes) 24.38 LBS (with tubes) 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

ADDICT RC eRIDE 20

293358 (EU 1)
421863 (EU 2)
290613 (INT)

XS, S, M, L, XL



FRAME	Addict eRIDE Disc HMX; Endurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Addict eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X20 Motor Hub drive 55Nm max Torque / EU: 25kmh - US: 20mph
BATTERY	Mahle 36V-236Wh
DISPLAY	Mahle HMI; Bluetooth, ANT+ / Dedicated Smartphone app
CHARGER	Mahle 100-240V 4A Active Charger
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed
FRONT DERAILLEUR	Shimano 105 DI2 FD-R7150
SHIFTERS	Shimano 105 Di2 ST-R7170
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34
BB-SET	Mahle Torque sensor
CHAIN	Shimano 105 CN-M6100-12
CASSETTE	Shimano CS-R7100-12; 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc; flatmount, 160/F SM-RT70 CL and 160/R SM-RT76 6B
HANDLEBAR	Syncros Creston 2.0; Compact Alloy
HANDLEBAR STEM	Syncros RR 1; 5 iC; 1 1/4"
SEATPOST	Syncros Duncan 1.0 D-shape
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Syncros Addict RC Integrated
WHEELSET	Syncros Capital 2.0 25e Disc; 24 Front 12x100mmTA /28 Rear 12x142mmTA
FRONT TIRES	Schwalbe ONE Race-Guard; 700x30C
REAR TIRES	Schwalbe ONE Race-Guard; 700x30C
APPROX. WEIGHT	11.66 KG (with tubes) 25.71 LBS (with tubes) 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA ADDICT RC eRIDE 15

293380 (EU 1)

XS, S, M, L



FRAME	Addict RC eRIDE Disc HMX; ePerformance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Addict RC eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X20 Motor Hub drive 55Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	Mahle 36V-236Wh
DISPLAY	Mahle HMI; Bluetooth / Dedicated Smartphone app
CHARGER	Mahle 100-240V-4A
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed
FRONT DERAILLEUR	Shimano 105 DI2 FD-R7150
SHIFTERS	Shimano 105 Di2 ST-R7170; 24 Speed Electronic Shift System
CRANKSET	Shimano 105 FC-R7100; Hollowtech II 50x34 T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano 105 CN-M6100-12
CASSETTE	Shimano CS-R7100; 11-34 T
BRAKES	Shimano BR-R7170 Hyd.Disc, 160/F SM-RT800 CL and 160/R SM-RT76 6B rotor
HANDLEBAR	Syncros Creston 2.0 Compact; Alloy
HANDLEBAR STEM	Syncros RR iC; 1 1/4"
SEATPOST	Syncros Duncan 1.0 D-Shape
SEAT	Syncros Belcarra Regular 2.0
HEADSET	Syncros Addict RC Integrated
WHEELSET	Syncros Capital 2.0 25e Disc; 24 Front 12x100mmTA /32 Rear 12x142mmTA
FRONT TIRES	Schwalbe ONE Race-Guard Fold; 700x30C
REAR TIRES	Schwalbe ONE Race-Guard Fold; 700x30C
APPROX. WEIGHT	11.24 KG with tubes 24.78 LBS (with tubes) 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE GRAVEL



SOLACE GRAVEL eRIDE ULTIMATE CHROME SILVER



SOLACE GRAVEL eRIDE 10



SOLACE GRAVEL eRIDE 20



SOLACE GRAVEL eRIDE 30 CARBON BLACK



SOLACE GRAVEL eRIDE 30



CONTESSA SOLACE GRAVEL eRIDE 15

SPEEDSTER GRAVEL



SPEEDSTER GRAVEL eRIDE 40



SPEEDSTER GRAVEL eRIDE 50



CONTESSA SPEEDSTER GRAVEL eRIDE 25



SOLACE eRIDE

TAKE SOLACE ANYWHERE – From all day epics to Saturday morning time-crunched escapes.

The Solace eRIDE is available as both road and gravel, the difference is down to spec. The road version features 38c tires with a 2x road groupset. It's the bike to pick when you don't know what route to take, with the wider tires you can dabble on lighter gravel and stay confident on the tarmac. The gravel edition comes with a 1x gravel groupset and with 50c tires ready to tackle whatever you might face on the gravel ride. This is the bike to pick if all you're looking for is to have a great time on the bike - everyday.



25KM/H
MAXIMUM SPEED ASSIST

2H50
RECHARGE TIME TO 100% (360WH)

165KM
MAXIMUM RANGE OF ASSIST (360 WH)


1


2


3


4


5

1. DRIVE UNIT
The Solace eRIDE features the new TQ HPR50 crank-based drive unit offering 50Nm of torque with an internal battery capacity of 360Wh which can be increased to 520Wh with the addition of the optional range extender. Everything is kept discreet with an integrated display on the top tube which can show assistance mode, range, battery percentage and watts used (thanks to the integrated power meter). The system is ANT+ making connection of a bike computer very easy and Bluetooth allows for connection of a mobile phone.

2. VERSATILITY
By having a shared platform, the Solace eRIDE road and gravel option offers flexibility for the end-consumer. The 50c tire clearance means that you can fit gravel tires on the road version and vice versa. More options and less limitations gives more time for enjoying your time exploring the local gravel.

3. eENDURANCE GEOMETRY
Drawing on it's endurance focus, the Solace features a slacker head tube and longer wheelbase than the Addict eRIDE to give a very stable ride. Handling is confidence-inspiring and gives a very safe feeling to the rider. Despite having an open bottom bracket for placement of the drive unit, the stiffness values are very similar to the Addict Gravel, and the carbon lay-up allows for a frame weight of around 1200g.

4. NEXT LEVEL INTEGRATION
All models will feature the smart box. This means that the main battery powers everything. There's no need to worry about the battery level of lights or shifters anymore, only the main one. With this, the Solace will be equipped with an integrated rear light in the seat post to keep you safe when out on the roads.

5. ACCESSORIES & COMPATIBILITIES
Fender kits are available for both Solace road and gravel from SYNCROS. There is also a dedicated kickstand and the cockpit will fit any of the standard SYNCROS mounts for the Creston cockpits found on the Addict Gravel and Addict RC.



SYNCROS HANDLEBAR BAG

The perfect addition to your gravel set: the handlebar bag provides enough space to carry anything you might need comfortably, during your gravel ride.





SOLACE eRIDE FAMILY

Take Solace Anywhere - From all day epics to Saturday morning time-crunched escapes the Solace eRIDE is one of the most versatile bikes we've ever made. The Solace eRIDE is available in a road or gravel version, sharing the same platform, this offers flexibility to the end consumer.

SOLACE eRIDE 10

293361 (EU 1)

XS, S, M, L, XL



FRAME	Solace eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Included
FORK	Solace eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh + xTra Power Bottle Cage Battery 160Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app / DI2
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250 Electronic Shift System
SHIFTERS	Shimano Dura-Ace ST-R9270; 24 Speed Electronic Shift System
CRANKSET	FSA eBike Carbon
CHAINRING	FSA eBike 50-34 24 speed
CHAIN	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura Ace CS-R9200-12; 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL; Carbon combo
SEATPOST	Syncros Duncan SL Aero
SEAT	Syncros Belcarra Regular 1.0
HEADSET	Acros AIF-1135
WHEELSET	Zipp 303 Firecrest Carbon tubeless disc-brake; 24 Front / 24 Rear; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE EVO Super Race, TL-Easy, Fold; 700x38C
REAR TIRES	Schwalbe PRO ONE EVO Super Race, TL-Easy, Fold; 700x38C
APPROX. WEIGHT	11.77 KG (with tubes) 25.95 LBS (with tubes) 120KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE eRIDE 10

290617 (INT)

XS, S, M, L, XL



FRAME	Solace eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Included
FORK	Solace eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh + xTra Power Bottle Cage Battery 160Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app / DI2
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250 Electronic Shift System
SHIFTERS	Shimano Dura-Ace ST-R9270; 24 Speed Electronic Shift System
CRANKSET	FSA eBike Carbon
CHAINRING	FSA eBike 50-34 24 speed
CHAIN	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura Ace CS-R9200-12; 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL; Carbon combo
SEATPOST	Syncros Duncan SL Aero
SEAT	Syncros Belcarra Regular 1.0
HEADSET	Acros AIF-1135
WHEELSET	Zipp 303 Firecrest Carbon tubeless disc-brake; 2 4 Front / 24 Rear; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe PRO ONE EVO Super Race, TL-Easy, Fold; 700x38C
REAR TIRES	Schwalbe PRO ONE EVO Super Race, TL-Easy, Fold; 700x38C
APPROX. WEIGHT	11.77 KG (with tubes) 25.95 LBS (with tubes) 120KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE eRIDE 20

293362 (EU 1)

XS, S, M, L, XL



FRAME	Solace eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Solace eRIDE HMX Flatmount Disc; 1 1/4”-1 1/2” Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth / ANT+ / Dedicated Smartphone app / DI2
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150; 24 Speed Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150; Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170; 24 Speed Electronic Shift System
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	FSA eBike 50-34 24 speed
CHAIN	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc, Shimano SM-RT70 CL rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 1.0 Compact; Carbon
HANDLEBAR STEM	Syncros Creston 2.0 Compact; Alloy
SEATPOST	Syncros Duncan SL D-shape iL
SEAT	Syncros Belcarra Regular 1.0
HEADSET	Acros AIF-1135
WHEELSET	Syncros Capital 1.0 40e Disc; 24 Front 12x100mmTA /24 Rear 12x142mmTA
FRONT TIRES	Schwalbe PRO ONE EVO Super Race; TL-Easy; Fold; 700x38C
REAR TIRES	Schwalbe PRO ONE EVO Super Race; TL-Easy; Fold; 700x38C
LIGHTS	Syncros iL rear
APPROX. WEIGHT	13.2 KG 29.1 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE GRAVEL
eRIDE ULTIMATE CHROME SILVER

423207-7958 (EU 1)

XS, S, M, L, XL



WHAT'S NEW

New SRAM RED 13 speed and New Zipp XPLR wheels

FRAME	Solace Gravel Disc HMX; Endurance geometry / Syncros Cable Integration System; TQ HPR50 / UDH Interface / Range Extender Included
FORK	Solace Gravel HMX Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh - US: 28mph
BATTERY	TQ Internal 360Wh + xTra Power Bottle Cage Battery 160Wh
DISPLAY	TQ HPR 50; Bluetooth / ANT+ / AXS; Dedicated Smartphone app
CHARGER	TQ 100-240V 4A
REAR DERAILLEUR	SRAM RED XPLR AXS; 13 Speed Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	Praxis TQ Carbon
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM RED 13speed
CASSETTE	SRAM XPLR XG1391; 10-46
BRAKES	SRAM RED AXS HRD Shift-Brake System; flatmount, SRAM PaceLine X rotor 160/F and 160/R
HANDLEBAR	Syncros Creston iC SL X; Carbon combo
SEATPOST	Syncros Duncan SI iL D-shape
SEAT	Syncros Tofino Regular SL
HEADSET	Acros AIF-1135
WHEELSET	Zipp 303 XPLR SW Carbon tubeless disc-brake; 24 Front / 24 Rear; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Overland EVO; 700x50C
REAR TIRES	Schwalbe G-One Overland EVO; 700x50C
LIGHTS	Syncros Campbell iL rear
APPROX. WEIGHT	Check website

SOLACE GRAVEL eRIDE 10

293366 (EU 1)

XS, S, M, L, XL



FRAME	Solace Gravel eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Included
FORK	Solace Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh + xTra Power Bottle Cage Battery 160Wh
DISPLAY	TQ HPR; Bluetooth ANT+/ Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM FORCE XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM FORCE eTap AXS HRD Shift-Brake System
CRANKSET	FSA eBike Carbon CK-703
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM FORCE
CASSETTE	SRAM XPLR XG1271; 10-44
BRAKES	SRAM FORCE eTap AXS HRD Shift-Brake System; Flatmount, SRAM CenterLine XR rotor 160/F and 160/R
HANDLEBAR	; Syncros Creston iC SL X; Carbon combo
SEATPOST	Syncros Duncan SL D-shape iL
SEAT	Syncros Tofino Regular 1.0 Cutout
HEADSET	Acros AIF-1135
WHEELSET	Zipp 303 Firecrest Carbon tubeless disc-brake; 24 Front / 24 Rear; Syncros Axle w/Removable Lever with Tool
FRONT TIRES	Schwalbe G-One Overland EVO; 700x50C
REAR TIRES	Schwalbe G-One Overland EVO; 700x50C
LIGHTS	Syncros iL rear
APPROX. WEIGHT	13.1 KG 28.77 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE GRAVEL eRIDE 20

293367 (EU 1)

XS, S, M, L, XL



FRAME	Solace Gravel eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Solace Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth ANT+/ Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM RIVAL XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM RIVAL eTap AXS HRD Shift-Brake System
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM RIVAL
CASSETTE	SRAM XPLR XG1251; 10-44
BRAKES	SRAM RIVAL eTap AXS HRD Shift-Brake System; Flatmount, SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	; Syncros Creston 1.0 X; Carbon 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan SL D-shape il
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1135
WHEELSET	Syncros Capital 1.0 40e Disc; 24 Front 12x100mmTA /24 Rear 12x142mmTA
FRONT TIRES	Schwalbe G-One Overland EVO; 700x50C
REAR TIRES	Schwalbe G-One Overland EVO; 700x50C
LIGHTS	Syncros iL rear
APPROX. WEIGHT	13.7 KG 30.2 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SOLACE GRAVEL eRIDE 30

CARBON BLACK

423577-3020 (EU 1)

25 km/h

XS, S, M, L, XL



WHAT'S NEW

Praxis cranks, SRAM HS2 rotors

FRAME Solace Gravel Disc HMX; Endurance geometry / Syncros Cable Integration System; TQ HPR50 / UDH Interface / Range Extender Ready

FORK Solace Gravel HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer

DRIVE UNIT TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh - US: 28mph

BATTERY TQ Internal 360Wh

DISPLAY TQ HPR 50; Bluetooth / ANT+ / AXS; Dedicated Smartphone app

CHARGER TQ 100-240V 4A

REAR DERAILLEUR SRAM APEX XPLR AXS; 12 Speed

SHIFTERS SRAM APEX AXS HRD Shift-Brake System

CRANKSET Praxis TQ Alloy

CHAINRING SRAM X-SYNC; 42T 107 BCD

CHAIN SRAM APEX

CASSETTE SRAM XPLR PG1231; 11-44

BRAKES SRAM APEX AXS HRD Shift-Brake System; flatmount, SRAM HS2 rotor 160/F and 160/R

HANDLEBAR Syncros Creston 2.0 X; Alloy

HANDLEBAR STEM Syncros RR2.5 1 1/4" / 4 Bolts

SEATPOST Syncros Duncan 1.0 iL D-shape

SEAT Syncros Tofino Regular 2.0 Cutout

HEADSET Acros AIF-1112

WHEELSET Syncros Capital 2.0 Disc; 28 Front 12x100mmTA / 28 Rear 12x142mmTA

FRONT TIRES Schwalbe G-One Overland EVO; 700x50C

REAR TIRES Schwalbe G-One Overland EVO; 700x50C

LIGHTS Syncros Campbell iL rear

APPROX. WEIGHT Check website

SOLACE GRAVEL eRIDE 30

293368 (EU 1)

XS, S, M, L, XL



FRAME	Solace Gravel eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Solace Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth ANT+/ Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM APEX XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM APEX eTap AXS HRD Shift-Brake System
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231; 11-44
BRAKES	SRAM APEX eTap AXS HRD Shift-Brake System; Flatmount, SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan SL D-shape il
SEAT	Syncros Tofino Regular 2.0 Cutout
HEADSET	Acros AIF-1135
WHEELSET	Syncros Capital 2.0 Disc; 24 Front 12x100mmTA /24 Rear 12x142mmTA
FRONT TIRES	Schwalbe G-One Overland EVO; 700x50C
REAR TIRES	Schwalbe G-One Overland EVO; 700x50C
LIGHTS	Syncros iL rear
APPROX. WEIGHT	14.1 KG 31.15 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA SOLACE GRAVEL eRIDE 15

293381 (EU 1)

XS, S, M, L



FRAME	Solace Gravel eRIDE Disc HMX; eEndurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Solace Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth ANT+/ Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM APEX XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM APEX eTap AXS HRD Shift-Brake System
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231; 11-44
BRAKES	SRAM APEX eTap AXS HRD Shift-Brake System; Flatmount, SRAM Paceline rotor 160/F and 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.0 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0 D-shape iL
SEAT	Syncros Tofino Regular 2.0 Cutout
WHEELSET	Syncros Capital 2.0 Disc; 24 Front 12x100mmTA /24 Rear 12x142mmTA
FRONT TIRES	Schwalbe G-One Overland EVO; 700x50C
REAR TIRES	Schwalbe G-One Overland EVO; 700x50C
LIGHTS	Syncros iL rear
APPROX. WEIGHT	14 KG 30.78 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SPEEDSTER GRAVEL eRIDE 40

293371 (EU 1)

XS, S, M, L, XL



FRAME	Speedster Gravel eRIDE Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Semi-internal cable routing; Syncros fender kit ready
FORK	Carbon Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X35+ Motor Hub drive 40Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	Mahle Internal 36V-250Wh
DISPLAY	Mahle iWoc ONE; Bluetooth / Dedicated Smartphone app
CHARGER	Mahle X35+ 100-240V
REAR DERAILLEUR	Shimano GRX RD-RX820; 24 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX820-F
SHIFTERS	Shimano GRX ST-RX610 Disc; 24 Speed
CRANKSET	Shimano GRX FC-RX610-2; 46-30 T
BB-SET	Shimano BB-RS500
CHAIN	Shimano CN-M8100-12
CASSETTE	Shimano CS-HG710; 11-36
BRAKES	Shimano BR-RX410 Hyd. Disc, Shimano SM-MT800 CL rotor 160/F and SM-RT86 6 bolt 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 31.6/350mm
SEAT	Syncros Tofino Regular 2.0
HEADSET	Acros AIF-1133
WHEELSET	Syncros Capital 2.0 Disc; 28 Front 12x100mmTA /32 Rear Mahle X35 bolt axle 135mm
FRONT TIRES	Schwalbe G-One Overland PERF; 700x45C
REAR TIRES	Schwalbe G-One Overland PERF; 700x45C
APPROX. WEIGHT	14.7 KG 32.45 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SPEEDSTER GRAVEL eRIDE 50

293372 (EU 1)

XS, S, M, L, XL



FRAME	Speedster Gravel eRIDE Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Semi-internal cable routing; Syncros fender kit ready
FORK	Carbon Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X35+ Motor Hub drive 40Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	Mahle Internal 36V-250Wh
DISPLAY	Mahle iWoc ONE; Bluetooth / Dedicated Smartphone app
CHARGER	Mahle X35+ 100-240V
REAR DERAILLEUR	Shimano GRX RD-RX400; 20 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX400-F
SHIFTERS	Shimano GRX ST-RX400 Disc; 20 Speed
CRANKSET	Shimano GRX FC-RX600-10; 46x30T
BB-SET	Shimano BB-RS500
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34 T
BRAKES	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT64 CL rotor 160/F and SM-RT56 6 bolt 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 31.6/350mm
SEAT	Syncros Tofino Regular 2.0
HEADSET	Acros AIF-1133
WHEELSET	Syncros Capital 2.0 Disc; 28 Front 12x100mmTA /32 Rear Mahle X35 bolt axle 135mm
FRONT TIRES	Schwalbe G-One Overland PERF; 700x45C
REAR TIRES	Schwalbe G-One Overland PERF; 700x45C
APPROX. WEIGHT	14.8 KG 32.63 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

CONTESSA SPEEDSTER GRAVEL eRIDE 25

293382 (EU 1)

XS, S, M, L



FRAME	Speedster Gravel eRIDE Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Semi-internal cable routing; Syncros fender kit ready
FORK	Carbon Gravel eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	Mahle X35+ Motor Hub drive 40Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	Mahle Internal 36V-250Wh
DISPLAY	Mahle iWoc ONE; Bluetooth / Dedicated Smartphone app
CHARGER	Mahle X35+ 100-240V
REAR DERAILLEUR	Shimano GRX RD-RX400; 20 Speed
FRONT DERAILLEUR	Shimano GRX FD-RX400-F
SHIFTERS	Shimano GRX ST-RX400 Disc; 20 Speed
CRANKSET	Shimano GRX FC-RX600-10; 46x30T
BB-SET	Shimano BB-RS500
CHAIN	KMC X10
CASSETTE	Shimano CS-HG500; 10 Speed 11-34 T
BRAKES	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT64 CL rotor 160/F and SM-RT56 6 bolt 160/R
HANDLEBAR	Syncros Creston 2.0 X; Alloy 31.8mm
HANDLEBAR STEM	Syncros RR2.5 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 31.6/350mm
SEAT	Syncros Tofino Regular 2.0
HEADSET	Acros AIF-1133
WHEELSET	Syncros Capital 2.0 Disc; 28 Front 12x100mmTA /32 Rear Mahle X35 bolt axle 135mm
FRONT TIRES	Schwalbe G-One Overland PERF; 700x45C
REAR TIRES	Schwalbe G-One Overland PERF; 700x45C
APPROX. WEIGHT	14.9 KG 32.8 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



ALL TERRAIN URBAN

eRIDE



MOBILITY LINE-UP

LEISURE?
RECREATION?
EVERY DAY TRANSPORTATION?
RUNNING ERRANDS?

SCOTT's Urban and All-Terrain electric offering has got you covered.

With so many options, where does one start? No matter which model you choose, you can be sure that SCOTT eUrban and eAll-terrain bikes are versatile and premium, built to let you float through the city and beyond like never before, and once you've tried them, believe us, life will never be the same.

Which SCOTT eUrban and eAll-Terrain bike is right for you, you might wonder? We can help you there.
E-bikes are constantly evolving in response to a demanding market. SCOTT brings its expertise in building high-end road and mountainbikes into the eUrban and eALL-Terrain categories to provide the perfect solutions to satisfy everyone, no matter the motivation for riding an e-bike.

WE SEE TWO MAIN TRENDS IN THE MARKET:

- People who prioritise light weight and style and can charge the bike at home or in the garage - **LIGHTWEIGHT CATEGORY**
- People who look for a functional, fully equipped eBike with the longest range possible - **POWER CATEGORY**

LIGHWEIGHT eRIDE



SILENCE

Silence eRIDE is more than just the ultimate urban electric bike, it's a work of art. It's lightweight, sporty and elegant, allowing you to float through the city in style.
Powered by the TQ-HPR50 motor and a 360Wh battery, the lightweight system offers you the assistance to go faster and further, while delivering almost zero drag when not in use.



METRIX

Metrix eRIDE is a sporty and stylish Urban electric bike to roll through the city and the suburbs.
Equipped with the Mahle X-35, hub-driven motor with a 250Wh battery hidden in the downtube, it ensures a natural ride feeling and handling, while rear rack, fenders and lights give you all you need to enjoy your ride.



PASSAGE

The ALL-NEW Passage eRIDE has been designed for easy, hassle-free riding in the city. Giving you a feeling of weightlessness, the Passage, ePowered by Bosch SX drive unit, is belt as well as rear derailleur. The belt driven models, combined with an internal gear hub results in great reliability and low maintenance.

POWER eRIDE



SUB

The power to do more with the ALL-NEW SUB eRIDE, now equipped with the new Bosch Performance CX motor, 800Wh and 600Wh battery. Available in two frame shapes, according to the model, SUB is belt as well as rear derailleur driven.



AXIS

The perfect bridge between urban cruising and mountain biking.
The ALL-NEW SCOTT AXIS eRIDE is equipped with the latest Bosch technology, Performance CX motor and 800Wh battery, perfect for weekend explorations in the outdoors. The new Syncros Heavy Duty rack and the new Syncros Thru-Axle enable you to tow cargo trailers to bring kids and dogs with you to make the most of your rides.
With two sleek frame shapes, you can simply pick the one that fits you best.



AXIS FS

The ALL-NEW Axis FS eRIDE is the ultimate full suspension electric adventure bike. Equally capable and comfortable on rough terrain as it is on the way to get the groceries, It has everything you need to get through the day. It's also powerful, with the latest Bosch Performance CX drive unit and an 800Wh battery. To get the best out of your adventure, it even comes equipped with ABS Technology (AXIS FS 10).
The only limit is your imagination with the Axis FS.

HOW TO HELP A RIDER WHICH BIKE IS RIGHT FOR THEM



ALL-TERRAIN eRIDE

SCOTT All-Terrain E-Bikes are the optimal choice for those looking for a versatile bike for weekend explorations on rougher terrain, as well as for everyday use.

KEY FEATURES

- Optimal for both urban and all-terrain riding
- Front and full suspension solutions
- Bosch motor with removable battery
- High level of integration



URBAN eRIDE

E-bikes offer a greener, more sustainable solution to traditional modes of transportation. They encourage physical activity and revolutionize the way we navigate our cities.
Regardless of why you ride, what is important is the essence, the spirit, the attitude behind the ride – of fun and of freedom, resulting in a smile time after time.
Movement is key- the elegance, the fluidity, the exercise of riding your e-bike in the urban jungle.
SCOTT eUrban bikes will elevate your commuting.

KEY FEATURES

- Optimal for city riding and the suburbs
- Bosch motor for long rides
- TQ and Mahle motors for lighweight solutions
- Fully equipped with fenders, lights, rack and a kickstand as well
- Clever design focus
- Standard, Slope and Wave frames
- Low maintenance features such as gates belts and internal gear hubs
- Compatibility with bike trailers and kits-seats

SILENCE



SILENCE



SILENCE 20 CARBON BLACK

METRIX



METRIX

PASSAGE



PASSAGE 10 BELT MIDNIGHT GREY



PASSAGE 10 BELT SLOPE BIANCO WHITE



PASSAGE 20 FLAKE GREY



PASSAGE 20 SLOPE AVENTURINE GREEN



PASSAGE 30 HIGHLAND GREEN



PASSAGE 30 SLOPE HIGHLAND GREEN



PASSAGE 30 SLOPE LILA PURPLE



SILENCE eRIDE

Close your eyes. Picture the elegance, strength and beauty of a Ballerina in motion. Now open your eyes again. The Silence eRIDE is more than just the ultimate urban electric bike, it's a work of art. The Silence is lightweight, sporty and elegant, allowing you to float through the city in style. Powered by the TQ-HPR50 motor and a 360Wh battery, the lightweight system offers you the assistance to go faster and further, while delivering almost zero drag when not in use.

EMBRACE MOVEMENT. EMBRACE SILENCE.



70KM
MAXIMUM RANGE OF ASSIST (360WH)

1H30
RECHARGE TIME TO 80% (360WH)

25KM/H
MAXIMUM SPEED ASSIST

KEY FEATURES

- High level of integration
- Only 14.5kg
- Syncros cockpit
- TQ HPR50 crank-based drive unit
- Integrated Syncros in front of rear light
- Minimalistic Syncros front rack


1


2


3


4


5

1. ON THE FLY
Silence eRIDE shares the same frame with the Solace eRIDE, giving it the same fantastic sleek design, smooth integration and seamless connectivity. Silence eRIDE is equipped with the TQ HPR50 motor, which is compact , silent, yet powerful with 50 NM. The TQ system offers three assistance modes and rides perfectly even with the assistance turned off.

2. MOTOR AND BATTERY
The Silence eRIDE has a 360Wh battery, which gives you an approximate range of 70km in assitance level 3 mode. The main battery is the heart of the bike, meaning: one battery charges all. With this, you never have to worry about lacking a charge for shifters or lights. The Silence comes with a Syncros integrated rear light in the seat post, and a Lezyne front light located on the front rack. The Silence is also compatible with a Range Extender of 160Wh.

3. STAY CONNECTED
The Silence eRIDE has an LED display on the top tube, giving you all the essentials needed during your ride such as range, riding mode and speed. With a simple touch, you can shift between the three different riding modes. If you want more stats about your ride or to personalize the assistance modes, it's easily done in the TQ App. However, if you're looking for directions, the Silence includes a SP mobile mount located on the stem, compatible with phone cases from SP Connect.

4. INTEGRATION AND DESIGN
Silence is 100% integration driven: integrated cables and lights, batteries, and a minimalistic display in the top tube. A minimalistic Syncros front rack and lightweight fenders will complete the picture of a piece-of-art electric urban bike.

5. URBAN INCREDIBILITY
An urban bike should be something you want to take everywhere and not be limited by its weight or handling. The Silence has a carbon frame and an exceptional low weight at only 14.5 kg. This means that it can be brought anywhere. Stairs and small elevators are no longer an obstacle for your bike. The low weight of the TQ motor of only 1850g, together with the 1200g carbon frame makes it not only lightweight, but results in a nimble and confident bike.



SYNCROS TOFINO E 2.0 CHANNEL SADDLE

Make your eRide even more comfortable, with Syncros' newest creation, specifically designed for those of you who enjoy those long rides on your e-bike.





SILENCE

293375 (EU 1)

XS, S, M, L, XL



FRAME	Silence eRIDE Disc HMX; Endurance geometry / Replaceable Derailleur Hanger; Fully Internal cable routing; Range Extender Ready
FORK	Silence eRIDE HMX Flatmount Disc; 1 1/4"-1 1/2" Excentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR; Bluetooth ANT+/ Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM RIVAL XPLR eTap AXS; 12 Speed Electronic Shift System
SHIFTERS	SRAM GX Eagle AXS controller
CRANKSET	FSA eBike Carbon CK-703
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM Rival 12speed
CASSETTE	SRAM XPLR XG1251; 10-44
BRAKES	Sram Level Silver Stealth; Flatmount, SRAM Paceline rotor CL 160/F and 160/R
HANDLEBAR	Syncros Creston UC iC sport 1.0; Flat Bar Carbon combo
SEATPOST	Syncros Duncan SL Aero iL
SEAT	Syncros Tofino E 2.0 Channel
HEADSET	Acros AIF-1135
WHEELSET	Syncros Capital 2.0 Disc; 24 Front 12x100mmTA /24 Rear 12x142mmTA
FRONT TIRES	Schwalbe Super Moto Performance; RaceGuard; 700x40C
REAR TIRES	Schwalbe Super Moto Performance; RaceGuard; 700x40C
LIGHTS	Lezyne e65 front / Syncros iL rear
ACCESSORIES	Syncros road eRIDE kickstand
APPROX. WEIGHT	14.5 KG 31.86 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.

SILENCE 20 CARBON BLACK

423578-3020 (EU 1)

XS, S, M, L, XL



FRAME	Silence Disc HMX; Urban/Street geometry / Syncros Cable Integration System; TQ HPR50 / UDH Interface / Range Extender Ready
FORK	Silence HMF Flatmount Disc; 1 1/4"-1 1/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR50 Mid Motor drive 50Nm max Torque / EU: 25kmh / US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR 50; Bluetooth / ANT+ / Dedicated Smartphone app
CHARGER	TQ 100-240V-4A
REAR DERAILLEUR	SRAM APEX XPLR; 12 Speed Mechanical Shift System
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-SYNC; 42T 107 BCD
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231; 11-44
BRAKE LEVERS	TRP HD-EU818s; Clean cockpit
BRAKES	TRP HD-EU818s; flatmount, TRP rotor CL 160/F and 160/R
HANDLEBAR	Syncros Creston UC iC sport 2.0; Rise Bar Alloy combo
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Tofino E 2.0 Channel
HEADSET	Acros AIF-1112
WHEELSET	Syncros Capital 2.0 Disc; 28 Front 12x100mmTA / 28 Rear 12x142mmTA
FRONT TIRES	Schwalbe G-One Comp K-Guard; 700x40C
REAR TIRES	Schwalbe G-One Comp K-Guard; 700x40C
LIGHTS	Lezyne e65 front / Syncros Campbell iL rear
RACK	Syncros Silence Front Rack / Curana CLite fenders
PEDALS	Syncros urban flat
ACCESSORIES	Syncros Road eRIDE kickstand
APPROX. WEIGHT	Check website

METRIX eRIDE

293376 (EU 1)

XS, S, M, L, XL



FRAME	Metrix eRIDE Disc / D.Butted 6061 Alloy; SCOTT Gravel geometry / Replaceable Derailleur Hanger; Semi-internal cable routing; Syncros fender kit ready
FORK	Carbon Metrix eRIDE HMX Flatmount Disc; 1 1/4”-1 1/2” Excentric Carbon steerer
DRIVE UNIT	Mahle X35+ Motor Hub drive 40Nm max Torque / EU: 25kmh / US: 20mph
BATTERY	Mahle Internal 36V-250Wh
DISPLAY	Mahle iWoc ONE; Bluetooth / Dedicated Smartphone app
CHARGER	Mahle X35+ Charger
REAR DERAILLEUR	SRAM APEX XPLR; 12 Speed Mechanical Shift System
SHIFTERS	SRAM SX Eagle Trigger
CRANKSET	SRAM APEX Wide; 1x12speed; DUB
BB-SET	SRAM BB; DUB; BSA
CHAINRING	SRAM APEX single; 42t
CHAIN	SRAM APEX 12speed
CASSETTE	SRAM XPLR PG1231; 11-44
BRAKES	SRAM DB S300; Flatmount, SRAM Paceline rotor CL 160/F and 6B 160/R
HANDLEBAR	Syncros Flat-Bar FL2.0 620mm
HANDLEBAR STEM	Syncros RR2.0; 1 1/4” / four Bolt 31.8mm
SEATPOST	Syncros 3.0 31.6/350mm
SEAT	Syncros Capilano Sport Foam
HEADSET	Acros AIF-1133
WHEELSET	Syncros Capital 2.0 Disc MahleX35; 28 Front 12x100mmTA /32 Rear 12x135mmBolt
FRONT TIRES	Schwalbe G-One Allround; 700x40C
REAR TIRES	Schwalbe G-One Allround; 700x40C
LIGHTS	Lezyne e65 front / Curana ILU rear
ACCESSORIES	Syncros road eRIDE kickstand
APPROX. WEIGHT	15.4 KG 33.95 LBS 120 KG; The overall weight includes the bike, the rider, the equipment, and possible additional luggage.



PASSAGE eRIDE

Cycling everyday is a total breeze.
Passage eRIDE is the ALL-NEW SCOTT electric urban bike designed for easy, hassle-free riding in the city. Equipped with the lightweight Bosch SX motor and the latest Bosch batteries it gives you a feeling of weightlessness as you ride, while giving you the power to go further. Available in two frame shapes, you can pick the one that fit you best.
Your Passage through the city just became easier.



70 KM
MAXIMUM RANGE OF ASSIST (400WH)

2.5 H
RECHARGE TIME TO 100% (360WH)

25KM/H
MAXIMUM SPEED ASSIST

KEY FEATURES

-Low weight driven, all around 20 kg.
-Syncros alloy cockpit with integrated light and display
-Syncros minimalistic rear rack and integrated rear lights


1


2


3


4


5

1. MOTOR AND BATTERY
Passage is light weight driven. This is possible thanks to SCOTT and component partner innovations, such as the lightest motor from Bosch, the SX with 55 Nm and the new slim Bosch CompactTube 400 Battery at a weight of only 2 kg, giving Passage even a slimmer design. For those who want a longer range, the Passage is compatible with Bosch's PowerMore range extender.

2. BELT DRIVE AND INTERNAL GEAR HUB
Enjoy your daily riding in the city even more without thinking about bike maintenance. Passage 10 and Slope are, not is equipped with a Belt drive drivetrain which means less cleaning and lubing, and an internal gear hub (Nexus 8) for more simplicity.

3. MINIMALISTIC REAR RACK
The Passage is not only light weight driven in terms of weight and ride feel, but also in terms of design.The slim line of the frame is completed with the minimalistic rear rack that supports up to 8kg (+ 8kg with side bags) and it is integrated with fenders and a Supernova rear light.
The Passage rear rack is also compatible with Racktime Snap it 2.0 accessories.

4. FRAME SHAPES
No matter your style, you can pick the one you like the most. Passage comes in two frame shapes, a Slope, easy for step-through and a more classic high standover shape.

5. CLEAN COCKPIT
An integrated handlebar and stem give Passage a clean look and the 25mm rise helps provide a comfortable position on the saddle.



SYNCROS CAPILANO SADDLE

The Capilano saddle has been redesigned to offer a whole new level of comfort and support. Scientific studies with our ergonomics partner Gebiomized produced the shape and influenced the design. The construction utilizes a bridge to evenly distrubute shocks around the saddle for a very comfortable ride.

syncros




PASSAGE



PASSAGE eRIDE FAMILY

Cycling everyday is a total breeze with the ALL-NEW Passage eRIDE, designed for easy, hassle-free riding in the city. Giving you a feeling of weightlessness, Passage has been designed to optimize weight: it's equipped with Bosch SX drive unit, Bosch 400Wh battery, sleek frames. Passage (10 and Slope) is also belt driven. This, combined with an internal gear hub results in great reliability and low maintenance.

PASSAGE 10 BELT MIDNIGHT GREY

423449-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar, Racktime Micro Rack

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Alloy Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Alfine SL-S503 Rapid Fire Plus
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDC 52T w/Guard
CHAIN	Gates CDC 125T
CASSETTE	Gates CDC 26T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Back Sweep 9° / Up Sweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano Nexus 8 Speed
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
REAR TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
LIGHTS	Lezyne Fusion E550SM front light; Rear Supernova TL3Z
RACK	Racktime Micro Rack SnapIt 2.0 8KG
PEDALS	Marwi SP-827
EXTRAS	Alumee alloy profile Fender / Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 10 BELT SLOPE BIANCO WHITE

423450-7978 (EU 1)

S, M, L



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar, Racktime Micro Rack

FRAME	Alloy S-L=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Alloy Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Alfine SL-S503 Rapid Fire Plus
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDC 52T w/Guard
CHAIN	Gates CDC 125T
CASSETTE	Gates CDC 26T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano Nexus 8 Speed
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
REAR TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
LIGHTS	Lezyne Fusion E550SM front light; Rear Supernova TL3Z
RACK	Racktime Micro Rack SnapIt 2.0 8KG
PEDALS	Marwi SP-827
EXTRAS	Alumee alloy profile Fender / Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 20 FLAKE GREY

423451-7950 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Alloy Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 170mm
CHAINRING	FSA 38T w/Chain Guard
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano FHTC500MSB CL / 12x142mm
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One RX Performance; 700x50C
REAR TIRES	Schwalbe G-One RX Performance; 700x50C
PEDALS	Marwi SP-827
EXTRAS	Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 20 SLOPE AVENTURINE GREEN

423452-8128 (EU 1)

S, M, L



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar

FRAME	Alloy S-L=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Alloy Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 170mm
CHAINRING	FSA 38T w/Chain Guard
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano FHTC500MSB CL / 12x142mm
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One RX Performance; 700x50C
REAR TIRES	Schwalbe G-One RX Performance; 700x50C
PEDALS	Marwi SP-827
EXTRAS	Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 30 HIGHLAND GREEN

423453-8113 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar, Racktime Micro Rack

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Steel Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RDU4000GS 9 Speed
SHIFTERS	Shimano CUES SLU4009RC / 9 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano LG300 / 11-46T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	; Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano FHTC500HMB CL / 12x142mm
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
REAR TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
LIGHTS	Lezyne Fusion E550SM front light; Rear Supernova TL3Z
RACK	Racktime Micro Rack SnapIt 2.0 8KG
PEDALS	Marwi SP-827
EXTRAS	Alumee alloy profile Fender / Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 30 SLOPE HIGHLAND GREEN

423454-8113 (EU 1)

S, M, L



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar, Racktime Micro Rack

FRAME	Alloy S-L=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Steel Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RDU4000GS 9 Speed
SHIFTERS	Shimano CUES SLU4009RC / 9 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano LG300 / 11-46T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano FHTC500HMB CL / 12x142mm
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
REAR TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
LIGHTS	Lezyne Fusion E550SM front light; Rear Supernova TL3Z
RACK	Racktime Micro Rack SnapIt 2.0 8KG
PEDALS	Marwi SP-827
EXTRAS	Alumee alloy profile Fender / Hebie Kickstand
APPROX. WEIGHT	Check website

PASSAGE 30 SLOPE LILA PURPLE

423454-8126 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch SX DU, Bosch CT400, Bosch PowerMore Ready, Welded Combo stem/handlebar, Racktime Micro Rack

FRAME	Alloy S-L=29" / 6061 Alloy custom butted tubing; Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32-E Air LO R / Tapered / 15x100 bolt Axle / Remote Lock Out / Steel Steerer / 75mm Travel
DRIVE UNIT	Bosch Performance SX; EU: 25kmh
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RDU4000GS 9 Speed
SHIFTERS	Shimano CUES SLU4009RC / 9 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano LG300 / 11-46T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015B CL / 15x100mm
HUB (REAR)	Shimano FHTC500HMB CL / 12x142mm
SPOKES	Black Spokes
RIMS	Syncros X15 Disc
FRONT TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
REAR TIRES	Schwalbe G-One Overland 365 Performance; 700x45C
LIGHTS	Lezyne Fusion E550SM front light; Rear Supernova TL3Z
RACK	Racktime Micro Rack SnapIt 2.0 8KG
PEDALS	Marwi SP-827
EXTRAS	Alumee alloy profile Fender / Hebie Kickstand
APPROX. WEIGHT	Check website

SUB



SUB 10 BELT HEMATITE BLUE



SUB 10 BELT WAVE BIANCO WHITE



SUB 20 BELT MIDNIGHT GREY



SUB 20 BELT WAVE MIDNIGHT GREY



SUB 20 BELT WAVE LILA PURPLE



SUB 30 MIDNIGHT GREY



SUB 30 AZTEC GREEN



SUB 30 WAVE MIDNIGHT GREY



SUB 30 WAVE AZTEC GREEN



SUB 30 WAVE RASPBERRY RED



SUB 40 BELT WAVE HIGHLAND GREEN



SUB 40 BELT WAVE BIANCO WHITE



SUB eRIDE

THE POWER TO DO MORE.

This is the ALL-NEW SCOTT SUB eRIDE: an electric urban bike equipped with the ALL-NEW Bosch Performance CX motor and big batteries - say goodbye to range anxiety. Available in two frame shapes – a Wave and a standard version – you can pick the one that fits you best.
Want more? You can now bring along the kids or dogs with the SUB thanks to the new Syncros Thru-Axle enabling you to tow cargo trailers (models with rear derailleur), while the new Syncros Heavy Duty rear rack can carry up to 27kg.

NO MORE BARRIERS. MOVE WITH SUB.



100KM
MAXIMUM RANGE OF ASSIST

6H
RECHARGE TIME TO 100% (800WH)

25KM/H
MAXIMUM SPEED ASSIST

100MM
OF FRONT TRAVEL

KEY FEATURES

-New Syncros Heavy duty rear rack with integrated light
-New Syncros thru axle mount for bike trailer (SUB 30)
-New Syncros combo cockpit
-New Bosch Performance CX with 800/600Wh batteries
-Gates belt on top models


1


2


3


4


5


6

1. MOTOR AND BATTERY
The ALL-NEW SUB eRIDE is the best solution for those who look for the most powerful motor and battery in a single package. SUB comes with the latest Bosch Performance CX drive unit with 85 Nm paired with the new 800Wh Powertube battery allowing to go through your days without needing to charge the battery often.

2. BELT DRIVE AND INTERNAL GEAR HUB
Enjoy even more your daily riding in the city without thinking about your bike maintenance. SUB 10 and 20 is equipped with Belt drive which means less maintenance, and an Enviolo gear hub for more simplicity.

3. TRAILER COMPATIBILITY
With the new SUB, you can now enjoy your ride even more, as you can bring along the kids or dogs with you thanks to the new Syncros Thru-Axle enabling you to tow cargo trailers on SUB 30 and Slope.

4. HEAVY DUTY REAR RACK
No more barriers with SUB even in terms of potential carrying loads. SUB is equipped with the new Syncros Heavy Duty rear rack that comes with integrated lights and can carry up to 27kg, which is a lot! It's the perfect solution to bring along kids with you as it's compatible with kids' seats.

5. FRAME SHAPES
No matter your style, you can pick the one you like the most. SUB comes in two frame shapes, a Wave, easy for step-through, and a more classic high standover one.

6. CLEAN COCKPIT
An integrated handlebar and stem give SUB a clean look and the 25mm rise helps provide a comfortable position on the saddle.



SYNCROS PANNIER BAG

Cruise to work in style with the Syncros pannier bags. Fully waterproof rear mounted pannier with roll top closure system for ultimate water protection. Racktime fixation system for security. Subtle reflective patches.





SUB eRIDE FAMILY

The power to do more with the ALL-NEW SUB eRIDE, now equipped with the new Bosch Performance CX motor and 800/600Wh batteries. Designed in two frame shapes, SUB 10, 20, 40 is belt driven and now you can even tow bike trailers (SUB 30).

SUB 10 BELT HEMATITE BLUE

423103-8131 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready, Forged Combo stem/handlebar

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Kiox 300; Mini remote
CHARGER	4A Charger
SHIFTERS	Enviolo Manual Controller
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 125T
CASSETTE	Gates CDX 24T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Forged Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount and Kiox 300 mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Enviolo Trekking
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Lezyne Fusion E550SM front light; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 10 BELT WAVE WHITE

423099-7978 (EU 1)

25 km/h

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready, Forged Combo stem/handlebar

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch LED Remote & Kiox 300
CHARGER	4A Charger
SHIFTERS	Enviolo Manual Controller
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 125T
CASSETTE	Gates CDX 24T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros Forged Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount and Kiox 300 mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Enviolo Trekking
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Lezyne Fusion E550SM front light; Rear Lezyne Rack Light
RACK	Racktime carrier Snaplt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 20 BELT MIDNIGHT GREY

423121-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Nexus Inter 5e
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano Nexus Inter 5e
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 20 BELT WAVE MIDNIGHT GREY

423112-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Nexus Inter 5e
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano Nexus Inter 5e
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier Snaplt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 20 BELT WAVE LILA PURPLE

423112-8126 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Nexus Inter 5e
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano Nexus Inter 5e
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 30 MIDNIGHT GREY

423129-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano CUES RD-U6000GS 10 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 30 AZTEC GREEN

423129-8132 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano CUES RD-U6000GS 10 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 30 WAVE MIDNIGHT GREY

423110-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano CUES RD-U6000GS 10 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier Snaplt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 30 WAVE AZTEC GREEN

423110-8132 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano CUES RD-U6000GS 10 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier SnapIt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 30 WAVE RASPBERRY RED

423110-8127 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 100mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano CUES RD-U6000GS 10 Speed
CRANKSET	FSA CK-220 170mm
CHAINGUIDE	Syncros
CHAINRING	FSA 38T
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB CL / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Big Apple Performance; 60-622
REAR TIRES	Schwalbe Big Apple Performance; 60-622
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime carrier Snaplt 2.0 27KG
PEDALS	Marwi SP-828
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

SUB 40 BELT WAVE HIGHLAND GREEN

423136-8113 (EU 1)

XS, S, M, L



WHAT'S NEW

Bosch PowerMore Ready

FRAME	Alloy XS-L=29" / 6061 Alloy custom butted tubing; Top extraction battery; 135mm QR with 52mm Chainline
TRAVEL	75mm
FORK	SR Suntour NVX30 DS / Tapered / QR x 100mm
DRIVE UNIT	Bosch Performance; EU: 25kmh
BATTERY	PowerTube 625Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Nexus Inter 5e
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT10 CL 180mm / Rear: SM-RT10 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	GW semi integrated
HUB (FRONT)	Shimano HBQC400BAL / 100 QR
HUB (REAR)	Shimano Nexus Inter 5e
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Energizer Plus Tour 700x55c
REAR TIRES	Schwalbe Energizer Plus Tour 700x55c
LIGHTS	Front Lezyne Hecto E65; Rear Superbright
RACK	Racktime carrier SnapIt 2.0 25KG
PEDALS	Marwi SP-828
EXTRAS	Abus 4750SL ART approved / Battery Lock
APPROX. WEIGHT	Check website

SUB 40 BELT WAVE BIANCO WHITE

423136-7978 (EU 1)

25 km/h

XS, S, M, L



WHAT'S NEW

Bosch PowerMore Ready

FRAME	Alloy XS-L=29" / 6061 Alloy custom butted tubing; Top extraction battery; 135mm QR with 52mm Chainline
TRAVEL	75mm
FORK	SR Suntour NVX30 DS / Tapered / QR x 100mm
DRIVE UNIT	Bosch Performance; EU: 25kmh
BATTERY	PowerTube 625Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
SHIFTERS	Shimano Nexus Inter 5e
CRANKSET	FSA CK-220 170mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 Disc, Front: SM-RT10 CL 180mm / Rear: SM-RT10 CL 160mm
HANDLEBAR	Syncros UC3.0 680mm / Rise 12mm / Backsweep 15°
HANDLEBAR STEM	Syncros UC 3.0 adjustable
SEATPOST	Syncros 3.0 / 31.6mm / 350mm
SEAT	Syncros Capilano
HEADSET	GW semi integrated
HUB (FRONT)	Shimano HBQC400BAL / 100 QR
HUB (REAR)	Shimano Nexus Inter 5e
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Energizer Plus Tour 700x55c
REAR TIRES	Schwalbe Energizer Plus Tour 700x55c
LIGHTS	Front Lezyne Hecto E65; Rear Superbright
RACK	Racktime carrier SnapIt 2.0 25KG
PEDALS	Marwi SP-828
EXTRAS	Abus 4750SL ART approved / Battery Lock
APPROX. WEIGHT	Check website

AXIS



AXIS FS 10 MARTIN GREEN



AXIS FS 20 SHARK GREY



AXIS 10 BIRD GREY



AXIS 10 WAVE BIRD GREY



AXIS 20 MIDNIGHT GREY



AXIS 20 AVENTURINE GREEN



AXIS 20 WAVE MIDNIGHT GREY



AXIS 30 RHINO GREY



AXIS 30 WAVE RHINO GREY



AXIS 30 WAVE RASPBERRY RED



AXIS 40 HIGHLAND GREEN



AXIS 40 COTTON WHITE



AXIS FS eRIDE

The ALL-NEW Axis FS eRIDE is the ultimate full suspension electric adventure bike. Equally capable and comfortable on rough terrain as it is on the way to get the groceries, It has everything you need to get through the day. It's also powerful, with the latest Bosch Performance CX drive unit and an 800Wh battery. To get the best out of your adventure, it even comes equipped with ABS Technology. The only limit is your imagination with the Axis FS.



120 KM
MAXIMUM RANGE OF ASSIST

7H
RECHARGE TIME TO 100% (800WH)

25KM/H
MAXIMUM SPEED ASSIST

140 MM
OF TRAVEL FRONT AND REAR









1. MOTOR AND BATTERY
The new Axis eRIDE FS is assisted by the latest Bosch Performance Line CX, providing a maximum power output of 85Nm and a support of 340% when in Turbo mode. The Axis eRIDE FS is powered by a whopping 800Wh internal battery which allows longer rides. Not enough? AXIS FS is compatible with Bosch's PowerMore Range extender. Enjoy new adventures!

2. INTEGRATED SHOCK
In order to make it perfectly suitable for all-terrain conditions, we decided to equip the Axis eRIDE FS with the same shock system we use in our top mountain bikes, like the Patron eRide. An integrated shock offers a number of advantages: the frame construction around the shock can be much more rigid, reducing movement and fostering more efficient power transfer. It's also much better protected against both accidental damage and dirt coming in the way, keeping maintenance to a minumum.

3. ABS TECHNOLOGY
The SCOTT AXIS FS 10 comes with ABS Technology, just like in car's.
An anti-lock braking on the front wheel increases riding stability and control in critical braking situations and therefore can prevent the front wheel from skidding / locking.

4.RACK CARRIER, FENDERS AND LIGHTS
The Axis eRIDE FS is equipped with a Racktime Snap It 2.0 rear rack, the benchmark on the market in terms of adaptability and durability. You can charge up to 15kg thanks to the stiff alloy profile. Feel free to add side bags or any accessories for your grocery shopping or your weekend on the saddle. Strong alloy Fenders and Lezyne lights are securely attached to avoid any vibration while you are riding.

5. TWINLOC SUSPENSION SYSTEM
SCOTT's TwinLoc Suspension System was developed as a system with the goal of taming any trail, any time. Connecting fork, our patented integrated shock platform and frame via TwinLoc gives AXIS FS 10 suspensions characteristics that allow you to adapt to multiple trail settings, all at the flick of a switch.

6. CLEAN COCKPIT
An integrated handlebar and stem give AXIS FS a clean look and the 25mm rise helps provide a comfortable position on the saddle.



SYNCROS TOFINO E 2.0 CHANNEL SADDLE

Make your eRide even more comfortable, with Syncros' newest creation, specifically designed for those of you who enjoy those long rides on your e-bike.

WHAT'S THE DIFFERENCE BETWEEN

AXIS ERIDE FS 10 AND AXIS ERIDE FS 20?

GEOMETRY	SAME RIDING POSITION
SUSPENSION	140MM FRONT AND REAR
BATTERY	AXIS eRIDE FS 10, 20 - Bosch 800Wh
DRIVE UNIT	New Bosch Performance CX
DISPLAY	AXIS eRIDE FS 10 - Bosch Kiox 300 AXIS eRIDE FS 20 - Bosch Intuvia 100
BOSCH ABS	Axis eRide FS 10
COCKPIT	AXIS eRIDE FS 10 - Syncros Forged Alloy combo AXIS eRIDE FS 20 - Syncros Welded Alloy combo





AXIS FS eRIDE FAMILY

The only limit is your imagination with the ALL-NEW Axis FS eRIDE, the ultimate full suspension electric adventure bike. To get the best out of your adventure, it comes equipped even with the ABS Technology (Axis FS 10).

AXIS FS 10 MARTIN GREEN

423311-7961 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch ABS Trail, Bosch PowerMore Ready, Forged Combo stem / handlebar

FRAME	Alloy S-XL=29"; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 140mm / Rear: 140mm
FORK	FOX AWL 34 / Grip Remote Damper 3P / 4QR Axle 15x110mm axle; 44mm offset / tapered steerer / 140mm travel
REAR SHOCK	FOX Float eRIDE 185x47; 5mm / 3P / Remote Ready / 140mm Travel
REMOTE SYSTEM	SCOTT TwinLoc Remote 3P
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Kiox 300; Mini remote
CHARGER	4A Charger
REAR DERAILLEUR	Shimano XT RD M6100SGS 12 Speed
FRONT DERAILLEUR	SCOTT Chainguide
SHIFTERS	Shimano XT SL-M8100IR
CRANKSET	FSA CK-745 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	KMC E12S
CASSETTE	Shimano CS-M8100-12 10-51T
BRAKES	Magura MTC Allroad Disc Brakes / Bosch ABS Trail, Front: MDR-C CL 203mm / Rear: MDR-C CL 203mm
HANDLEBAR	Syncros Forged Alloy Combo 680mm / Back Sweep 9° / Up Sweep 8° / 70mm / with front Light mount and Kiox 300 mount
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S&M 361mm / L&XL 403mm
SEAT	Syncros Tofino E 2.0
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / Boost 12x148mm
SPOKES	Sapim double butted
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Lezyne Fusion E550SM front light; Rear SupernovaTaillight
RACK	Racktime SnapIt 2.0 15KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS FS 20 SHARK GREY

423312-7842 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready, Welded Combo stem / handlebar

FRAME	Alloy S-XL=29"; Integrated Suspension Technology; Virtual 4 Link kinematic / Adjustable head angle; Syncros Cable Integration System; Bosch Smart System / UDH Interface / 12x148mm with 55mm Chainline; Bosch PowerMore Ready
TRAVEL	Front: 140mm / Rear: 140mm
FORK	RockShox Psylo Silver RC Solo Air / E-Bike / Remote Motion Control Damper 2P / QR Axle 15x110mm axle; 44mm offset / tapered steerer / 140mm travel
REAR SHOCK	X-Fusion Nude RLX Trunnion 185x47; 5mm / 2P / Remote Ready / 140mm Travel
REMOTE SYSTEM	SCOTT TwinLoc Remote 2P
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Intuvia 100; Mini remote
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
FRONT DERAILLEUR	SCOTT Chainguide
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-745 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T
BRAKES	Shimano BR-MT520 4 Piston Disc Brakes, Front: SM-RT64 CL 203mm / Rear: SM-RT64 CL 203mm
HANDLEBAR	Syncros Welded Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount and Intuvia 100 mount
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S&M 361mm / L&XL 403mm
SEAT	Syncros Tofino E 2.0
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System; Stainless / +-0.6° head angle adjustment; ZS56/28.6 – ZS56/40 MTB
HUB (FRONT)	Formula CL-811 / 15x110mm
HUB (REAR)	Formula CL-148M / Boost 12x148mm
SPOKES	Sapim double butted
RIMS	Syncros MD30 / 32H / 30mm / Pin Joint; Tubeless ready
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Lezyne Fusion E550SM front light; Rear Lezyne Superbright
RACK	Racktime SnapIt 2.0 15KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website



AXIS eRIDE

The perfect bridge between urban cruising and mountain biking. The ALL-NEW SCOTT AXIS eRIDE is equipped with the latest Bosch technology, Performance CX motor, 800 and 600Wh batteries, perfect for weekend explorations in the outdoors. The new Syncros Heavy Duty rack and the new Syncros Thru-Axle enable you to tow cargo trailers to bring kids and dogs with you to make the most of your rides. With two sleek frame shapes, you can simply pick the one that fits you best.



100KM
MAXIMUM RANGE OF ASSIST

6H
RECHARGE TIME TO 100% (800WH)

25KM/H
MAXIMUM SPEED ASSIST

120MM
OF TRAVEL FRONT AND REAR


1


2


3


4


5


6

1. MOTOR AND BATTERY
The new Axis eRIDE is powered by the latest Bosch Performance Line CX, providing a maximum power output of 85Nm and a support of 340% when in Turbo mode. The Axis eRIDE is powered by a whopping 800Wh internal battery which allow longer rides. Not enough? AXIS is compatible with Bosch's PowerMore Range extender. Enjoy new adventures!

2. TRAILER COMPATIBILITY
With the new Axis, you can now enjoy your ride even more, as you can bring along the kids or dogs with you thanks to the new Syncros Thru-Axle enabling you to tow cargo trailers

3.HEAVY DUTY REAR RACK
No more barriers with Axis even in terms of loads you can carry. Axis is equipped with the new Syncros Heavy Duty rear rack that comes with integrated lights and can carry up to 27kg, which is a lot! It's also compatible with Racktime Snap it 2.0, a great benchmark in terms of rear rack solutions.
On the new Axis, you can bring along kids with you as it's compatible with kids' seats. Enjoy your adventures!

4. STRONG COMPONENTS
Strong alloy fenders, comfortable 2.35" tires and 120mm front travel, make Axis the perfect e-bike ready to tackle cobble stones in the city, as well as rougher terrain in the forest.

5. FRAME SHAPES
No matter your style, you can pick the one you like the most. The new AXIS comes in two frame shapes, a Wave, easy for step-through, and a more classic high standover option.

6. CLEAN COCKPIT
An integrated handlebar and stem give AXIS a clean look and the 25mm rise helps provide a comfortable position on the saddle.



SYNCROS TOFINO E 2.0 CHANNEL SADDLE

Make your eRide even more comfortable, with Syncros' newest creation, specifically designed for those of you who enjoy those long rides on your e-bike.



AXIS eRIDE FAMILY

The ALL-NEW SCOTT AXIS eRIDE is the perfect bridge between urban cruising and mountain biking, equipped with the latest Bosch Performance CX motor, 800 and 600Wh batteries. With the choice between two different frame shapes, you can simply pick the one that fit you best.

AXIS 10 BIRD GREY

423319-8129 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready, Racktime Carrier with integrated Lezyne light, Forged Combo stem / handlebar

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCR34X Air / Tapered / 15x110 bolt Axle / Remote Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch System Controller; Kiox 300; Mini remote
CHARGER	4A Charger
REAR DERAILLEUR	Shimano XT RD M8100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 165mm
CHAINGUIDE	Syncros
CHAINRING	FSA 36T
CHAIN	KMC E12S
CASSETTE	Shimano CS-M7100-12 10-51T 12 Speed
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros Forged Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount and Kiox 300 mount
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S&M 361mm / L&XL 403mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMSBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Lezyne Fusion E550SM front light; Rear Lezyne Rack Light
RACK	Racktime Micro Rack SnapIt 2.0 27KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 10 WAVE BIRD GREY

423426-8129 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT800, Bosch PowerMore Ready, Racktime Carrier with integrated Lezyne light, Forged Combo stem / handlebar

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCR34X Air / Tapered / 15x110 bolt Axle / Remote Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 800Wh
DISPLAY	Bosch LED Remote & Kiox 300
CHARGER	4A Charger
REAR DERAILLEUR	Shimano XT RD M8100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 165mm
CHAINGUIDE	Syncros
CHAINRING	FSA 36T
CHAIN	KMC E12S
CASSETTE	Shimano CS-M7100-12 10-51T 12 Speed
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros Forged Alloy Combo 680mm / Backsweep 9° / Upsweep 8° / 70mm / with front Light mount and Kiox 300 mount
SEATPOST	Syncros Duncan Dropper Post 2.5; 31.6mm / S&M 361mm / L&XL 403mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMSBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Lezyne Fusion E550SM front light; Rear Lezyne Rack Light
RACK	Racktime Micro Rack SnapIt 2.0 27KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 20 MIDNIGHT GREY

423330-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready, Racktime Carrier with integrated Lezyne light

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch System Controller; Intuvia 100; Mini remote
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 165mm
CHAINGUIDE	Syncros
CHAINRING	FSA 36T
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros with front Light mount and Intuvia 100 mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMSBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime Micro Rack Snaplt 2.0 27KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 20 AVENTURINE GREEN

423330-8128 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready, Racktime Carrier with integrated Lezyne light

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch System Controller; Intuvia 100; Mini remote
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 165mm
CHAINGUIDE	Syncros
CHAINRING	FSA 36T
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros with front Light mount and Intuvia 100 mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMSBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime Micro Rack SnapIt 2.0 27KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 20 WAVE MIDNIGHT GREY

423324-7948 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready, Racktime Carrier with integrated Lezyne light

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch LED Remote & Intuvia 100
CHARGER	2A Charger
REAR DERAILLEUR	Shimano Deore RD M6100SGS 12 Speed
SHIFTERS	Shimano Deore SL-M6100RA
CRANKSET	FSA CK-220 165mm
CHAINGUIDE	Syncros
CHAINRING	FSA 36T
CHAIN	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
BRAKES	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros with front Light mount and Intuvia 100 mount
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMSBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Rack Light
RACK	Racktime Micro Rack SnapIt 2.0 27KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 30 RHINO GREY

423337-7534 (EU 1)

25 km/h

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch Power More Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Side extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RD-U6000GS 11 Speed
SHIFTERS	Shimano SL-U600011RC
CRANKSET	FSA CK-220 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40011 11-50T 11 Speed
BRAKES	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
PEDALS	VP VPE-506
EXTRAS	Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 30 WAVE RHINO GREY

423333-7534 (EU 1)

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RD-U6000GS 11 Speed
SHIFTERS	Shimano SL-U600011RC
CRANKSET	FSA CK-220 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40011 11-50T 11 Speed
BRAKES	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
PEDALS	VP VPE-506
EXTRAS	Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 30 WAVE RASPBERRY RED

423333-8127 (EU 1)

25 km/h

S, M, L, XL



WHAT'S NEW

NEW MODEL, Bosch CX DU, Bosch PT600, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Top extraction battery; UDH Interface / 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 LO Coil / Tapered / 15x110 bolt Axle / Lock Out / 120mm Travel
DRIVE UNIT	Bosch Performance CX; EU: 25kmh
BATTERY	PowerTube 600Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RD-U6000GS 11 Speed
SHIFTERS	Shimano SL-U600011RC
CRANKSET	FSA CK-220 165mm
CHAINRING	FSA 36T w/Chain Guard
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40011 11-50T 11 Speed
BRAKES	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: SM-RT30 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros
SEATPOST	Syncros M3.0 / 31.6
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HB-TC50015BB CL / 15x110mm
HUB (REAR)	Shimano FH-TC500HMBB CL / Boost 12x148mm
SPOKES	Black Spokes
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
PEDALS	VP VPE-506
EXTRAS	Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 40 HIGHLAND GREEN

423427-8113 (EU 1)

XS, S, M, L



WHAT'S NEW

NEW MODEL, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Bottom extraction battery; internal cable routing
TRAVEL	120mm
FORK	SR Suntour XCM34 Coil / Tapered / 15x110 bolt Axle / 120mm Travel
DRIVE UNIT	Bosch Performance, EU: 25kmh
BATTERY	PowerTube 625Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RD-U6000GS 10 Speed
SHIFTERS	Shimano SL-U600010RC
CRANKSET	Miranda; 170mm
CHAINRING	Miranda 36T w/Chain Guard
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48T 10 Speed
BRAKES	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: RT-EM300 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Stainless Black
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Tail Light
RACK	Racktime SnapIt 2.0 25KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website

AXIS 40 COTTON WHITE

423427-7992 (EU 1)

XS, S, M, L



WHAT'S NEW

NEW MODEL, Bosch PowerMore Ready

FRAME	Alloy S-XL=29" / 6061 Alloy custom butted tubing; Bottom extraction battery; internal cable routing
TRAVEL	120mm
FORK	SR Suntour XCM34 Coil / Tapered / 15x110 bolt Axle / 120mm Travel
DRIVE UNIT	Bosch Performance, EU: 25kmh
BATTERY	PowerTube 625Wh
DISPLAY	Bosch Purion 200
CHARGER	2A Charger
REAR DERAILLEUR	Shimano CUES RD-U6000GS 10 Speed
SHIFTERS	Shimano SL-U600010RC
CRANKSET	Miranda; 170mm
CHAINRING	Miranda 36T w/Chain Guard
CHAIN	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48T 10 Speed
BRAKES	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm / Rear: RT-EM300 CL 180mm
HANDLEBAR	Syncros 3.0 720mm / 31.8mm / Backsweep 9° / 12mm rise; Syncros Lock On Grip
HANDLEBAR STEM	Syncros with front Light mount
SEATPOST	Syncros 3.0 / 31.6mm
SEAT	Syncros Capilano
HEADSET	Acros / 1.5"- 1.5"; semi integ. OD 50/61mm / ID 44/55mm
HUB (FRONT)	Shimano HBTC50015BB / 15x110mm
HUB (REAR)	Shimano FHTC500HMBB / 148x12mm
SPOKES	Stainless Black
RIMS	Syncros X18 Disc
FRONT TIRES	Schwalbe Advancer 60-622 Wired
REAR TIRES	Schwalbe Advancer 60-622 Wired
LIGHTS	Front Lezyne Hecto E65; Rear Lezyne Tail Light
RACK	Racktime SnapIt 2.0 25KG
PEDALS	VP VPE-506
EXTRAS	Curana alloy profile Fender / Ursus Kickstand
APPROX. WEIGHT	Check website





METRIX



METRIX 10 UNDERGROWTH GREEN



METRIX 20 EQ CHAMPION BLACK



METRIX 30 EQ

METRIX 10 UNDERGROWTH GREEN

423368-8103

XS, S, M, L, XL



WHAT'S NEW

TRP clean cockpit brakes, iC sport combo

FRAME Metrix Disc HMF Carbon, Endurance geometry / Replaceable Derailleur Hanger, Syncros fender kit ready
FORK Metrix HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR SRAM APEX XPLR, 12 Speed
SHIFTERS SRAM SX Eagle Trigger
CRANKSET SRAM APEX DUB Wide, 42T
BB-SET SRAM DUB PF Road Wide
CHAIN SRAM APEX
CASSETTE SRAM PG 1231 XPLR, 12 Speed 10-44T
BRAKE LEVERS TRP HD-EU818s, Clean cockpit
BRAKES TRP HD-EU818s, flatmount, TRP rotor CL 160/F and 160/R
HANDLEBAR Syncros Creston UC iC sport 2.0, Rise Bar Alloy combo
SEATPOST Syncros Duncan 1.0 D-Shape
SEAT Syncros Tofino Regular 2.5
HEADSET Acros AIF-1112
HUB (FRONT) Formula Team II CL Disc 28 H
HUB (REAR) Formula Team II CL Disc 28 H
SPOKES Black 2mm
RIMS Syncros Race 24 Disc, 28 Front / 28 Rear
FRONT TIRES Schwalbe G-One Comp, 700x40C
REAR TIRES Schwalbe G-One Comp, 700x40C
PEDALS Syncros urban flat
APPROX. WEIGHT Check website

METRIX 20 EQ CHAMPION BLACK

423371-7965

XXS, XS, S, M, L, XL, XXL



WHAT'S NEW

Tektro clean cockpit brakes, Dynamo lights, fenders, carrier

FRAME Metrix Disc / 6061 D.Butted Alloy, Endurance geometry / Replaceable Derailleur Hanger, Syncros fender kit included
FORK Metrix HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
REAR DERAILLEUR Shimano CUES RD-U6000, 10 speed
SHIFTERS Shimano SL-U6000
CRANKSET Shimano FC-U6000. 42T
BB-SET Shimano BB-RS500 PF
CHAIN Shimano CN-LG300-10
CASSETTE Shimano CS-LG300, 10 Speed 11-48T

BRAKE LEVERS Tektro HD-R3020, Clean cockpit
BRAKES Tektro HD-R3020, flatmount, Tektro rotor CL 180/F and 160/R
HANDLEBAR Syncros rise-Bar 3.0 640mm
HANDLEBAR STEM Syncros RR2.5, 1 1/4" / four Bolt 31.8mm
SEATPOST Syncros RR2.5 27.2/350mm
SEAT Syncros Tofino Regular 2.5
HEADSET Acros AIF-1113
HUB (FRONT) Shimano DH-UR705 Dynamo
HUB (REAR) Formula Team II CL Disc 28 H

SPOKES Black 2mm
RIMS Syncros Race 24 Disc, 28 Front / 28 Rear
FRONT TIRES Schwalbe G-One Comp, 700x40C
REAR TIRES Schwalbe G-One Comp, 700x40C
LIGHTS Spanninga X&O 15 XDOc, Spanninga Presto Guard XDvS
RACK Syncros fender kit Allumee W45, side carrier included
PEDALS Syncros urban flat
APPROX. WEIGHT Check website

METRIX 30 EQ

290391 (EU 1)
290493 (NON-EU 1)

XXS47, XS49, S52,
M54, L56, XL58, XXL61



FRAME	Metrix Disc / 6061 D.Butted Alloy, Endurance geometry Replaceable Derailleur Hanger, Syncros fender kit ready
FORK	Metrix Alloy Disc, 1 1/4"-1 1/2" Excentric Alloy steerer
REAR DERAILLEUR	Shimano Claris RD-R2000-GS, 16 Speed
FRONT DERAILLEUR	Shimano Claris FD-R2000
SHIFTERS	Shimano SL-R2000
CRANKSET	Shimano FC-RS200, 50x34 T
BB-SET	Shimano BB-ES300
CHAIN	KMC X8
CASSETTE	Shimano CS-HG50, 8 Speed 11-32 T
BRAKE LEVERS	Shimano BL-MT201
BRAKES	Shimano BR-UR300 Hyd.Disc, Shimano SM-RT10 CL rotor 180/F and 160/R
HANDLEBAR	Syncros Flat-Bar FL2.0 620mm
HANDLEBAR STEM	Syncros RR2.5, 1 1/4" / four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/300mm
SEAT	Syncros Tofino Regular 2.5
HEADSET	Acros AIF-1113
HUB (FRONT)	Formula Team CL Disc 28 H
HUB (REAR)	Formula Team CL Disc 28 H
SPOKES	Black 2mm
RIMS	Syncros Race 24 Disc, 28 Front / 28 Rear
FRONT TIRES	Schwalbe G-One Allround, 700x40C
REAR TIRES	Schwalbe G-One Allround, 700x40C
EXTRA	Syncros fender kit
APPROX. WEIGHT	11.6 KG, 25.57 LBS





SCOTT'S KID'S
CATEGORY EXPLAINED

At SCOTT, we break down our Kid's Bike range into two main categories, Smaller Kids and Taller Kids.
As you can imagine, these categories are related to the height of your youngsters.



SMALLER KIDS

Bikes in this category are ideal for children who are between 85-115cm tall (2'7" to 3'7"), and feature a rang of wheel sizes from 12" to 16". Smaller bikes are ideal for teaching kids the fundamentals, growing confidence and discovering their passion for adventure and riding.



TALLER KIDS

As your kid's grow, so to should their bicycles. Our Taller Kids category features bikes that are suitable for children from 115-150cm tall (3'7" to just under 5' and feature a range of wheel sizes 20" to 27.5". On these bikes, you'll see more advanced components, suspension, and in some cases, even frames made of carbon fiber.



FUTURE PRO

Our Future Pro collection spans across bikes for smaller riders and taller riders and is perfect for young riders who are serious about biking and ready to step it up to the next level! That means lightweight frames, kid-tuned suspension and ergonomic components. - this line's name speaks for itself. Future Pro - take your next step towards stardom!

COMPONENTS
The components you'll find on Future Pro bikes involve extensive development specifically for kids. This means kid-tuned suspension, shorter brake levers for easier reach, cranks that allow smoother pedaling and Sycnros kids' grips and saddles.

FRAME & GEOMETRY
Certain Future Pro frames are built with a geometry that is smaller relative to their wheel size offering the benefit of a bigger wheel without compromising on a proper fitting bike (Spark, Scale, Genius, Ransom.) A little bit like the 29-er effect, kids will benefit from a smoother ride over rocks and better traction. This means less fatigue and more fun for longer days on the trail!

DESIGN
We want kids to love riding bikes forever. This is why we make their first one worth remembering. These bikes follow the design of the pros on the trail or on the race track so they're sure to make all the kids on the block envious.





GENIUS 700 FUTURE PRO

The Genius 700 is the perfect bike for trails: it has everything kids could dream for going up and back down the mountain. This new full-suspension bike is perfect for little shredders who are still too small to fit on a 29” bikes in size Small. Be ready to see your young riders going up and down like never before!



150MM
FRONT AND REAR TRAVEL

INTEGRATED SUSPENSION TECHNOLOGY

27.5”
WHEELS SIZE

UDH INTERFACE
OPTIMIZE SHIFT PERFORMANCE
WHEN REPLACING HANGERS.









1. INTEGRATED SUSPENSION TECHNOLOGY
The Genius 700 benefits from the technology of the adult version with its integrated suspension with easy shock access through the down tube door.

2. HEADSET INTERNAL CABLE ROUTING
Just like the “Big Genius” the Genius 700 showcases a clean and efficient look thanks to the headset internal cable routing.

3. 150MM FRONT AND REAR TRAVEL
With enough suspension to master every type of terrain we made sure to add a tune for lighter riders.

4. EXTERNAL SAG INDICATOR
Setting sag and checking travel use is easier than ever before with the new Genius 700. An external indicator on the link allows the end user to easily set sag and to identify how much travel they’re using.



SYNCROS AM LOCK-ON GRIPS

Scientifically engineered with real world rider pressure data, our grips feature multiple rubber densities and an ergonomic profile to hit the absolute sweet spot of comfort and control.



SPARK RC 700
FUTURE PRO

For the Spark RC 700, we took everything we loved about our World Cup and World Championship winning Spark RC, and made a version for younger riders. With a full carbon frame and kid-friendly, race-ready geometry, those with aspirations of the world stage needn't look elsewhere in their hunt for glory.



120MM
OF TRAVEL FRONT AND REAR

27.5"
WHEEL SIZE

SAG
INDICATOR WITH WINDOW ON THE FRAME

INTEGRATED SUSPENSION TECHNOLOGY









1. INTEGRATED SUSPENSION TECHNOLOGY
The Spark RC 700 benefits from the technology of the adult version with its integrated suspension with easy shock access through the down tube door.

2. HEADSET INTERNAL CABLE ROUTING
Just like the “Big Spark” the Spark RC 700 showcases a clean and efficient look thanks to the headset internal cable routing.

3. 120MM FRONT AND REAR TRAVEL
With enough suspension to master the cross country type of terrain we made sure to add a tune for lighter riders.

4. SINGLE PIVOT SUSPENSION LAYOUT
A full suspension bike will never have success without, well, good suspension design. The Spark’s suspension layout has a very specific and proven kinematic and less unsprung mass. Using a flex pivot in the seat stay is an ideal solution for bikes in this travel range. This allows us to keep a very lightweight system while still ensuring optimal suspension performance.



SYNCROS AM LOCK-ON GRIPS

Scientifically engineered with real world rider pressure data, our grips feature multiple rubber densities and an ergonomic profile to hit the absolute sweet spot of comfort and control.

syncros

SPARK RC



SPARK RC 700 CARBON BLACK

GENIUS



GENIUS 700

RANSOM



RANSOM 600



RANSOM 400

SCALE RC



SCALE RC 600 PRO



SCALE RC 600



SCALE RC 400 BLACK



SCALE RC 200 BLACK



SCALE RC 160



SCALE RC WALKER

SPARK RC 700 CARBON BLACK

423579-3020

S



WHAT'S NEW

NEW MODEL

FRAME Spark 27.5" carbon HMF, Integrated suspension technology, Flex Pivot / adjustable head angle, Syncros cable integration system, BB92 / UDH interface 12x148mm with 55mm chainline

FORK Manitou Machete Comp 27.5", 15x110 / tapered / Air kids tune / 120mm travel

REAR SHOCK X-Fusion 02Pro R Trunnion KIDS, vertical valve position / rebound adjuster / Kids tune / 120mm travel / 165x45mm

REAR DERAILLEUR SRAM SX Eagle 12 Speed

SHIFTERS SRAM NX Eagle Trigger / MMX

CRANKSET Prowheel DMJ 30T 2PC, Boost CL:55 / 155mm

BB-SET Prowheel PF92

CHAIN SRAM CN SX Eagle

CASSETTE SRAM NX Eagle / PG-1230 / 11-50T / 12-Speed

BRAKE LEVERS Shimano BL-MT501

BRAKES Shimano BR-MT500, SM-RT30 / CL / 160mm

HANDLEBAR Syncros Alloy 6061 DB, T shape Flat / 9° / 700mm, Syncros Performance XC lock-on grips

HANDLEBAR STEM LEADTEC / 40mm / - / +7°, 31.8mm clamp

SEATPOST Syncros Dropper Ducan Kids Remote, 31.6mm / 80mm / Kid centric custom tune / Remote Lever I-Spec II

SEAT Syncros Future Pro

HEADSET Syncros - Acros Angle adjust & Cable Routing HS System, -0.6° head angle adjustment, ZS56 / 28.6 – ZS56 / 40 MTB

HUB (FRONT) Formula CL-811 / 15x110mm

HUB (REAR) Formula CL-148S / 12x148mm

SPOKES Stainless Black 15G / 1.8mm

RIMS Syncros X-30SE / 32H / 30mm

FRONT TIRES Maxxis Rekon Race / 27.5x2.35" / 120TPI / folding / EXO / TR

REAR TIRES Maxxis Rekon Race / 27.5x2.35" / 120TPI / folding / EXO / TR

APPROX. WEIGHT Check website

GENIUS 700

293468

S



FRAME Genius Alloy 6061, Integrated suspension technology, Virtual 4 link kinematic / adjustable head angle, Syncros cable integration system, BB92 / UDH interface / 12x148mm with 55mm Chainline

FORK X-Fusion Sweep Boost RC 27.5", tapered / 110x15mm / Air kids tune, 150mm travel

REAR SHOCK X-Fusion 02Pro R Trunnion KIDS, vertical valve position / rebound adjuster / Kids tune, 150mm travel / 185x55mm

REAR DERAILLEUR SRAM SX Eagle 12 Speed

SHIFTERS SRAM NX Eagle Trigger / MMX

CRANKSET SRAM X11000 CL55 Eagle DUB / 155mm / 30T

CHAINGUIDE SCOTT custom

BB-SET SRAM DUB PF 92 MTB Wide / shell 41x92mm

CHAIN SRAM CN SX Eagle

CASSETTE SRAM SX Eagle / PG-1210 / 11-50T

BRAKE LEVERS Shimano BL-MT501

BRAKES Shimano BR-MT500, Shimano SM-RT30 CL / F:203 R:180

HANDLEBAR Syncros Hixon 2.0 Alloy 6061 D.B., 12mm Rise / back sweep 9° / 740mm, Syncros Performance XC lock-on grips

HANDLEBAR STEM LEADTEC / 40mm / + / -7°, 31.8mm clamp

SEATPOST Syncros Dropper Ducan Remote, 31.6mm / 80mm / Kid centric custom tune / Remote Lever I-Spec II

SEAT Syncros Future Pro

HEADSET Syncros - Acros Angle adjust & Cable Routing HS System, -0.6° head angle adjustment, ZS56 / 28.6 – ZS56 / 40 MTB

HUB (FRONT) Formula CL-811 / 15x110mm

HUB (REAR) Formula CL-148S / 12x148mm

SPOKES Stainless Black 15G / 1.8mm

RIMS Syncros X-30S / 32H / 30mm / Sleeve Joint

FRONT TIRES Maxxis Dissector / 27.5x2.4" / 60TPI Foldable, Tubeless Ready / EXO

REAR TIRES Maxxis Dissector / 27.5x2.4" / 60TPI Foldable, Tubeless Ready / EXO

APPROX. WEIGHT 14.7 kg, 32.41 lbs

RANSOM 600

290729

CO 26"

One Size



FRAME Ransom 24" / 26" Alloy 6061 Custom butted tubing, Tapered headtube / BB73, Internal cable routing, UDH 148x12mm

FORK X-Fusion Slant RC 26 / 140mm / tapered, Kids' Tune

REAR SHOCK X-Fusion 02Pro R Trunnion, Rebound Adjuster / Kids' Tune, Travel 130mm / 165x45mm

REAR DERAILLEUR Shimano Deore RD-M5100 11 Speed

SHIFTERS Shimano Deore SL-M5100-R

CRANKSET Prowheel CHARM-32T 2P, Boost / 140mm

BB-SET Prowheel BB73

CHAIN KMC X11

CASSETTE Shimano CS-M5100-11 / 11-51

BRAKE LEVERS Shimano BL-MT501

BRAKES Shimano BR-MT500, Shimano Deore SM-RT56 / IS / F: 180 R: 160

HANDLEBAR Syncros T-Bar / Alloy 6061, T shape Flat / 9° / 640mm, Syncros Youth 115

HANDLEBAR STEM Syncros 6061 Alloy, Oversized 31.8mm / 11 / 8" / 7° angle

SEATPOST Syncros Dropper Ducan Remote, 31.6mm / 80mm / Kid centric custom tune

SEAT Syncros Future Pro

HEADSET Syncros OE Press Fit / Reduce 1.5"-11 / 8", OD 50 / 62mm / ID 44 / 56mm

HUB (FRONT) Formula DC-71 IS / 15x100mm

HUB (REAR) Formula DC-3248 IS / Boost 12x148mm

SPOKES Stainless Black 15G / 1.8mm

RIMS Syncros DP30 / 32H / 30mm

FRONT TIRES Kenda Hellkat K1201 / 60TPI / folding / 26x2.4

REAR TIRES Kenda Hellkat K1201 / 60TPI / folding / 26x2.4

PEDALS Wellgo J345 / w / Reflector

APPROX. WEIGHT 13.9 kg, 30.64 lbs

RANSOM 400

290730

CO 24"

One Size



FRAME	Ransom 24" / 26" Alloy 6061 Custom butted tubing, Tapered headtube / BB73, Internal cable routing, UDH 148x12mm
FORK	X-Fusion Slant RC 26 / 140mm / tapered, Kids' Tune
REAR SHOCK	X-Fusion 02Pro R Trunnion, Rebound Adjuster / Kids' Tune, Travel 130mm / 165x45mm
REAR DERAILLEUR	Shimano Deore RD-M5100 11 Speed
SHIFTERS	Shimano Deore SL-M5100-R
CRANKSET	Prowheel CHARM-32T 2PC, Boost / 127mm
BB-SET	Prowheel BB73
CHAIN	KMC X11
CASSETTE	Shimano CS-M5100-11 / 11-51
BRAKE LEVERS	Shimano BL-MT501
BRAKES	Shimano BR-MT500, Shimano Deore SM-RT56 / IS / F: 180 R: 160
HANDLEBAR	Syncros T-Bar / Alloy 6061, T shape Flat / 9° / 600mm, Syncros Youth 115
HANDLEBAR STEM	Syncros 6061 Alloy, Oversized 31.8mm / 11 / 8" / 7° angle
SEATPOST	Syncros Dropper Ducan Remote, 31.6mm / 80mm / Kid centric custom tune
SEAT	Syncros Future Pro
HEADSET	Syncros OE Press Fit / Reduce 1.5"-11 / 8", OD 50 / 62mm / ID 44 / 56mm
HUB (FRONT)	Formula DC-71 IS / 15x100mm
HUB (REAR)	Formula DC-3248 IS / Boost 12x148mm
SPOKES	Stainless Black 15G / 1.8mm
RIMS	Syncros DP30 / 32H / 30mm
FRONT TIRES	Kenda Hellkat K1201 / 60TPI / folding / 24x2.4
REAR TIRES	Kenda Hellkat K1201 / 60TPI / folding / 24x2.4
PEDALS	Wellgo J345 / w / Reflector
APPROX. WEIGHT	13.6 kg, 29.98 lbs

SCALE RC 600 PRO

296316

One size



FRAME	JR26 Susp Disc light, Alloy 6061 / Bended TT, Semi int. HT / SCOTT dropout / IS
FORK	RST F1RST 26" 100-9 Air, Kids tune / 80mm travel
REAR DERAILLEUR	Microshift ADVENT super short cage clutch, rathcet-and-pawl clutch adjustable, 9 Speed
SHIFTERS	Microshift ADVENT Pro / quick trigger, rubber pad lever, 9 Speed
CRANKSET	Prowheel BOOM-32P / 152MM, 32T Alloy / w/CG PVC single cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T-9 Speed
BRAKE LEVERS	Shimano BL-MT501
BRAKES	Shimano BR-MT500, Shimano SM-RT56 / IS / 160mm
HANDLEBAR	LEADTEC Kids riser bar alloy DB / 31.8mm clamp / 580mm / BS 9°, Syncros Grip Kids D19mm, Lock-on
HANDLEBAR STEM	LEADTEC / 40mm / -/+7°, 31.8mm clamp
SEATPOST	Alloy 2014 / 0mm Offset, 27.2x300mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H809, sealed bearings
HUB (FRONT)	Formula DC-140-F / QR
HUB (REAR)	Formula DC-38-R / QR
SPOKES	15G / UCP / black
RIMS	Alexrims MD19 / Disc
FRONT TIRES	Schwalbe Rocket Ron, Evolution / ADDIX Speed, 67EPI / 26x2.35" / folding
REAR TIRES	Schwalbe Rocket Ron, Evolution / ADDIX Speed, 67EPI / 26x2.35" / folding
PEDALS	Kids pedal Wellgo J345 / w/Reflector
APPROX. WEIGHT	10.8 KG, 23.81 LBS

SCALE RC 600

296317

One size



FRAME	JR26 Rigid Disc light, Alloy 6061 / Bended TT, Semi int. HT / SCOTT dropout / IS
FORK	AL-6061 rigid fork / 1 1/8" / IS
REAR DERAILLEUR	Microshift ADVENT super short cage clutch, rathcet-and-pawl clutch adjustable, 9 Speed
SHIFTERS	Microshift ADVENT Pro / quick trigger, rubber pad lever, 9 Speed
CRANKSET	Prowheel BOOM-32P / 152MM, 32T Alloy / w/CG PVC single cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T-9 Speed
BRAKE LEVERS	Shimano BL-MT501
BRAKES	Shimano BR-MT500, Shimano SM-RT56 / IS / 160mm
HANDLEBAR	LEADTEC Kids riser bar alloy DB / 31.8mm clamp / 580mm / BS 9°, Syncros Grip Kids D19mm, Lock-on
HANDLEBAR STEM	LEADTEC / 40mm / -/+7°, 31.8mm clamp
SEATPOST	Alloy 2014 / 0mm Offset, 27.2x300mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H809, sealed bearings
HUB (FRONT)	Formula DC-140-F / QR
HUB (REAR)	Formula DC-38-R / QR
SPOKES	15G / UCP / black
RIMS	Alexrims MD19 / Disc
FRONT TIRES	Schwalbe Rocket Ron, Evolution / ADDIX Speed, 67EPI / 26x2.35" / folding
REAR TIRES	Schwalbe Rocket Ron, Evolution / ADDIX Speed, 67EPI / 26x2.35" / folding
PEDALS	Kids pedal Wellgo J345 / w/Reflector
APPROX. WEIGHT	9.5 KG, 20.94 LBS

SCALE RC 400 BLACK

423460-0001

24"

One Size



WHAT'S NEW

Fork suspension RST, Handlebar D:19mm, Syncros Kids D19 Lock-on grips, Microshift ADVENT Drivetrain

FRAME	KIDS24 disc / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM
FORK	RST F1RST 24" Air, 9x100 / straight / Air Kids tune / BO-TNL / Lock-out / 60mm travel
REAR DERAILLEUR	Microshift ADVENT super short cage clutch, ratchet-and-pawl clutch adjustable, 9 Speed
SHIFTERS	Microshift ADVENT Pro / quick short reach trigger / rubber pad lever / 9 Speed
CRANKSET	Prowheel / 127MM / 30T steel / w / CG PVC single cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T / 9 Speed
BRAKE LEVERS	Shimano BL-UR405
BRAKES	Shimano BR-MT410, Shimano SM-RT56 / 6 bolt / 160mm
HANDLEBAR	LEADTEC Kids riser bar alloy DB D19 / 31.8mm clamp / 560mm / BS 9°, Syncros Grip Kids D19mm / Lock-on
HANDLEBAR STEM	LEADTEC / 40mm / - / +7° / 31.8mm clamp
SEATPOST	Alloy 2014 / 0mm Offset / 27.2x300mm
SEAT	Syncros KIDS
HEADSET	Feimin 48 / 28.6 / 44 / 30 / sealed bearings / semi int.
HUB (FRONT)	Formula DC-140-F / 5x100mm
HUB (REAR)	Formula DC-38-R / 5x135mm
SPOKES	15G / UCP / black
RIMS	Alexrims MD19 / Disc
FRONT TIRES	Schwalbe Rocket Ron Evolution / ADDIX Speed / 67EPI / 24x2.35" / folding
REAR TIRES	Schwalbe Rocket Ron Evolution / ADDIX Speed / 67EPI / 24x2.35" / folding
PEDALS	Kids pedal / w / Reflector
APPROX. WEIGHT	Check website

SCALE RC 200 BLACK

423461-0001

20"

One Size



WHAT'S NEW

Fork suspension RST, Handlebar D:19mm, Syncros Kids D19 Lock-on grips, Microshift ADVENT Drivetrain

FRAME	KIDS20 disc / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM
FORK	RST F1RST 20" Air, 9x100 / straight / Air Kids tune / BO-TNL / Lock-out / 60mm travel
REAR DERAILLEUR	Microshift ADVENT super short cage clutch, ratchet-and-pawl clutch adjustable, 9 Speed
SHIFTERS	Microshift ADVENT Pro / quick short reach trigger / rubber pad lever / 9 Speed
CRANKSET	Prowheel / 114MM / 32T Alloy / w / CG PVC single cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T / 9 Speed
BRAKE LEVERS	Shimano BL-UR405
BRAKES	Shimano BR-MT410, Shimano SM-RT56 / 6 bolt / 160mm
HANDLEBAR	LEADTEC Kids riser bar alloy DB D19 / 31.8mm clamp / 540mm / BS 9°, Syncros Grip Kids D19mm / Lock-on
HANDLEBAR STEM	LEADTEC / 40mm / - / +7° / 31.8mm clamp
SEATPOST	Alloy 2014 / 0mm Offset / 27.2x250mm
SEAT	Syncros KIDS
HEADSET	Feimin 48 / 28.6 / 44 / 30 / sealed bearings / semi int.
HUB (FRONT)	Formula DC-140-F / 5x100mm
HUB (REAR)	Formula DC-38-R / 5x135mm
SPOKES	15G / UCP / black
RIMS	Alexrims MD19 / Disc
FRONT TIRES	Schwalbe Rocket Ron Evolution / ADDIX Speed / 67EPI / 20x2.25" / folding
REAR TIRES	Schwalbe Rocket Ron Evolution / ADDIX Speed / 67EPI / 20x2.25" / folding
PEDALS	Kids pedal / w / Reflector
APPROX. WEIGHT	Check website

SCALE RC 160

290737

16"

One Size



FRAME JR16 V-Brake, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK AL-6061 rigid fork 16 / 11 / 8" / V-Brake
CRANKSET Prowheel / 26T Alloy / Alloy Crank 90mm / light / w / CG PVC single cover
BB-SET BB68 threaded square type
CHAIN KMC S1
CASSETTE Freewheel Sprocket 16T
BRAKE LEVERS Tektro Kids' Lever

BRAKES Tektro J-310 V-Brake,
HANDLEBAR Junior Handlebar combo, 500mm / Alloy
SEATPOST 26.8x200mm / Alloy
SEAT Syncros Scale JR16
HEADSET Semi integrated 11 / 8"
HUB (FRONT) Alloy / sealed bearing / 16H
HUB (REAR) Alloy / sealed bearing / 16H, Freewheel Sprocket 16T
SPOKES 15G / UCP

RIMS Alloy / black / 16H
FRONT TIRES Schwalbe Rocket Ron / 16x2.0", Performance / ADDIX / folding / 50-305
REAR TIRES Schwalbe Rocket Ron / 16x2.0", Performance / ADDIX / folding / 50-305
PEDALS Wellgo J345 / w / Reflector
EXTRAS Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 5.6 kg, 12.35 lbs

SCALE RC WALKER

290738

One Size



FRAME Walker 12 Junior, Alloy 6061 P.G. / Footplate
FORK AL-6061 rigid fork 12 / 1”
HANDLEBAR Junior Riser bar, 400mm / 20mm Rise / Alloy / Junior Kids 100
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp / steerer
SEATPOST Alloy 25.4x200mm

SEAT Syncros Roxter Walker
HEADSET External 1”
HUB (FRONT) Alloy / sealed bearing / 12H
HUB (REAR) Alloy / sealed bearing / 12H
SPOKES 15G / UCP

RIMS Alloy / black / 12H / AV
FRONT TIRES Wanda W3108 / 12-1 / 2x2-1 / 4” / 60TPI
REAR TIRES Wanda W3108 / 12-1 / 2x2-1 / 4” / 60TPI
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 3.3 kg, 7.28 lbs

CONTRAIL



CONTRAIL 400 ALLOY SILVER



CONTRAIL 400 SEAFOAM GREEN



CONTRAIL 200 ALLOY SILVER



CONTRAIL 200 MAUVE PURPLE

SCALE



SCALE 700



SCALE 26 RIGID



SCALE 24 RIGID



SCALE 24 DISC BLUE



SCALE 24 DISC SILVER



SCALE 24



SCALE 20 RIGID



SCALE 20 BLUE

SCALE



SCALE 20 SILVER

ROXTER



ROXTER 26 DISC



ROXTER 24 SILVER



ROXTER 24 GREEN

CONTESSA



ROXTER 20 SILVER



ROXTER 20



CONTESSA 26 DISC



CONTESSA 24 RIGID



CONTESSA 24 DISC



CONTESSA 24



CONTESSA 20 RIGID



CONTESSA 20

CONTRAIL 400 ALLOY SILVER

423580-2308

24"

One Size



WHAT'S NEW

NEW MODEL

FRAME KIDS24 V-Brake / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM

FORK AL6061 rigid fork / V-Brake

REAR DERAILLEUR Shimano Tourney RD-TY300, 7 Speed

SHIFTERS Shimano SL-RV300-7R, Revo Shifter

CRANKSET Prowheel / Alloy Crank 130mm / 28T / narrow QF / w / CG PVG double cover

BB-SET Feimin / BB68 / cartridge / square taper

CHAIN KMC Z7

CASSETTE Shimano CS-HG200-7, 12-28T / 7-Speed

BRAKE LEVERS Tektro TS325A / KIDS specific

BRAKES Tektro V-Brake,

HANDLEBAR LEADTEC Kids riser bar alloy D:19, 540mm / 20mm Rise, Syncros Grips Kids100 / 80

HANDLEBAR STEM LEADTEC Alloy 50mm / +10° / 25.4 clamp

SEATPOST Alloy / 27, 2mm / 300mm

SEAT Syncros KIDS

HEADSET Feimin / 48 / 28.6 / 44 / 30 / semi int.

HUB (FRONT) Formula RB31-FQR / 20H / 5x100mm

HUB (REAR) Formula RB32-7QR / 24H / 5x135mm

SPOKES 15G / UCP / black

RIMS Alloy 21mm anodized black / V-Brake

FRONT TIRES Kenda K1227 Booster / 24x17.5" / 30TPI

REAR TIRES Kenda K1227 Booster / 24x17.5" / 30TPI

PEDALS Kids pedal / w / Reflector

EXTRAS Kickstand

APPROX. WEIGHT Check website

CONTRAIL 400 SEAFOAM GREEN

423580-8133

24"

One Size



WHAT'S NEW

NEW MODEL

FRAME KIDS24 V-Brake / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM

FORK AL6061 rigid fork / V-Brake

REAR DERAILLEUR Shimano Tourney RD-TY300, 7 Speed

SHIFTERS Shimano SL-RV300-7R, Revo Shifter

CRANKSET Prowheel / Alloy Crank 130mm / 28T / narrow QF / w / CG PVG double cover

BB-SET Feimin / BB68 / cartridge / square taper

CHAIN KMC Z7

CASSETTE Shimano CS-HG200-7, 12-28T / 7-Speed

BRAKE LEVERS Tektro TS325A / KIDS specific

BRAKES Tektro V-Brake,

HANDLEBAR LEADTEC Kids riser bar alloy D:19, 540mm / 20mm Rise, Syncros Grips Kids100 / 80

HANDLEBAR STEM LEADTEC Alloy 50mm / +10° / 25.4 clamp

SEATPOST Alloy / 27, 2mm / 300mm

SEAT Syncros KIDS

HEADSET Feimin / 48 / 28.6 / 44 / 30 / semi int.

HUB (FRONT) Formula RB31-FQR / 20H / 5x100mm

HUB (REAR) Formula RB32-7QR / 24H / 5x135mm

SPOKES 15G / UCP / black

RIMS Alloy 21mm anodized black / V-Brake

FRONT TIRES Kenda K1227 Booster / 24x17.5" / 30TPI

REAR TIRES Kenda K1227 Booster / 24x17.5" / 30TPI

PEDALS Kids pedal / w / Reflector

EXTRAS Kickstand

APPROX. WEIGHT Check website

CONTRAIL 200 ALLOY SILVER

423581-2308

20"

One Size



WHAT'S NEW

NEW MODEL

FRAME KIDS20 V-Brake / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM

FORK AL6061 rigid fork / V-Brake

REAR DERAILLEUR Shimano Tourney RD-TY300, 7 Speed

SHIFTERS Shimano SL-RV300-7R, Revo Shifter

CRANKSET Prowheel / Alloy Crank 115mm / 30T / narrow QF / w / CG PVG double cover

BB-SET Feimin / BB68 / cartridge / square taper

CHAIN KMC Z7

CASSETTE Shimano CS-HG200-7, 12-28T / 7-Speed

BRAKE LEVERS Tektro JL510 / KIDS specific

BRAKES Tektro V-Brake,

HANDLEBAR LEADTEC Kids riser bar alloy D:19, 520mm / 20mm Rise, Syncros Grips Kids100 / 80

HANDLEBAR STEM LEADTEC Alloy 50mm / +10° / 25.4 clamp

SEATPOST Alloy / 27, 2mm / 250mm

SEAT Syncros KIDS

HEADSET Feimin / 48 / 28.6 / 44 / 30 / semi int.

HUB (FRONT) Formula RB31-FQR / 20H / 5x100mm

HUB (REAR) Formula RB32-7QR / 24H / 5x135mm

SPOKES 15G / UCP / black

RIMS Alloy 21mm anodized black / V-Brake

FRONT TIRES Kenda K1227 Booster / 20x17.5" / 30TPI

REAR TIRES Kenda K1227 Booster / 20x17.5" / 30TPI

PEDALS Kids pedal / w / Reflector

EXTRAS Kickstand

APPROX. WEIGHT Check website

CONTRAIL 200 MAUVE PURPLE

423581-7963

20"

One Size



WHAT'S NEW

NEW MODEL

FRAME KIDS20 V-Brake / Alloy 6061 / custom tubing / semi int. CBR / BB68 / SCOTT dropout / PM
FORK AL6061 rigid fork / V-Brake
REAR DERAILLEUR Shimano Tourney RD-TY300, 7 Speed
SHIFTERS Shimano SL-RV300-7R, Revo Shifter
CRANKSET Prowheel / Alloy Crank 115mm / 30T / narrow QF / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z7
CASSETTE Shimano CS-HG200-7, 12-28T / 7-Speed
BRAKE LEVERS Tektro JL510 / KIDS specific
BRAKES Tektro V-Brake,
HANDLEBAR LEADTEC Kids riser bar alloy D:19, 520mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM LEADTEC Alloy 50mm / +10° / 25.4 clamp
SEATPOST Alloy / 27, 2mm / 250mm
SEAT Syncros KIDS
HEADSET Feimin / 48 / 28.6 / 44 / 30 / semi int.
HUB (FRONT) Formula RB31-FQR / 20H / 5x100mm
HUB (REAR) Formula RB32-7QR / 24H / 5x135mm
SPOKES 15G / UCP / black
RIMS Alloy 21mm anodized black / V-Brake
FRONT TIRES Kenda K1227 Booster / 20x17.5" / 30TPI
REAR TIRES Kenda K1227 Booster / 20x17.5" / 30TPI
PEDALS Kids pedal / w / Reflector
EXTRAS Kickstand
APPROX. WEIGHT Check website

SCALE 700

290740 (EU 1)
290731 (NON-EU 1)

XS



FRAME Scale 27.5" Alloy 6061 Custom butted tubing, QR 5x135mm / Tapered headtube / BB92, Internal shifting cable routing / Replaceable hanger
FORK Manitou Markhor 27.5 / 100mm travel, Tapered Steerer / 100x9mm / "KTK" Kids' Tune
REAR DERAILLEUR SRAM NX Eagle 12 Speed
SHIFTERS SRAM SX Eagle Trigger
CRANKSET SRAM SX Eagle DUB / 155mm / 30T
BB-SET SRAM DUB PF integrated / shell 41x92mm
CHAIN SRAM CN SX Eagle

CASSETTE SRAM SX / PG1210 / 11-50
BRAKE LEVERS Shimano BL-MT501
BRAKES Shimano BR-MT500, Shimano SM-RT10 / CL / 160mm
HANDLEBAR Syncros T-Bar / Alloy 6061, T shape Flat / 9° / 680mm, Syncros Youth 115
HANDLEBAR STEM Syncros 6061 Alloy, Oversized 31.8mm / 11 / 8" / 7° angle
SEATPOST Syncros / 31.6x350mm
SEAT Syncros Future Pro
HEADSET Syncros OE Press Fit / Tapered 1.5"-11 / 8", OD 50 / 61mm / ID 44 / 55mm

HUB (FRONT) Formula CL51 / QR
HUB (REAR) Formula CL52 / QR
SPOKES Stainless Black 15G / 1.8mm
RIMS Syncros / Disc / 32H
FRONT TIRES Maxxis Ikon / 27.5x2.2" / 60TPI / folding
REAR TIRES Maxxis Ikon / 27.5x2.2" / 60TPI / folding
PEDALS VP-536 / PP Body / w / Reflector
APPROX. WEIGHT 11.7 kg, 25.79 lbs

SCALE 26 RIGID

290741

One Size



FRAME JR26 Rigid Disc, Alloy 6061 / Performance geometry, SCOTT dropout / IS
FORK AL-6061 rigid fork / IS
REAR DERAILLEUR Shimano Tourney RD-TX800, 16 Speed
SHIFTERS Shimano SL-M315, R-Fire Plus
CRANKSET Prowheel, 36-22T w / CG
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3
CASSETTE SunRace CSM55 8AV / 11-34T

BRAKE LEVERS Tektro HD-M276
BRAKES Tektro HD-M276 / Hydr. Disc, 160F / 160R rotor / short reach lever,
HANDLEBAR HL MTB-AL-312BT / 640mm / black / 12mm rise, Syncros Youth 115
HANDLEBAR STEM HL TDS-C342 / 3° / 31.8 / Black
SEATPOST Alloy / 31.6mm / 350mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.

HUB (FRONT) Formula DC-19-F / QR Disc
HUB (REAR) Formula DC-25-8-R / QR Disc
SPOKES 15G / stainless / black
RIMS Syncros X-20 Disc / 32H / black
FRONT TIRES Kenda K1227 Booster / 26x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 26x2.4" / 30TPI
PEDALS Feimin FP-803 / w / Reflector
EXTRAS Kickstand
APPROX. WEIGHT 11.2 kg, 24.69 lbs

SCALE 24 RIGID

290742 (EU 1)
290760 (NON-EU 1)

CO 24"

One Size



FRAME JR24 Rigid Disc, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK AL-6061 rigid fork / IS
REAR DERAILLEUR Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS Shimano SL-RS45-8R, Revo Shifter
CRANKSET Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3
CASSETTE SunRace CSM55, 8 Speed / 11-34T

BRAKE LEVERS Tektro TS325A
BRAKES Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR Junior Flat-Bar / Alloy, 560mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 300mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 11 / 8" Semi Int.
HUB (FRONT) Formula DC-19-F / QR
HUB (REAR) Formula DC-25-8-R / QR

SPOKES 15G / UCP / black
RIMS Alex C-1000 Disc
FRONT TIRES Kenda K1227 Booster / 24x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 24x2.4" / 30TPI
PEDALS MARWI SP-700 / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 10.2 kg, 22.49 lbs

SCALE 24 DISC BLUE

290743 (EU 1)
290761 (NON-EU 1)

CO 24"

One Size



FRAME	Scale 24 Disc Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	SR Suntour XCT-JR 24 Disc, 50mm travel, Softer spring setup
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro Junior / Twist Shifters
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Kids riser bar alloy, 560mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 300mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-8-R / QR
SPOKES	15G / UCP / black
RIMS	Alex C-1000 Disc
FRONT TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
REAR TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	12 kg, 26.46 lbs

SCALE 24 DISC SILVER

290744 (EU 1)
290762 (NON-EU 1)

CO 24"

One Size



FRAME	Scale 24 Disc Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	SR Suntour XCT-JR 24 Disc, 50mm travel, Softer spring setup
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro Junior / Twist Shifters
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Kids riser bar alloy D:19mm, 560mm / 20mm Rise, Syncros Grips Kids100 / 80 D19
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 300mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H807, 1 1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-8-R / QR
SPOKES	15G / UCP / black
RIMS	Alex C-1000 Disc
FRONT TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
REAR TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	12 kg, 26.46 lbs

SCALE 24

290745 (EU 1)
290763 (NON-EU 1)



One Size

FRAME Scale 24 Junior, Alloy 606 / Semi int. HT, SCOTT dropout / V-Brake
FORK SR Suntour XCT-JR 24, 50mm travel, Softer spring setup
REAR DERAILLEUR Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS Shimano SL-RV400-8R, Revo Shifter
CRANKSET Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3
CASSETTE SunRace CSM55, 8 Speed / 11-34T

BRAKE LEVERS Tektro Junior / Twist Shifters
BRAKES Tektro V-Brake alloy,
HANDLEBAR Kids riser bar alloy, 560mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM Alloy 50mm / +10° / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 300mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT) KT-A55F / QR

HUB (REAR) KT-A52R / QR
SPOKES 15G / UCP / black
RIMS Alex C-1000
FRONT TIRES Kenda K1227 Booster / 24x2.2" / 30TPI
REAR TIRES Kenda K1227 Booster / 24x2.2" / 30TPI
PEDALS Kids Pedals / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 11.5 kg, 25.35 lbs

SCALE 20 RIGID

290746 (EU 1)
290764 (NON-EU 1)

CO 20"

One Size



FRAME JR20 Rigid Disc, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK AL-6061 rigid fork / IS
REAR DERAILLEUR Shimano RD-TY300, 7 Speed
SHIFTERS Shimano SL-RS 36-7, Revo Shifter
CRANKSET Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z7
CASSETTE SunRace CSM40, 7 Speed / 11-34T

BRAKE LEVERS Tektro JL-510 TS / RS
BRAKES Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR Junior Flat-Bar / Alloy, 540mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 250mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 11 / 8" Semi Int.
HUB (FRONT) Formula DC-19F / QR
HUB (REAR) Formula DC-25-7-R / QR

SPOKES 15G / UCP / black
RIMS Shining V-6NS Disc
FRONT TIRES Kenda K1227 Booster / 20x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 20x2.4" / 30TPI
PEDALS MARWI SP-700 / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 9.2 kg, 20.28 lbs

SCALE 20 BLUE

290747 (EU 1)
290765 (NON-EU 1)

One Size



FRAME Scale 20 Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / V-Brake
FORK SR Suntour XCT-JR 20, 40mm travel, Softer spring setup
REAR DERAILLEUR Shimano RD-TY300, 7 Speed
SHIFTERS Shimano SL-RV300-7, Revo Shifter
CRANKSET Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z7
CASSETTE SunRace MFM300, 7 Speed / 13-34T

BRAKE LEVERS Tektro Junior JL-510 TS / RS
BRAKES Tektro V-Brakes, Kids' specific,
HANDLEBAR Kids riser bar alloy, 540mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM Alloy 50mm / +10° / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 250mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT) KT-122F / Nutted

HUB (REAR) KT-122R / Nutted
SPOKES 15G / UCP / black
RIMS Shining V-6NS
FRONT TIRES Kenda K1227 Booster / 20x2.2" / 30TPI
REAR TIRES Kenda K1227 Booster / 20x2.2" / 30TPI
PEDALS Kids Pedals / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 10.6 kg, 23.37 lbs

SCALE 20 SILVER

290748 (EU 1)
290766 (NON-EU 1)

20"

One Size



FRAME	Scale 20 Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / V-Brake
FORK	SR Suntour XCT-JR 20, 40mm travel, Softer spring setup
REAR DERAILLEUR	Shimano RD-TY300, 7 Speed
SHIFTERS	Shimano SL-RV300-7, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z7
CASSETTE	SunRace MFM300, 7 Speed / 13-34T
BRAKE LEVERS	Tektro Junior JL-510 TS / RS
BRAKES	Tektro V-Brakes, Kids' specific,
HANDLEBAR	Kids riser bar alloy, 540mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 250mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H807, 1 1 / 8" Semi Int.
HUB (FRONT)	KT-122F / Nutted
HUB (REAR)	KT-122R / Nutted
SPOKES	15G / UCP / black
RIMS	Shining V-6NS
FRONT TIRES	Kenda K1227 Booster / 20x2.2" / 30TPI
REAR TIRES	Kenda K1227 Booster / 20x2.2" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	10.6 kg, 23.37 lbs

ROXTER 26 DISC

290749 (EU 1)
290767 (NON-EU 1)

One Size



FRAME JR26 Susp Disc, Alloy 6061 / Performance geometry, SCOTT dropout / IS
FORK SR Suntour XCE28, 100mm travel, Softer spring setup
REAR DERAILLEUR Shimano Acera RD-M3020, 8 Speed
SHIFTERS Shimano SL-RV400-8R, Revo Shifter
CRANKSET Prowheel, 32T w / CG
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3
CASSETTE Shimano CS-HG400, 8-Speed / 11-40T

BRAKE LEVERS Tektro HD-M276 short reach
BRAKES Tektro HD-M276 / Hydr. Disc, 160F / 160R rotor,
HANDLEBAR Kids riser bar alloy, 580mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM Alloy 50mm / +10° / 25.4mm clamp
SEATPOST Alloy / 31.6mm / 350mm
SEAT Syncros Future Pro
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT) Formula DC-19-F / QR Disc

HUB (REAR) Formula DC-25-8-R / QR Disc
SPOKES 15G / stainless / black
RIMS Syncros X-20 Disc / 32H / black
FRONT TIRES Kenda K1227 Booster / 26x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 26x2.4" / 30TPI
PEDALS Feimin FP-803 / w / Reflector
EXTRAS Kickstand
APPROX. WEIGHT 13.2 kg, 29.1 lbs

ROXTER 24 SILVER

290750 (EU 1)
290768 (NON-EU 1)

CO 24"

One Size



FRAME Roxter 24 Plus Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK AL-6061 rigid fork / IS / PLUS
REAR DERAILLEUR Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS Shimano SL-RS45-8R, Revo Shifter
CRANKSET Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3

CASSETTE SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS Tektro TS325A
BRAKES Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR Junior Flat-Bar / Alloy, 580mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 300mm
SEAT Syncros Youth
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT) Formula DC-19-F / QR

HUB (REAR) Formula DC-25-8-R / QR
SPOKES 15G / UCP / black
RIMS Shining MP-32 Disc
FRONT TIRES Kenda K1080 SlantSix / 24x2.6" / 30TPI
REAR TIRES Kenda K1080 SlantSix / 24x2.6" / 30TPI
PEDALS MARWI SP-700 / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 11 kg, 24.25 lbs

ROXTER 24 GREEN

290751

One Size



FRAME	Roxter 24 Plus Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	AL-6061 rigid fork / IS / PLUS
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro Junior / Twist Shifters
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Kids riser bar alloy, 580mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 300mm
SEAT	Syncros Youth
HEADSET	Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-8-R / QR
SPOKES	15G / UCP / black
RIMS	Shining MP-32 Disc
FRONT TIRES	Kenda K1080 SlantSix / 24x2.6" / 30TPI
REAR TIRES	Kenda K1080 SlantSix / 24x2.6" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	11 kg, 24.25 lbs

ROXTER 20 SILVER

290752 (EU 1)
290769 (NON-EU 1)

CO 20"

One Size



FRAME	Roxter 20 PLUS Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	AL-6061 rigid fork / IS / PLUS
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RS45-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro JL-510 TS / RS
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Junior Flat-Bar / Alloy, 560mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM	LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 250mm
SEAT	Syncros Youth
HEADSET	Feimin FP-H807, 1 1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-8-R / QR
SPOKES	15G / UCP / black
RIMS	Shining MP-32 Disc
FRONT TIRES	Kenda K1080 SlantSix / 20x2.6" / 30TPI
REAR TIRES	Kenda K1080 SlantSix / 20x2.6" / 30TPI
PEDALS	MARWI SP-700 / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	10.3 kg, 22.71 lbs

ROXTER 20

290753 (EU 1)

One Size



FRAME	Roxter 20 PLUS Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	AL-6061 rigid fork / IS / PLUS
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro Junior JL-510 TS / RS
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Kids riser bar alloy, 560mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 250mm
SEAT	Syncros Youth
HEADSET	Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-8-R / QR
SPOKES	15G / UCP / black
RIMS	Shining MP-32 Disc
FRONT TIRES	Kenda K1080 SlantSix / 20x2.6" / 30TPI
REAR TIRES	Kenda K1080 SlantSix / 20x2.6" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	10.3 kg, 22.71 lbs

CONTESSA 26 DISC

290754 (EU 1)
290770 (NON-EU 1)

CO 26"

One Size



FRAME	JR26 Susp Disc, Alloy 6061 / Performance geometry, SCOTT dropout / IS
FORK	SR Suntour XCE28, 100mm travel, Softer spring setup
REAR DERAILLEUR	Shimano Acera RD-M3020, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel, 32T w / CG
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	Shimano CS-HG400, 8-Speed / 11-40T
BRAKE LEVERS	Tektro HD-M276 short reach
BRAKES	Tektro HD-M276 / Hydr. Disc, 160F / 160R rotor,
HANDLEBAR	Kids riser bar alloy, 580mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 31.6mm / 350mm
SEAT	Syncros Future Pro
HEADSET	Feimin FP-H807, 1 1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR Disc
HUB (REAR)	Formula DC-25-8-R / QR Disc
SPOKES	15G / stainless / black
RIMS	Syncros X-20 Disc / 32H / black
FRONT TIRES	Kenda K1227 Booster / 26x2.4" / 30TPI
REAR TIRES	Kenda K1227 Booster / 26x2.4" / 30TPI
PEDALS	Feimin FP-803 / w / Reflector
EXTRAS	Kickstand
APPROX. WEIGHT	13.2 kg, 29.1 lbs

CONTESSA 24 RIGID

290755 (EU 1)
290771 (NON-EU 1)

CO 24"

One Size



FRAME JR24 Rigid Disc, Alloy 6061, Semi int. HT / SCOTT dropout / IS
FORK AL-6061 rigid fork / IS
REAR DERAILLEUR Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS Shimano SL-RV400-8R, Revo Shifter
CRANKSET Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z8.3
CASSETTE SunRace CSM55, 8 Speed / 11-34T

BRAKE LEVERS Tektro Junior / Twist Shifters
BRAKES Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR Kids riser bar alloy, 560mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM Alloy 50mm / +10° / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 300mm
SEAT Syncros Youth
HEADSET Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT) Formula DC-19-F / QR

HUB (REAR) Formula DC-25-8-R / QR
SPOKES 15G / UCP / black
RIMS Alex C-1000 Disc
FRONT TIRES Kenda K1227 Booster / 24x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 24x2.4" / 30TPI
PEDALS Kids Pedals / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 10.2 kg, 22.49 lbs

CONTESSA 24 DISC

290756 (EU 1)

CO 24"

One Size



FRAME	Scale 24 Disc Junior, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK	SR Suntour XCT-JR 24 Disc, 50mm travel, Softer spring setup
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RS45-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro TS325A
BRAKES	Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR	Junior Flat-Bar / Alloy, 560mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM	LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 300mm
SEAT	Syncros Youth
HEADSET	Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT)	Formula DC-19-F / QR
HUB (REAR)	Formula DC-25-7-R / QR
SPOKES	15G / UCP / black
RIMS	Alex C-1000 Disc
FRONT TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
REAR TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
PEDALS	MARWI SP-700 / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	12 kg, 26.46 lbs

CONTESSA 24

290757 (EU 1)

CO 24"

One Size



FRAME	Contessa 24 Junior, Alloy 606 / Semi int. HT, Bended TT / Low standover height, SCOTT dropout / V-Brake
REAR DERAILLEUR	Shimano RD-TX800 Tourney, 8 Speed
SHIFTERS	Shimano SL-RV400-8R, Revo Shifter
CRANKSET	Prowheel / Alloy Crank 140mm, 32T / w / CG PVG double cover
BB-SET	Feimin / BB68 / cartridge / square taper
CHAIN	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed / 11-34T
BRAKE LEVERS	Tektro Junior / Twist Shifters
BRAKES	Tektro V-Brake, Kids' specific,
HANDLEBAR	Kids riser bar alloy, 560mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM	Alloy 50mm / +10° / 25.4mm clamp
SEATPOST	Alloy / 26.8mm / 300mm
SEAT	Syncros Youth
HEADSET	Feimin FP-H807, 1.1 / 8" Semi Int.
HUB (FRONT)	KT-A55F / QR
HUB (REAR)	KT-A52R / QR
SPOKES	15G / UCP / black
RIMS	Alex C-1000
FRONT TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
REAR TIRES	Kenda K1227 Booster / 24x2.2" / 30TPI
PEDALS	Kids Pedals / w / Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX. WEIGHT	11.5 kg, 25.35 lbs

CONTESSA 20 RIGID

290758 (EU 1)

CO 20"

One Size



FRAME JR20 Rigid Disc, Alloy 6061 / Semi int. HT, SCOTT dropout / IS
FORK AL-6061 rigid fork / IS
REAR DERAILLEUR Shimano RD-TY300, 7 Speed
SHIFTERS Shimano SL-RV300-7, Revo Shifter
CRANKSET Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z7
CASSETTE SunRace CSM40, 7 Speed / 11-34T

BRAKE LEVERS Tektro Junior JL-510 TS / RS
BRAKES Tektro SCM-02, Mech. Disc Brake / 160mm rotor,
HANDLEBAR Kids riser bar alloy, 540mm / 20mm Rise, Syncros Grips Kids100 / 80
HANDLEBAR STEM Alloy 50mm / +10° / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 250mm
SEAT Syncros Youth
HEADSET Feimin FP-H807,11 / 8" Semi Int.
HUB (FRONT) Formula DC-19F / QR

HUB (REAR) Formula DC-25-7-R / QR
SPOKES 15G / UCP / black
RIMS Shining V-6NS Disc
FRONT TIRES Kenda K1227 Booster / 20x2.4" / 30TPI
REAR TIRES Kenda K1227 Booster / 20x2.4" / 30TPI
PEDALS Kids Pedals / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 9.2 kg, 20.28 lbs

CONTESSA 20

290759 (EU 1)
290772 (NON-EU 1)

One Size



FRAME Contessa 20 Junior, Low standover height, Alloy 6061 / Semi int. HT, SCOTT dropout / V-Brake
FORK SR Suntour XCT-JR 20, 40mm travel, Softer spring setup
REAR DERAILLEUR Shimano RD-TY300, 7 Speed
SHIFTERS Shimano SL-RS 36-7, Revo Shifter
CRANKSET Prowheel / Alloy Crank 127mm, 36T / w / CG PVG double cover
BB-SET Feimin / BB68 / cartridge / square taper
CHAIN KMC Z7

CASSETTE SunRace MFM300, 7 Speed / 13-34T
BRAKE LEVERS Tektro JL-510 TS / RS
BRAKES Lee-Chi TX-119L, Kids' specific,
HANDLEBAR Junior Flat-Bar / Alloy, 540mm / Syncros Youth 100 / 80 Grip
HANDLEBAR STEM LEADTEC LCS-7130, 50mm / 25.4mm clamp
SEATPOST Alloy / 26.8mm / 200mm
SEAT Syncros Youth
HEADSET Feimin FP-H807, 11 / 8" Semi Int.
HUB (FRONT) KT-122F / Nutted

HUB (REAR) KT-122R / Nutted
SPOKES 15G / UCP / black
RIMS Shining V-6NS
FRONT TIRES Kenda K1227 Booster / 20x2.2" / 30TPI
REAR TIRES Kenda K1227 Booster / 20x2.2" / 30TPI
PEDALS MARWI SP-700 / w / Reflector
EXTRAS Kickstand
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 10.4 kg, 22.93 lbs

SCALE



SCALE 16

ROXTER



ROXTER 16



ROXTER 14

CONTESSA



CONTESSA 16



CONTESSA 14

WALKER



ROXTER WALKER



CONTESSA WALKER

SCALE 16

290773

One Size



FRAME JR16 V-Brake, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK Rigid Fork, Alloy 6061 / 16" / V-Brake Pivot
CRANKSET Prowheel / 28T / 102mm
BB-SET BB68 threaded square type
CHAIN KMC S1
CASSETTE Freewheel Sprocket 16T
BRAKE LEVERS Tektro Kids' Lever
BRAKES Tektro J-310 V-Brake

HANDLEBAR Kids riser bar alloy, 460mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead, Alloy, 30mm, 25.4mm clamp
SEATPOST 26.8x200mm / Alloy
SEAT Syncros Scale JR16
HEADSET Semi integrated 11 / 8"
HUB (FRONT) KT-122F / 20H / Nutted
HUB (REAR) KT-A13R / 20H / Freewheel Sprocket 16T / Nutted

SPOKES 15G UCP / black
RIMS Alloy / black / 20H
FRONT TIRES Kenda K905 K-RAD / 16x2.125"
REAR TIRES Kenda K905 K-RAD / 16x2.125"
PEDALS Kids Pedals w / reflector
EXTRAS Kickstand / Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 7.1 kg, 15.65 lbs

ROXTER 16

290774 (EU 1)
290778 (NON-EU 1)

CO 16"

One Size



FRAME JR16 V-Brake, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK BMX Type / rigid, HiTen / 16" / V-Brake Pivot
CRANKSET Prowheel / 28T / 102mm
BB-SET Steel / loose ball bearings
CHAIN KMC S1
CASSETTE Freewheel Sprocket 16T
BRAKE LEVERS Tektro Kids' Lever
BRAKES F: V-Brake R: V-Brake

HANDLEBAR Kids riser bar alloy, 460mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 26.8x200mm
SEAT Syncros Roxter JR16
HEADSET Semi integrated 1 1 / 8"
HUB (FRONT) KT-183F / 20H / Nutted
HUB (REAR) KT-A13R / 20H / Freewheel Sprocket 16T / Nutted

SPOKES 15G UCP / black
RIMS Alloy / black / 20H / 28H / A / V
FRONT TIRES Kenda K841 Contact / 16x2.25"
REAR TIRES Kenda K841 Contact / 16x2.25"
PEDALS Kids Pedals w / reflector
EXTRAS Kickstand / Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 7.5 kg, 16.53 lbs

ROXTER 14

290775 (EU 1)
290779 (NON-EU 1)

One Size



FRAME JR14 Coaster, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK BMX Type / rigid, HiTen / 14" / V-Brake Pivot
CRANKSET One Piece Crank / 28T
BB-SET Steel / loose ball bearings
CHAIN KMC S1
CASSETTE 18T
BRAKE LEVERS Tektro Kids' Lever
BRAKES F: V-Brake R: Coaster,

HANDLEBAR Kids riser bar alloy, 460mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 26.8x160mm
SEAT Syncros Roxter JR14
HEADSET Semi integrated 11 / 8"
HUB (FRONT) KT-183F / 20H / Nutted
HUB (REAR) KT-305RB / 28H / Nutted, Coaster brake

SPOKES 15G UCP / black
RIMS Alloy / black / 16H / A / V
FRONT TIRES Kenda K841 Contact / 14x2.125"
REAR TIRES Kenda K841 Contact / 14x2.125"
PEDALS Kids Pedals w / reflector
EXTRAS Training wheels / Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 7.4 kg, 16.31 lbs

CONTESSA 16

290776 (EU 1)
290781 (NON-EU 1)

CO 16"

One Size



FRAME JR16 V-Brake, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK BMX Type / rigid, HiTen / 16" / V-Brake Pivot
CRANKSET Prowheel / 28T / 102mm
BB-SET Steel / loose ball bearings
CHAIN KMC S1
CASSETTE Freewheel Sprocket 16T
BRAKE LEVERS Tektro Kids' Lever
BRAKES F: V-Brake R: V-Brake

HANDLEBAR Kids riser bar alloy, 460mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 26.8x200mm
SEAT Syncros Contessa JR16
HEADSET Semi integrated 1 1 / 8"
HUB (FRONT) KT-183F / 20H / Nutted
HUB (REAR) KT-A13R / 20H / Freewheel Sprocket 16T / Nutted

SPOKES 15G UCP / black
RIMS Alloy / black / 20H / 28H / A / V
FRONT TIRES Kenda K841 Contact / 16x2.25"
REAR TIRES Kenda K841 Contact / 16x2.25"
PEDALS Kids Pedals w / reflector
EXTRAS Kickstand / Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 7.5 kg, 16.53 lbs

CONTESSA 14

290777 (EU 1)
290782 (NON-EU 1)

One Size



FRAME JR14 Coaster, Alloy 6061 / Bended TT, Semi int. HT / Rigid Fork
FORK BMX Type / rigid, HiTen / 14" / V-Brake Pivot
CRANKSET One Piece Crank / 28T
BB-SET Steel / loose ball bearings
CHAIN KMC S1
CASSETTE 18T
BRAKE LEVERS Tektro Kids' Lever
BRAKES F: V-Brake R: Coaster,

HANDLEBAR Kids riser bar alloy, 460mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 26.8x160mm
SEAT Syncros Contessa JR14
HEADSET Semi integrated 11 / 8"
HUB (FRONT) KT-183F / 20H / Nutted
HUB (REAR) KT-305RB / 28H / Nutted, Coaster brake

SPOKES 15G UCP / black
RIMS Alloy / black / 16H / A / V
FRONT TIRES Kenda K841 Contact / 14x2.125"
REAR TIRES Kenda K841 Contact / 14x2.125"
PEDALS Kids Pedals w / reflector
EXTRAS Training wheels / Full-chainguard
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 7.4 kg, 16.31 lbs

ROXTER WALKER

290780

CO 12"

One Size



FRAME Walker JR12, Alloy 6061 P.G. / footplate
FORK BMX Type / rigid, HiTen / 12" / steerer 1"
HANDLEBAR Kids riser bar alloy, 400mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 25.4x200mm

SEAT Syncros Roxter Walker
HEADSET External 1"
HUB (FRONT) KT-A86F / 16H / Nutted
HUB (REAR) KT-A86F / 16H / Nutted
SPOKES 15G UCP / black

RIMS Alloy / black
FRONT TIRES Wanda P-1023 / 12-1 / 2x2-1 / 4"
REAR TIRES Wanda P-1023 / 12-1 / 2x2-1 / 4"
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 4.2 kg, 9.26 lbs

CONTESSA WALKER

290783

One Size



FRAME Walker JR12, Alloy 6061 P.G. / footplate
FORK BMX Type / rigid, HiTen / 12" / steerer 1"
HANDLEBAR Kids riser bar alloy, 400mm / 20mm Rise, Syncros Grips Toddler
HANDLEBAR STEM Ahead / Alloy / 30mm / 25.4mm clamp
SEATPOST Alloy 25.4x200mm

SEAT Syncros Contessa Walker
HEADSET External 1"
HUB (FRONT) KT-A86F / 16H / Nutted
HUB (REAR) KT-A86F / 16H / Nutted
SPOKES 15G UCP / black

RIMS Alloy / black
FRONT TIRES Wanda P-1023 / 12-1 / 2x2-1 / 4"
REAR TIRES Wanda P-1023 / 12-1 / 2x2-1 / 4"
ACCESSORIES Syncros Stem Protector
APPROX. WEIGHT 4.2 kg, 9.26 lbs







SCOTT **SCALE RC SL HMX SL**
FRAME+FORK MARTIN GREEN **423585**-7961

FRAME:
- Scale Carbon HMX SL
- Adjustable head angle / Syncros Cable Integration System
- Advanced Shock & Standing Damping System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

FORK:
- RockShox SID SL Ultimate 3P Air
- Charger Race Day 2 Damper 3-Modes
- 15x110mm Maxle Stealth / 44mm offset /Tapered steerer
- Lockout / Reb. Adj. / 110mm travel

APPROX. FRAME WEIGHT (size M): Frame 847g, / 1.87 lbs

SIZE: S, M, L, XL

ACCESSORIES:
- Rideloc Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- Syncros Carbon Seatpost and Fraser iC Handleba
- Syncros rear axle



SCOTT **SCALE RC WORLD CUP HMX**
FRAME CARBON BLACK **423586**-3020

FRAME:
- Scale Carbon HMX
- Adjustable head angle / Syncros Cable Integration System
- Advanced Shock & Standing Damping System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

APPROX. FRAME WEIGHT (size M): Frame 930g, / 2.05 lbs

SIZE: S, M, L, XL

ACCESSORIES:
- Syncros - Acros Pro Headset System,
  UDH Hanger and small parts



SCOTT **SPARK RC SL HMX SL**
FRAME+FORK MARTIN GREEN **423284**-7961

FRAME:
- Spark RC Carbon HMX SL,Integrated Suspension Technology
- Flex Pivot / Adjustable head angle
- Syncros Cable Integration System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

FORK:
- RockShox SID Ultimate Flight Attendant
- Electronically controlled Suspension,
- FA Race Day damper 3 Modes
- 15x110mm Maxle Stealth / 44mm offset /Tapered steerer
- Lockout / Reb. Adj. / 120mm travel

APPROX. FRAME WEIGHT (SIZE M):
Frame incl. Shock 1890g, / 4.17 lbs

SIZE: S, M, L, XL

TRAVEL:
- Electronically Controlled / 120mm

REAR SHOCK:
- RockShox SIDLuxe Ultimate Flight Attendant Custom
- Electronically controlled Suspension
- 3 Modes Lockout-Pedal-Descend
- Solo Air / Reb. Adj./ Lockout / Travel 120mm / T165X45mm

ACCESSORIES:
- Syncros - Acros Pro Headset System
- Syncros rear axle



SCOTT **SPARK RC WORLD CUP HMX**
FRAME+FORK ICE GREY/PROGRESSIVE GREY **423288**-7960

FRAME:
- Spark RC Carbon HMX,Integrated Suspension Technology
- Flex Pivot / Adjustable head angle
- Syncros Cable Integration System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

FORK:
- RockShox SID Ultimate 3P Air
- Charger Race Day 2 Damper 3-Modes
- 15x110mm Maxle Stealth / 44mm offset /Tapered steerer
- Lockout / Reb. Adj. / 120mm travel

APPROX. FRAME WEIGHT (SIZE M):
Frame incl. Shock 1995g, / 4.4 lbs

SIZE: S, M, L, XL

TRAVEL:
- Lockout - 80 - 120mm

REAR SHOCK:
- RockShox NUDE 5 RL3 Trunnion
- SCOTT custom w. travel / geo adj.
- 3 modes: Lockout-Traction Control-Descend
- Debon Air / Reb. Adj.
- T165X45mm

ACCESSORIES:
- Twinloc Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- Syncros rear axle



SCOTT **GENIUS ULTIMATE HMX FRAME+FORK** **292050**

FRAME:
- Genius Carbon HMX
- Integrated Suspension Technology
- Virtual 4 Link kinematic / Adjustable head angle
- Syncros Cable Integration System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

FORK:
- FOX 36 Float Factory Air / Kashima FIT4
- 3-Modes with low Speed adj. / Kabolt 15x110mm axle
- 44mm offset / tapered steerer / Reb. Adj. / Lockout
- 160mm travel

APPROX. FRAME WEIGHT (size M):
Frame without Shock 2295g / 5.06 lbs

SIZE: S, M, L, XL

TRAVEL:
- Lockout - 100 - 150mm

REAR SHOCK:
- FOX NUDE 5T Factory EVOL Trunnion
- SCOTT custom w. travel / geo adj.
- 3 modes: Lockout-Traction Control-Descend
- Custom large Air volume / DPS / Kashima / Reb. Adj.
- T185X55mm

ACCESSORIES:
- Twinloc 2 Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- Syncros Hixon iC Handlebar
- Syncros rear axle



SCOTT **GENIUS 900 TUNED HMX FRAME+SHOCK** CARBON BLACK **423276**-3020

FRAME:
- Genius Carbon HMX
- Integrated Suspension Technology
- Virtual 4 Link kinematic / Adjustable head angle
- Syncros Cable Integration System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline

APPROX. FRAME WEIGHT (size M):
Frame without Shock 2295g, / 5.0 lbs

SIZE: S, M, L, XL

TRAVEL:
- Climb - 100 - 150mm

REAR SHOCK:
- FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion
- Kashima / SCOTT custom w. travel / geo adj.
- 3 modes: Climb-Ramp Control-Descend
- Custom large Air volume / Comp & Reb. Adj.
- Bearing Hardware / T185X55mm

ACCESSORIES:
- Tracloc Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- Syncros rear axle



SCOTT **RANSOM 900 RC HMX**
FRAME+SHOCK LUMINARY GREEN/SWIRLY BLACK **423268**-8093

FRAME:
- Ransom Carbon HMX
- Integrated Suspension Technology
- 6 Link kinematic / Adjustable head angle
- Syncros Cable Integration System
- BB92 / UDH Interface / 12x148mm with 55mm Chainline / Syncros IS Matchbox

APPROX. FRAME WEIGHT (SIZE M):
Frame without Shock 2800g / 5.0 lbs

SIZE: S, M, L, XL

TRAVEL:
- Climb - 120 - 170mm

REAR SHOCK:
- FOX FLOAT X NUDE Factory EVOL
- Kashima / SCOTT custom w. travel / geo adj.
- 3 modes: Climb-Ramp Control-Descend
- Custom large Air volume / Comp & Reb. Adj.
- Bearing Hardware / T205X65mm

ACCESSORIES:
- Tracloc Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- Syncros rear axle



SCOTT **PLASMA RC LTD HMX**
FRAME SET CARBON BLACK **423238**-3020

FRAME:
- HMX Carbon Disc Mainframe
- compatible for electronic Shifting

FORK:
- HMX Carbon fork for Disc Brake

SIZE: XS, S, M, L, XL

ACCESSORIES:
- Plasma 6 headset
- Syncros Creston iC TRI handlebar combo with E1 extensions
- Plasma 6 Aero bottle
- Plasma 6 Gel bottle
- Plasma 6 Storage box
- Plasma 6 Nutrition box
- Plasma 6 HMX seatpost
- Syncros SL ROAD plug-in thru axle





SCOTT **PLASMA RC TT HMX**
FRAME SET ICE GREY/PROGRESSIVE GREY — **423244**-7960

FRAME:
- HMX Carbon Disc Mainframe
- compatible for electronic Shifting

FORK:
- HMX Carbon fork for Disc Brake

SIZE: S, M, L

ACCESSORIES:
- Plasma RC TT headset
- Syncros Creston iC TT handlebar Combo with Plasma RC TT extensions
- Plasma RC TT HMX seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT **FOIL RC ULTIMATE HMX SL**
FRAME SET SUNBEAM BLACK — **423247**-8096

FRAME:
- HMX SL Carbon Disc Mainframe
- compatible for eletr. and mech. Shifting

FORK:
- HMX SL Carbon fork for Disc Brake

APPROX. FRAME WEIGHT (size M):
Frame 970g / 2.13Lbs / Fork 440g, / 0.98Lbs

SIZE: XXS, XS, S, M, L, XL, XXL

ACCESSORIES:
- ACROS AIF-1138 Headset
- Expander for Carbon Steertube and Topcap
- Syncros Duncan SL Aero CFT Carbon seatpost
- Syncros SL ROAD plug-in thru axle



SCOTT **FOIL RC PRO HMX**
FRAME SET BELUGA GREY/PROGRESSIVE PURPLE **423251**-7970

FRAME:
- HMX Carbon Disc Mainframe
- compatible for eletr. and mech. Shifting

FORK:
- HMX Carbon fork for Disc Brake

APPROX. FRAME WEIGHT (SIZE M):
Frame 985g / 2.17Lbs / Fork 475g, / 1.04Lbs

SIZE: XXS, XS, S, M, L, XL, XXL

ACCESSORIES:
- ACROS AIF-1138 Headset
- Expander for Carbon Steertube and Topcap
- Syncros Duncan SL Aero CFT Carbon seatpost
- Syncros SL ROAD plug-in thru axle



SCOTT **ADDICT RC ULTIMATE HMX SL**
FRAME SET SUNBEAM BLACK **423262**-8096

FRAME:
- HMX SL Carbon Disc Mainframe
- compatible for eletr. Shifting

FORK:
- HMX SL Carbon fork for Disc Brake

APPROX. FRAME WEIGHT (SIZE M):
Frame 630g / 1.38Lbs Fork 275g, / 0.60Lbs

SIZE: XXS, XS, S, M, L, XL, XXL

ACCESSORIES:
- ACROS AIF-1317S Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R100-SL Carbon seatpost
- Syncros SL ROAD thru axle



SCOTT **ADDICT RC PRO HMX**
FRAME SET CUMULUS WHITE **423258**-8087

FRAME:
- HMX Carbon Disc Mainframe
- compatible for eletr. Shifting

FORK:
- HMX Carbon fork for Disc Brake

APPROX. FRAME WEIGHT (size M):
Frame 690g / 1.52Lbs Fork 300g, / 0.66Lbs

SIZE: XXS, XS, S, M, L, XL, XXL

ACCESSORIES:
- ACROS AIF-1317S Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R100-SL Carbon seatpost
- Syncros SL ROAD thru axle



SCOTT **ADDICT GRAVEL RC HMX**
FRAME SET BELUGA GREY **423255**-7969

FRAME:
- HMX Carbon Disc Mainframe with UDH hanger
- compatible for eletr. and mech. Shifting

FORK:
- HMX Carbon fork for Disc Brake

APPROX. FRAME WEIGHT (size M):
Frame 930g / 2.05Lbs Fork 395g, / 0.87Lbs

SIZE: XS, S, M, L, XL

ACCESSORIES:
- ACROS AIF-1135 Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R101-CF seatpost
- Syncros SL ROAD plug-in thru axle



SCOTT **SCALE 29" RIGID FORK** 297525



black matt

USE: XC and Bikepacking
TRAVEL CORRECTION: designed for frames with 100mm forks
STEERER TUBE: Tapered
STEERER TUBE LENGTH: 250mm
RAKE: 44mm
AXLE TO CROWN: 471mm
BRAKE MOUNT: Post mount
AXLE: 15x110mm

MAX ROTOR SIZE: 180mm
MAX TIRE CLEARANCE: 2.5"
CROWN RACE DIAMETER: 1.5"
BRAKE CABLE ROUTING: outside or internal option
MOUNTS: 3 bottle mounts rivets on each side of the fork legs (max 3kg per side)
CONSTRUCTION: Carbon HMX
SIZE: One size
APPROX. WEIGHT: 605g

SCOTT **PLASMA 5 BAR/STEM CRESTON IC TT** 280310



black matt

CONSTRUCTION:
- Carbon Fiber

SIZE: One size
APPROX. FRAME WEIGHT: 292g

FEATURES:
- One-piece carbon stem+base bar
- Only compatible with Plasma 5

SCOTT **E-MTB REAR LIGHT BRACKET** 277800



black

CONSTRUCTION:
- Alloy forged

SIZE: One size
APPROX. FRAME WEIGHT: 30g

FEATURES:
- Enables mounting a rear light on the dropout of an E-Bike
- Compatible with Genius eRIDE, Strike eRIDE, Aspect eRIDE and Axis eRIDE
- Compatible with 50mm hole spacing lights
- Screws included

SCOTT **E- COMP MAGNET 6 BOLTS** 270890



black

CONSTRUCTION:
- Alloy and Steel

SIZE: One size
APPROX. FRAME WEIGHT: 10g

FEATURES:
- Enables mounting of a E-Bike speed sensor magnet from a 6 bolts disc brake rotor

SCOTT **E-MTB BATTERY RANGE BOOSTER** 275878



black

CONSTRUCTION:
- Glass Fiber reinforced Nylon

SIZE: One size
APPROX. FRAME WEIGHT: 150g

FEATURES:
- Adapter plate to add Bosch external battery 500Wh
- Compatible with Genius eRIDE, Strike eRIDE, Axis eRIDE EVO, Contessa Active eRIDE and Aspect eRIDE
- Without Bosch parts

SCOTT **eRIDE MAHLE ADDICT BOOSTER BATTERY MY21** 282734



no color

This extra 208Wh battery enables to extend the riding range of your e-bike. Compatible with SCOTT Addict eRIDE till MY21 and BERGAMONT E-SWEEP Tour/Sport equipped with Mahle X35+ motors.

CONSTRUCTION:
- Lithium / Glass Fiber reinforced Nylon

SIZE: One size
APPROX. FRAME WEIGHT: 1450g

FEATURES:
- Battery sitting inside a supplied bottle cage, which is mounted on seat tube like any regular cage model
- 208Wh

SCOTT **eRIDE MAHLE ADDICT BOOSTER 2 BATTERY** 288538



no color

Compatible only with MY22 Addict eRIDE equipped with Mahle X20 motors adding an additional capacity of 185 WH.

SIZE: One size

APPROX. FRAME WEIGHT: 1kg

FEATURES:
- This extra battery enables to extend the user range of your Addict eRIDE, through an output of 185Wh.

SCOTT **eRIDE MAHLE ADDICT PULSARONE DISPLAY** 285950



no color

Mahle Pulsarone remote display for SCOTT Addict eRide, offering 2.1-W screen, ANT+ wireless transmitting and powered by CR2032 battery, Compatible with Garmin®-mounting interface

SIZE: One size

SCOTT **eRIDE TQ RANGE EXTENDER** 294537



This extra battery works with the Lumen eRIDE (requires cable 294538), Voltage eRIDE (requires cable 422378) or Solace eRIDE (requires cable 294539) to extend the user range. The Battery holder (294540) must be ordered too.

SIZE: One size

FEATURES:
- 160 Wh Spare battery
- Compatible with SCOTT Solace eRIDE, Solace Gravel eRIDE, Voltage eRIDE and Lumen eRIDE MY23
- Cable must be ordered separately **294538** for Lumen, **422378** for Voltage or **294539** Cable for Solace and Solace Gravel
- BaRange extender holder must be ordered seperately **294540**

SCOTT **eRIDE TQ RANGE EXTENDER EXT. CABLE MTB V02** 422378



no color

SIZE: One size for all

MATERIAL:
- Electric cable with plug / black

USE: To connect TQ Range Extender with TQ HPR50 drive system

COMPATIBLE BIKES: SCOTT Voltage eRIDE

SCOTT **eRIDE TQ RANGE EXTENDER CABLE MTB** 294538



no color

SIZE: One size

FEATURES:
- Cable to connect **294537** /
- TQ range extender on SCOTT Lumen eRide MY23

SCOTT **eRIDE TQ EXTENDER CABLE ROAD/GRAVEL** 294539



no color

SIZE: One size

APPROX. FRAME WEIGHT:

FEATURES:
- Cable to connect **294537** / TQ range extender on SCOTT Solace eRide, Solace Gravel eRide MY23

SCOTT **eRIDE TQ BATTERY HOLDER** 294540



black

SIZE: One size

FEATURES:
- Battery holder fitting **294537** / SCOTT TQ range extender
- Exclusive fit for SCOTT Lumen eRide and Solace eRide
- Set includes hardware to mount TQ range extender either on seat tube or down tube of the bike
- Additonal quick release bracket allows for tool free fast exchange of a regular bottle cage for the range extender by the user

SCOTT **eRIDE BOSCH KIOX 300 HOLDER** 294541



black

SIZE: One size

FEATURES:
- Bosch® Kiox 300 display mount
- Compatible with Syncros Hixon iC SL and Syncros AM stem
- Top cap mounted
- Alloy forged black anodized

SCOTT **SCALE / ROXTER / CONTESSA 19 TRAINING WHEELS** 271272



CONSTRUCTION:
- Steel arms / plastic wheel

SIZE: 16", 14

FEATURES:
- Screw attachment on frame rear dropout
- Compatible with Roxter / Contessa 14"/16" from 2019

SCOTT **EASY ADJUST 26/28 KICKSTAND** 210210



black

What more ergonomics than an easy adjustable kickstand for both SCOTT 26", 28", 29" and 700C bikes.

CONSTRUCTION:
- Alloy
- Steel

FEATURES:
- Easy adjustment
- Fits all SCOTT 26", 28" 29" and 700C bikes

SCOTT **AXIS eRIDE/SUB CROSS SNAPIT 2.0 REAR RACK** 288544



black

Updated rear rack featuring the newest Snapit® 2.0 rack system for the SCOTT AXIS / Sub Cross eRIDE till 2024.

CONSTRUCTION:
- Welded Aluminium

SIZE: One size

SCOTT **AXIS eRIDE EVO / STRIKE eRIDE SNAPIT 2.0 REAR RACK** 288545



black

Updated rear rack featuring the newest Snapit® 2.0 rack system for the SCOTT AXIS Evo till 2024 / STRIKE eRIDE

CONSTRUCTION:
- Welded Aluminium

SIZE: One size

SCOTT **REAR FENDER AXIS EVO / STRIKE eRIDE** 280311



black

CONSTRUCTION:
- Extruded Aluminium

SIZE: One size

FEATURES:
- Aluminium rear fender
- Attachment from seatstay bridge and engine
- Only compatible with SCOTT Axis Evo eRIDE and Strike eRIDE bikes

SCOTT **REAR MUDGUARD STAYS FOR AXIS EVO / STRIKE eRIDE** 280312



black

CONSTRUCTION:
- Extruded Aluminium

SIZE: One size

FEATURES:
- Rear fender aluminium stays
- Only compatible with SCOTT Axis Evo and Strike eRIDE bikes

SCOTT **FENDER SET SUB CROSS eRIDE / ASPECT eRIDE** 280313



black

CONSTRUCTION:
- Extruded Aluminium

SIZE: One size

FEATURES:
- CURANA® Apollo fender set
- Width 65mm
- Compatible with Sub Cross / Aspect till MY24

SCOTT **GENIUS CARBON 23 CHAINSTAY/SEATSTAY PROTECTORS** 419615



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Genius Carbon from MY23

SCOTT **GENIUS ALLOY 2023 CHAINSTAY/SEATSTAY PROTECTORS** 419616



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on

SCOTT **LUMEN eRIDE 2023 CHAINSTAY/SEATSTAY PROTECTOR** 420010



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Ompatible with SCOTT Lumen with Carbon rear triangle from MY23

SCOTT **SOLACE eRIDE 2023 CHAINSTAY PROTECTOR** 420008



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Thin Custom shaped protector enabling to prevent your frame from damage
- Compatible with SCOTT Solace eRide from MY23

SCOTT **SOLACE eRIDE 2023 CHAINSTAY PROTECTION PLATE** 420009



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Thin Custom shaped protector preventing damage to the chainstay in case of chain drop
- Compatible with SCOTT Solace eRide from MY23

SCOTT **SCALE CARBON 2023 CHAINSTAY PROTECTOR** 420004



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Scale Alloy frame from MY23

SCOTT **SCALE ALLOY 2023 CHAINSTAY PROTECTOR** 420003



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Scale Carbon frame from MY23

SCOTT **FOIL 2023 CHAINSTAY PROTECTION PLATE** 420002



black

CONSTRUCTION:
- Stainless steel

SIZE: One size

FEATURES:
- Metal protection plate prevents from damaging the chainstay in case of chain suck
- Glued on
- Compatible with SCOTT Foil frame from MY23

SCOTT **ASPECT eRIDE 2023 CHAINSTAY PROTECTOR** 421066



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Mounted with 2 screws, not supplied
- Compatible with SCOTT Aspect eRIDE 900/910 as well as BERGAMONT E-REVOX till 2024

SCOTT **LUMEN eRIDE ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS** 421573



black

CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Lumen with Alloy rear triangle from MY24

SCOTT **PRE SHAPED CHAINSTAY PROTECTOR**

SCOTT SPARK 2012 CHAINSTAY PROTECTOR 223374
SCOTT GENIUS 2013 / LT 2014 CHAINSTAY PROTECTOR 228206
SCOTT GAMBLER 2013 CHAINSTAY/SEATSTAY PROTECTORS 228207
SCOTT GENIUS LT 2009 CHAINSTAY PROTECTOR 219685
SCOTT GENIUS CARBON 2012 CHAINSTAY PROTECTOR 219686
SCOTT GENIUS ALLOY 2012 CHAINSTAY PROTECTOR 219687
SCOTT SCALE 700 2014 CHAINSTAY PROTECTOR 235931
SCOTT SCALE 900 2014 CHAINSTAY PROTECTOR 235932
SCOTT SCALE 700 ALLOY 2014 CHAINSTAY PROTECTOR 235933
SCOTT SCALE 700 CARBON 2014 CHAINSTAY PROTECTOR 235934



black

CONSTRUCTION:
- Nylon / Thermo Plastic Rubber

FEATURES:
- Pre-shaped for the best protection of your chainstay

SCOTT **VOLTAGE FR700 2016 CHAINSTAY/SEATSTAY PROTECTORS** 241872



black

The Voltage 2015 protector is made to protect your chainstay carefully during your daily rides.

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Perfect fit to protect the Voltage FR frame from chain hits

SCOTT **GAMBLER 700 2015 CHAINSTAY/SEATSTAYPROTECTORS** 238547



black

The Gambler 700 protector is made to protect your chainstay during your daily rides.

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Perfect fit to protect the Gambler frame from chain hits

SCOTT **GENIUS 2018 DOWNTUBE PROTECTOR** 266268



black

Downtube protector Genius Carbon 2018

CONSTRUCTION:
- ABS

SIZE: One size

FEATURES:
- Screwed Downtube protector

SCOTT **SCREW ON CHAINSTAY PROTECTOR**



black

SCOTT SCALE 700 CARBON 2017 CHAINSTAY PROTECTOR	**251849**
SCOTT SCALE RC 700 CARBON 2017 CHAINSTAY PROTECTOR	**251850**
SCOTT SPARK RC 700 CARBON 2017 CHAINSTAY PROTECTOR	**251851**
SCOTT SCALE 900 CARBON 2017 CHAINSTAY PROTECTOR	**254574**
SCOTT SCALE RC 900 CARBON 2017 CHAINSTAY PROTECTOR	**254575**
SCOTT SPARK RC 900 CARBON 2017 CHAINSTAY PROTECTOR	**254576**
SCOTT SPARK 700 2017 CHAINSTAY PROTECTOR	**251852**
SCOTT SPARK 900 ALLOY 2017 CHAINSTAY PROTECTOR	**254578**
SCOTT SPARK 700 PLUS ALLOY 2017 CHAINSTAY PROTECTOR	**251855**
SCOTT CSP GLUE ON GENIUS ALLOY 2018 BLACK ONE SIZE	**266267**
SCOTT SPARK 900 CARBON 2017 CHAINSTAY PROTECTOR	**254577**
SCOTT SPARK 700 PLUS CARBON 2017 CHAINSTAY PROTECTOR	**251854**
SCOTT GENIUS CARBON 2018 CHAINSTAY PROTECTOR	**266266**
SCOTT GENIUS ALLOY 2018 CHAINSTAY PROTECTOR	**266267**

SCOTT **RANSOM 2019 CHAINSTAY PROTECTOR** 270153



black

Chainstay+Seatstays Protector Glue on Ransom Carbon 2019

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of Preshaped chainstay and seatstays protectors dedicated for our new Ransom carbon frame, attached thanks to strong tape

SCOTT **RANSOM CARBON 2019 2PC DOWNTUBE PROTECTOR** 270155



black

Downtube Protector Ransom Carbon 2019 2pc

CONSTRUCTION:
- Rubber and adhesive tape / Polypropylene

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Ransom carbon frame made out 2 pieces
- Glued outer rubber part for shock damping on frame downtube
- Screwed inner Polypropylene part used as battery holder

SCOTT **RANSOM ALLOY 2019 DOWNTUBE PROTECTOR** 270156



black

Downtube Protector Glue on Ransom Alloy 2019

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Ransom Alloy frame, attached thanks to strong tape

SCOTT **GAMBLER CARBON 2020 DOWNTUBE PROTECTOR** 275498



black

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Gambler carbon frame
- Glued rubber part for shock damping onframe downtube

SCOTT **D/T FOAM PROTECTOR GAMBLER AL 2020** 276207



black

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Gambler Alloy frame
- Glued rubber part for shock damping onframe downtube

SCOTT **GAMBLER CARBON 2020 CHAINSTAY/SEATSTAY PROTECTORS** 275499



black

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of 3 Preshaped chainstay and seatstays protectors dedicated for our new Gambler carbon frame
- Glued on Rubber shaped for paint protection and noise reduction

SCOTT **GAMBLER ALLOY 2020 CHAINSTAY/SEATSTAY PROTECTORS** 276208



black

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of 3 Preshaped chainstay and seatstays protectors dedicated for our new Gambler Alloy frame
- Glued on Rubber shaped for paint protection and noise reduction

SCOTT **GAMBLER 2020 FORK BUMPER WITH CABLE PORT** 275500



black

CONSTRUCTION:
- Rubber/Thermoplastic polyurethane

SIZE: One size

FEATURES:
- Integrated Down Tube Fork Bumper with Cable port for Gambler 2020

SCOTT **GAMBLER 2020 FORK BUMPER WITHOUT CABLE PORT** 275501



black

CONSTRUCTION:
- Rubber/Thermoplastic polyurethane

SIZE: One size

FEATURES:
- Integrated Down Tube Fork Bumper with Cable port for Gambler 2020

SCOTT **GAMBLER 2020 CHAIN GUIDE** 275502



black

CONSTRUCTION:
- Rubber/Glass Fiber reinforced Nylon

SIZE: One size

FEATURES:
- Integrated Chainguide for Gambler 2020

SCOTT **GAMBLER 2020 BASH GUARD** 275503



black

CONSTRUCTION:
- Rubber/Glass Fiber reinforced Nylon

SIZE: One size

FEATURES:
- Integrated BashGuard for Gambler 2020

SCOTT **SPARK CARBON 2022 CHAINSTAY/SEATSTAY PROTECTORS** 288539



black

This set of chainstay and seatstay protectors aims to protect your MY22 Spark Carbon frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT **SPARK ALLOY 2022 CHAINSTAY/SEATSTAY PROTECTORS** 288540



black

This set of chainstay and seatstay protectors aims to protect your MY22 Spark Alloy frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT **ADDICT GRAVEL 2022 CHAINSTAY PROTECTOR** 288541



black

This chainstay protector aims to protect your MY22 Addict gravel frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT **eRIDE TQ RANGE EXT. BASE VOLTAGE 24** 422379



SIZE: One size for all

MATERIAL:
- PA6+30%GF

USE: To connect TQ Range Extender to the bike frame

COMPATIBLE BIKES: SCOTT Voltage eRIDE

SCOTT **ADDICT GRAVEL 2022 RIVET PLUG 8PC SET** 288542



black

This set of 8 plugs is designed to protect rivets from your MY22 Addict gravel frame.

CONSTRUCTION:
- Nylon + Glass Fiber

SIZE: One size

SCOTT **ADDICT 2022 RIVET PLUG 4PC SET** 288543



black

This set of 4 plugs is designed to protect rivets from your MY22 Addict frame.

CONSTRUCTION:
- Nylon + Glass Fiber

SIZE: One size

SCOTT **PATRON eRIDE CARBON 2025 CHAINSTAY/SEATSTAY PROTECTORS** 422930



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **PATRON eRIDE ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS** 422931



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **VOLTAGE HYBRID/ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS** 422932



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **VOLTAGE eRIDE CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS** 422917



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **RANSOM ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS** 422918



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **RANSOM CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS** 422919



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT **WATER BOTTLE G6 CORPORATE PAK-10** 423522



white



black

SIZE: 600ml, 750ml

CONSTRUCTION: Polipropylene

FEATURES

- New generation bottle with optimized volume
- Optimized fit with SYNCROS Bottle Cages
- Soft squeeze for high and fast liquid supply




SMARTFIT

FITTING SYSTEM

The SCOTT FITTING SYSTEMS is designed and developed to augment your sales process. Raise your conversion rate by supporting your sales staff with professional tools.



YOUR BENEFITS AT A GLANCE

+ More sales, satisfied customers, lower return rates
+ Always recommend the right bike size
+ Service advantage over competitors
+ Generate additional sales through sizing and fitting
+ Save time with the fastest systems on the market

PREMIUM SERVICE

Delivering premium service experience to your customers is the key to your success. Exploring the best solution regarding individual needs and always offering the right frame-size with optimized adjustments will boost satisfaction and loyalty of your customers. From in-shop hardware solutions to proprietary software fitting tools for online integration, SCOTT Fitting Systems offer several options providing the ideal solution for every purpose and shop size.

With the SCOTT Fitting Systems you're able to send your customers in a few minutes on a test ride with an a perfectly sized bike. The tools create certainty regarding bike geometry, sizing and ergonomics for both customer and staff.

SCOTT relies on Smartfit by Radlabor as professional bike-fitting partner to offer premium solutions for all bike shops. The SCOTT Fitting Systems are successfully used by SCOTT network partners worldwide. Based on key body measurements, riding styles and the personal preferences of customers, the integrated software delivers fast, accurate and scientifically proven recommendations to achieve the perfect fit for every customer.



SIZING & FITTING EXPERTISE FOR EVERY SHOP



BIKE SIZING
Size recommendations in sales



BIKE FITTING
Bike ergonomics as service



278855

SCOTT **DIRECT** FIT

Optimize service and bike sales with the Scott Direct Fit. Measure body dimensions Quickly and precisely, transfer these values and with the intuitive software receive a scientifically based seat position in a few clicks. Set the optimum position precisely via laser meter for the perfect test ride.

ENABLES
Easy manual body measurement directly at the Point of Sale. Software provides frame size and bike adjustment immediately. Attached lasermeter enables a precise adjustment of the bike.

MANUAL SYSTEM
Small Footprint - 0.3m²
Quick and intuitive to use
Durable platform made in Germany

SYSTEM REQUIREMENTS
System requirements
Requires a computer or tablet with Windows 10
Required space: 55/50/220 (L/W/H)



278854

SCOTT **SMART** FIT

The Scott Smart Fit impresses on the sales floor. Contactless measurement thanks to photo-based technology paired with the intuitive software quickly leads to a scientifically based seating position. Set the optimum position precisely via laser meter for the perfect test ride.

ENABLES
Fast photo based bike sizing for sale. Contactless body measurement, automated data transfer and lasermeter to adjust the bike directly.

SCANNING SYSTEM
Integrated industrial camera (2592 x 1944 pixels)
Pre measured floor mat
Leg length measurement tool with automatic pressure adjustment
Computer: Intel Core i3
WIFI adapter integrated
Win 10 Professional
Screen: 21.5" LED multitouch, full HD

SYSTEM REQUIREMENTS
WIFI or Ethernet for internet access
Electrical connection: 110 - 220V / 50 - 60Hz
Required space with floor mat: 300/80/200 (L/W/H)



278853

SCOTT **ADVANCED** FIT

The Scott Advanced Fit is your professional tool for ergonomic services, sizings and fittings. High-precision body- & bikescans with laser technology. Receive the scientifically based seat position quickly via intuitive software. Adjust the optimal position laser guided and directly on the system.

ENABLES
Fast bike sizing for sale and fitting service. Precise laser based body and bike measurement, intuitive laser guided bike adjustment directly on the platform.

SCANNING SYSTEM
Durable measuring platform made in Germany
Linear railing system (X/Y axes) with electronic high-precision two-dimensional measurement device (Resolution: 1mm)
Industrial cross laser (class 1M) and automatic data transfer to computer
Leg length measurement tool with automatic pressure adjustment
Computer: Intel Core i5
WIFI adapter integrated
Win 10 Professional
Screen: 24", full HD

SYSTEM REQUIREMENTS
WIFI or Ethernet for internet access
Electrical connection: 110 - 220V / 50 - 60Hz
Required space scanning system: 255/160/205 (L/W/H)

SALES SUPPORT



COLOR & MATERIALS

Color and material selections are carefully curated to enhance SCOTT's products. They are durable and authentic, making the concept a reliable investment for retailers.



WALL **SECTIONS**

The SCOTT Retail Wall Sections serves as the cornerstone of the SIS concept. With its high-level product display and captivating image possibilities, it creates an attention grabbing atmosphere within the store environment. Whether fixed to permanent walls or freestanding to create new exciting customer paths, the wall sections enhances the store's visual appeal and elevates the overall customer experience.

IMPLEMENTATION OF WALL SECTIONS

When planning for the implementation of wall sections, it is essential to prioritize the customer experience. If there are existing permanent walls available for attachment, the use of freestanding wall sections may not be necessary, although they can still serve the purpose of dividing product categories.
The concept of wall sections can also be effectively employed in a freestanding manner when creating a new customer path within a store, without the need for constructing new permanent walls. It is important to carefully measure the intended areas and ensure that there are no obstacles to the construction, such as ventilation systems, etc.
Subsequently, the order should be planned starting from the left, as outlined below...

1 START **HERE**

421643
START SECTION
WITH LIGHT LOGO

421645
FOLLOWING
SECTION FREESTANDING

421644
FOLLOWING
SECTION

421644
FOLLOWING
SECTION

421648
CORNER
SECTION

421647
END
SECTION



2/ ADD **PANELS**

Be creative planning the panels, still with focus on the customer experience.



421153
METAL PEG PANEL PAK-2

421155
WOOD PEG PANEL PAK-2

3/ ADD **ACCESSORIES**

Choose from a wide variety of accessories.





SCOTT START SECTION WITH LIGHT LOGO
421643

- W / D / H: 120 / 64 / 232.5cm



SCOTT FOLLOWING SECTION
421644

- W / D / H: 120 / 64 / 232.5cm



SCOTT BIKE PODIUM MEDIUM
421160

- W / D / H: 171 / 39 / 27.5cm
- Can fit the led frame (**421175**)



SCOTT FOLLOWING SECTION (FREESTANDING)
421645

- W / D / H: 120 / 64 / 232.5cm



SCOTT END SECTION
421647

- W / D / H: 120 / 64 / 232.5cm



SCOTT BIKE PODIUM LARGE
421173

- W / D / H: 171 / 40 / 44cm
- Can fit the led frame (**421175**)



SCOTT CORNER SECTION
421648

- W / D / H: 60 / 64 / 232.5cm



SCOTT METAL PEG PANEL PAK-2
421153

- W / H: 59 / 110cm
- PAK-2



SCOTT LED FRAME FOR BIKE PODIUM
421175

- W / D / H: 216.5 / 10 / 123cm
- Fit only **421173**, **421159**, **421160**

FREESTANDING DISPLAYS



SCOTT WOOD PEG PANEL PAK-2
421155

- W / H: 59 / 110cm
- PAK-2



SCOTT BIKE PODIUM SMALL
421159

- W / D / H: 171 / 29 / 13cm
- Can fit the led frame (**421175**)



SCOTT BIKE SLOPING PODIUM SMALL
421178

- W / D / H: 200 / 45 / 17.5cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM MEDIUM
421180

- W / D / H: 200 / 45 / 32cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM LARGE
421189

- W / D / H: 200 / 45 / 47cm
- Crank arm can be adjusted



SCOTT BIKE STAND PAK-2
270960

- W / D / H: 42 / 40 / 75.5cm
- PAK-2



SCOTT HIGHLIGHT GONDOLA
421194

- W / D / H: 133.5 / 63.5 / 146cm
- Deliver without the 4 black panel in the middle



SCOTT CLOTHING GONDOLA
421191

- W / D / H: 118 / 50 / 146cm



SCOTT TRANSPORT GONDOLA
421193

- W / D / H: 118 / 50 / 146cm



SCOTT ACCESSORIES DISPLAY
421199

- W / D / H: 63 / 50 / 146cm



SCOTT CLOTHING TABLE
421200

- W / D / H : 133.5 / 86 / 65cm



SCOTT OPTICAL SHOWCASE
421195

- W / D / H: 65 / 45 / 174cm
- Possibility to add a magnetic graphic



SCOTT MANNEQUIN PODIUM
421203

- W / D / H: 57 / 57 / 15cm



SCOTT SUNGLASSES DISPLAY
421201

- W / D / H: 12 / 14.5 / 33cm
- For 4 sunglasses



SCOTT COUNTER DISPLAY
421202

- W / D / H: 29 / 25 / 53cm
- Possibility to add a magnetic banner



SCOTT SKI DISPLAY
421204

- W / D / H: 68.5 / 23 / 49.5cm



SCOTT MIRROR
421205

- W / D / H: 45 / 42 / 151cm
- Option to add wheels or fix on the wall system



SCOTT POLES DISPLAY
421641

- W / D / H: 57 / 57 / 15cm



SCOTT SIDE HANGER 1200MM
421207

- W / D : 120 / 42.5cm



SCOTT FRONT HANGER PAK-2
421206

- D: 53cm
- Can be use with **421207** or **421208**
- PAK-2



SCOTT SIDE HANGER 600MM
421208

- W / D : 60 / 42.5cm



SCOTT WOOD SHELF 600MM
421209

- W / D : 60 / 30cm
- Can be use only with **421208**



SCOTT SLOPING HANGER PAK-5
422409

- W / D : 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT STRAIGHT HANGER PAK-5
422408

- W / D : 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT WOOD BOX
421211

- W / D / H: 60 / 40 / 35cm
- With bracket for peg panel



SCOTT WOOD BOX WITH DRAWER
421212

- W / D / H: 55 / 38 / 30.5cm
- With bracket for peg panel



SCOTT SHOE HOLDER PAK-10
421217

- D : 12cm
- Can be used for accessories as well
- Can fit the slatwalls
- PAK-10



SCOTT DOUBLE HOOK PAK-10
421690

- D : 15cm
- PAK-10



SCOTT HELMET HOLDER PAK-5
421213

- W / D / H: 8 / 30.5 / 24.5cm
- Can fit the slatwalls
- PAK-5



SCOTT EYEWEAR ADAPTER PAK-5
421214

- PAK-5



SCOTT GOGGLE HOLDER PAK-10
421215

- W / D / H: 36 / 13 / 9.5cm
- Can fit the slatwalls
- PAK-10





SCOTT SKI HOLDER PAK-10
421216

- PAK-10



SCOTT SINGLE POLE HOLDER PAK-2
421210

- W / D / H: 10 / 8 / 4cm
- PAK-2



SCOTT COUNTER
421219

- W / D / H: 242 / 70 / 102cm



SCOTT CABINET INCL DRAWER
421261

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET FOR GARBAGE
421266

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET INCL DOOR
421264

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET INCL SHELVES
421263

- W / D / H: 57 / 60 / 90.5cm

FABRIC **FRAMES**

The use of images in retail design plays a key role in creating an engaging and attractive shopping environment. They foster an emotional connection with customers, enhance the visual appeal of spaces, and guide consumer behavior. Images serve to highlight specific products, promote offers, and reinforce brand identity. Therefore, strategic use of imagery is crucial for a successful retail experience, promoting sales, building brand loyalty, and standing out.



A/

421682
FABRIC FRAME
590X1100 FOR WALL SYS

B/

421682
FABRIC FRAME
590X2200 FOR WALL SYS

C/

421682
FABRIC FRAME
2390X550 FOR WALL SYS

D/

421682
FABRIC FRAME
1190X1100 FOR WALL SYS

E/

421682
FABRIC FRAME
1190X2200 FOR WALL SYS

F/

421682
FABRIC FRAME
1190X550 FOR WALL SYS



SCOTT FABRIC FRAME FOR WALL SYSTEM

421682

- W / H : 59 / 110cm
- W / H : 59 / 220cm
- W / H : 119 / 55cm
- W / H : 119 / 110cm
- W / H : 119 / 220cm
- W / H : 239 / 55cm

FREESTANDING FABRIC



SCOTT FREESTANDING FABRIC
FRAME SMALL

421267

- W / H : 63 / 146.2cm
- Without graphics



SCOTT FREESTANDING FABRIC
FRAME BIG

421706

- W / H : 120 / 200cm
- Without graphics



SCOTT BEACH CHAIR
297708



SCOTT SKI STRAP PAK-10
296067

- PAK-10



SCOTT HEADBAND PROMO PAK-10
296621

- PAK-10



SCOTT PENS PAK-25
282663

- PAK-25



SCOTT SMARTPHONE CARDHOLDER PAK-50
286891

- PAK-50



SCOTT KEY HOLDER PAK-20
269144

- PAK-20
- Random multiple colors



SCOTT FOAM CUBE
223640

- W / D / H: 40 / 40 / 40cm



SCOTT CARPET 300X200CM
286888

- W / D : 300 / 200cm



SCOTT DOORMAT 58X96CM
289395

- W / D : 96 / 58cm



SCOTT MARKING TAPE 500M/ROLL
287403

- 500 m



SCOTT NECK STRAP PAK-100
420450

- PAK-100



SCOTT FREESTANDING 3D LOGO PAK-5
254602

- PAK-5



SCOTT CLOTHING HANGER PAK-5
285948

- PAK-5



SCOTT PANT HANGER PAK-5
285949

- PAK-5

MX DISPLAYS



SCOTT GOGGLE DISPLAY 2023
295959

- W / D / H : 38 / 13 / 30cm
- No goggles included



SCOTT GRIP DISPLAY 2023
295960

- W / D / H : 20 / 13 / 30cm
- No grips included

BANNERS

SCOTT BANNER 300X80CM
217638

- W / D : 300 / 80cm



SCOTT BANNER ROLL 80CM X 50M
217639

- W / D : 80 / 50cm

FLAGS



SCOTT BEACH FLAG 180CM
421691

- 180cm



SCOTT BEACH FLAG 440X85CM
208653

- 440cm



SCOTT BEACH FLAG HELICO FOOT
248906

- Only fits 440cm Beach Flag

SCOTT TENT ECO 3X6M

241034

- Frame and roof / 3x6m
- H: 215cm
- Black



PROMOTION TENT

237648	Promotion Tent - Roof 3x3m
241035	Promotion Tent - Roof 3x6m
237649	Promotion Tent ECO - Sidewall 3m
238945	Promotion Tent ECO - 1/2 wall complete
237652	Promotion Tent ECO - Tension bar
237653	Promotion Tent ECO - Gutter
237654	Promotion Tent ECO - Sandbag
237655	Promotion Tent ECO - Clamp



SCOTT TENT ECO ROOF 3X6M

241035

- Promotion Tent-Roof 3x6m



SCOTT TENT ECO 3X3M

230609

- Frame and roof / 3x3m
- H: 215cm
- Black



SCOTT TENT ECO SIDEWALL 3M

237649

- Promotion Tent ECO - Sidewall 3m



SCOTT TENT ECO ROOF 3X3M

237648

- Promotion Tent-Roof 3x3m





SCOTT STICKER HORIZONTAL DIE CUT PAK-100
217635

- Horizontal die-cut PAK-100 15cm
- Horizontal die-cut PAK-100 30cm
- Horizontal die-cut PAK-100 45cm



SCOTT STICKER HORIZONTAL DIE CUT PAK-50
296615

- Die-cut PAK-50 15cm
- Die-cut PAK-50 30cm



SCOTT STICKER HORIZONTAL DIE CUT PAK-50
220923

- Horizontal die-cut PAK-50 68cm



SCOTT STICKER VERTICAL DIE CUT PAK-100
217637

- Vertical die-cut PAK-100 40cm



SCOTT STICKER NO SHORTCUTS DIE CUT PAK-100
240933

- PAK-100 30cm



SCOTT STICKER VERTICAL PAK-50
296613

- Vertical PAK-50 12cm



SCOTT STICKER HORIZONTAL PAK-50
296614

- PAK-50 12cm
- PAK-50 25cm



ELECTRONIC DATA **INTERCHANGE**

WHAT IS EDI – ELECTRONIC DATA INTERCHANGE

Improve your business efficiency and simplify work with SCOTT's electronic data interchange (EDI) SOLUTION. EDI is a solution for computer-to-computer exchange of business documents in a standard electronic format between business partners.

These business documents cover a wide range of options from placing an order, fulfilling the product database with prices, EAN code, product descriptions, or even exchanging electronic invoices, and in some contexts, optionally exchanging stock level information.

WHO CAN BENEFIT FROM OUR SCOTT EDI SOLUTIONS?

EDI is an electronic format that every business can use, so long as both partners have Business Software compatible with EDI solution.

If you are unsure, contact your IT service provider and ask!

HOW MUCH DOES EDI INTEGRATION COST?

SCOTT offers a range of EDI integration solutions in different data formats. We do not charge anything for the service of integrating with your EDI-ready solution.

The only cost for you would be the cost of enabling EDI capability on your Business software, with your habitual IT service provider.

WHAT EDI SOLUTIONS DOES SCOTT OFFER AND HOW COULD I BENEFIT FROM THE SERVICE?

STEP #1
Check with your IT provider if you can handle EDI integration, and what it would cost for you. To make the process smoother you can share the technical documentation delivered here:

WWW. SCOTT-SPORTS.COM/EDI

STEP #2
If your IT Provider confirms your ability to benefit from EDI integration, please contact your usual SCOTT Sales Representative or SCOTT Customer Service, they will deliver all the necessary information for organizing the next steps.

TRADITIONAL INFORMATION EXCHANGE





SCOTT EDI SOLUTIONS HELP YOU TO BECOME MORE EFFICIENT

By proceeding with IT connection between our Business Software and your Business Software, both yourself, your collaborators and SCOTT's employees

- ✔ Avoid manual operations
- ✔ Save employees time
- ✔ Avoid human error
- ✔ Simplify business documents and information exchange

WITH EDI AUTOMATIC EXCHANGE



SCOTT DISTRIBUTION NETWORK

AUSTRALIA
SHEPPARD CYCLES
AUSTRALIA PTY LTD
PO Box 225
AU–3170 Mulgrave
Tel: +61 3 8345 9345
Fax: +61 3 8345 9355
csaustralia@sheppardcycles.com

AUSTRIA
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

BELGIUM & LUXEMBURG
SCOTT BENELUX N.V.
BE–3070 Kortenberg
Tel: +32 2 755 93 20
Fax: +32 2 759 52 29
info@scott-benelux.com
www.scott-sports.com

DENMARK
SCOTT SPORTS DENMARK A/S
DK-8660 Skanderborg
Tel: +45 44220 120
denmark@scott-sports.dk
www.scott-sports.com

FINLAND
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

FRANCE
SCOTT SPORTS SA
Succursale France
FR-74940 Annecy le Vieux
Tel: +33 450 64 24 00
Fax: +33 450 64 24 01
france@scott-sports.com
www.scott-sports.com

GERMANY
SCOTT SPORTS AG
Niederlassung Deutschland
DE-85748 Garching/Hochbrück
Tel. +49 89 8987836 0
Fax: +49 89 8987836 50
scott-de@scott-sports.de
www.scott-sports.com

HUNGARY
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

INDIA
SCOTT SPORTS INDIA PVT LTD
IN-400604 Thane West, MH
Tel.: +9122 25871652
info@scott-sports.co.in
www.scott-sports.com/in/en

IRELAND
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

ITALY
SCOTT ITALIA SRL
Via Provinciale 110, 24021 Albino BG
Tel: +39 035 756 000
Fax: +39 035 756 122
customerservice@scott-sports.it
www.scott-sports.com

JAPAN
SCOTT JAPAN INC.
Katsushika-ku, Tokyo, Japan
Tel: +81 3 5647 7388
Fax: +81 3 5647 7389
info@scott-japan.com
www.scott-japan.com

KOREA
SCOTT NORTH ASIA LTD
177-177 Premium outlet-ro
Hobeop-myeon, Icheon-si
Gyeonggi-do, Korea
Zip : 17384
Tel: +82 1544 3603
Fax: +82 507 350 2347
info@scott-korea.com
www.scott-korea.com

NETHERLANDS
SCOTT SPORTS NL B.V
Beyerinckweg 8a
NL-4251 LP Werkendam
Tel. : +31 183 788137
info.nl@scott-benelux.com
www.scott-sports.com

NEW ZEALAND
SHEPPARD CYCLES
NEW ZEALAND LTD
PO Box 62067
NZ-1644 Auckland
Tel: +64 9 915 5770
customerservices@sheppardcycles.com

SOUTH AFRICA
SCOTT SPORTS AFRICA PTY LTD
ZA–Edenvale, Johannesburg
Tel: +27 11 201 4000
Fax: +27 11 608 3798
info@scott-sports.co.za
www.scott-sports.com

SWEDEN
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

SWITZERLAND
SCOTT SPORTS SA
Niederlassung Schweiz
CH–1762 Givisiez
Tel: +41 26 460 16 99
Fax: +41 26 460 16 88
switzerland@scott-sports.com
www.scott-sports.com

UNITED KINGDOM
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

USA
SCOTT USA INC.
US–Salt Lake City, UT. 84109
Tel: (800)-292-5874
Fax: (208)-622-1005
bikesupport@scottusa.com
www.scott-sports.com

DISTRIBUTORS

ARGENTINA
LA EMILIA
Casa Central : Raulet 55, CABA.
Tel: +54 11 4860-5500
comex@laemilia.com.ar
www.grupolaemilia.com

BRAZIL
IGP
BR–13335-070 Indaiatuba,
Sao Paulo
Tel: +55 19 3825 7570
scott@scott.com.br
www.scott.com.br

BULGARIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

CANADA
MICA SPORT CANADA INC.
9 Monica Lane Bracebridge,
ON Canada P1L1P8
Tel: +1 705 646 2462
Fax: +1 705 646 2464
mica@micasport.com
www.micasport.com

COLOMBIA
HA BICICLETAS
Medellin
Tel: + 57 2855040
scott@habicicletas.com
www.habicicletas.com

COSTA RICA
CICLO SAN NICOLAS S.A.
CR-San José
Tel: +506 22338253
Fax: +506 22554749
info@ciclosannicolas.com
www.ciclosannicolas.com

IVORY COAST
EVOLVE CI
Rue du Chevalier Clieu
Marcory, Zone 4
Abidjan, Côte d'Ivoire
Tel: +(225) 07 48 300 300
Info@evolve-ci.com

CROATIA
PANEX DINAMIC
HR-40000 Cakovec
Tel: +385 40 384-161
Fax: +385 40 384-161
pandin@dinamic.hr
www.dinamic.hr

CHILE
ANDES INDUSTRIAL LTDA
Santa Elena 1511
8360349 Santiago
Tel: +56 2 2650 3100
zwi@andesindustrial.cl

CHINA
SHING SHEN YANG BICYCLE CO., LTD.
3rd Floor, Building A
No. 62, Qilinling Road
Shahu Village, Tangxia Town,
Dongguan City, CHINA
Tel:+86-14776270811
info@ssybike.cn
www.sycycles.com

CZECH REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

ECUADOR
TATOO ADVENTURE GEAR
Quito, Ecuador
Tel: +593 2 244 8073
Fax: +593 2 2406526
info@tatoo.ws
www.tatoo.ws

EL SALVADOR
GROUPO EXTREMO SA
DE C.V. BICIMANIA
SV- San Salvador
Tel: +503 22645999
diego@grupoextremo.com.sv

ESTONIA | LATVIA | LITHUANIA
HAWAII EXPRESS LTD.
EE–12011 Tallinn
Tel: +372 6 398508
Fax: +372 6 398566
info@hawaii.ee
www.hawaii.ee

GREECE / CYPRUS
NIKOS MANIATOPOULOS S.A.
GR–26504 Patras
Tel: +30 2610 993045
Fax: +30 2610 990424
commerce@idealbikes.gr

GUATEMALA
BICIMANIA
GT-Guatemala City
Tel: +502 2336 7763
Fax: +502 2 367 3866
info@bicimaniaguate.com
www.bicimaniaguate.com

ISLAND
VETUR EHF / MARKID
Ármúla 40, 108 Reykjavík
Tel. +354 5174600
Email. markid@markid.is

ISRAEL
COBRA BORDO LTD.
P.O.B – 1392 Haïfa, IL
Tel: +972 4 9840995
Fax: +972 4 9840993
info@cobra-bordo.co.il
www.cobra-bordo.co.il

LEBANON
I.M.C.O. LINE INTERNATIONAL S.A.R.L.
LB – Feytroun
Tel: +961 9958625
Fax: +961 9952036
info@lamaisonduski.net
www.lamaisonduski.net

LA RÉUNION
COMPTOIR DE L'OCEAN INDIEN
04 Rue Antanifotsy – ZAE Ravine à Marquet
97419 La Possession
Tel: +262 692 91 83 33
Fax: +262 (0)262 43 29 41
Elodie.hoarau@gbh.fr
jacky.sery@gbh.fr
Stephan.Deloutre@gbh.fr

MEXICO
ELITE BIKE, SA DE C.V.
MX-27000 Torreón Coah
Tel: +871 716 0795
Fax: +871 799 0067
hola@elitebike-mx.com

NEW CALEDONIA
VELOCITY
BP 15746
98804 Noumea

NORWAY
RAMO A.S.
NO–2013 Skjetten
Tel: +47 67 91 02 00
kundeservice@ramo.no
www.ramo.no

PERU
DISEÑOS TATOO PERU S.R.L.
Av. Prescott 295,
San Isidro, Lima, Peru
maticarreno@tatoo.ws
+(51 1) 221 0515
+(51 1) 981248796
tatoo.ws/pe

PANAMA
TRI STORE PANAMA S.A.
Tel: +507 393 6874
contact@tristorepanama.com
www.tristorepanama.com

PARAGUAY
CHACOMER S.A.E.
PY-Asunción
Tel: +595 21 5180000
Fax: +595 21 607769
chacomer@chacomer.com.py
www.chacomer.com.py

POLAND
SCOTT SPORTECH POLAND SP. Z.O.O.
PL–05-400 Otwock
Tel: +48 22 788 36 90
Fax: +48 22 788 36 91
info@scott.pl
www.scott.pl

PORTUGAL
STAND JASMA
PT–2855-093 Corroios
Tel: +351 212 268 838
info@jasma.pt
www.scott-sports.com/pt

ROMANIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

SERBIA
PLANET BIKE CO. D.O.O.
RS–37 000 Krusevac
Tel: +381 37 42 00 00
Fax: +381 37 42 00 11
office@planetbike.rs
www.planetbike.rs

SINGAPORE/ INDONESIA/ MALAYSIA/ THAILAND/ PHILIPPINES/ CAMBODIA/VIETNAM
KIAN HONG CYCLE PTE LTD
SG-415928 Singapore
Tel: +65 6749 5787
Fax: +65 6749 5789
scott@khcycle.com
www.khcycle.com

SLOVENIA
PROLOCO TRADE D.O.O.
SI-4000 Kranj
Tel: +386 4 27 11 700
Fax: +386 4 27 11 722
info@prolocotrade.si
www.skm.si

SLOVAK REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

SPAIN
BM SPORTECH IB S.L
ES–50197 Zaragoza
Tel: +34 876 269 100
Fax: +34 976 322 453
scott@bmsportech.es
www.bmsportech.es

TAIWAN
KARED, INC
TW-Taichung
Tel: 886-4-23103709
service@scottusa.com.tw
www.scott-sports.com.tw

TAHITI
LA KLINIC DU VÉLO
B.P. 51085 Pirae
Tahiti / French Polynesia
Tel: +689 40 43 27 90
Fax: +689 40 43 27 90
laklinicduvelo@gmail.com
www.laklinicduvelo.pf

TURKEY
KRON BISIKLET TIC. VE SAN. A.S
34959 Tuzla / Istanbul
Tel: 0090216 444 68 10
Fax: 02165931042
info@kronbisiklet.com.tr
www.kronbisiklet.com.tr

UKRAINE
LLC EXTREME SPORTS DISTRIBUTION
UA - 04053 Kyiv
Tel: +380 95 145 4774
Fax: +380 96 145 4774
scott.ukraine@gmail.com
www.scott-extreme.com.ua

UNITED ARAB EMIRATES/ SAUDI ARABIA/ OMAN BAHRAIN/ KUWAIT
WBS SPORT EQUIPMENT TRADING LLC
UAE-Dubai
Tel: +971 4 339 4453
Fax: +971 4 339 4452
info@wbs.ae
www.wbssporttrading.com

URUGUAY
DECELESTE S.A.
UY-CP.11800 Montevideo
Tel: +598 2 203 5929
Fax: +598 2 209 0311
scott-uruguay@deceleste.com.uy
www.deceleste.com.uy

VENEZUELA
PEDAL POWER
Calle Madrid c/Monterrey Edif.
Monterrey Local PB
Caracas
Tel: +58 (212) 9936450
ventas@pedalpower.com.ve
www.pedalpower.com.ve

ALL RIGHTS RESERVED © 2024 SCOTT SPORTS SA

PHOTOGRAPHY
PRODUCT PHOTOS: SCOTT SPORTS
ACTION PHOTOS: Michal Cerveny, Daniel Geiger, Simon Riclin, Roo Flower, Susan Theis, Keno Derleyn, Sven Martin, Dave Trumpore, Nick Muzik, Widen, Markus Greber, Jochen Haar, Michael Riehle, Cyrille Kurtz, Gaudenz Danuser, Jesus Fernandez, Toast, Margaux Houiex, Andreas Vigl

The information contained in this workbook is in various languages but only the English version will be relevant in case of conflict. Although SCOTT SPORTS SA has published all information contained in this workbook after careful examination, SCOTT SPORTS SA assumes no liability for being up-to-date, correct, reliable or complete. SCOTT Sports SA reserves the right to change the content of this workbook, particularly colors, materials and specifications, at any time without prior notice. Any liability shall be exempted. Products shown may not be available in all regions, please check with your local SCOTT retailer for availability.

EDITOR
SCOTT Sports SA
Route du Crochet 11
1762 Givisiez
Switzerland

Tel: +41 (0)26 460 16 16
Fax: +41 (0)26 460 16 00
webmaster.marketing@scott-sports.com
www.scott-sports.com

Commercial register: Fribourg
Register number: CHE-103.535.982.



WORKBOOK OFFERING:
2025 SUMMER
APPAREL & EQUIPMENT