

2026

BIKES & COMPONENTS

–

SCOTT


2

NO SHORTCUTS

Tel un champion modeste sur la ligne de départ à écouter d'autres se vanter, SCOTT laisse ses créations, ses victoires et ses compétences parler d'elles-mêmes. Nous ne fabriquons pas des produits pour ceux qui veulent se faire remarquer. Nous les créons pour ceux qui agissent selon leurs aspirations, qu'on les regarde ou non. Si vous dites ce que vous avez à dire, vous faites ce que vous avez à faire, vous roulez là où vous voulez rouler parce que vous aimez ça, alors nous avons plusieurs points en commun. Vos actions vont toujours dans le bon sens et vous les faites pour de bonnes raisons.

CONTENT

GLOSSARY 003

SIZE CHART 004

MTB 006

FULL SUSPENSION 007

HARDTAIL 033

ROAD 058

ROAD 059

GRAVEL 107

URBAN / ALL TERRAIN 132

eRIDE 146

eRIDE MTB 147

eRIDE ROAD 178

eRIDE GRAVEL 184

eRIDE ALL TERRAIN / URBAN 190

KIDS 234

FUTURE PRO 235

TALLER KIDS 244

FRAMES 262

ACCESSORIES 270

RETAIL SYSTEM & MERCHANDISING 280

FITTING SYSTEM 294

Si l'un de ces codes est épuisé, veuillez vérifier auprès de l'équipe de vente s'il est possible de commander un autre pays d'origine.

EMBARGO | INFO

Chers membres de la famille SCOTT,
Alors que nous entamons une nouvelle année spéciale, avec de nombreux nouveaux produits, nous souhaiterions vous demander de prendre note de ce qui suit et que vous le respectiez:
Tous les vélos de ce catalogue sont sous embargo jusqu'à nouvel ordre, sauf indication contraire.
Cela signifie que pour tous les vélos de ce catalogue, aucune information, photo ou caractéristique ne doit être partagée ou publiée de quelque manière que ce soit avant qu'une date précise n'ait été communiquée par SCOTT Sports.





GLOSSARY | BIKES

ROUES 16 POUCES
Les vélos présentant cette icône disposent de roues de 16 pouces.

ROUES 20 POUCES
Les vélos présentant cette icône disposent de roues de 20 pouces.

ROUES 24 POUCES
Les vélos présentant cette icône disposent de roues de 24 pouces.

ROUES 26 POUCES
Les vélos présentant cette icône disposent de roues de 26 pouces.

ROUES 27,5 POUCES
Les vélos présentant cette icône disposent de roues de 27,5 pouces.

ROUES 29 POUCES
Les vélos présentant cette icône disposent de roues de 29 pouces.

MX WHEELS
Les vélos portant cette icône sont proposés en configuration MX, avec une roue avant de 29 pouces et une roue arrière de 27,5 pouces.

25KM/H
Ces vélos bénéficient d'une assistance jusqu'à 25km/h.

ABS
Vélos équipés du système Bosch ABS/ ABS Pro.

CONTRÔLÉ ÉLECTRONIQUEMENT SUSPENSION

EFFET DE COULEUR
Ces vélos arborent une peinture métallique spéciale. Mettez-les au soleil pour les voir briller!

CARBONE BRUT APPLIQUÉ À LA MAIN
Ces vélos arborent une finition en carbone brut, vous permettant d'admirer la beauté des fibres de carbone par vous-même!

CAPTEUR DE PUISSANCE
Les vélos dotés de cette icône sont équipés d'un capteur de puissance.

PORTE-BAGAGES ARRIÈRE
Les vélos affichant ces icônes sont compatibles avec un porte-bagage.

REPORT

COMPATIBLE AVEC UN PROLONGATEUR D'AUTONOMIE
Ces vélos sont compatibles avec un prolongateur d'autonomie.

PROLONGATEUR D'AUTONOMIE INCLUS
Les vélos dotés de cette icône sont équipés d'un prolongateur d'autonomie.



SIZE CHART | BIKES

BODY HEIGHT	<165 cm <65 in	165 - 175 cm 65 - 69 in	175 - 185 cm 69 - 73 in	185 - 195 cm 73 - 77 in	> 195 cm > 77 in
SPARK LUMEN	S	M	L	XL	
RANSOM PATRON PATRON ST AXIS FS VOLTAGE	S	M	L	XL	
GAMBLER		M	L	XL	
SCALE SCALE GRAVEL CONTRAIL	XS / S	M	L	XL	XXL
AXIS	S	M	L	XL	
PLASMA RC	XS / S	M	L	XL	
FOIL RC ADDICT RC ADDICT SPEEDSTER ADDICT GRAVEL SPEEDSTER GRAVEL METRIX SUB CROSS	XXS / XS	S / M	L	XL	XXL
FASTLANE SOLACE GRAVEL	XS	S / M	L	XL	
SUB PASSAGE	S	M	L	XL	

KIDS

BODY HEIGHT	95 cm 37 in	115 cm 45 in	125 cm 49 in	135 cm 53 in	145 cm 57 in
MIN SEATHEIGHT (ground to top of saddle)	46 cm 18 in	53 cm 20 in	62 cm 24 in	68 cm 27 in	75 cm 29 in
APPROXIMATE AGE	3+	5+	7+	9 +	11+
SPARK RC 700					WHEELS 27,5"
RANSOM				WHEELS 26"	
SCALE RC		WHEELS 20"	WHEELS 24"	WHEELS 26"	WHEELS 27,5"
CONTRAIL	WHEELS 16"	WHEELS 20"	WHEELS 24"		
SCALE		WHEELS 20"	WHEELS 24"	WHEELS 26"	
ROXTER		WHEELS 20"	WHEELS 24"	WHEELS 26"	

RE-SOURCE BY SCOTT

Il s'agit d'une étape clé pour nous aider à devenir un acteur responsable envers notre planète et la société. Nous avons hâte d'améliorer nos pratiques dans chacun de ces domaines.

L'HUMAIN

Nous considérons que toutes les personnes impliquées dans notre chaîne logistique doivent être traitées de manière juste, avec dignité et respect.

LA PLANÈTE

Nous considérons que les ressources de la Terre doivent être utilisées de sorte que les écosystèmes et générations futures ne soient pas affectés négativement.

PRODUITS

Nous visons à optimiser la nature durable de nos produits, tout en conservant leur haut niveau de performance via l'innovation, les technologies et le design.

DEPUIS 2021

1198.1 TONNES DE CO2

COMPENSÉES POUR LES DÉPLACEMENTS DE NOS ATHLÈTES AVEC ALMIGHTY TREE.

OBJECTIFS DU DÉVELOPPEMENT DURABLE

- TRAVAIL DÉCENT ET CROISSANCE ÉCONOMIQUE
- RÉDUIRE LES INÉGALITÉS
- ACTION CLIMATIQUE
- EAU POTABLE ET ASSAINISSEMENT
- VILLES ET COMMUNAUTÉS DURABLES
- PARTENARIAT EN VUE D'ATTEINDRE LES OBJECTIFS
- CONSOMMATION ET PRODUCTION RESPONSABLES

PRODUITS RE-SOURCE

Utilise un minimum de 50% de matériaux recyclés ou sont conçus à 100% en matériaux renouvelable.

55%

DE LA COLLECTION COMPLÈTE SS2026 CONTIENNENT AU MOINS 50 % DE LEUR POIDS TOTAL EN MATÉRIAUX RECYCLÉS CERTIFIÉS PAR DES TIERS.

PFC FREE DWR

98%

SS25 SOFTGOODS

COLLECTE DE FONDS WORLD BICYCLE RELIEF

88,000€

COLLECTÉS AVEC L'ÉQUIPE SCOTT SRAM MTB

PROGRAMME DE SOLIDARITÉ UCI

70,000€

D'ÉQUIPEMENT DONNÉS AFIN D'AIDER AU DÉVELOPPEMENT SPORTIF

FORMATION ACTION CLIMATIQUE

Fin 2023, nous nous sommes réunis avec d'autres sociétés du secteur du cycle pour co-développer un programme de formation à l'action climatique, visant à réduire les émissions de gaz à effet de serre dans nos chaînes d'approvisionnement partagées. Cette initiative a été facilitée par la Shift Cycling Culture et la Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ), et espère servir d'exemple pour de futurs projets collaboratifs dans le secteur.

Cet outil de formation n'est pas exhaustif et nous le déployons au sein de notre chaîne d'approvisionnement afin d'aider nos partenaires à mesurer, évaluer et atténuer l'impact de leurs processus.

En participant et en mettant en œuvre les enseignements tirés de la Climate Action Training, nous nous sommes assurés que toutes les parties s'accordent et travaillent ensemble pour réduire l'impact environnemental du secteur.



MOUNTAIN | BIKES

menu

FULL SUSPENSION LINE-UP

Les modèles tout-suspendus représentent tout ce que nous aimons chez SCOTT. Que ce soit des vélos ultra légers pour la course ou des vélos de descente en carbone, si vous cherchez un vélo pour dévaler les trails, nous avons ce qu'il vous faut.









SPARK RC

Être à la hauteur de la réputation du Spark RC n'était pas chose aisée, mais cette nouvelle version relève le défi haut la main. La gamme Spark RC se compose de vélos qui ne visent qu'un seul objectif: gagner la course. Ultra légers, ultra intégrés et ultra performants, cette nouvelle génération de vélos de compétition de cross-country est unique en son genre.



SPARK 900

Petit débattement mais grand plaisir, le Spark 900 est celui auquel on pense lorsqu'on imagine le VTT parfait. Pourquoi? Parce qu'au-delà du fait qu'il soit rapide, léger et ultra performant sur tous les types de terrains, c'est en plus un vélo absolument magnifique! Vélo de trail à petit débattement? Vélo de «down-country»? Vélo de course occasionnel? Peu importe le nom que vous souhaitez lui donner. Tout ce que nous savons, c'est qu'il s'agit d'un VTT exceptionnel.



RANSOM

Déplacez les montagnes avec le Ransom. Notre dernière version a été conçue sans compromis pour offrir des performances optimales en descente et un pilotage inspirant la confiance en toutes circonstances. Léger, polyvalent, tout en offrant une géométrie de pointe et une cinématique de suspension surnaturelle, ce vélo est prêt à tout ! Ne vous retenez pas ! Roulez en Ransom.



GAMBLER

Le vélo le plus rapide du monde? C'est ce que nous croyons, et les résultats le prouvent. Paramétré à la perfection avec certains des meilleurs pilotes au monde, le Gambler est le vélo de choix des riders qui visent les descentes et les jumps les plus engagés.

SPARK RC



SPARK RC SL CARBON BLACK



SPARK RC WORLD CUP EVO WHITE



SPARK RC WORLD CUP CARBON BLACK



SPARK RC WORLD CUP HUSH PURPLE



SPARK RC PRO AZURE WHITE



SPARK RC TEAM ISSUE TWINKLE GREEN



SPARK RC TEAM ISSUE BERYL GREEN



SPARK RC TEAM CARBON BLACK



SPARK RC TEAM WHISPER GREY



SPARK RC COMP CUMULUS WHITE

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SPARK RC SL	SRAM XX SL Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton SL2-30 Carbon	Syncros Fraser iC SL XC Carbon / Rock Shox Reverb AXS	HMX SL	2.6	120 / 120mm
SPARK RC WORLD CUP EVO	SRAM XX SL-XX Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton 1.0S-30 Carbon	Syncros Fraser iC SL XC Carbon / Rock Shox Reverb AXS	HMX	2.6	120 / 120mm
SPARK RC WORLD CUP	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton 1.0-30 Carbon	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMF	2.6	120 / 120mm
SPARK RC PRO	Shimano XT Di2 / Shimano XT 4P	12	Fox 34SL Performance Elite / Fox Nude 6 EVOL	TwinLoc	Syncros Silverton 1.0-30 Carbon	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMF	2.6	120 / 120mm
SPARK RC TEAM ISSUE	SRAM GX Eagle Transmission AXS / SRAM Motive 4P	12	Rock Shox SID Select 3P / Rock Shox Nude 5 RL3	TwinLoc	Syncros Silverton 1.0-30 Carbon	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMF	2.6	120 / 120mm
SPARK RC TEAM	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Rock Shox SID 3P / Rock Shox Nude 5 RL3	TwinLoc	Syncros Silverton 2.5-30	Syncros Fraser XC / Syncros Dropper XC	HMF	2.6	120 / 120mm
SPARK RC COMP	SRAM Eagle 70 Transmission / SRAM DB4 4P	12	Fox 32 Float Rhythm / Fox Float Custom EVOL	TwinLoc	Syncros X-30SE TR Rims	Syncros Fraser XC / Syncros Dropper XC	HMF	2.6	120 / 120mm

SPARK RC SL

CARBON BLACK

S, M, L, XL

425324-3020 (EU)
425318-3020 (NON EU)



CADRE	Spark RC Carbon HMX SL, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline, Lightest 120mm frame 1870g (w/shock)
FOURCHE	RockShox SID Ultimate Flight Attendant, Electronically controlled Suspension, FA Race Day damper 3 Modes, 15x110mm Maxle Stealth, 44mm offset /Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox SIDLuxe Ultimate Flight Attendant Custom, Electronically controlled Suspension, 3 Modes Lockout-Pedal-Descend, Solo Air, Reb. Adj./ Lockout, Bearing Hardware, Travel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	Automatic suspension system, that listens to the rider and responds in real-time
DÉRAILLEUR ARRIÈRE	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM XX SL Eagle AXS Transmission, Carbon crankarm, Spider Power Meter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB, shell 41x92mm
CHAÎNE	SRAM CN XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS 1299 Transmission 10-52
FREINS	SRAM Motive Ultimate 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Rock Shox Reverb AXS 31.6mm, S size 100mm, M, L size 125mm, XL size 150mm
SELLE	Syncros Belcarra V1.0 Cut Out, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton SL2-30 CL full Carbon, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim, DT Swiss 240 Ratchet EXP 36, XD Driver, SRAM TyreWiz, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack, SRAM TyreWiz, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	10.7 kg (Tubless setup) 23.59 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Rock Shox Reverb AXS
Dropper
Syncros Belcarra Saddle

SPARK RC WORLD CUP EVO

WHITE

S, M, L, XL

425325-0002 (EU)
425319-0002 (NON EU)



CADRE	Spark RC Carbon HMX, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID Ultimate Flight Attendant, Electronically controlled Suspension, FA Race Day damper 3 Modes, 15x110mm Maxle Stealth, 44mm offset /Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox SIDLuxe Ultimate Flight Attendant Custom, Electronically controlled Suspension, 3 Modes Lockout-Pedal-Descend, Solo Air, Reb. Adj./ Lockout, Bearing Hardware, Travel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	Automatic electronic suspension system, that listens to the rider and responds in real-time
DÉRAILLEUR ARRIÈRE	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM XX Eagle AXS Transmission, Carbon crankarm, Spindle Power Meter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS 1299 Transmission 10-52
FREINS	SRAM Motive Ultimate 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Rock Shox Reverb AXS 31.6mm, S size 100mm, M, L size 125mm, XL size 150mm
SELLE	Syncros Belcarra V1.0 Cut Out, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0S-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, DT Swiss 240 Ratchet EXP 36, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	10.9 kg (Tubless setup) 24.03 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Rock Shox Reverb AXS
Dropper
Syncros Belcarra Saddle

SPARK RC WORLD CUP

CARBON BLACK

S, M, L, XL

425326-3020 (EU)
425320-3020 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID Ultimate Flight Attendant, Electronically controlled Suspension, FA Race Day damper 3 Modes, 15x110mm Maxle Stealth, 44mm offset /Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox SIDLuxe Ultimate Flight Attendant Custom, Electronically controlled Suspension, 3 Modes Lockout-Pedal-Descend, Solo Air, Reb. Adj./ Lockout, Bearing Hardware, Travel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	Automatic electronic suspension system, that listens to the rider and responds in real-time
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle Transmission, Spindle Power Meter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
FREINS	SRAM Motive Silver 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V1.0 Cut Out, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, XD Driver, Syncros SL Axle w/ Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	11.3 kg (Tubless setup) 24.91 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Syncros Belcarra Saddle

SPARK RC WORLD CUP

HUSH PURPLE

S, M, L, XL

425326-8275 (EU)
425320-8275 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID Ultimate Flight Attendant, Electronically controlled Suspension, FA Race Day damper 3 Modes, 15x110mm Maxle Stealth, 44mm offset /Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox SIDLuxe Ultimate Flight Attendant Custom, Electronically controlled Suspension, 3 Modes Lockout-Pedal-Descend, Solo Air, Reb. Adj./ Lockout, Bearing Hardware, ravel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	Automatic electronic suspension system, that listens to the rider and responds in real-time
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle Transmission, Spindle Power Meter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
FREINS	SRAM Motive Silver 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V1.0 Cut Out, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	11.3 kg (Tubless setup) 24.91 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Syncros Belcarra Saddle

SPARK RC PRO

AZURE WHITE

S, M, L, XL

29"

425648-8314 (EU)
425647-8314 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	FOX 34SL Float Performance Elite Air Grip SL, 3-Modes, Kabolt 15x110mm Axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 120mm travel
AMORTISSEUR	FOX NUDE 6 EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Reb. Adj., Bearing Hardware, Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano XT Di2 RD-M8250 SGS, 12 Speed, Wireless Electronic Shift System
SHIFTER	Shimano XT Di2 SW-M8250-IR, Ispec EV clamp
MANIVELLES	Shimano XT FC-M8200-1, Hollowtech 2, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	Shimano XT BB-7141, shell 41x92mm
CHAÎNE	Shimano XT CN-M8100
CASSETTE	Shimano XT CS-M8200-12, 10-51 T
FREINS	Shimano XT M8220 4 Piston Disc, Shimano RT-CL700 , 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, MS Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	Shimano Di2 Powerpack
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	11.6 kg (Tubless setup) 25.57 lbs (Tubless setup)

WHAT'S NEW

Fox 34SL Fork
Shimano XT Di2

SPARK RC TEAM ISSUE

TWINKLE GREEN

S, M, L, XL

menu

29"

425327-8351 (EU)
425321-8351 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID Select 3P Air, Charger RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox NUDE 5 RL3 Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Debon Air, Reb. Adj., Bearing Hardware/ Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM GX Eagle Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Motive Bronze 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
ACCESSOIRES	Transport Axle
POIDS APPROX.	11.7 kg (Tubless setup) 25.79 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Syncros Carbon Wheelset
Syncros Belcarra Saddle

SPARK RC TEAM ISSUE

BERYL GREEN

S, M, L, XL

29"

425327-8263 (EU)
425321-8263 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID Select 3P Air, Charger RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox NUDE 5 RL3 Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Debon Air, Reb. Adj., Bearing Hardware/ Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM GX Eagle Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Motive Bronze 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
ACCESSOIRES	Transport Axle
POIDS APPROX.	11.7 kg (Tubless setup) 25.79 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
RS Shock Bearing Hardware
Syncros Carbon Wheelset
Syncros Belcarra Saddle

SPARK RC TEAM

CARBON BLACK

S, M, L, XL

menu

29"

425328-3020 (EU)
425322-3020 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID 3P Air, Rush RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox NUDE 5 RL3 Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Debon Air, Reb. Adj., Bearing Hardware/ Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB6 4-Piston Disc, SRAM Centerline CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 2.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim, 28H, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	12.5 kg (Tubless setup) 27.56 lbs (Tubless setup)

WHAT'S NEW

SRAM DB6 Brakes
RS Shock Bearing Hardware
Syncros Dropper
Syncros Belcarra Saddle

SPARK RC TEAM

WHISPER GREY

S, M, L, XL

29"

425328-8356 (EU)
425322-8356 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID 3P Air, Rush RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 120mm travel
AMORTISSEUR	RockShox NUDE 5 RL3 Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Debon Air, Reb. Adj., Bearing Hardware/ Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB6 4-Piston Disc, SRAM Centerline CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 2.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim, 28H, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	12.5 kg (Tubless setup) 27.56 lbs (Tubless setup)

WHAT'S NEW

SRAM DB6 Brakes
RS Shock Bearing Hardware
Syncros Dropper
Syncros Belcarra Saddle

SPARK RC COMP

CUMULUS WHITE

S, M, L, XL

menu

29"

425329-8087 (EU)
425323-8087 (NON EU)



CADRE	Spark RC Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	FOX 32 Float Rhythm Grip, 3-Modes, Kabolt 15x110mm axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 120mm travel
AMORTISSEUR	FOX Float LV Custom EVOL Performace Trunnion, 3 modes, Lockout-Trail-Descend, DPS, Reb. Adj., Travel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Trigger
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB4 4-Piston Disc, SRAM Centerline CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30SE, 32H, 30mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
POIDS APPROX.	12.8 kg (Tubless setup) 28.22 lbs (Tubless setup)

WHAT'S NEW

SRAM Eagle 70
SRAM DB4 Brakes
Syncros Dropper
Syncros Belcarra Saddle



SPARK 900



SPARK 900 EVO CARBON BLACK



SPARK 910 SCRATCH GREY



SPARK 920 ALPINO GREEN

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SPARK 900 EVO	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Pike FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton 1.0-30 Carbon	Syncros Fraser iC SL DC Carbon / Syncros Dropper 1.5S	HMF	2.6	140 / 120mm
SPARK 910	Shimano XT Di2 / Shimano XT 4P	12	Fox 36SL Performance Elite / Fox Nude 6T EVOL	TwinLoc	Syncros Silverton 2.0-30	Syncros Fraser iC SL DC Carbon / Syncros Dropper 1.5S	HMF	2.6	140 / 120mm
SPARK 920	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Rock Shox Pike 3P / Rock Shox Nude 5 RL3	TwinLoc	Syncros Silverton 2.5-30	Syncros Fraser / Syncros Dropper 1.5S	HMF / Alloy SL	2.6	140 / 120mm

SPARK 900 EVO

CARBON BLACK

S, M, L, XL

425563-3020



CADRE	Spark Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Pike Ultimate Flight Attendant, Electronically controlled Suspension, FA Charger 3.1 damper 3 Modes, 15x110mm Maxle Stealth, 44mm offset /Tapered steerer, Lockout, Reb. Adj., 140mm travel
AMORTISSEUR	RockShox SIDLuxe Ultimate Flight Attendant Custom, Electronically controlled Suspension, 3 Modes Lockout-Pedal-Descend, Solo Air, Reb. Adj./ Lockout, Bearing Hardware, Travel 120mm, T165X45mm
CONTRÔLE SUSPENSIONS	Automatic electronic suspension system, that listens to the rider and responds in real-time
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle Transmission, Spindle Power Meter, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
FREINS	SRAM Motive Silver 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser iC SL DC Carbon, 0° rise, back sweep 8°, mini Rise, 760mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5S, Travel Adjust, 31.6mm, S size 110mm, M size 140mm, L size 160mm, XL size 180mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, Syncros Hubs, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
EXTRAS	SRAM AXS Powerpack, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Tire Sealant
POIDS APPROX.	12.2 kg (Tubless setup) 26.9 lbs (Tubless setup)

WHAT'S NEW

Rock Shox Flight Attendant
Fork 140mm travel
RS Shock Bearing Hardware
Powermeter
SRAM Motive Brakes

SPARK 910

SCRATCH GREY

S, M, L, XL

menu

29"

425564-8343



CADRE	Spark Carbon HMF, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	FOX 36SL Float Performance Elite Air Grip SL, 3-Modes, Kabolt 15x110mm Axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 140mm travel
AMORTISSEUR	FOX NUDE 6T EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano XT Di2 RD-M8250 SGS, 12 Speed, Wireless Electronic Shift System
SHIFTER	Shimano XT Di2 SW-M8250-IR, Ispec EV clamp
MANIVELLES	Shimano XT FC-M8200-1, Hollowtech 2, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BOÎTIER	Shimano XT BB-7141, shell 41x92mm
CHAÎNE	Shimano XT CN-M8100
CASSETTE	Shimano XT CS-M8200-12, 10-51 T
FREINS	Shimano XT M8220 4 Piston Disc, Shimano RT-CL700 , F&R 180mm
CINTRE	Syncros Fraser iC SL DC Carbon, 0° rise, back sweep 8°, mini Rise, 760mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5S, Travel Adjust, 31.6mm, S size 110mm, M size 140mm, L size 160mm, XL size 180mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 2.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H, MS Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
EXTRAS	Shimano Di2 Powerpack
ACCESSOIRES	Tire Sealant
POIDS APPROX.	12.6 kg (Tubless setup) 27.78 lbs (Tubless setup)

WHAT'S NEW

FOX 36SL Fork
Shimano XT Di2

SPARK 920

ALPINO GREEN

S, M, L, XL

29"

425565-8312



CADRE	Spark Carbon HMF Mainframe with Alloy 6011 Swingarm, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Pike 3P Air, Custom Rush 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 140mm travel
AMORTISSEUR	RockShox NUDE 5 RL3 Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Debon Air, Reb. Adj., Bearing Hardware/ Travel 120-80-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB6 4-Piston Disc, SRAM Centerline CL Rotors, F&R 180mm
CINTRE	Syncros Fraser 2.0 DC Alloy 6061 D.B., mini Rise, back sweep 8°, 760mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 2.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper 1.5S, Travel Adjust, 31.6mm, S size 110mm, M size 140mm, L size 160mm, XL size 180mm
SELLE	Syncros Tofino 2.0 Regular, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 2.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready
PNEU ARRIÈRE	Maxxis Forekaster, 29x2.4", 60TPI Foldable, Tubeless Ready
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	13.6 kg (Tubless setup) 29.98 lbs (Tubless setup)

WHAT'S NEW

SRAM DB6 Brakes
RS Shock Bearing Hardware

RANSOM



RANSOM 900 RC MISTYADE GREEN



RANSOM 910 CARBON BLACK/CRACKLE BRONZE



RANSOM 920 CARBON BLACK/CRACKLE PURPLE

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	TRAVEL
RANSOM 900 RC	SRAM X0 Eagle Transmission AXS / SRAM Maven 4P	12	Fox Podium Float Factory Grip X2 / Fox Float X Nude Factory	Tracloc	Raceface Turbine R	Syncros Hixon iC Carbon / Syncros Dropper 1.5S	HMX	2.5	170mm
RANSOM 910	SRAM S1000 Eagle Transmission AXS / SRAM Maven 4P	12	Rock Shox Zeb Select+ / Fox Float X Nude	Tracloc	Syncros Revelstoke HD 1.5	Syncros Hixon / Syncros Dropper 1.5S	HMX / Alloy SL	2.5	170mm
RANSOM 920	SRAM Eagle 70 Transmission / Sram DB8 4P	12	Marzocchi Z1 / Marzocchi Bomber Air		Syncros MD30 Rims	Syncros Hixon / Syncros Dropper 1.5S	HMX / Alloy SL	2.5	170mm

RANSOM 900 RC

MISTYADE GREEN | S, M, L, XL | 29"

425575 - 8336



CADRE	Ransom Carbon HMX, Integrated Suspension Technology, 6 Link kinematic, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline, MX Ready
FOURCHE	FOX Podium Factory Grip X2 Air, Kashima, HSC - LSC - HSR- LSR adjustable, 20x110mm, 44mm offset, tapered steerer, 170mm travel
AMORTISSEUR	FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion, Kashima, SCOTT custom w. travel, geo adj., 3 modes: Climb-Ramp Control-Descend, Custom large Air volume, Comp & Reb. Adj., Travel 170-130-Climb, T205X65mm, Bearing Hardware
CONTRÔLE SUSPENSIONS	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle Transmission, Bash guard, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
FREINS	SRAM Maven Silver 4 Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon iC SL Carbon, 25mm rise, back sweep 8°, 780mm, 40mm, Syncros AM lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5S, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L & XL size 210mm
SELLE	Syncros Tofino 1.5, Titanium Rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Race Face Turbine R 30, 110x20, 148x12 rear, 29", 28H, Tubeless Ready Rims, XD driver, Syncros Axle w/Removable Lever with Tool
PNEU AVANT	Schwalbe Magic Mary 29x2.5", Trail, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
EXTRAS	SRAM AXS Powerpack, Syncros Eco Sealant
ACCESSOIRES	Syncros IS Matchbox kit, Syncros IS tubeless Handlebar tool, Syncros Multi-tool Matchbox 8
POIDS APPROX.	15.9 kg (Tubless setup without matchbox IS) 35.05 lbs (Tubless setup without matchbox IS)

WHAT'S NEW

Fox Podium Factory
Sram Maven Silver brakes
Schwalbe Radial Tires

RANSOM 910

CARBON BLACK/CRACKLE BRONZE

S, M, L, XL

menu

29"

425576 - 8316



CADRE	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm, Integrated Suspension Technology, 6 Link kinematic, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline, MX Ready
FOURCHE	RockShox Zeb Select+ Charger 3.1, HSC - LSC - LSR adjustable, 15x110mm Maxle stealth axle, 42mm offset, Tapered Steerer, 170mm travel
AMORTISSEUR	FOX FLOAT X NUDE EVOL Piggy Back Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Climb-Ramp Control-Descend, Custom large Air volume, Comp & Reb. Adj., Travel 170-130-Climb, T205X65mm, Bearing Hardware
CONTRÔLE SUSPENSIONS	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM Maven Bronze 4 Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon 2.0 Alloy 6061 D.B., Size S & M 12mm Rise, Size L & XL 20mm Rise, back sweep 8°, 780mm, Syncros AM lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 40mm
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5S, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L & XL size 210mm
SELLE	Syncros Tofino 2.0, Crmo Rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Revelstoke HD1.5 IS, F: 15x110mm, R: 12x148mm Boost, 30mm Tubeless ready rim 28H, Syncros Axle w/Removable Lever with Tool
PNEU AVANT	Schwalbe Magic Mary 29x2.5", Trail, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
EXTRAS	SRAM AXS Powerpack, RS Zeb Fender
ACCESSOIRES	Syncros IS Matchbox kit, Syncros IS tubeless Handlebar tool, Syncros Multi-tool Matchbox 8
POIDS APPROX.	16.9 kg (Tubless setup without matchbox IS) 37.26 lbs (Tubless setup without matchbox IS)

WHAT'S NEW

Sram Maven Bronze brakes
SRAM S1000 Eagle AXS Transmission drivetrain
Schwalbe Radial Tires
Syncros Revelstoke HD1.5Wheels

RANSOM 920

CARBON BLACK/CRACKLE PURPLE

S, M, L, XL

29"

425577-8317



CADRE	Ransom Carbon HMF Mainframe with Alloy 6061 Swingarm, Integrated Suspension Technology, 6 Link kinematic, Adjustable head angle, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline, MX Ready
FOURCHE	Marzocchi Z1, Rail 3 , LSC-LSR adjustable, 15x110mm, 44mm offset, Tapered steerer, 170mm travel
AMORTISSEUR	Marzocchi Bomber Air, SCOTT Custom Tuned, Comp & Reb adjust, T205x65mm, 170mm travel
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Trigger
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB8 Stealth 4 Piston Disc, SRAM Centerline Rotors F&R 200mm
CINTRE	Syncros Hixon 2.0 Alloy 6061 D.B., Size S & M 12mm Rise, Size L & XL 20mm Rise, back sweep 8°, 780mm, Syncros AM lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 40mm
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5S, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L & XL size 210mm
SELLE	Syncros Tofino 2.0, Crmo Rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula SCT-1905, 110x15mm, thru axle
MOYEU ARRIÈRE	Formula SCT-1910, 148x12mm thru axle, sealed bearings
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alexrims MD30 Disc, 32H black, 30mm, Tubeless Ready
PNEU AVANT	Schwalbe Magic Mary 29x2.5", Trail, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
ACCESSOIRES	Syncros IS Matchbox Kit, Syncros Multi-tool Matchbox 8
POIDS APPROX.	16.64 kg (Tubless setup without matchbox IS) 36.68 lbs (Tubless setup without matchbox IS)

WHAT'S NEW

Marzocchi Suspension
SRAM Eagle 70 Transmission drivetrain
Schwalbe Radial Tires
Alexrims MD30 rims.

GAMBLER



GAMBLER RC MISTYADE GREEN



GAMBLER 10 CARBON BLACK/CRACKLE BRONZE



GAMBLER 20 ALLOY SILVER

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	WHEELS	REAR HUB	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	TRAVEL
GAMBLER RC	SRAM XO1 DH / Shimano XT 4P	7	Fox 40 Float Factory Grip X2 / Fox DH X2 Factory	Raceface Atlas	12 X 157	Syncros DH1.5	HMX	29x2.5 / 27.5x2.5	200mm
GAMBLER 10	SRAM GX DH / Shimano MT520 4P	7	Rock Shox Boxxer Base / RS Vivid Coil Base	Syncros MD30 Rims	12 X 157	Syncros DH2.0	HMX / Alloy SL	29x2.5 / 27.5x2.5	200mm
GAMBLER 20	SRAM GX DH / Sram DB8 4P	7	Rock Shox Boxxer Base / RS Vivid Coil Base	Syncros MD30 Rims	12 X 157	Syncros DH2.0	Alloy SL	29x2.5 / 27.5x2.5	200mm

GAMBLER RC

MISTYADE GREEN

M, L, XL

29" MX 27.5

425581-8336



CADRE	Gambler Carbon HMX, Integrated Suspension Technology, 6 Link Kinematic, Reach_BB height_CST length Adjust, UDH Interface, BB107, 12x157mm, MX Ready
FOURCHE	FOX 40 Factory Grip X2 Air, Kashima, HSC - LSC - HSR- LSR adjustable, 20x110mm, 52mm offset, 200mm travel
AMORTISSEUR	FOX DH X2 Factory, Independent high, low comp., rebound, RVS, custom tune, 250x75mm
DÉRAILLEUR ARRIÈRE	SRAM XO1 DH, Short cage, 7 Speed
SHIFTER	SRAM XO1 DH, Trigger Shifter, 7 Speed
MANIVELLES	Raceface Atlas DM36T Alloy Chainring DM, 165mm
CHAINGUIDE	MRP TR2 Upper Guide, SCOTT Gambler integrated Bashguard
BOÎTIER	Raceface PF BB107 Double row
CHAÎNE	KMC X11
CASSETTE	SRAM CS PG-720 DH 11-25
FREINS	SRAM Maven Silver 4 Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon 1.5 DH, 35mm, 20mm Rise, 8°, 800mm, Syncros AM lock-on grips
POTENCE	Syncros DH1.5, 35mm, Direct Mount 50mm
TIGE DE SELLE	Syncros DH1.5, 31.6mm, Alloy7050
SELLE	Syncros Kaslo 1.5, Titanium Rails
JEU DE DIRECTION	Syncros-Acros Gambler Semi integrated, DH Reach adj +-5mm with cup, ZS56/28.6-ZS56/40
ROUE	Race Face Atlas, 110x20 Boost front, 157x12 rear, 29"front, 27.5"rear, 28H, Tubeless Ready Rims
PNEU AVANT	Maxxis Assegai 29x2.5", 2x60TPI, DH, TR, 3C Maxx Grip
PNEU ARRIÈRE	Maxxis DHR II 27.5x2.5", 2x60TPI, DH, TR, 3C Maxx Terra
POIDS APPROX.	16.84 kg (Tubless setup) 37.13 lbs (Tubless setup)

WHAT'S NEW

New Frame

GAMBLER 10

CARBON BLACK/CRACKLE BRONZE

M, L, XL

menu

29" MX 27.5

425582-8316



CADRE	Gambler Carbon HMX Mainframe, Alloy 6061 Swingarm, Integrated Suspension Technology, 6 Link Kinematic, Reach_BB height_CST length Adjust, UDH Interface, BB107, 12x157mm, MX Ready
FOURCHE	RockShox Boxxer Base, Rush RC /Comp. Reb. adjust, 52mm Offset, 20mm Boost thru axle, 200mm Travel
AMORTISSEUR	RockShox Vivid Coil, rebound Adj., Custom tune, 250x75mm
DÉRAILLEUR ARRIÈRE	SRAM GX DH, Short cage, 7 Speed
SHIFTER	SRAM GX DH, Trigger Shifter, 7 Speed
MANIVELLES	SRAM Descendant DH DUB, 34T Steel chainring DM, 165mm
CHAINGUIDE	MRP TR2 Upper Guide, SCOTT Gambler integrated Bashguard
BOÎTIER	SRAM DUB PF MTB107, Shell 107x41mm
CHAÎNE	KMC X11
CASSETTE	SRAM CS PG-720 DH 11-25
FREINS	Shimano MT520 4 Piston Disc, Shimano SM-RT76, 6 Bolt, 203mm
CINTRE	Syncros Hixon 1.5 DH, 31.8mm, 15mm Rise, 8°, 800mm, Syncros AM lock-on grips
POTENCE	Syncros DH1.5, 31.8mm, Direct Mount 50mm
TIGE DE SELLE	Syncros DH2.0, 31.6mm, Alloy6061
SELLE	Syncros Kaslo 2.0, Crmo Rails
JEU DE DIRECTION	Syncros-Acros Gambler Semi integrated, ZS56/28.6-ZS56/40
MOYEU AVANT	Formula DHL-93 Boost, 110x20mm thru axle
MOYEU ARRIÈRE	Formula DHL-157, 157x12mm thru axle, sealed bearings
RAYONS	DT Swiss Industry, 2.0 black
JANTES	Alexrims MD30 Disc, 29"front, 27.5"rear, 32H black, Tubeless Ready
PNEU AVANT	Maxxis Assegai 29x2.5", 2x60TPI, DH, TR, 3C Maxx Grip
PNEU ARRIÈRE	Maxxis DHR II 27.5x2.5", 2x60TPI, DH, TR, 3C Maxx Terra
POIDS APPROX.	17.54 kg (Tubless setup) 38.67 lbs (Tubless setup)

WHAT'S NEW

New Frame

GAMBLER 20

ALLOY SILVER

S, M, L, XL

425080-2308



CADRE	Gambler Alloy 6061, Hydroformed custom butted, BB107, VLK Virtual 4 Link kinematic, 27.5" (2.6) and 29" (2.5) tire compatible with Geo-BB adj., SW DH 12x157mm dropout
FOURCHE	RockShox Boxxer Base, Rush RC /Comp. Reb. adjust, 52mm Offset, 20mm Boost thru axle, 200mm Travel
AMORTISSEUR	RockShox Vivid Coil, rebound Adj., Custom tune, TR225x75mm
DÉRAILLEUR ARRIÈRE	SRAM GX DH, Short cage, 7 Speed
SHIFTER	SRAM GX DH, Trigger Shifter, 7 Speed
MANIVELLES	SRAM Descendant DH DUB, 34T Steel chainring DM, 165mm
CHAINGUIDE	SCOTT DH Custom
BOÎTIER	SRAM DUB PF MTB107, Shell 107x41mm
CHAÎNE	KMC X11
CASSETTE	SRAM CS PG-720 DH 11-25
FREINS	Sram DB8 Stealth, Sram Centerline, 6bolt, 200mm
CINTRE	Syncros Hixon 1.5 DH, 31.8mm, 15mm Rise, 8°, 800mm, Syncros Endurance lock-on grips
POTENCE	Syncros DH1.5, 31.8mm, Direct Mount 50mm
TIGE DE SELLE	Syncros DH2.0, 31.6mm, Alloy6061
SELLE	Syncros Kaslo 2.0, Crmo Rails
JEU DE DIRECTION	Syncros DH, Semi integrated, ID 49.6mm, OD 56mm
MOYEU AVANT	Formula DHL-93 Boost, 110x20mm, thru axle
MOYEU ARRIÈRE	Formula DHL-157, 157x12mm thru axle, sealed bearings
RAYONS	DT Swiss Industry, 2.0 black
JANTES	Alexrims MD30 Disc, 29"front, 27.5"rear, 32H black, Tubeless Ready
PNEU AVANT	Maxxis Assegai 29x2.5", 2x60TPI, DH, TR, 3C Maxx Grip
PNEU ARRIÈRE	Maxxis DHR II 27.5x2.5", 2x60TPI, DH, TR, 3C Maxx Terra
PÉDALES	Wellgo B155U SCT, flat, w/replaceable pins
POIDS APPROX.	17.4 kg (without pedals) 38.36 lbs (without pedals)


SCOTT
SCHWALBE
RACING RAY

HARDTAIL LINE-UP

Nos VTT semi-rigides conviennent à tous les usages, que vous participiez à des courses au plus haut niveau ou que vous fassiez vos débuts dans le monde du VTT. En matière d'efficacité, ces vélos sont imbattables!





SCALE RC

Le Scale RC offre le mélange parfait entre rigidité, légèreté et 30 ans d'expertise dans l'usage du carbone. Les caractéristiques du Scale, réunies dans un cadre au design irréprochable, vous permettent de vous éloigner un peu plus du peloton à chaque coup de pédale.



SCALE

La gamme de vélos Scale puise son inspiration de ses cousins conçus pour la course, mais se focalise davantage sur le confort et sur un prix plus abordable. Disponibles avec un cadre en aluminium ou en carbone, ces modèles sont utilisés dans le monde entier en tant que vélos de course, vélos d'aventure, et bien d'autres choses encore.



CONTRAIL

Entrez dans le monde des VTT avec la toute nouvelle gamme de vélos Contrail : Votre allié polyvalent et votre ticket pour partir explorer les grands espaces. Découvrez une géométrie moderne inspirée des trails, des composants soigneusement sélectionnés pour vous soutenir en toute occasion, ainsi qu'une sélection de couleurs et de modèles qui ne laissent rien au hasard !

SCALE RC



SCALE RC WORLD CUP HUSH PURPLE



SCALE RC TEAM ISSUE WHITE



SCALE RC TEAM CARBON BLACK

	DRIVE TRAIN/BRAKES	SPEED	FORK	REMOTE	WHEELS	COMPONENTS	FRAME	MAX TIRE WIDTH	TRAVEL
SCALE RC WORLD CUP	SRAM XX SL-XX Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID SL Ultimate 3P	RideLoc / 3P	Fulcrum Red Zone Carbon	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMX	2.5	110mm
SCALE RC TEAM ISSUE	SRAM GX Eagle Transmission AXS / SRAM Motive 4P	12	Rock Shox SID SL Select 3P	RideLoc / 3P	Fulcrum Red Zone	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMF	2.5	110mm
SCALE RC TEAM	SRAM S1000 Eagle Transmission AXS / SRAM DB6	12	Rock Shox SID SL 3P	RideLoc / 3P	Syncros Silverton 2.5	Syncros Fraser XC / Syncros Dropper XC	HMF	2.5	110mm

SCALE RC WORLD CUP

HUSH PURPLE

S, M, L, XL

425629-8275



CADRE	Scale Carbon HMX, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID SL Ultimate 3P Air, Charger Race Day 2 Damper 3-Modes, 15x110mm Maxle Stealth, 44mm offset / Tapered steerer, Lockout, Reb. Adj., 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM XX Eagle AXS Transmission, Carbon crankarm, Spindle Power Meter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN XX Eagle Transmission
CASSETTE	SRAM XX Eagle XS 1297 Transmission 10-52
FREINS	SRAM Motive Ultimate 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V1.0 Cut Out, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Fulcurm Red Zone Carbon CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rims 28H, XD Driver, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack, Syncros Tubeless Handlebar Tool
ACCESSOIRES	Milkit Tire Sealant, Transport Axle
POIDS APPROX.	9.6 kg (Tubless setup) 21.16 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
Syncros Belcarra Saddle

SCALE RC TEAM ISSUE

WHITE

S, M, L, XL

menu

29"

425630-0002



CADRE	Scale Carbon HMX, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID SL Select 3P Air, Charger RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM GX Eagle Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Motive Bronze 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Fulcrum Red Zone 300 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H, XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	10.4 kg (Tubless setup) 22.93 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
Syncros Belcarra Saddle

SCALE RC TEAM

CARBON BLACK

S, M, L, XL

29"

425631-3020



CADRE	Scale Carbon HMX, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID SL 3P Air, Rush RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB6 4-Piston Disc, SRAM Centerline CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper 1.5XC, 31.6mm, all sizes 100mm
SELLE	Syncros Belcarra V2.5 Cut Out
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 2.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim, 28H, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead,Tubeless Ready, EXO
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	11.2 kg (Tubless setup) 24.69 lbs (Tubless setup)

WHAT'S NEW

SRAM DB6 Brakes
Syncros Belcarra Saddle

SCALE



SCALE 910 CARBON BLACK



SCALE 910 WHITE



SCALE 920 CARBON BLACK



SCALE 920 WHITE



SCALE 920 AMBROSIA GREEN



SCALE 925 BLACK



SCALE 930 BLACK



SCALE 935 TWINKLE GREEN



SCALE 940 BLACK



SCALE 940 WHITE

	DRIVE TRAIN/BRAKES	SPEED	FORK	REMOTE	WHEELS	COMPONENTS	FRAME	MAX TIRE WIDTH	TRAVEL
SCALE 910	SRAM Eagle 70 Transmission / Shimano MT401	12	Fox 32 Float Rhythm	RideLoc / 3P	Syncros X-30SE TR Rims	Syncros Alloy / Syncros Dropper	HMF	2.5	110mm
SCALE 920	Shimano Deore / Shimano MT200	12	Rock Shox Judy Silver TK	RideLoc / 2P	Alex TR Rims	Syncros Alloy / Syncros Dropper	HMF	2.5	110mm
SCALE 925	Shimano XT-Deore / Shimano MT401	12	Rock Shox SID SL 3P	RideLoc / 3P	Alex TR Rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 930	SRAM NX-SX Eagle / Shimano MT200	12	Rock Shox Judy Silver TK	PopLoc / 2P	Alex TR Rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 935	Shimano Deore / Shimano MT200	12	Rock Shox Judy Silver TK	PopLoc / 2P	Alex TR Rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 940	Shimano Deore / Shimano MT200	12	Rock Shox Judy Silver TK Coil QR	x	Alex TR Rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / 5 x 141 QR	2.5	100mm

SCALE 910

CARBON BLACK

S, M, L, XL

29"

425463-3020



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	FOX 32 Float Rhythm Grip, 3-Modes, 15x110mm QR axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Trigger
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	Shimano MT401 Disc, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-3248, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30SE, 32H, 30mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
POIDS APPROX.	11.9 kg (Tubless setup) 26.23 lbs (Tubless setup)

WHAT'S NEW

Fork Travel 110mm
SRAM Eagle 70
Dropper post
Tubeless Ready

SCALE 910

WHITE | S, M, L, XL | 29"

425463-0002



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	FOX 32 Float Rhythm Grip, 3-Modes, 15x110mm QR axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Trigger
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	Shimano MT401 Disc, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-3248, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30SE, 32H, 30mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
POIDS APPROX.	11.9 kg (Tubless setup) 26.23 lbs (Tubless setup)

WHAT'S NEW

Fork Travel 110mm
SRAM Eagle 70
Dropper post
Tubeless Ready

SCALE 920

CARBON BLACK

S, M, L, XL

29"

425464-3020



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Solo Air, 15x110mm QR axle, 51mm offset, Tapered Steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-548M, 12x148mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	12.9 kg (Tubless setup) 28.44 lbs (Tubless setup)

WHAT'S NEW

Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 920

WHITE

S, M, L, XL

menu

29"

425464 - 0002



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Solo Air, 15x110mm QR axle, 51mm offset, Tapered Steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-548M, 12x148mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	12.9 kg (Tubless setup) 28.44 lbs (Tubless setup)

WHAT'S NEW

Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 920

AMBROSIA GREEN | S, M, L, XL | 29"

425464 - 8313



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Solo Air, 15x110mm QR axle, 51mm offset, Tapered Steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-548M, 12x148mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	12.9 kg (Tubless setup) 28.44 lbs (Tubless setup)

WHAT'S NEW

Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 925

BLACK

XS, S, M, L, XL, XXL

29"

425649-0001



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox SID SL 3P Air, Rush RL 3-Mode Damper, 15x110mm Maxle Stealth, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 110mm travel
CONTRÔLE SUSPENSIONS	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
DÉRAILLEUR ARRIÈRE	Shimano XT RD-M8100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT401 Disc, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, XS&S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-548M, 12x148mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
POIDS APPROX.	12.5 kg (Tubless setup without pedals) 27.56 lbs (Tubless setup without pedals)

WHAT'S NEW

RS SID Fork
Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 930

BLACK

XS, S, M, L, XL, XXL

29"

425465-0001



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Solo Air, 15x110mm QR axle, 51mm offset, Tapered Steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	RockShox PopLoc Remote
DÉRAILLEUR ARRIÈRE	SRAM NX Eagle 12 Speed
SHIFTER	SRAM SX Eagle Trigger
MANIVELLES	SRAM SX Eagle DUB, 55mm CL, 32T
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN SX Eagle
CASSETTE	SRAM SX-PG1210, 11-50 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, XS&S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-3248, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	13.7 kg (Tubless setup without pedals) 30.20 lbs (Tubless setup without pedals)

WHAT'S NEW

Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 935

TWINKLE GREEN

XS, S, M, L, XL, XXL

menu

29"

425650-8351



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Solo Air, 15x110mm QR axle, 51mm offset, Tapered Steerer, Reb. Adj., Lockout, 110mm travel
CONTRÔLE SUSPENSIONS	RockShox PopLoc Remote
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, XS&S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-548M, 12x148mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	13.8 kg (Tubless setup without pedals) 30.42 lbs (Tubless setup without pedals)

WHAT'S NEW

Fork Travel 110mm
Dropper post
Tubeless Ready

SCALE 940

BLACK

XS, S, M, L, XL, XXL

29"

425466-0001



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, QR Axle 5x141mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Coil, QR, 51mm offset, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, XS&S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-51
MOYEU ARRIÈRE	Formula CL-541M, 5x141mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	13.9 kg (Tubless setup without pedals) 30.64 lbs (Tubless setup without pedals)

WHAT'S NEW

RS Judy Fork
Dropper post
Tubeless Ready

SCALE 940

WHITE

XS, S, M, L, XL, XXL

menu

29"

425466-0002



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, QR Axle 5x141mm with 55mm Chainline
FOURCHE	RockShox Judy Silver TK Coil, QR, 51mm offset, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT512-1, 55mm CL, 32T
BOÎTIER	Shimano BB-MT500, shell 41x92mm
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
TIGE DE SELLE	Syncros Duncan Dropper, 31.6mm, XS&S size 100mm, M size 130mm, L &XL size 150mm
SELLE	Syncros Belcarra Regular 2.5
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-51
MOYEU ARRIÈRE	Formula CL-541M, 5x141mm, Micro Spline
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alex X-25/ 32H, 25mm, Tubeless ready
PNEU AVANT	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
PNEU ARRIÈRE	Maxxis Rekon Race, 29x2.4", EXO, Tubeless Ready
POIDS APPROX.	13.9 kg (Tubless setup without pedals) 30.64 lbs (Tubless setup without pedals)

WHAT'S NEW

RS Judy Fork
Dropper post
Tubeless Ready



CONTRAIL



CONTRAIL 10 BLACK



CONTRAIL 10 CUMULUS WHITE



CONTRAIL 20 BLACK



CONTRAIL 20 TROPIC BLUE



CONTRAIL 30 BLACK



CONTRAIL 30 LUMINARY GREEN



CONTRAIL 30 VIOLET PINK

CONTRAIL	FORK	REMOTE LOCK OUT	DRIVETRAIN	BRAKES	HUB STANDARD	MAX TIRE WIDTH	TRAVEL
CONTRAIL 10	Rock Shox 30 Silver TK	x	Shimano CUES 11 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	2.6	100mm
CONTRAIL 20	SR Suntour XCT30 HLO	x	Shimano CUES 11 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	2.6	100mm
CONTRAIL 30	SR Suntour XCE28	x	Shimano CUES 9 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	2.6	100mm

CONTRAIL 10

BLACK

27.5" XS 29" S, M, L, XL, XXL

425632-0001



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	RockShox Judy Silver TK Coil, QR, 46mm offset, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Shimano CUES FC-U4000-1, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Shimano MT200, Hydr. Disc Brakes, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula CL51
MOYEU ARRIÈRE	Shimano FH-QC300-HM
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	13.98 kg (without pedals) 30.82 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 10

CUMULUS WHITE

27.5" XS | 29" S, M, L, XL, XXL

425632-8087



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	RockShox Judy Silver TK Coil, QR, 46mm offset, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Shimano CUES FC-U4000-1, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Shimano MT200, Hydr. Disc Brakes, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula CL51
MOYEU ARRIÈRE	Shimano FH-QC300-HM
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	13.98 kg (without pedals) 30.82 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 20

BLACK

27.5" XS

29" S, M, L, XL, XXL

425633-0001



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	Suntour XCT30-HLO, Black Stanchions, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, DDK Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	14.37 kg (without pedals) 31.68 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 20

TROPIC BLUE

27.5" XS

29" S, M, L, XL, XXL

425633-8349



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	Suntour XCT30-HLO, Black Stanchions, Reb. Adj., Lockout, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, DDK Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	14.37 kg (without pedals) 31.68 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 30

BLACK

27.5" XS 29" S, M, L, XL, XXL

425634-0001



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	Suntour XCE28, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000-GS, Shadow Type, 9 Speed
SHIFTER	Shimano CUES SL-U4000-9, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-9, 11-46T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, DDK Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	14.33 kg (without pedals) 31.59 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 30

LUMINARY GREEN

27.5" XS | 29" S, M, L, XL, XXL

425634 - 8177



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	Suntour XCE28, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000-GS, Shadow Type, 9 Speed
SHIFTER	Shimano CUES SL-U4000-9, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-9, 11-46T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, DDK Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	14.33 kg (without pedals) 31.59 lbs (without pedals)

WHAT'S NEW

New Model

CONTRAIL 30

VIOLET PINK

27.5" XS 29" S, M, L, XL, XXL

425634-8352



CADRE	Contrail Alloy 6061 Custom Butted Tubing, BSA73, Internal Cable Routing, QR Axle 5x135mm, replaceable hanger
FOURCHE	Suntour XCE28, 100mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000-GS, Shadow Type, 9 Speed
SHIFTER	Shimano CUES SL-U4000-9, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 30T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-9, 11-46T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, DDK Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	DDK Saddle
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", ZS56-62mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PNEU ARRIÈRE	Maxxis Rekon Race, 2.4", DUAL, 60PTI
PÉDALES	Feimin FP-803
POIDS APPROX.	14.33 kg (without pedals) 31.59 lbs (without pedals)

WHAT'S NEW

New Model



ROAD

BIKES

menu

ROAD LINE-UP

Une catégorie dédiée aux vélos conçus pour la performance pure et le pilotage intensif. Conçues pour les cyclistes qui veulent tout, ces machines sont élaborées pour repousser les limites, optimiser la vitesse et faire passer la performance au niveau supérieur.

La catégorie Ride a été conçue pour offrir exactement ce que son nom suggère : le plaisir pur à vélo. Qu'il s'agisse d'une aventure d'un week-end, d'une escapade après le travail ou d'une sortie en groupe au rythme effréné, ces vélos sont parfaits pour toutes les occasions. Avec des pneus légèrement plus larges, un cadre optimisé pour le confort et une géométrie confortable, ils vous garantissent une conduite agréable et fluide, où que vous alliez.







PLASMA RC

Avec le Plasma 6, nous avons décidé d'offrir une bonne flexibilité à nos «muscles aérodynamiques». Ce Plasma conçu spécifiquement pour le triathlon présente des câbles entièrement intégrés, un système d'hydratation et des espaces de rangement. Nous l'avons également rendu plus polyvalent, pour que chaque cycliste puisse trouver sa position de pilotage la plus efficace.



FOIL RC

Aérodynamisme, légèreté ou confort? Choisissez les trois! Avec le Foil RC, découvrez la nouvelle génération de vélos aérodynamiques. Conçu pour répondre aux demandes des sprinters, des attaquants et des cyclistes d'échappées du World Tour, ce modèle est notre vélo de route le plus rapide.



ADDICT RC

Conçu pour défier les lois de la gravité et booster vos performances, le tout nouvel Addict RC est notre vélo de série le plus léger à ce jour. Pour attaquer des montées raides ou pour votre sprint final jusqu'à la ligne d'arrivée, chaque aspect de ce vélo a été méticuleusement conçu pour atteindre un but unique et bien précis : laisser tous vos concurrents derrière vous.



ADDICT

L'Addict est destiné aux cyclistes qui aiment avant tout rouler et qui donnent la priorité au plaisir de faire du vélo plutôt qu'à la compétition. Confortable et performant, il rassemble les gens pour partager leurs expériences, quel que soit le rythme.



SPEEDSTER

Le Speedster est plus léger et plus élégant que jamais. Son kit cadre présente une fourche en carbone, un passage de câbles interne et une géométrie confortable.

PLASMA RC / FOIL RC TRI

PLASMA RC



PLASMA RC ULTIMATE CHROME SILVER



PLASMA RC PRO CARBON BLACK

FOIL RC TRI



FOIL RC TRI CUMULUS WHITE

	GROUPSET	CHAIN RINGS	CASSETTE	COCKPIT	WHEELS	TIRE	FRAME
PLASMA RC ULTIMATE	SRAM RED AXS with POWER METER	50/37	10/33	Syncros Creston iC TRI	Syncros Capital SL Aero 80mm	28C	HMX
PLASMA RC PRO	Shimano Ultegra Di2	52/36	11/30	Syncros Creston iC TRI	ZIPP 404 Firecrest	28C	HMX
FOIL RC TRI	SRAM FORCE AXS	48/35	10/36	ZIPP VUKA Bull / VUKA clip with carbon EVO extensions	ZIPP 303S	28C	HMX

PLASMA RC ULTIMATE

CHROME SILVER

XS, S, M, L, XL

425346-7958



CADRE	Plasma 6 HMX, TRI Geometry, Plasma HMX seatpost, Replaceable Derailleur Hanger
FOURCHE	Plasma 6 HMX, 1 1/4"- 1 1/2" Carbon, Flatmount Disc
DÉRAILLEUR ARRIÈRE	SRAM RED AXS, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	SRAM RED AXS, Electronic Shift System
SHIFTER	SRAM eTap AXS Wireless Blips
MANIVELLES	SRAM RED AXS Power Meter, 50/37 T
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RED
CASSETTE	SRAM RED XG 1290 E1, 10-33
LEVIER DE FREIN	SRAM S-900 Aero HRD
FREINS	SRAM S900 HRD flat mount, SRAM PACELINE X rotor 160/F and 160/R
CINTRE	Syncros Creston iC TRI, 400mm, Syncros E1 Carbon extension
TIGE DE SELLE	Syncros Plasma 6 HMX with Ritchey WCS clamp, adjustable head
SELLE	Syncros Belcarra 1.0 TRI
JEU DE DIRECTION	Syncros Integrated, 1 1/4"- 1 1/2" drop-in headset
ROUE	Syncros Capital SL Aero 80mm, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C Schwalbe Aerothan Tube
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C Schwalbe Aerothan Tube
POIDS APPROX.	9.3 kg 20.50 lbs

PLASMA RC PRO

CARBON BLACK

XS, S, M, L, XL

menu

425347-3020



CADRE	Plasma 6 HMX, TRI Geometry, Plasma HMX seatpost, Replaceable Derailleur Hanger
FOURCHE	Plasma 6 HMX, 1 1/4"- 1 1/2" Carbon, Flatmount Disc
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Di2 SW-R9160, Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, 52/36 T
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12, 11-30
LEVIER DE FREIN	Shimano Di2 ST-R9180, Electronic Shift System
FREINS	Shimano BR-R9170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros Creston iC TRI, 400mm, Syncros E1 Carbon extension
TIGE DE SELLE	Syncros Plasma 6 HMX with Ritchey WCS clamp, adjustable head
SELLE	Syncros Belcarra 1.5 TRI
JEU DE DIRECTION	Syncros Integrated, 1 1/4"- 1 1/2" drop-in headset
ROUE	ZIPP 404 Firecrest Carbon Tubeless, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	9.8 kg 21.61 lbs

FOIL RC TRI

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

menu

425348-8087



CADRE	FOIL RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL RC HMX, Flatmount Disc, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM FORCE AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM FORCE AXS Electronic Shift System
SHIFTER	SRAM eTap AXS Wireless Blips
MANIVELLES	SRAM FORCE Crankset, 48/35
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36
LEVIER DE FREIN	SRAM S-900 Aero HRD
FREINS	SRAM S900 HRD flat mount, SRAM PACELINE rotor 160/F and 140/R
CINTRE	ZIPP VUKA Bull, VUKA clip with carbon EVO extensions
POTENCE	Syncros Foil 1.5 Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	ZIPP 303S Carbon Tubeless, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold,700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold,700x28C
POIDS APPROX.	8.0 kg 17.64 lbs

ROAD

WHAT'S NEW

SRAM FORCE

FOIL RC



FOIL RC ULTIMATE TUNGSTEN GREY



FOIL RC PRO CUMULUS WHITE/CARBON BLACK



FOIL RC TEAM GRAPE PURPLE/CARBON BLACK



FOIL RC 10 CARBON BLACK



FOIL RC 10 VIOLET PINK/CARBON BLACK



FOIL RC 20 CARBON GREY



FOIL RC 20 GELATO BLUE/CARBON BLACK

	GROUPSET	CHAIN RINGS	CASSETTE	COCKPIT	WHEELS	TIRE	FRAME
FOIL RC ULTIMATE	SRAM RED AXS with POWER METER	48/35	10/33	Syncros Creston iC SL Aero	Syncros Capital SL Aero 60mm	28C	HMX SL
FOIL RC PRO	Shimano Dura Ace Di2	52/36	11/34	Syncros Creston iC SL Aero	Syncros Capital 1.0S Aero 60mm	28C	HMX
FOIL RC TEAM	SRAM FORCE AXS with SPINDLE POWER METER	48/35	10-36	Syncros Creston 1.0 Aero	Syncros Capital 1.0S Aero 60mm	28C	HMX
FOIL RC 10	Shimano Ultegra Di2	52/36	11/34	Syncros Creston 1.0 Aero	Syncros Capital 1.0 60	28C	HMX
FOIL RC 20	Shimano 105 Di2	52/36	11/34	Syncros Creston 2.0 Aero	Syncros Capital 1.0 60	28C	HMX

FOIL RC ULTIMATE

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

425339-8350 (EU)
425335-8350 (NON EU)



CADRE	FOIL RC HMX SL, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL RC HMX SL, Flatmount Disc, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM RED AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM RED AXS Electronic Shift System
SHIFTER	SRAM RED AXS HRD Shift-Brake System
MANIVELLES	SRAM RED Power Meter Crankset, 48/35
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-33
FREINS	SRAM RED AXS HRD Shift-Brake System, SRAM PACELINE X rotor 160/F and 140/R
CINTRE	Syncros Creston iC SL Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 1.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-626S
ROUE	Syncros Capital SL Aero 60mm, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	6.8 kg 14.99 lbs

FOIL RC PRO

CUMULUS WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

menu

425340-8086 (EU)
425336-8086 (NON EU)



CADRE	FOIL RC Disc HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL Disc HMX, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Dura-Ace Di2 RD-R9250, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTER	Shimano Dura-Ace Di2 ST-R9270, 24 Speed Electronic Shift System
MANIVELLES	Shimano Dura-Ace FC-R9200, Hollowtech II 52x36 T
BOÎTIER	Shimano SM-BB92-41B
CHAÎNE	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura-Ace CS-R9200-12, 11-34
FREINS	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL900 rotor 160/F and 140/R
CINTRE	Syncros Creston iC SL Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 1.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-626S
ROUE	Syncros Capital 1.0S Aero 60mm, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	7.1 kg 15.65 lbs

FOIL RC TEAM

GRAPE PURPLE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425682-8330 (EU)
425681-8330 (NON EU)



CADRE	FOIL RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL RC HMX, Flatmount Disc, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM FORCE AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM FORCE AXS Electronic Shift System
SHIFTER	SRAM FORCE AXS HRD Shift-Brake System
MANIVELLES	SRAM FORCE Spindle Power Meter Crankset, 48/35
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36
FREINS	SRAM FORCE AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 140/R
CINTRE	Syncros Creston iC SL Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	Syncros Capital 1.0S Aero 60mm, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	7.5 kg 16.53 lbs

WHAT'S NEW

SRAM FORCE AXS
Spindle Power Meter

FOIL RC 10

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425341-3020 (EU)
425337-3020 (NON EU)



CADRE	FOIL RC Disc HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL Disc HMX, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36 T
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros Creston 1.0 Aero
POTENCE	Syncros Foil 1.5 Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	Syncros Capital 1.0 60, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	8.1 kg 17.86 lbs

FOIL RC 10

VIOLET PINK/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425341-8353 (EU)
425337-8353 (NON EU)



CADRE	FOIL RC Disc HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL Disc HMX, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36 T
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros Creston 1.0 Aero
POTENCE	Syncros Foil 1.5 Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	Syncros Capital 1.0 60, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	8.1 kg 17.86 lbs

FOIL RC 20

CARBON GREY

XXS, XS, S, M, L, XL, XXL

425342-3649 (EU)
425338-3649 (NON EU)



CADRE	FOIL RC Disc HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL Disc HMX, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 52x36 T
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7100, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 140/R
CINTRE	Syncros Creston 2.0 Aero
POTENCE	Syncros Foil 1.5 Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	Syncros Capital 1.0 60, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	8.1 kg 17.86 lbs

FOIL RC 20

GELATO BLUE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425342-8328 (EU)
425338-8328 (NON EU)



CADRE	FOIL RC Disc HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	FOIL Disc HMX, 1" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 52x36 T
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7100, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 140/R
CINTRE	Syncros Creston 2.0 Aero
POTENCE	Syncros Foil 1.5 Aero
TIGE DE SELLE	Syncros Duncan SL Aero CFT
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1138
ROUE	Syncros Capital 1.0 60, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
PNEU ARRIÈRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
POIDS APPROX.	8.1 kg 17.86 lbs

ADDICT RC



ADDICT RC ULTIMATE CHROME SILVER



ADDICT RC PRO CUMULUS WHITE/CARBON BLACK



ADDICT RC PRO BELUGA GREY/SEASHORE GREEN



ADDICT RC TEAM TUNGSTEN GREY



ADDICT RC 10 SUNBEAM BLACK



GELATO BLUE/GELATO PINK



ADDICT RC 20 CARBON BLACK



ADDICT RC 20 RESEDA GREEN



ADDICT RC 30 CARBON BLACK



ADDICT RC 30 FLAME ORANGE



ADDICT RC 30 FROZEN GREEN/CARBON BLACK

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
ADDICT RC ULTIMATE	SRAM RED AXS with POWER METER	46/33	10/33	Syncros Capital SL 40mm	29C	HMX-SL	Racing
ADDICT RC PRO	Shimano Dura Ace Di2	52/36	11/34	Syncros Capital 1.0S 40mm	30C	HMX	Racing
ADDICT RC TEAM	SRAM FORCE AXS with SPINDLE POWER METER	48/35	10/36	Syncros Capital 1.0S 40mm	30C	HMX	Racing
ADDICT RC 10	Shimano Ultegra Di2	52/36	11/34	Syncros Capital 1.0S 40mm	30C	HMX	Racing
ADDICT RC 20	Shimano Ultegra Di2	52/36	11/34	Syncros Capital 1.0 40mm	30C	HMX	Racing
ADDICT RC 30	Shimano 105 Di2	52/36	11/34	Syncros Capital 1.0 40mm	30C	HMX	Racing

ADDICT RC ULTIMATE

CHROME SILVER

XXS, XS, S, M, L, XL, XXL

425351-7958 (EU)
425349-7958 (NON EU)



CADRE	Addict RC HMX SL, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX SL Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM RED AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM RED AXS Electronic Shift System
SHIFTER	SRAM RED AXS HRD Shift-Brake System Electronic Shift System
MANIVELLES	SRAM RED Power Meter Crankset, 46/33
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-33
FREINS	SRAM RED AXS HRD Shift-Brake System, SRAM PACELINE X rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R100-SL
SELLE	Syncros Belcarra Regular SL
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Syncros Capital SL 40mm, Syncros SL Axle
PNEU AVANT	Schwalbe Aerothan, tube-type version Hookless Rim Compatible, 700x29C, Schwalbe Aerothan Tube
PNEU ARRIÈRE	Schwalbe Aerothan, tube-type version Hookless Rim Compatible, 700x29C, Schwalbe Aerothan Tube
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	5.9 kg 13.01 lbs

ADDICT RC PRO

CUMULUS WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

menu

425683-8086 (EU)
423302-8086 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Dura-Ace RD-R9250, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Dura-Ace FD-R9250 Electronic Shift System
SHIFTER	Shimano Dura-Ace ST-R9270, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Dura-Ace FC-R9200, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB92-41B
CHAÎNE	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura Ace CS-R9200-12, 11-34
FREINS	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL900 rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R100-SL
SELLE	Syncros Belcarra Regular 1.0
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe PRO ONE Microskin, TL-Easy, Fold, 700x30C Schwalbe Aerothan Tube
PNEU ARRIÈRE	Schwalbe PRO ONE Microskin, TL-Easy, Fold, 700x30C Schwalbe Aerothan Tube
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	6.8 kg 14.99 lbs

ADDICT RC PRO

BELUGA GREY/SEASHORE GREEN

XXS, XS, S, M, L, XL, XXL

425683-8315 (EU)
423302-8315 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Dura-Ace RD-R9250, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Dura-Ace FD-R9250 Electronic Shift System
SHIFTER	Shimano Dura-Ace ST-R9270, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Dura-Ace FC-R9200, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB92-41B
CHAÎNE	Shimano Dura-Ace CN-M9100-12
CASSETTE	Shimano Dura Ace CS-R9200-12, 11-34
FREINS	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL900 rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R100-SL
SELLE	Syncros Belcarra Regular 1.0
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe PRO ONE Microskin, TL-Easy, Fold, 700x30C Schwalbe Aerothan Tube
PNEU ARRIÈRE	Schwalbe PRO ONE Microskin, TL-Easy, Fold, 700x30C Schwalbe Aerothan Tube
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	6.9 kg 15.21 lbs

ADDICT RC TEAM

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

425352-8350 (EU)
425350-8350 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM FORCE AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM FORCE AXS Electronic Shift System
SHIFTER	SRAM FORCE AXS HRD Shift-Brake System Electronic Shift System
MANIVELLES	SRAM FORCE Spindle Power Meter Crankset, 48/35
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM FORCE
CASSETTE	SRAM FORCE XG1270 E1, 10-36
FREINS	SRAM FORCE AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7 kg 15.43 lbs

WHAT'S NEW

SRAM FORCE AXS
Spindle Power Meter

ADDICT RC 10

SUNBEAM BLACK

XXS, XS, S, M, L, XL, XXL

425684-8096 (EU)
423246-8096 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7 kg 15.43 lbs

ADDICT RC 10

GELATO BLUE/GELATO PINK

XXS, XS, S, M, L, XL, XXL

menu

425684-8329 (EU)
423246-8329 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7 kg 15.43 lbs

ADDICT RC 20

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425685-3020 (EU)
423265-3020 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.3 kg 16.09 lbs

ADDICT RC 20

RESEDA GREEN

XXS, XS, S, M, L, XL, XXL

425685-8341 (EU)
423265-8341 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra Di2 ST-R8170, Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 52x36
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano Ultegra CS-R8101-12, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 140/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.3 kg 16.09 lbs

ADDICT RC 30

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425686-3020 (EU)
423283-3020 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150
SHIFTER	Shimano 105 Di2 ST-R7170, Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 52x36
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 CL rotor 160/F and 140/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40, 24 front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.7 kg 16.98 lbs

ADDICT RC 30

FLAME ORANGE

XXS, XS, S, M, L, XL, XXL

menu

425686-3761 (EU)
423283-3761 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150
SHIFTER	Shimano 105 Di2 ST-R7170, Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 52x36
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 CL rotor 160/F and 140/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40, 24 front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.7 kg 16.98 lbs

ADDICT RC 30

FROZEN GREEN/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425686-8327 (EU)
423283-8327 (NON EU)



CADRE	Addict RC HMX, Road Race geometry, Replaceable Derailleur Hanger, Internal cable routing
FOURCHE	Addict RC HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150
SHIFTER	Shimano 105 Di2 ST-R7170, Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 52x36
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 CL rotor 160/F and 140/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Belcarra Regular 2.0
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40, 24 front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE TLE Race-Guard Fold, 700x30C
PNEU ARRIÈRE	Schwalbe ONE TLE Race-Guard Fold, 700x30C
ACCESSOIRES	Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.7 kg 16.98 lbs

ADDICT



ADDICT PREMIUM WHALE GREY



ADDICT 10 PLUM GREY



ADDICT 20 TUNGSTEN GREY



ADDICT 20 CUMULUS WHITE



ADDICT 20 VIOLET PINK



ADDICT 30 CARBON BLACK



ADDICT 30 CUMULUS WHITE



ADDICT 30 FROZEN GREEN



ADDICT 40 CARBON BLACK



ADDICT 40 RESEDA GREEN



ADDICT 40 VIVID YELLOW



ADDICT 50 CARBON GREY



ADDICT 50 CUMULUS WHITE



ADDICT 50 FLAME ORANGE

ADDICT	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
ADDICT PREMIUM	Shimano Dura Ace Di2	50/34	11/34	Fulcrum WIND 42 DB Carbon	34C	HMX	Endurance
ADDICT 10	SRAM FORCE AXS , SPINDLE POWER METER	46/33	10/36	Fulcrum WIND 42 DB Carbon	34C	HMX	Endurance
ADDICT 20	Shimano Ultegra Di2	50/34	11/34	Fulcrum WIND 42 DB Carbon	34C	HMF	Endurance
ADDICT 30	Shimano 105 Di2	50/34	11/34	Syncros Capital 1.0 40	34C	HMF	Endurance
ADDICT 40	Shimano 105 Di2	50/34	11/34	Syncros RP2.0 Disc	34C	HMF	Endurance
ADDICT 50	Shimano 105	50/34	11/34	Syncros RP2.0 Disc	34C	HMF	Endurance

ADDICT PREMIUM

WHALE GREY

XXS, XS, S, M, L, XL, XXL

menu

425353-8099



CADRE	Addict HMX Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Dura-Ace RD-R9250, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Dura-Ace FD-R9250, Electronic Shift System
SHIFTER	Shimano Dura-Ace ST-R9270, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Dura-Ace FC-R9200, Hollowtech II 50x34
BOÎTIER	Shimano SM-BB92-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano CS-R8101, 11-34
FREINS	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL900 rotor 160/F and 160/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 1.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe PRO ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe PRO ONE Fold,700x34C
ACCESSOIRES	Syncros Save the day kit IS-R300, Syncros iS Drop Bar Tool 2
POIDS APPROX.	7.4 kg 16.31 lbs

ROAD

WHAT'S NEW

New frame/fork

ADDICT 10

PLUM GREY

XXS, XS, S, M, L, XL, XXL

425354-8339



CADRE	Addict HMX Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMX Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM FORCE AXS, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	SRAM FORCE AXS Electronic Shift System
SHIFTER	SRAM FORCE AXS HRD Shift-Brake System Electronic Shift System
MANIVELLES	SRAM FORCE Spindle Power Meter Crankset, 46/33
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM FORCE
CASSETTE	SRAM FORCE XG1270 E1, 10-36
FREINS	SRAM FORCE AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 160/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros SL Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros Save the day kit IS-R300, Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	7.8 kg 17.2 lbs

WHAT'S NEW

New frame/fork
SRAM FORCE AXS
Spindle Power Meter

ADDICT 20

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

menu

425355-8350



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra ST-R8170, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 50x34
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.3 kg 18.30 lbs

ROAD

WHAT'S NEW

New frame/fork

ADDICT 20

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

menu

425355-8087



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra ST-R8170, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 50x34
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.3 kg 18.30 lbs

WHAT'S NEW

New frame/fork

ADDICT 20

VIOLET PINK

XXS, XS, S, M, L, XL, XXL

425355-8352



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra ST-R8170, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano Ultegra FC-R8100, Hollowtech II 50x34
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-CF
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.3 kg 18.30 lbs

WHAT'S NEW

New frame/fork

ADDICT 30

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

menu

425356-3020



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.5 kg 18.74 lbs

WHAT'S NEW

New frame/fork

ADDICT 30

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

425356-8087



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.5 kg 18.74 lbs

WHAT'S NEW

New frame/fork

ADDICT 30

FROZEN GREEN

XXS, XS, S, M, L, XL, XXL

menu

425356-8326



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.5 kg 18.74 lbs

WHAT'S NEW

New frame/fork

ADDICT 40

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

menu

425357-3020



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.9 kg 19.62 lbs

WHAT'S NEW

New frame/fork

ADDICT 40

RESEDA GREEN

XXS, XS, S, M, L, XL, XXL

menu

425357-8341



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.9 kg 19.62 lbs

WHAT'S NEW

New frame/fork

ADDICT 40

VIVID YELLOW

XXS, XS, S, M, L, XL, XXL

menu

425357-8354



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7150, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	8.9 kg 19.62 lbs

WHAT'S NEW

New frame/fork

ADDICT 50

CARBON GREY

XXS, XS, S, M, L, XL, XXL

menu

425358-3649



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 RD-R7100, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 FD-R7100
SHIFTER	Shimano 105 ST-R7120 Disc, Dual control 24 Speed
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	9 kg 19.84 lbs

WHAT'S NEW

New frame/fork

ADDICT 50

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

menu

425358-8087



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 RD-R7100, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 FD-R7100
SHIFTER	Shimano 105 ST-R7120 Disc, Dual control 24 Speed
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	9 kg 19.84 lbs

ROAD

WHAT'S NEW

New frame/fork

ADDICT 50

FLAME ORANGE

XXS, XS, S, M, L, XL, XXL

menu

425358 - 3761



CADRE	Addict HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Integrated storage
FOURCHE	Addict HMF Flatmount Disc, 27.2mm Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 RD-R7100, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 FD-R7100
SHIFTER	Shimano 105 ST-R7120 Disc, Dual control 24 Speed
MANIVELLES	Shimano 105 FC-R7100, Hollowtech II 50x34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R300-AL
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino V 2.0 Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
PNEU AVANT	Schwalbe ONE Fold, 700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ACCESSOIRES	Syncros iS Drop Bar Tool 2 Composite
POIDS APPROX.	9 kg 19.84 lbs

WHAT'S NEW

New frame/fork


SCOTT
ADDICT
DURA-ACE

SPEEDSTER



SPEEDSTER 10 CHAMPION BLACK



SPEEDSTER 10 CUMULUS WHITE



SPEEDSTER 20 TUNGSTEN GREY



SPEEDSTER 20 RESEDA GREEN

	GROUPSET	SPEED	CHAIN RINGS	CASSETTE	WHEELS	TIRE	GEOMETRY
SPEEDSTER 10	Shimano 105	24 Speed	50/34	11/34	Syncros Race 25 Disc	32C	Endurance
SPEEDSTER 20	Shimano Tiagra	20 Speed	50/34	11/34	Syncros Race 25 Disc	32C	Endurance

SPEEDSTER 10

CHAMPION BLACK

XXS, XS, S, M, L, XL, XXL

CO

423303-7965



CADRE	Speedster Disc, 6061 D.Butted Alloy, Endurance geometry, int. cable routing, Syncros fender kit ready
FOURCHE	Speedster HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 RD-R7100, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 FD-R7100
SHIFTER	Shimano 105 ST-R7120 Disc, Dual control 24 Speed
MANIVELLES	Shimano FC-RS520, 50/34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 Compact, 31.8mm
POTENCE	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Syncros Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe Lugano, 700x32C
PNEU ARRIÈRE	Schwalbe Lugano, 700x32C
POIDS APPROX.	10.2 kg 22.49 lbs

SPEEDSTER 10

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

423303-8087



CADRE	Speedster Disc, 6061 D.Butted Alloy, Endurance geometry, int. cable routing, Syncros fender kit ready
FOURCHE	Speedster HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano 105 RD-R7100, 24 Speed
DÉRAILLEUR AVANT	Shimano 105 FD-R7100
SHIFTER	Shimano 105 ST-R7120 Disc, Dual control 24 Speed
MANIVELLES	Shimano FC-RS520, 50/34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 Compact, 31.8mm
POTENCE	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Syncros Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe Lugano, 700x32C
PNEU ARRIÈRE	Schwalbe Lugano, 700x32C
POIDS APPROX.	10.2 kg 22.49 lbs

SPEEDSTER 20

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

425585-8350



CADRE	Speedster Disc, 6061 D.Butted Alloy, Endurance geometry, int. cable routing, Syncros fender kit ready
FOURCHE	Speedster HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Tiagra RD-4700-GS, 20 Speed
DÉRAILLEUR AVANT	Shimano Tiagra FD-4700
SHIFTER	Shimano Tiagra ST-4720, Dual control 20 Speed
MANIVELLES	Shimano Tiagra FC-R4700, 50/34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	KMC X10
CASSETTE	Shimano CS-HG500, 10 Speed 11-34
FREINS	Shimano BR-R4770 Hydr.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 Compact, 31.8mm
POTENCE	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Syncros Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe Lugano, 700x32C
PNEU ARRIÈRE	Schwalbe Lugano, 700x32C
POIDS APPROX.	10.4 kg 22.93 lbs

WHAT'S NEW

Hydr. Disc

SPEEDSTER 20

RESEDA GREEN

XXS, XS, S, M, L, XL, XXL

menu

425585-8341



CADRE	Speedster Disc, 6061 D.Butted Alloy, Endurance geometry, int. cable routing, Syncros fender kit ready
FOURCHE	Speedster HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano Tiagra RD-4700-GS, 20 Speed
DÉRAILLEUR AVANT	Shimano Tiagra FD-4700
SHIFTER	Shimano Tiagra ST-4720, Dual control 20 Speed
MANIVELLES	Shimano Tiagra FC-R4700, 50/34
BOÎTIER	Shimano BB-RS500-PB
CHAÎNE	KMC X10
CASSETTE	Shimano CS-HG500, 10 Speed 11-34
FREINS	Shimano BR-R4770 Hydr.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 Compact, 31.8mm
POTENCE	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Syncros Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe Lugano, 700x32C
PNEU ARRIÈRE	Schwalbe Lugano, 700x32C
POIDS APPROX.	10.4 kg 22.93 lbs

WHAT'S NEW

Hydr. Disc





GRAVEL

BIKES

menu

GRAVEL LINE-UP

Les vélos de gravel SCOTT vous accompagnent où que vous alliez et quel que soit le terrain. Nos vélos de gravel adorent les routes accidentées. Sur les chemins de gravel lisses ou sur les plus difficiles, vous trouverez l'outil adapté à vos besoins.





ADDICT GRAVEL

L'Addict Gravel a été conçu pour devenir une référence vis-à-vis de ce que doit offrir un véritable vélo de gravel. Et pour atteindre cet objectif, nous avons rendu l'Addict Gravel plus progressif, plus rapide, plus résistant, et lui avons ajouté davantage de supports pour sacoches et accessoires, afin que rouler soit plus fun que jamais.



SCALE GRAVEL

Le Scale Gravel a été créé pour partir à l'aventure, avec un style incomparable. Conçu pour tenir la distance sur tous types de terrains, le Scale Gravel offre légèreté, maniabilité et de multiples options de fixation.



SPEEDSTER GRAVEL

Le Speedster Gravel est votre assurance tous risques lorsque vous sortez des sentiers battus. Sa géométrie suffisamment confortable pour des journées entières de cyclisme, un espace suffisant pour des pneus larges, et son système de passage de câbles interne intégral en font un modèle parfait pour tous les amateurs de Gravel !

ADDICT GRAVEL



ADDICT GRAVEL RC CARBON BLACK



ADDICT GRAVEL 10 GELATO BLUE/GELATO PINK



ADDICT GRAVEL 15 CARBON BLACK



ADDICT GRAVEL 20 TAUPE BEIGE



ADDICT GRAVEL 20 CARBON BLACK/INDIGO PURPLE



ADDICT GRAVEL 30 CARBON BLACK



ADDICT GRAVEL 30 CARBON GREY



ADDICT GRAVEL 30 WHITE/SPLATTER BLUE



ADDICT GRAVEL 40 WENGE GREEN



ADDICT GRAVEL 40 KAKI GREEN/CARBON BLACK

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
ADDICT GRAVEL RC	SRAM RED XPLR AXS with POWER METER	42	10/46	Fulcrum Sharq Carbon	45C	HMX
ADDICT GRAVEL 10	SRAM FORCE XPLR AXS	42	10/46	Fulcrum Rapid RED Carbon	45C	HMF
ADDICT GRAVEL 15	Shimano GRX Di2	48/31	11/36	Fulcrum Rapid RED Carbon	45C	HMF
ADDICT GRAVEL 20	SRAM RIVAL eTap AXS	42	10/46	Syncros Capital 1.0 40 Carbon	45C	HMF
ADDICT GRAVEL 30	Shimano GRX 822/610	40	10/45	Syncros RP2.0 Disc	45C	HMF
ADDICT GRAVEL 40	Shimano GRX 820/610	46/30	11/36	Syncros RP2.0 Disc	45C	HMF

ADDICT GRAVEL RC

CARBON BLACK

XS, S, M, L, XL

425363-3020



CADRE	Addict Gravel HMX Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMX Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM RED XPLR AXS, 13 Speed Electronic Shift System
SHIFTER	SRAM RED AXS HRD Shift-Brake System
MANIVELLES	SRAM RED XPLR Power Meter Crankset, 42 T
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RED
CASSETTE	SRAM RED XPLR XG1391, 10-46
FREINS	SRAM RED AXS HRD Shift-Brake System, SRAM PACELINE X rotor 160/F and 160/R
CINTRE	Syncros Creston iC SL X, Carbon combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 1.0 Cutout
JEU DE DIRECTION	Acros AIF-1135
ROUE	Fulcrum Sharq Carbon, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RS Pro, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RS Pro, 700x45C
POIDS APPROX.	7.9 kg 17.42 lbs

ADDICT GRAVEL 10

GELATO BLUE/GELATO PINK

XS, S, M, L, XL

menu

425364-8329



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
SHIFTER	SRAM FORCE AXS HRD Shift-Brake System
MANIVELLES	SRAM FORCE XPLR Crankset, 42 T
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM FORCE
CASSETTE	SRAM RED XPLR XG1371, 10-46
FREINS	SRAM FORCE AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 160/R
CINTRE	Syncros Creston 1.0 X, Carbon 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Fulcrum Rapid RED Carbon, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	8.4 kg 18.52 lbs

WHAT'S NEW

UDH hanger
SRAM FORCE XPLR AXS
1 x 13

ADDICT GRAVEL 15

CARBON BLACK

XS, S, M, L, XL

425687-3020



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano RD-RX825 GRX Di2, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano FD-RX825F GRX Di2, Electronic Shift System
SHIFTER	Shimano GRX ST-RX825, Dual control 24 Speed Electronic Shift System
MANIVELLES	Shimano GRX FC-RX820-2 48/31
BOÎTIER	Shimano SM-BB71-41B
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano CS-HG710-12, 11-36
FREINS	Shimano BR-RX820 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros Creston 1.0 X, Carbon 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Fulcrum Rapid RED Carbon, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	8.7 kg 19.18 lbs

WHAT'S NEW

UDH hanger

ADDICT GRAVEL 20

TAUPE BEIGE

XS, S, M, L, XL

425365-8348



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM RIVAL XPLR AXS, 13 Speed Electronic Shift System
SHIFTER	SRAM RIVAL AXS HRD Shift-Brake System
MANIVELLES	SRAM RIVAL XPLR Crankset, 42 T
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RIVAL
CASSETTE	SRAM RIVAL XPLR XG1351, 10-46
FREINS	SRAM RIVAL AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros Capital 1.0 40 Carbon, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	8.8 kg 19.40 lbs

WHAT'S NEW

UDH hanger
SRAM RIVAL XPLR AXS
1 x 13

ADDICT GRAVEL 20

CARBON BLACK/INDIGO PURPLE

XS, S, M, L, XL

425365-8318



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM RIVAL XPLR AXS, 13 Speed Electronic Shift System
SHIFTER	SRAM RIVAL AXS HRD Shift-Brake System
MANIVELLES	SRAM RIVAL XPLR Crankset, 42 T
BOÎTIER	SRAM DUB PF ROAD 86.5
CHAÎNE	SRAM RIVAL
CASSETTE	SRAM RIVAL XPLR XG1351, 10-46
FREINS	SRAM RIVAL AXS HRD Shift-Brake System, SRAM PACELINE rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros Capital 1.0 40 Carbon, 24 Front, 24 Rear, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	8.8 kg 19.40 lbs

WHAT'S NEW

UDH hanger
SRAM RIVAL XPLR AXS
1 x 13

ADDICT GRAVEL 30

CARBON BLACK

XS, S, M, L, XL

425366-3020



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 11/4"-11/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTER	Shimano GRX ST-RX610, BL-RX610L, 12 Speed
MANIVELLES	Shimano GRX FC-RX610-1, 40
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12, 10-45
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 11/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros RP2.0 Disc, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	9.5 kg 20.94 lbs

WHAT'S NEW

UDH hanger

ADDICT GRAVEL 30

CARBON GREY

XS, S, M, L, XL

425366-3649



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTER	Shimano GRX ST-RX610, BL-RX610L, 12 Speed
MANIVELLES	Shimano GRX FC-RX610-1, 40
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12, 10-45
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros RP2.0 Disc, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	9.6 kg 21.16 lbs

WHAT'S NEW

UDH hanger

ADDICT GRAVEL 30

WHITE/SPLATTER BLUE

XS, S, M, L, XL

menu

425366-8357



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 11/4"-11/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTER	Shimano GRX ST-RX610, BL-RX610L, 12 Speed
MANIVELLES	Shimano GRX FC-RX610-1, 40
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12, 10-45
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 11/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros RP2.0 Disc, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	9.5 kg 20.94 lbs

WHAT'S NEW

UDH hanger

ADDICT GRAVEL 40

WENGE GREEN

XS, S, M, L, XL

425367-8355



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX820, 24 Speed
DÉRAILLEUR AVANT	Shimano GRX FD-RX820-F
SHIFTER	Shimano GRX ST-RX610, 24 Speed
MANIVELLES	Shimano GRX FC-RX610-2, 46-30
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710-12, 11-36
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros RP2.0 Disc, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	9.5 kg 20.94 lbs

WHAT'S NEW

UDH hanger

ADDICT GRAVEL 40

KAKI GREEN/CARBON BLACK

XS, S, M, L, XL

menu

425367-8332



CADRE	Addict Gravel HMF Carbon, Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Addict Gravel HMF Flatmount Disc, 11/4"-11/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX820, 24 Speed
DÉRAILLEUR AVANT	Shimano GRX FD-RX820-F
SHIFTER	Shimano GRX ST-RX610, 24 Speed
MANIVELLES	Shimano GRX FC-RX610-2, 46-30
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710-12, 11-36
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.0 11/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1134
ROUE	Syncros RP2.0 Disc, Syncros SL Axle, Removable Lever with Tool
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	9.4 kg 20.72 lbs

WHAT'S NEW

UDH hanger



SCALE GRAVEL



SCALE GRAVEL RC CARBON BLACK



SCALE GRAVEL 10 CARBON BLACK/INDIGO PURPLE



SCALE GRAVEL 20 KAKI GREEN/CARBON BLACK

	DRIVE TRAIN/BRAKES	SPEED	FORK	WHEELS	COMPONENTS	FRAME	MAX TIRE WIDTH
SCALE GRAVEL RC	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Scale Rigid HMF	Syncros Silverton 1.0 X	Syncros Fraser iC SL XC Carbon / Syncros Duncan	HMF	2.5
SCALE GRAVEL 10	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Scale Rigid HMF	Syncros X-28 TR Rims	Syncros Fraser XC / Syncros Duncan	HMF	2.5
SCALE GRAVEL 20	SRAM Eagle 70 Transmission / Shimano MT401	12	Scale Rigid HMF	Syncros X-28 TR Rims	Syncros Alloy	Alloy 6061 / Boost	2.5

SCALE GRAVEL RC

CARBON BLACK

S, M, L, XL

425490-3020



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	Scale Rigid HMF, Postmount Disc Standard, Tapered Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle Transmission, Spindle Power Meter, DUB, 55mm CL, 34T
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS 1295 Transmission 10-52
FREINS	SRAM Motive Silver 4-Piston Disc, SRAM HS2 CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser iC SL XC Carbon, -20° rise, back sweep 8°, 740mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan 1.0 Carbon, 10mm offset, 31.6x400mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.0X CL, F: 15x110mm, R: 12x148mm, Tubeless ready Carbon rim 28H, XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Schwalbe Thunder Burt 29x2.35" EVO, Super Ground, TLE, 67EPI, Addix Speed
PNEU ARRIÈRE	Schwalbe Thunder Burt 29x2.35" EVO, Super Ground, TLE, 67EPI, Addix Speed
ACCESSOIRES	Spirgrips+ Inner Bar ends, Milkit Tire Sealant
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	9.1 kg (Tubless setup) 20.06 lbs (Tubless setup)

WHAT'S NEW

SRAM Motive Brakes
Syncros Belcarra Saddle

SCALE GRAVEL 10

CARBON BLACK/INDIGO PURPLE

S, M, L, XL

menu

425491-8318



CADRE	Scale Carbon HMF, Adjustable head angle, Syncros Cable Integration System, Advanced Shock & Standing Damping System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	Scale Rigid HMF, Postmount Disc Standard, Tapered Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	SRAM DB6 4-Piston Disc, SRAM Centerline CL Rotors 180/F and 160/R
CINTRE	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan 2.0, 10mm offset, 31.6x400mm
SELLE	Syncros Belcarra V2.0 Cut Out, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-3248, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-28, 28H, Tubeless ready
PNEU AVANT	Maxxis Aspen, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Aspen, 29x2.4", 120TPI, Foldable Bead, Tubeless Ready, EXO
ACCESSOIRES	Spirgrips+ Inner Bar ends
EXTRAS	SRAM AXS Powerpack
POIDS APPROX.	10.5 kg (Tubless setup) 23.15 lbs (Tubless setup)

WHAT'S NEW

SRAM DB6 Brakes
Syncros Belcarra Saddle

SCALE GRAVEL 20

KAKI GREEN/CARBON BLACK

S, M, L, XL, XXL

425492-8332



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, BB92, UDH Interface, 12x148mm with 55mm Chainline
FOURCHE	Scale Rigid HMF, Postmount Disc Standard, Tapered Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Trigger
MANIVELLES	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
BOÎTIER	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 V2 Transmission 10-52
FREINS	Shimano MT401 Disc Brake, Shimano SM-RT10 CL, 180/F and 160/R
CINTRE	Syncros Alloy 6061, T shape Flat, 9°, 740mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 3.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros, 31.6x400mm
SELLE	Syncros Belcarra V2.5 Cut Out
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-3248, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-28, 28H, Tubeless ready
PNEU AVANT	Maxxis Aspen, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PNEU ARRIÈRE	Maxxis Aspen, 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
ACCESSOIRES	Spirgrips+ Inner Bar ends
POIDS APPROX.	11.4 kg (Tubless setup without pedals) 25.13 lbs (Tubless setup without pedals)

WHAT'S NEW

SRAM Eagle 70
Syncros Belcarra Saddle

SPEEDSTER GRAVEL



SPEEDSTER GRAVEL TEAM PLUM GREY



SPEEDSTER GRAVEL 10 TAUPE BEIGE



SPEEDSTER GRAVEL 10 CARBON BLACK/TULIP PURPLE



SPEEDSTER GRAVEL 20 WENGE GREEN



SPEEDSTER GRAVEL 30 BLACK



SPEEDSTER GRAVEL 30 GRAPE PURPLE



SPEEDSTER GRAVEL 30 SEPIA GREY

GRAVEL	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
SPEEDSTER GRAVEL TEAM	Shimano GRX 820/610	46/30	11/36	Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 10	Shimano GRX 822/610	40	10/45	Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 20	Shimano CUES 6000	46/32	11/39	Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 30	Shimano CUES 6000	42	11/48	Race X25 Disc	45C	Alloy

SPEEDSTER GRAVEL TEAM

PLUM GREY

XXS, XS, S, M, L, XL, XXL

425688-8339



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX820, 24 Speed
DÉRAILLEUR AVANT	Shimano GRX FD-RX820-F
SHIFTER	Shimano GRX ST-RX610 Disc, 24 Speed
MANIVELLES	Shimano GRX FC-RX610-2, 46-30
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-HG710, 11-36
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	10.6 kg 23.37 lbs

SPEEDSTER GRAVEL 10

TAUPE BEIGE

XXS, XS, S, M, L, XL, XXL

425635-8348



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTER	Shimano GRX ST-RX610, BL-RX610L, 12 Speed
MANIVELLES	Shimano GRX FC-RX610-1, 40
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12, 10-45
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team Microspline CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	10.7 kg 23.59 lbs

SPEEDSTER GRAVEL 10

CARBON BLACK/TULIP PURPLE

XXS, XS, S, M, L, XL, XXL

425635-8320



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTER	Shimano GRX ST-RX610, BL-RX610L, 12 Speed
MANIVELLES	Shimano GRX FC-RX610-1, 40
BOÎTIER	Shimano BB-RS500 PB
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-M7100-12, 10-45
FREINS	Shimano BR-RX410 Hyd. Disc, Shimano SM-RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team Microspline CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	10.7 kg 23.59 lbs

SPEEDSTER GRAVEL 20

WENGE GREEN

XXS, XS, S, M, L, XL, XXL

menu

425636-8355



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6020-10, 20 Speed
DÉRAILLEUR AVANT	Shimano CUES FD-U6030
SHIFTER	Shimano CUES BR-RS405/ST-U6030-10/11
MANIVELLES	Shimano CUES FC-U6040-2-46/32T
BOÎTIER	Shimano BB-RS500
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG400-10, 11-39
FREINS	Shimano BR-RS405 Hyd. Disc, Shimano SM-RT300S CL rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	11.3 kg 24.91 lbs

WHAT'S NEW

Shimano CUES 2 x 10

SPEEDSTER GRAVEL 30

BLACK

XXS, XS, S, M, L, XL, XXL

425637-0001



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000, 10 Speed
SHIFTER	Shimano CUES BR-RS405/ST-U6030-10/11/BL-U6030
MANIVELLES	Shimano FC-U6030-1-42T
BOÎTIER	Shimano BB-RS500
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG400-10, 11-48
FREINS	Shimano BR-RS405 Hyd. Disc, Shimano SM-RT300S CL rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	11.1 kg 24.47 lbs

WHAT'S NEW

Shimano CUES 1 x 10

SPEEDSTER GRAVEL 30

GRAPE PURPLE

XXS, XS, S, M, L, XL, XXL

425637-4692



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000, 10 Speed
SHIFTER	Shimano CUES BR-RS405/ST-U6030-10/11/BL-U6030
MANIVELLES	Shimano FC-U6030-1-42T
BOÎTIER	Shimano BB-RS500
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG400-10, 11-48
FREINS	Shimano BR-RS405 Hyd. Disc, Shimano SM-RT300S CL rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	11.1 kg 24.47 lbs

WHAT'S NEW

Shimano CUES 1 x 10

SPEEDSTER GRAVEL 30

SEPIA GREY

XXS, XS, S, M, L, XL, XXL

425637-8344



CADRE	Speedster Gravel, D.Butted 6061 Alloy, SCOTT Gravel geometry, Replaceable UDH Derailleur Hanger, Internal cable routing, Syncros fender kit ready
FOURCHE	Speedster Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000, 10 Speed
SHIFTER	Shimano CUES BR-RS405/ST-U6030-10/11/BL-U6030
MANIVELLES	Shimano FC-U6030-1-42T
BOÎTIER	Shimano BB-RS500
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG400-10, 11-48
FREINS	Shimano BR-RS405 Hyd. Disc, Shimano SM-RT300S CL rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1133
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race X25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One RX, 700x45C
PNEU ARRIÈRE	Schwalbe G-One RX, 700x45C
POIDS APPROX.	11.1 kg 24.47 lbs

WHAT'S NEW

Shimano CUES 1 x 10



URBAN | ALL TERRAIN BIKES

menu

URBAN | ALL TERRAIN LINE-UP







METRIX

Le SCOTT Metrix est le vélo de trajets urbains par excellence, conçu pour les sorties quotidiennes en ville. Avec son cadre en carbone ou en aluminium, son passage de câbles intégré et sa position sportive, il offre une performance et une polyvalence haut de gamme, pour un ajustement parfait, une bonne santé garantie et une grande liberté de mouvement. Il existe même des versions équipées d'éclairages et de garde-boue, ce qui ajoute encore plus de commodité pour les trajets quotidiens par tous les temps et les sorties plus longues.



SUB CROSS

Conçu pour les explorateurs urbains et les cyclistes de tous les jours, le SCOTT SUB Cross allie confort et facilité d'utilisation. Avec ses deux options de cadre (Slope et Classic), ses freins à disque hydrauliques et sa compatibilité avec le porte-bagage et le garde-boue, il est conçu pour faciliter vos trajets quotidiens et vos sorties en randonnée.

METRIX



METRIX 10 CARBON BLACK



METRIX 20 EQ ALLOY SILVER/BLACK



METRIX 30 EQ ALLOY SILVER/WENGE GREEN

METRIX	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
METRIX 10	Sram Apex XPLR	42	10/44	Syncros Race 25 Disc	40C	Carbon HMF
METRIX 20 EQ	Shimano Cues 10 speed	42	11/48	Syncros Race 25 Disc	40C	Alloy
METRIX 30 EQ	Shimano Cues 9 speed	42	11/46	Syncros Race 25 Disc	40C	Alloy

METRIX 10

CARBON BLACK

XS, S, M, L, XL

menu

425689-3020



CADRE	Metrix Disc HMF Carbon, Endurance geometry, Replaceable UDH Derailleur Hanger, fender ready
FOURCHE	Metrix HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	SRAM APEX XPLR, 12 Speed
SHIFTER	SRAM SX Eagle Trigger
MANIVELLES	SRAM APEX DUB Wide, 42T
BOÎTIER	SRAM DUB PF Road Wide
CHAÎNE	SRAM APEX
CASSETTE	SRAM PG 1231 XPLR, 12 Speed 10-44T
LEVIER DE FREIN	TRP HD-EU818s, Clean cockpit
FREINS	TRP HD-EU818s, flatmount, TRP rotor CL 160/F and 160/R
CINTRE	Syncros Creston UC iC sport 2.0, Rise Bar Alloy combo
TIGE DE SELLE	Syncros SP-R101-CF
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1112
MOYEU AVANT	Formula Team II CL Disc 28 H
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One Comp, 700x40C
PNEU ARRIÈRE	Schwalbe G-One Comp, 700x40C
PÉDALES	Syncros urban flat
POIDS APPROX.	9.8 kg 21.61 lbs

METRIX 20 EQ

ALLOY SILVER/BLACK

XXS, XS, S, M, L, XL, XXL

425646-8310



CADRE	Metrix Disc, 6061 D.Butted Alloy, Endurance geometry, Replaceable UDH Derailleur Hanger, fender included
FOURCHE	Metrix HMF Disc, 11/4"-11/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000, 10 speed
SHIFTER	Shimano CUES SL-U6000
MANIVELLES	Shimano FC-U6030-1 42T
BOÎTIER	Shimano BB-RS500 PF
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG300, 10 Speed 11-48T
LEVIER DE FREIN	Tektro HD-R3020, Clean cockpit
FREINS	Tektro HD-R3020, flatmount, Tektro rotor CL 160/F and 160/R
CINTRE	Syncros rise-Bar 3.0 640mm
POTENCE	Syncros RR2.5, 11/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1113
MOYEU AVANT	Shimano DH-UR705 Dynamo
MOYEU ARRIÈRE	Formula Team II CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One Comp, 700x40C
PNEU ARRIÈRE	Schwalbe G-One Comp, 700x40C
ÉCLAIRAGE	Spanninga X&O 15 XDOc, Spanninga Presto Guard XDvS
PORTE-BAGAGES	Allumee fender side carrier
PÉDALES	Syncros urban flat
EXTRAS	Syncros fender kit Allumee W45
POIDS APPROX.	12.9 kg 28.44 lbs

METRIX 30 EQ

ALLOY SILVER/WENGE GREEN

XXS, XS, S, M, L, XL, XXL

menu

425493 - 8311



CADRE	Metrix Disc, 6061 D.Butted Alloy, Endurance geometry, Replaceable UDH Derailleur Hanger, fender included
FOURCHE	Metrix HMF Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000, 9 speed
SHIFTER	Shimano CUES SL-U4000-9
MANIVELLES	Shimano CUES FC-U6030-1-42
BOÎTIER	Shimano BB-RS500 PF
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CS-LG300-9 Speed 11-46T
LEVIER DE FREIN	Tektro HD-R3020, Clean cockpit
FREINS	Tektro HD-R3020, flatmount, Tektro rotor CL 160/F and 160/R
CINTRE	Syncros rise-Bar 3.0 640mm
POTENCE	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros RR2.5 27.2/350mm
SELLE	Syncros Tofino Regular 2.5
JEU DE DIRECTION	Acros AIF-1113
MOYEU AVANT	Formula Team CL Disc 28 H
MOYEU ARRIÈRE	Formula Team CL Disc 28 H
RAYONS	Black 2mm
JANTES	Alex Race 25 Disc, 28 Front, 28 Rear
PNEU AVANT	Schwalbe G-One Comp, 700x40C
PNEU ARRIÈRE	Schwalbe G-One Comp, 700x40C
PÉDALES	Syncros urban flat
EXTRAS	Syncros fender kit
POIDS APPROX.	11.5 kg 25.35 lbs

WHAT'S NEW

CUES 1 x 9 speed

SUB CROSS



SUB CROSS 10 GRANITE BLACK



SUB CROSS 10 SLOPE VIOLET PINK



SUB CROSS 20 FJORD GREY



SUB CROSS 20 SLOPE CUMULUS WHITE



SUB CROSS 30 SWORD GREY



SUB CROSS 30 SLOPE BILE MISTY BEIGE

SUB CROSS	FORK	REMOTE LOCK OUT	DRIVETRAIN	BRAKES	HUB STANDARD	MAX TIRE WIDTH	TRAVEL
SUB CROSS 10 / 10 SLOPE	SR Suntour NEX HLO	x	Shimano DEORE 12 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	45mm	100mm
SUB CROSS 20 / 20 SLOPE	SR Suntour NEX	x	Shimano CUES 11 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	45mm	100mm
SUB CROSS 30 / 30 SLOPE	SR Suntour NEX	x	Shimano CUES 9 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	45mm	100mm

SUB CROSS 10

GRANITE BLACK

S, M, L, XL, XXL

menu

425379-6922



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX HLO, Hyd. Lockout, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT510-1, 52mm CL, 34T
BOÎTIER	Shimano BB-MT501, BSA68
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200, Hydr. Disc Brakes, Shimano SM-RT10 CL, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula CL51
MOYEU ARRIÈRE	Shimano FH-QC500-MS
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.42 kg without pedals 29.59 lbs without pedals

WHAT'S NEW

Shimano Deore 12 speed
Shimano Hydr. Disc Brakes

SUB CROSS 10 SLOPE

VIOLET PINK

S, M, L, XL

menu

425380-8352



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX HLO, Hyd. Lockout, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-R, Rapidfire Plus
MANIVELLES	Shimano FC-MT510-1, 52mm CL, 34T
BOÎTIER	Shimano BB-MT501, BSA68
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6100-12, 10-51 T
FREINS	Shimano MT200, Hydr. Disc Brakes, Shimano SM-RT10 CL, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula CL51
MOYEU ARRIÈRE	Shimano FH-QC500-MS
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.42 kg without pedals 29.59 lbs without pedals

WHAT'S NEW

Shimano Deore 12 speed
Shimano Hydr. Disc Brakes

SUB CROSS 20

FJORD GREY

S, M, L, XL, XXL

menu

425381-8323



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 36T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.63 kg without pedals 30.05 lbs without pedals

WHAT'S NEW

Shimano CUES 11 speed
Tektro Hydr. Disc Brakes

SUB CROSS 20 SLOPE

CUMULUS WHITE

S, M, L, XL

menu

425382-8087



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000-SGS, Shadow Type, 11 Speed
SHIFTER	Shimano CUES SL-U6000-11, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 36T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	Shimano CN-LG500
CASSETTE	Shimano CUES CS-LG400-11, 11-50T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.63 kg without pedals 30.05 lbs without pedals

WHAT'S NEW

Shimano CUES 11 speed
Tektro Hydr. Disc Brakes

SUB CROSS 30

SWORD GREY

S, M, L, XL, XXL

menu

425383-8347



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000-GS, Shadow Type, 9 Speed
SHIFTER	Shimano CUES SL-U4000-9, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 36T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-9, 11-46T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.48 kg without pedals 29.72 lbs without pedals

WHAT'S NEW

Shimano CUES 9 Speed

SUB CROSS 30 SLOPE

MISTY BEIGE

S, M, L, XL

menu

425384-8335



CADRE	Sub Cross Alloy 6061, Custom butted tubing, internal Routing, Sub Cross Men/Lady geometry, SCOTT urban kit ready
FOURCHE	SR Suntour NEX, 63mm travel
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U4000-GS, Shadow Type, 9 Speed
SHIFTER	Shimano CUES SL-U4000-9, 2 way release
MANIVELLES	Prowheel C10Y-NW Steel, 36T
BOÎTIER	Feimin FP.B908N, BB73, square taper
CHAÎNE	KMC Xglide
CASSETTE	Shimano CUES CS-LG400-9, 11-46T
FREINS	Tektro HDM275 Hydr. Disc Brakes, Tektro, 6 bolt, F&R 160mm
CINTRE	HL MTB-AL-312BT, 720mm, black, 12mm rise, Syncros Comfort lock on Grip
POTENCE	HL TDS-C342-8FOV, 10°, 31.8, Black
TIGE DE SELLE	HL SP C212, 31.6mm, 350mm, Black
SELLE	Syncros Capilano Sport
JEU DE DIRECTION	Syncros OE Press Fit, 1 1/8", OD 50mm, ID 44mm
MOYEU AVANT	Formula DC-19 FQR Disc
MOYEU ARRIÈRE	Formula DC-25 8s RQR Disc
RAYONS	14 G, stainless, black
JANTES	Alexrims X-20 Disc, 32H, black
PNEU AVANT	Kenda Booster, 700x45C, 30 TPI
PNEU ARRIÈRE	Kenda Booster, 700x45C, 30 TPI
POIDS APPROX.	13.48 kg without pedals 29.72 lbs without pedals

WHAT'S NEW

Shimano CUES 9 Speed





eRIDE MTB

eRIDE BIKE

menu

eRIDE MTB LINE-UP

Les VTT eRIDE de SCOTT sont pensés pour aller plus loin et plus vite que jamais. Ils sont capables de faire face aux pentes les plus raides et aux descentes les plus difficiles. Quels que soient vos rêves en matière de cyclisme sur trail, SCOTT couvre tous les segments de VTT électrique, des eVTT de trail longue distance aux modèles plus légers. Quels que soient votre style ou vos aspirations, la gamme SCOTT eRIDE a tout ce qu'il vous faut.







LUMEN eRIDE

Un VTT électrique de 15,5 kg seulement ! Prenez le meilleur modèle de Downcountry à ce jour, le Spark 900, augmentez le débattement à 140 mm/130 mm, ajoutez un système d'assistance électrique puissant et presque silencieux tout en gardant sa légèreté légendaire, et le tour est joué ! Et pour 2026, nous sommes allés encore plus loin : avec le nouveau système d'assistance électrique TQ HPR60 et un prolongateur d'autonomie de 160 Wh inclus, nous avons augmenté la capacité totale de la batterie pour atteindre un impressionnant niveau de 520 Wh, ce qui vous offre un soutien et un kilométrage supplémentaires pour aller encore plus loin en montagne. Et vous serez paré pour dévaler les trails aussi vite que Nino lui-même.



VOLTAGE eRIDE

Imaginez que le meilleur vélo de trail au monde ait une arme secrète. Avec le Voltage eRIDE, c'est exactement ce que nous avons fait. Conçu pour les adeptes de VTT qui recherchent un vélo de trail agile, léger et performant, avec en plus un moteur compact et silencieux, le tout nouveau Voltage eRIDE de 2026 est désormais équipé du nouveau système d'assistance électrique TQ HPR60 et d'un prolongateur d'autonomie de 160 Wh, ce qui augmente la capacité totale de la batterie à 520 Wh. Cela vous donne plus de puissance pour aller plus loin et explorer de nouveaux terrains. Ce vélo se surpasse, trail après trail, apres trail…



PATRON eRIDE

Avec le Patron eRIDE, vous êtes équipé pour affronter toutes les zones de montagne, avec la puissance nécessaire pour en aborder une autre une fois que vous avez terminé. Avec un débattement de 150 mm inspirant une totale confiance, le système d'assistance électrique le plus sophistiqué et puissant, la seule limite est votre propre imagination. Déployez votre puissance. Au delà de vos attentes !



ASPECT eRIDE

L'Aspect eRIDE dispose d'une technologie d'assistance électrique éprouvée dans une version tout-terrain résistante aux chocs, pour des heures de VTT sur vos sentiers favoris. Équipé du meilleur système d'assistance électrique et de la meilleure batterie proposés par Bosch, il vous garantira une tranquillité d'esprit ultime. 120 mm de débattement avant.

LUMEN



LUMEN 900 SL CARBON BLACK



LUMEN 900 CARBON BLACK



LUMEN 910 CUMULUS WHITE



LUMEN 920 TWINKLE GREEN



LUMEN 920 WHITE

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	SPEED
LUMEN 900 SL	TQ HPR60 Mid drive 60NM	Color Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM XX AXS Eagle Transmission / SRAM Motive Ult. 4 Piston	12
LUMEN 900	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM GX AXS Eagle Transmission / SRAM Motive Silver 4 Piston	12
LUMEN 910	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM S1000 AXS Eagle Transmission / SRAM Motive Bronze 4 Piston	12
LUMEN 920	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM Eagle 70 Transmission / SRAM DB4 4 Piston	12

LUMEN 900 SL

CARBON BLACK

S, M, L, XL

menu

425436-3020 (SAP | KMH)
425432-3020 (SAP | MPH)



CADRE	Carbon HMX, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 140mm, Rear: 130mm
FOURCHE	FOX 36SL Factory Air, Kashima Grip SL, 3-Modes with low Speed adj., Kabolt 15x110mm axle, 44mm offset, Tapered steerer, Lockout, Reb. Adj., 140mm travel
AMORTISSEUR	FOX NUDE 6T Factory EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Kashima, Reb. Adj., Bearing Hardware, Travel 130-90-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + Range Extender 160Wh
ÉCRAN	TQ HPR Color, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM XX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Rocker Controller
MANIVELLES	SRAM XX, Carbon
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM XX Eagle Transmission 34T chainring
CHAÎNE	SRAM CN XX Eagle Transmission
CASSETTE	SRAM XX Eagle XS 1297 Transmission 10-52
FREINS	SRAM Motive Ultimate Stealth 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser iC SL DC Carbon, 0° rise, back sweep 8°, mini Rise, 760mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	FOX Transfer Factory Dropper Post Kashima, 31.6mm, S size 125mm, M size 140mm, L ize 150mm, XL size 175mm
SELLE	Syncros Tofino Regular 1.0, Carbon rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton SL2-30 CL full Carbon, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim, DT Swiss 240 Ratchet EXP 36, XD Driver, SRAM TyreWiz, Syncros SL Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Soft
PNEU ARRIÈRE	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Grip
EXTRAS	SRAM AXS Extension Cord
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	16.0 kg Tubless setup without RE (1.1kg) 35.27 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR60
TQ Color Display
FOX 36SL Factory Grip SL
140mm
SRAM Motive Ultimate

PROLONGATEUR D'AUTONOMIE INCLUS



LUMEN 900

CARBON BLACK

S, M, L, XL

menu

29" 25 km/h

425437-3020 (SAP | KMH)
425433-3020 (SAP | MPH)



CADRE	Carbon HMX, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 140mm, Rear: 130mm
FOURCHE	FOX 36SL Performance Elite Air Grip SL, 3-Modes with low Speed adj., Kabolt 15x110mm axle, 44mm offset, tapered steerer, Reb. Adj., Lockout, 140mm travel
AMORTISSEUR	FOX NUDE 6T EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, Travel 130-90-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Rocker Controller
MANIVELLES	SRAM GX Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM XX Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Motive Silver Stealth 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser iC SL DC Carbon, 0° rise, back sweep 8°, mini Rise, 760mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5S, Travel Adjust, 31.6mm, S size 140mm, M size 160mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Silverton 1.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H, XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
PNEU AVANT	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Soft
PNEU ARRIÈRE	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Grip
EXTRAS	SRAM AXS Extension Cord
ACCESSOIRES	Tire Sealant, Transport Axle
POIDS APPROX.	17.00 kg Tubless setup without RE (1.1kg) 37.48 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
FOX 36SL Perf. ELITE Grip SL 140mm
SRAM Motive Silver

PROLONGATEUR D'AUTONOMIE INCLUS



LUMEN 910

CUMULUS WHITE

S, M, L, XL

menu

29" 25 km/h

425438-8087 (SAP | KMH)
425434-8087 (SAP | MPH)



CADRE	Carbon HMX, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 140mm, Rear: 130mm
FOURCHE	FOX 34 Rhythm Air Grip, 3-Modes, Kabolt 15x110mm axle, tapered steerer, 44mm offset, Reb. Adj., Lockout, 140mm travel
AMORTISSEUR	FOX NUDE 6T EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, Travel 130-90-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Pod Controller
MANIVELLES	Praxis Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	Praxis spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	SRAM Motive Bronze Stealth 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser 2.0 DC Alloy 6061 D.B., mini Rise, back sweep 8°, 760mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 2.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.0, 31.6mm, S & M size 125mm, L size 150mm, XL size 170mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alexrims X-30S, 32H, 30mm, Tubeless ready
PNEU ARRIÈRE	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Soft Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Grip
EXTRAS	SRAM AXS Extension Cord
POIDS APPROX.	17.8 kg Tubless setup without RE (1.1kg) 39.24 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
SRAM Motive Bronze

PROLONGATEUR D'AUTONOMIE INCLUS



E-BIKE

LUMEN 920

TWINKLE GREEN

S, M, L, XL

menu

29" 25 km/h

425439-8351 (SAP | KMH)
425435-8351 (SAP | MPH)



CADRE	Carbon HMF Main Frame, Alloy SST-CST, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 140mm, Rear: 130mm
FOURCHE	RockShox Recon Gold RL Solo Air, 2-Modes / 15x110mm axle / tapered steerer, 42mm offset / Reb. Adj. / Lockout / 140mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 130-90-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70, TriggerShifter
MANIVELLES	Praxis Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	Praxis spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	SRAM DB4 Stealth 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser 2.0 DC Alloy 6061 D.B., mini Rise, back sweep 8°, 760mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 2.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.0, 31.6mm, S & M size 125mm, L size 150mm, XL size 170mm
SELLE	Syncros Tofino 2.0 Regular, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alexrims X-30S, 32H, 30mm, Tubeless ready
PNEU AVANT	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Soft
PNEU ARRIÈRE	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Grip
POIDS APPROX.	18.5 kg Tubless setup without RE (1.1kg) 40.79 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
SRAM Eagle 70
SRAM DB4

PROLONGATEUR D'AUTONOMIE INCLUS



LUMEN 920

WHITE

S, M, L, XL

menu

29" 25 km/h

425439-0002 (SAP | KMH)



CADRE	Carbon HMF Main Frame, Alloy SST-CST, Integrated Suspension Technology, Flex Pivot, Adjustable head angle, Syncros Cable Integration System, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 140mm, Rear: 130mm
FOURCHE	RockShox Recon Gold RL Solo Air, 2-Modes / 15x110mm axle / tapered steerer, 42mm offset / Reb. Adj. / Lockout / 140mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 130-90-Lockout, T165X45mm
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70, TriggerShifter
MANIVELLES	Praxis Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	Praxis spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	SRAM DB4 Stealth 4-Piston Disc, SRAM HS2 CL Rotors, F&R 180mm
CINTRE	Syncros Fraser 2.0 DC Alloy 6061 D.B., mini Rise, back sweep 8°, 760mm, Syncros Performance XC lock-on grips
POTENCE	Syncros DC 2.0, Syncros Cable Integration System, 0° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.0, 31.6mm, S & M size 125mm, L size 150mm, XL size 170mm
SELLE	Syncros Tofino 2.0 Regular, CRMO rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Alexrims X-30S, 32H, 30mm, Tubeless ready
PNEU ARRIÈRE	Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Soft Schwalbe Wicked Will 29x2.4" EVO, Super Race, TLE, 67EPI, Addix Speed Grip
POIDS APPROX.	18.5 kg Tubless setup without RE (1.1kg) 40.79 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
SRAM Eagle 70
SRAM DB4

PROLONGATEUR D'AUTONOMIE INCLUS



E-BIKE

VOLTAGE



VOLTAGE 900 TUNED CARBON BLACK/PASTEL WHITE



VOLTAGE 910 CARBON BLACK



VOLTAGE 920 CARBON BLACK/CRACKLE BRONZE

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	SPEED
VOLTAGE 900 TUNED	TQ HPR60 Mid drive 60NM	Color Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM GX AXS Eagle Transmission / SRAM Maven Silver 4 Piston	12
VOLTAGE 910	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM S1000 AXS Eagle Transmission / SRAM Maven Bronze 4 Piston	12
VOLTAGE 920	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM Eagle 70 Transmission / SRAM DB4 4 Piston	12

VOLTAGE 900 TUNED

CARBON BLACK/PASTEL WHITE

S, M, L, XL

menu

29" 25 km/h

425589-8319 (SAP | KMH)
425586-8319 (SAP | MPH)



CADRE	Carbon HMF, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 160mm, Rear: 155mm
FOURCHE	FOX 36 Factory Air GripX2, HSC - LSC - HSR - LSR adjustable, 15x110mm QR axle, tapered steerer, 44mm offset, 160mm travel
AMORTISSEUR	FOX FLOAT X NUDE Factory EVOL Piggy Back Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Climb-Ramp Control-Descend, Custom large Air volume, Comp & Reb. Adj. Travel 155-100-Climb, T185X55mm
CONTRÔLE SUSPENSIONS	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + TQ Range Extender 160Wh
ÉCRAN	TQ HPR Color, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM GX Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM XX Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Maven Silver Stealth 4-Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon iC Carbon, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Revelstoke 1.0-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready Carbon rim 28H, DT Swiss Ratchet Hubs, XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
	Maxxis Assegai, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Dissector, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra
EXTRAS	SRAM AXS Extension Cord
POIDS APPROX.	19.1 kg Tubless setup without RE (1.1kg) 42.11 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
FOX 36 Factory
SRAM Maven Silver Disc brakes

PROLONGATEUR D'AUTONOMIE INCLUS



E-BIKE

VOLTAGE 910

CARBON BLACK

S, M, L, XL

425590-3020 (SAP | KMH)
425587-3020 (SAP | MPH)



CADRE	Carbon HMF, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 160mm, Rear: 155mm
FOURCHE	FOX 36 Rhythm Air Grip, Sweep Adj., 15x110mm QR axle, tapered steerer, 44mm offset, Reb. Adj., Lockout, 160mm travel
AMORTISSEUR	FOX FLOAT X NUDE EVOL Piggy Back Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Climb-Ramp Control-Descend, Custom large Air volume, Comp & Reb. Adj. Travel 155-100-Climb, T185X55mm
CONTRÔLE SUSPENSIONS	TracLoc Technology, Rear Suspension & Dropper Remote, 3 Rear Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + TQ Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	Praxis Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	Praxis alloy spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	SRAM Maven Bronze Stealth 4-Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon 1.5 Alloy 7050, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
POTENCE	Syncros AM 1.5, Syncros Cable Integration System, 4° rise, 7050 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30S, 32H, 30mm, Sleeve Joint, Tubeless ready
	Maxxis Assegai, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Dissector, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra
EXTRAS	SRAM AXS Extension Cord
POIDS APPROX.	19.9 kg Tubless setup without RE (1.1kg) 43.87 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
SRAM Maven Bronze Disc brakes

PROLONGATEUR D'AUTONOMIE INCLUS



VOLTAGE 920

CARBON BLACK/CRACKLE BRONZE

S, M, L, XL

menu

29" 25 km/h

425591-8316 (SAP | KMH)
425588-8316 (SAP | MPH)



CADRE	Carbon HMF Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH Interface, 12x148mm with 55mm Chainline
DÉBATTEMENT	Front: 150mm, Rear: 155mm
FOURCHE	Marzocchi Z2 Air Rail, Sweep Adj, 15x110mm QR axle, tapered steerer, 44mm offset, Reb. Adj., Lockout, 150mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 155-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 Suspension modes
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh, US: 20mph
BATTERIE	TQ Internal 360Wh + TQ Range Extender 160Wh
ÉCRAN	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ 100-240V-4A
DÉRAILLEUR ARRIÈRE	SRAM Eagle 70 Transmission 12 Speed
SHIFTER	SRAM Eagle 70 Shifter
MANIVELLES	Praxis Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	Praxis alloy spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN Eagle 70 Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	SRAM DB4 Stealth 4-Piston Disc, SRAM HS2 Rotors F&R 200mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino 2.0 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30S, 32H, 30mm, Sleeve Joint, Tubeless ready
PNEU ARRIÈRE	Maxxis Assegai, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra Maxxis Dissector, 2.5", 60TPI Foldable, Tubeless Ready, EXO+ 3C Maxx Terra
POIDS APPROX.	19.8 kg Tubless setup without RE (1.1kg) 43.65 lbs Tubless setup without RE (1.1kg)

WHAT'S NEW

TQ HPR 60 & TQ Range extender included
SRAM Eagle 70 Transmission
SRAM DB4 Disc brakes

PROLONGATEUR D'AUTONOMIE INCLUS



E-BIKE

PATRON



PATRON 900 ULTIMATE CARBON BLACK



PATRON 900 TWINKLE GREEN



PATRON 910 METEOR GREY



PATRON 920 CARBON BLACK



PATRON 920 CARBON BLACK/PASTEL WHITE



PATRON 920 PANSY PURPLE



PATRON 930 BLACK



PATRON 930 CUMULUS WHITE/ BLACK



PATRON 930 SAFARI GREEN



PATRON ST 900 TUNED CARBON BLACK/PASTEL WHITE



PATRON ST 900 MISTYADE GREEN



PATRON ST 910 BLACK



PATRON ST 910 REEF PINK

	BOSCH PERF. LINE CX-R	BOSCH PERF. LINE CX	BOSCH KIOX 400C	BOSCH KIOX 300	BOSCH INTUVIA 100	BOSCH SYSTEM CONTROLLER	BOSCH LED REMOTE	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT600WH BATTERY	BOSCH ABS PRO	GROUPSET	SPEED
PATRON 900 ULTIMATE		x		x		x		x	x		x	SRAM X0 AXS Eagle Transmission / Shimano XT ABS Pro 4 Piston	12
PATRON 900		x		x		x		x	x		x	SRAM GX AXS Eagle Transmission / Shimano XT ABS Pro 4 Piston	12
PATRON 910		x		x		x		x	x			SRAM S1000 AXS Eagle Transmission / Shimano Deore BR-M6120 4 Piston	12
PATRON 920		x			x	x		x	x			Shimano Deore / Shimano BR-MT520 4 Piston	12
PATRON 930		x				x			x			Shimano Deore / Shimano BR-MT420 4 Piston	12
PATRON ST 900 TUNED	x		x					x	x			SRAM GX AXS Eagle Transmission / SRAM MAVEN Silver 4 Piston	12
PATRON ST 900		x	x					x	x		x	SRAM GX AXS Eagle Transmission / Shimano XT ABS Pro 4 Piston	12
PATRON ST 910		x				x		x	x			Shimano Deore / Shimano Deore BR-M6120 4 Piston	12

PATRON 900 ULTIMATE

CARBON BLACK

S, M, L, XL

menu

29" 25 km/h ABS

425695-3020 (SAP | KMH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	FOX 36 Factory Air, eMTB+, Grip X2, HSC - LSC - HSR - LSR adjustable, QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	FOX NUDE 6T Factory EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, Travel 150-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Kiox 300
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	Shimano XT BR-M8220 4 Piston, Bosch ABS Pro, Front: SM-RT66 220mm, Rear: SM-RT66 203mm
CINTRE	Syncros Hixon iC Carbon, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino-E 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	DT Swiss HXC1501, Hybrid, Carbon rims
PNEU AVANT	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	SRAM AXS Extension Cord, Kickstand mount
POIDS APPROX.	23.7 kg 52.25 lbs

WHAT'S NEW

FOX 36 Factory Grip X2
Shimano XT Disc brakes
DT Swiss HXC1501

PATRON 900

TWINKLE GREEN

S, M, L, XL

425696-8351 (SAP | KMH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	FOX 36 Perf. Air, eMTB+, Grip, 3Pos Microadj., Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	FOX NUDE 6T EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Low Speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, Travel 150-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Kiox 300
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM GX Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	Shimano XT BR-M8220 4 Piston, Bosch ABS Pro, Front: SM-RT66 220mm, Rear: SM-RT66 203mm
CINTRE	Syncros Hixon 1.5 Alloy 7050, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 1.5, Syncros Cable Integration System, 4° rise, 7050 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino-E 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula DC-711, 15x110mm
MOYEU ARRIÈRE	Formula EHT-148S, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
PNEU AVANT	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	SRAM AXS Extension Cord, Kickstand mount
POIDS APPROX.	24.6 kg 54.23 lbs

WHAT'S NEW

FOX 36 Perf. Grip
Shimano XT Disc brakes

PATRON 910

METEOR GREY

S, M, L, XL

menu

29" 25 km/h

425697-6754 (SAP | KMH)
425692-6754 (SAP | MPH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	FOX 36 Rhythm Air, eMTB+, Grip, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	FOX Float EVOL Trunnion, 3 modes, Lockout-Trail-Descend, DPS, Reb. Adj., Travel 150mm, 185x55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Kiox 300
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SCOTT custom spider, SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM Eagle XS 1270 Transmission 10-52
FREINS	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino-E 2.0 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148S, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	SRAM AXS Extension Cord, Kickstand mount
POIDS APPROX.	24.4 kg 53.79 lbs

PATRON 920

CARBON BLACK

S, M, L, XL

menu

29" 25 km/h

425698-3020 (SAP | KMH)
425693-3020 (SAP | MPH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 150-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Intuvia 100
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +- 0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
PNEU AVANT	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	24.8 kg 54.67 lbs

WHAT'S NEW

Hybrid Frame

PATRON 920

CARBON BLACK/PASTEL WHITE

S, M, L, XL

menu

29" 25 km/h

425698-8319 (SAP | KMH)
425693-8319 (SAP | MPH)



WHAT'S NEW

Hybrid Frame

CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 150-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Intuvia 100
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
PNEU AVANT	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	24.8 kg 54.67 lbs

PATRON 920

PANSY PURPLE

S, M, L, XL

menu

29" 25 km/h

425698-8338 (SAP | KMH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion NUDE 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., Travel 150-100-Lockout, T185X55mm
CONTRÔLE SUSPENSIONS	SCOTT TracLoc 2 Technology, Suspension & Dropper Remote, 3 modes
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote & Intuvia 100
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT520 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +- 0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	24.8 kg 54.67 lbs

WHAT'S NEW

Hybrid Frame

PATRON 930

BLACK

S, M, L, XL

menu

29" 25 km/h

425699-0001 (SAP | KMH)
425694-0001 (SAP | MPH)



CADRE	Alloy Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT420 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	25.8 kg 56.88 lbs

PATRON 930

CUMULUS WHITE/ BLACK

S, M, L, XL

menu

29" 25 km/h

425699-8322 (SAP | KMH)
425694-8322 (SAP | MPH)



CADRE	Alloy Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT420 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
PNEU AVANT	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	25.8 kg 56.88 lbs

PATRON 930

SAFARI GREEN

S, M, L, XL

menu

29" 25 km/h

425699-8342 (SAP | KMH)
425694-8342 (SAP | MPH)



CADRE	Alloy Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 150mm, Rear: 150mm
FOURCHE	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, 44mm offset, tapered steerer, 150mm travel
AMORTISSEUR	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano MT420 4 Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Performance XC lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
PNEU ARRIÈRE	Maxxis Forekaster 29x2.6", 120TPI Foldable Bead, EXO, TR Tubeless ready, 3C Maxx Terra
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	25.8 kg 56.88 lbs

PATRON ST 900 TUNED

CARBON BLACK/PASTEL WHITE

S, M, L, XL

menu

29" 25 km/h

425594-8319 (SAP | KMH)



CADRE	Carbon Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 170mm, Rear: 150mm
FOURCHE	FOX Podium Factory Grip X2 Air, Kashima, HSC - LSC - HSR- LSR adjustable, 20x110mm, 44mm offset, tapered steerer, 170mm travel
AMORTISSEUR	FOX FLOAT X Factory EVOL Trunnion, Kashima, SCOTT custom tune, LSR, 2 Pos Lever, LSC, T185X55mm
MOTEUR	Bosch Performance CX-R, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch Kiox 400C, Mini Remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM X0 Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	SRAM Maven Silver Stealth 4-Piston Disc, Front: HS2 6bolt 220mm, Rear: HS2 6bolt 200mm
CINTRE	Syncros Hixon iC Carbon, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino-E 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	DT Swiss HX1700, IS, F: 20x110mm, R: 12x148mm Boost, 30mm Tubeless ready rim 28H, Syncros Axle w/Removable Lever with Tool
	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	SRAM AXS Extension Cord
POIDS APPROX.	24.4 kg 53.79 lbs

WHAT'S NEW

Bosch CX-R
Bosch Kiox 400C
FOX Podium
FOX Float X
SRAM Maven Silver Disc brakes

PATRON ST 900

MISTYADE GREEN

S, M, L, XL

menu

29" 25 km/h ABS

425701-8336 (SAP | KMH)



CADRE	Carbon Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 170mm, Rear: 150mm
FOURCHE	RockShox ZEB Ultimate Air, E-Bike, Charger 3.1, HSC - LSC, Reb Adj., ButterCups, 15x110mm axle, 44mm offset, tapered steerer, 170mm travel
AMORTISSEUR	RockShox SuperDeluxe Ultimate, DebonAir Linear, Trunnion, RC2T, Reb Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch Kiox 400C, Mini Remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTER	SRAM AXS Rocker Pod Controller
MANIVELLES	SRAM GX Eagle, Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	SRAM Eagle Transmission 34T chainring
CHAÎNE	SRAM CN GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS 1275 Transmission 10-52
FREINS	Shimano XT BR-M8220 4 Piston, Bosch ABS Pro, Front: SM-RT66 220mm, Rear: SM-RT66 203mm
CINTRE	Syncros Hixon iC Carbon, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
TIGE DE SELLE	Syncros Duncan Dropper Post 1.5s, Travel Adjust, 31.6mm, S size 140mm, M size 180mm, L size 180mm, XL size 210mm
SELLE	Syncros Tofino-E 1.5 Regular, Titanium rails
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
ROUE	Syncros Revelstoke-HD 1.5 IS, F: 15x110mm, R: 12x148mm Boost, 30mm Tubeless ready rim 28H, Syncros Axle w/Removable Lever with Tool
	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	SRAM AXS Extension Cord
POIDS APPROX.	24.3 kg 53.57 lbs

WHAT'S NEW

RockShox ZEB Ultimate
RockShox SuperDeluxe Ultimate
Shimano XT Disc brakes
Bosch ABS Pro
Kiox 400C

PATRON ST 910

BLACK

S, M, L, XL

menu

29" 25 km/h

425595-0001 (SAP | KMH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 170mm, Rear: 150mm
FOURCHE	RockShox Domain R Air, E-Bike, Reb Adj., 15x110mm axle, 44mm offset, tapered steerer, 170mm travel
AMORTISSEUR	RockShox SuperDeluxe, DebonAir Linear, Trunnion, Reb Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino-E 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	25.3 kg 55.78 lbs

PATRON ST 910

REEF PINK

S, M, L, XL

menu

29" 25 km/h

425595-8340 (SAP | KMH)



CADRE	Carbon Main Frame, Alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready, Kickstand mount
DÉBATTEMENT	Front: 170mm, Rear: 150mm
FOURCHE	RockShox Domain R Air, E-Bike, Reb Adj., 15x110mm axle, 44mm offset, tapered steerer, 170mm travel
AMORTISSEUR	RockShox SuperDeluxe, DebonAir Linear, Trunnion, Reb Adj., T185X55mm
MOTEUR	Bosch Performance CX, EU: 25kmh, INT: 20mph
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Mini Remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore SL-M6100-IR, Rapidfire Plus
MANIVELLES	FSA Alloy
CHAINGUIDE	e*thirteen, e*spec Slider
PLATEAU	FSA 12 Speed 34T chainring
CHAÎNE	Shimano CN-M6100
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano Deore M6120 4-Piston Disc, Front: SM-RT64 CL 220mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Hixon 2.0 Alloy 6061, Size S & M 15mm rise, Size L & XL 25mm rise, back sweep 8°, 780mm, Syncros Endurance lock-on grips
POTENCE	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 Alloy, 31.8mm, 1 1/8"
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S size 125mm, M size 150mm, L size 170mm, XL size 200mm
SELLE	Syncros Tofino-E 2.5 Regular
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula ECT-148M, Boost 148x12mm
RAYONS	Stainless Black
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
PNEU ARRIÈRE	Schwalbe Albert 29x2.5", Gravity, Radial, Soft, Tubeless ready, 120TPI Foldable Bead
ÉCLAIRAGE	Syncros integrated rear fender light, Front Light Cable pre-installed
EXTRAS	Kickstand mount
POIDS APPROX.	25.3 kg 55.78 lbs

ASPECT



ASPECT eRIDE 900 HIGHLAND GREEN



ASPECT eRIDE 900 WAVE HIGHLAND GREEN



ASPECT eRIDE 910 MIDNIGHT GREY



ASPECT eRIDE 910 AVENTURINE GREEN



ASPECT eRIDE 910 WAVE FLAKE GREY

eRIDE MTB	BOSCH PERF. LINE CX-R	BOSCH PERF. LINE CX	BOSCH KIOX 400C	BOSCH KIOX 300	BOSCH INTUVIA 100	BOSCH SYSTEM CONTROLLER	BOSCH LED REMOTE	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT600WH BATTERY	BOSCH ABS PRO	GROUPSET	SPEED
ASPECT 900		x		x		x		x	x			Shimano Deore / Shimano BR MT420 4 Piston	12
ASPECT 900 WAVE		x		x			x		x			Shimano Deore / Shimano BR MT420 4 Piston	12
ASPECT 910		x			x	x		x		x		SRAM SX Eagle - NX RD / Shimano BR MT420 4 Piston	12
ASPECT 910 WAVE		x			x		x			x		SRAM SX Eagle - NX RD / Shimano BR MT420 4 Piston	12

ASPECT eRIDE 900

HIGHLAND GREEN

XS, S, M, L, XL

423277-8113 (SAP | KMH)



CADRE	Alloy XS-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCR34X LOR Air, Tapered 120mm Travel, 15x110 bolt Axle, Remote Lock Out
CONTRÔLE SUSPENSIONS	SR Suntour Remote
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Kiox 300, Mini Remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore Trigger SL-M6100RC
MANIVELLES	FSA CK-220, 165mm
PLATEAU	FSA 36T w/Chain Guard
CHAÎNE	KMC e12S
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
POTENCE	Syncros AM2.0, 6061 Alloy, 31.8mm, 0°
TIGE DE SELLE	Syncros M3.0, 31.6mm, 350mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula MSC-148S, 148x12mm
RAYONS	Black Spokes
JANTES	Cross X19, 32H, 30mm, Pin Joint
	Kenda Booster 29x2.6", 30TPI
PNEU ARRIÈRE	Kenda Booster 29x2.6", 30TPI
ÉCLAIRAGE	Bosch Light Cable pre-installed F&R
POIDS APPROX.	26.7 kg 58.86 lbs

ASPECT eRIDE 900 WAVE

HIGHLAND GREEN | S, M, L, XL

423552-8113 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCR34X LOR Air, Tapered 120mm Travel, 15x110 bolt Axle, Remote Lock Out
CONTRÔLE SUSPENSIONS	SR Suntour Remote
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch LED Remote, Kiox 300
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD-M6100 SGS, Shadow Plus, 12 Speed
SHIFTER	Shimano Deore Trigger SL-M6100RC
MANIVELLES	FSA CK-220, 165mm
PLATEAU	FSA 36T w/Chain Guard
CHAÎNE	KMC e12S
CASSETTE	Shimano CS-M6100, 10-51
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
POTENCE	Syncros AM2.0, 6061 Alloy, 31.8mm, 0°
TIGE DE SELLE	Syncros M3.0, 31.6mm, 350mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula MSC-148S, 148x12mm
RAYONS	Black Spokes
JANTES	Cross X19, 32H, 30mm, Pin Joint
	Kenda Booster 29x2.6", 30TPI
PNEU ARRIÈRE	Kenda Booster 29x2.6", 30TPI
ÉCLAIRAGE	Bosch Light Cable pre-installed F&R
POIDS APPROX.	28.6 kg 63.05 lbs

ASPECT eRIDE 910

MIDNIGHT GREY

XS, S, M, L, XL

423282-7948 (SAP | KMH)



CADRE	Alloy XS-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 RL Coil, Tapered 120mm Travel, 15x110 bolt Axle, Remote Lock Out
CONTRÔLE SUSPENSIONS	SR Suntour Remote
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch System Controller, Intuvia 100, Mini Remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	SRAM NX Eagle, 12 Speed
SHIFTER	SRAM SX Eagle Single Click Trigger
MANIVELLES	FSA CK-220, 165mm
PLATEAU	SRAM CR T-Type 36T DM w/Chain Guard
CHAÎNE	SRAM SX Eagle
CASSETTE	SRAM PG1210, 11-50
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
POTENCE	Syncros AM2.0, 6061 Alloy, 31.8mm, 0°
TIGE DE SELLE	Syncros M3.0, 31.6mm, 350mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 148x12mm
RAYONS	Stainless Black
JANTES	Cross X19, 32H, 30mm, Pin Joint
	Kenda Booster 29x2.6", 30TPI
PNEU ARRIÈRE	Kenda Booster 29x2.6", 30TPI
ÉCLAIRAGE	Bosch Light Cable pre-installed F&R
POIDS APPROX.	25.8 kg 56.88 lbs

ASPECT eRIDE 910

AVENTURINE GREEN

XS, S, M, L, XL

menu

423282-8128 (SAP | KMH)



CADRE	Alloy XS-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 RL Coil, Tapered 120mm Travel, 15x110 bolt Axle, Remote Lock Out
CONTRÔLE SUSPENSIONS	SR Suntour Remote
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch System Controller, Intuvia 100, Mini Remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	SRAM NX Eagle, 12 Speed
SHIFTER	SRAM SX Eagle Single Click Trigger
MANIVELLES	FSA CK-220, 165mm
PLATEAU	SRAM CR T-Type 36T DM w/Chain Guard
CHAÎNE	SRAM SX Eagle
CASSETTE	SRAM PG1210, 11-50
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
POTENCE	Syncros AM2.0, 6061 Alloy, 31.8mm, 0°
TIGE DE SELLE	Syncros M3.0, 31.6mm, 350mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 148x12mm
RAYONS	Stainless Black
JANTES	Cross X19, 32H, 30mm, Pin Joint
	Kenda Booster 29x2.6", 30TPI
PNEU ARRIÈRE	Kenda Booster 29x2.6", 30TPI
ÉCLAIRAGE	Bosch Light Cable pre-installed F&R
POIDS APPROX.	25.8 kg 56.88 lbs

ASPECT eRIDE 910 WAVE

FLAKE GREY

S, M, L, XL

423553-7950 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 RL Coil, Tapered 120mm Travel, 15x110 bolt Axle, Remote Lock Out
CONTRÔLE SUSPENSIONS	SR Suntour Remote
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch LED Remote, Intuvia 100
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	SRAM NX Eagle, 12 Speed
SHIFTER	SRAM SX Eagle Single Click Trigger
MANIVELLES	FSA CK-220, 165mm
PLATEAU	SRAM CR T-Type 36T DM w/Chain Guard
CHAÎNE	SRAM SX Eagle
CASSETTE	SRAM PG1210, 11-50
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
POTENCE	Syncros AM2.0, 6061 Alloy, 31.8mm, 0°
TIGE DE SELLE	Syncros M3.0, 31.6mm, 350mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 148x12mm
RAYONS	Stainless Black
JANTES	Cross X19, 32H, 30mm, Pin Joint
	Kenda Booster 29x2.6", 30TPI
PNEU ARRIÈRE	Kenda Booster 29x2.6", 30TPI
ÉCLAIRAGE	Bosch Light Cable pre-installed F&R
POIDS APPROX.	27.7 kg 61.07 lbs



ROAD

eRIDE BIKE

FASTLANE

Le Fastlane eRIDE vous offre une assistance optimale lorsque vous en avez besoin. Dans les descentes ou sur du plat, c'est surtout vous qui roulez. Mais une fois que la route commence à remonter et que vous avez réellement besoin de soutien, le moteur léger se met en route avec subtilité pour soutenir vos jambes et vous permettre de grimper à toute allure.



FASTLANE PREMIUM CHROME SILVER



FASTLANE 10 CUMULUS WHITE



FASTLANE 20 CARBON BLACK



FASTLANE 20 VIOLET PINK

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
FASTLANE eRIDE PREMIUM	TQ HPR40 Mid drive 40NM	Bar End Controller/ Hood Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano Dura Ace Di2	50/34	11/34	Zipp 353 NSW TL SR	34c	Carbon HMX	Endurance
FASTLANE eRIDE 10	TQ HPR40 Mid drive 40NM	Bar End Controller/ Hood Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano Ultegra Di2	50/34	11/34	Syncros Capital 1.0 40	34c	Carbon HMX	Endurance
FASTLANE eRIDE 20	TQ HPR40 Mid drive 40NM	Bar End Controller/ Handlebar Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano 105 Di2	50/34	11/34	Syncros Capital 1.0 40	34c	Carbon HMX	Endurance

FASTLANE PREMIUM

CHROME SILVER

XS, S, M, L, XL

menu

25 km/h

425599-7958 (SAP | KMH)
425596-7958 (SAP | MPH)



CADRE	Fastlane Road Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR40, UDH Interface, Range Extender Ready
FOURCHE	Fastlane Road HMX Flatmount Disc, 27.2mm Eccentric Carbon Steerer
MOTEUR	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 290Wh
ÉCRAN	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	Shimano Dura-Ace RD-R9250, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Dura-Ace FD-R9250, Electronic Shift System
SHIFTER	Shimano Dura-Ace ST-R9270, Dual control 24 Speed Eletroninc Shift System
MANIVELLES	FSA e-Bike Carbon CK-713
PLATEAU	FSA 50x34
CHAÎNE	Shimano CN-M9100-12
CASSETTE	Shimano CS-R9200, 11-34
FREINS	Shimano BR-R9270 Hyd.Disc, Shimano RT-CL900 rotor 160/F and 160/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros Duncan SL iL D-shape
SELLE	Syncros Belcarra V 1.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Zipp 353 NSW TL SR 40 Carbon, Front 12x100mmTA, Rear 12x142mmTA, Syncros SL Axle
RAYONS	20 Front, 20 Rear
PNEU AVANT	Schwalbe PRO ONE Evo,700x34C
PNEU ARRIÈRE	Schwalbe PRO ONE Evo,700x34C
ÉCLAIRAGE	Syncros Campbell iL rear
ACCESSOIRES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
POIDS APPROX.	9.9 kg 21.83 lbs

WHAT'S NEW

New Frame/Fork
New TQ HPR40
New Zipp 353 wheels

FASTLANE 10

CUMULUS WHITE

XS, S, M, L, XL

425600-8087 (SAP | KMH)
425597-8087 (SAP | MPH)



CADRE	Fastlane Road Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR40, UDH Interface, Range Extender Ready
FOURCHE	Fastlane Road HMX Flatmount Disc, 27.2mm Eccentric Carbon Steerer
MOTEUR	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 290Wh
ÉCRAN	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	Shimano Ultegra Di2 RD-R8150, 24 Speed Electronic Shift System
DÉRAILLEUR AVANT	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTER	Shimano Ultegra ST-R8170, Dual control 24 Speed Electronic Shift System
MANIVELLES	FSA e-Bike Carbon CK-713
PLATEAU	FSA 50x34
CHAÎNE	Shimano CN-M8100-12
CASSETTE	Shimano CS-R8101, 11-34
FREINS	Shimano BR-R8170 Hyd.Disc, Shimano RT-CL800 rotor 160/F and 160/R
CINTRE	Syncros IC-R100-SL, Carbon combo
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1317S
ROUE	Syncros Capital 1.0 40 Disc, Front 12x100mmTA, Rear 12x142mmTA, Syncros SL Axle
RAYONS	24 Front, 24 Rear
	Schwalbe PRO ONE Evo, 700x34C
PNEU ARRIÈRE	Schwalbe PRO ONE Evo, 700x34C
ÉCLAIRAGE	Syncros Campbell iL rear
ACCESSOIRES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
POIDS APPROX.	10.6 kg 23.37 lbs

WHAT'S NEW

New Frame/Fork
New TQ HPR40

FASTLANE 20

CARBON BLACK

XS, S, M, L, XL

menu

25 km/h

425601-3020 (SAP | KMH)
425598-3020 (SAP | MPH)



CADRE	Fastlane Road Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR40, UDH Interface, Range Extender Ready
FOURCHE	Fastlane Road HMX Flatmount Disc, 27.2mm Eccentric Carbon Steerer
MOTEUR	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 290Wh
ÉCRAN	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7170, Dual control 24 Speed Electronic Shift System
MANIVELLES	FSA e-Bike Alloy CK-6048
PLATEAU	FSA 50x34
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40 Disc, Front 12x100mmTA, Rear 12x142mmTA, Syncros SL Axle
RAYONS	24 Front, 24 Rear
	Schwalbe ONE Fold,700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ÉCLAIRAGE	Syncros Campbell iL rear
ACCESSOIRES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
POIDS APPROX.	11.1 kg 24.47 lbs

WHAT'S NEW

New Frame/Fork
New TQ HPR40

FASTLANE 20

VIOLET PINK

XS, S, M, L, XL

menu

425601-8352 (SAP | KMH)
425598-8352 (SAP | MPH)



CADRE	Fastlane Road Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR40, UDH Interface, Range Extender Ready
FOURCHE	Fastlane Road HMX Flatmount Disc, 27.2mm Eccentric Carbon Steerer
MOTEUR	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 290Wh
ÉCRAN	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	Shimano 105 Di2 RD-R7150, 24 Speed, Electronic Shift System
DÉRAILLEUR AVANT	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTER	Shimano 105 Di2 FD-R7170, Dual control 24 Speed Electronic Shift System
MANIVELLES	FSA e-Bike Alloy CK-6048
PLATEAU	FSA 50x34
CHAÎNE	Shimano CN-M6100-12
CASSETTE	Shimano CS-R7101, 11-34
FREINS	Shimano BR-R7170 Hyd.Disc, Shimano RT-CL700 rotor 160/F and 160/R
CINTRE	Syncros HB-R100-AL
POTENCE	Syncros ST-R100-AL
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Belcarra V 2.0 NEO Cut Out
JEU DE DIRECTION	Acros AIF-1317
ROUE	Syncros Capital 1.0 40 Disc, Front 12x100mmTA, Rear 12x142mmTA, Syncros SL Axle
RAYONS	24 Front, 24 Rear
	Schwalbe ONE Fold,700x34C
PNEU ARRIÈRE	Schwalbe ONE Fold, 700x34C
ÉCLAIRAGE	Syncros Campbell iL rear
ACCESSOIRES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
POIDS APPROX.	11.1 kg 24.47 lbs

WHAT'S NEW

New Frame/Fork
New TQ HPR40



GRAVEL

eRIDE BIKE

menu

SOLACE GRAVEL

Le Solace Gravel eRIDE est votre ticket pour des sorties aussi fun que rapides, qu'il s'agisse d'une courte virée de détente ou d'une expédition sur tout un week-end. Il est silencieux, robuste, et favorise l'exploration des pistes de gravel dans leurs moindres recoins. Le système d'assistance électrique TQ HPR60 et les pneus 50c garantissent une expérience de conduite fluide et naturelle, avec ou sans assistance.



SOLACE GRAVEL 10 PALE GREEN/BELUGA GREY



SOLACE GRAVEL 20 SQUID BLUE/BELUGA GREY



SOLACE GRAVEL 30 CARBON BLACK



SOLACE GRAVEL 30 MINERAL PINK/FLINT PURPLE

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARTPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
SOLACE GRAVEL eRIDE 10	TQ HPR60 Mid drive 60NM	Color Display/ Hood Buttons	TQ E-bike	360Wh	160Wh included	Sram Force XPLR AXS	42	10/46	Zipp 303 XPLR SW	50c	Carbon HMX	Endurance
SOLACE GRAVEL eRIDE 20	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ E-bike	360Wh	(optional 160Wh)	Sram Rival XPLR AXS	42	10/46	Syncros Capital 1.0	50c	Carbon HMX	Endurance
SOLACE GRAVEL eRIDE 30	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ E-bike	360Wh	(optional 160Wh)	Sram Apex XPLR AXS	42	11/44	Syncros Capital 2.0	50c	Carbon HMX	Endurance

SOLACE GRAVEL 10

PALE GREEN/BELUGA GREY

XS, S, M, L, XL

425495-8337 (SAP | KMH)



CADRE	Solace Gravel Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Included
FOURCHE	Solace Gravel HMX Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 360Wh + xTra Power Bottle Cage Battery 160Wh
ÉCRAN	TQ HPR 60, Bluetooth, ANT+, AXS, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 4A
DÉRAILLEUR ARRIÈRE	SRAM FORCE XPLR eTap AXS, 13 Speed
SHIFTER	SRAM FORCE AXS HRD Shift-Brake System
MANIVELLES	Praxis TQ Carbon
PLATEAU	SRAM X-SYNC, 42T 107 BCD
CHAÎNE	SRAM FORCE
CASSETTE	SRAM XPLR XG1371, 10-46
FREINS	SRAM FORCE eTap AXS HRD Shift-Brake System, Flatmount, SRAM Paceline X rotor 160/F and 160/R
CINTRE	Syncros Creston iC SL X, Carbon combo
TIGE DE SELLE	Syncros Duncan SL iL D-shape
SELLE	Syncros Tofino Regular SL Cutout
JEU DE DIRECTION	Acros AIF-1135
ROUE	Zipp 303 XPLR SW Carbon tubeless disc-brake, 24 Front 12x100mmTA /24 Rear 12x142mmTA, Syncros Axle w/Removable Lever with Tool
PNEU ARRIÈRE	Schwalbe G-One Overland EVO, 700x50C Schwalbe G-One Overland EVO, 700x50C
ÉCLAIRAGE	Syncros Campbell iL rear
POIDS APPROX.	14.2 kg 31.31 lbs

WHAT'S NEW

New TQ HPR60 Motor
New Sram Force AXS 13 Speed and Zipp 303 XPLR Wheels

PROLONGATEUR D'AUTONOMIE INCLUS



SOLACE GRAVEL 20

SQUID BLUE/BELUGA GREY

XS, S, M, L, XL

425496-8345 (SAP | KMH)



CADRE	Solace Gravel Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FOURCHE	Solace Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 360Wh
ÉCRAN	TQ HPR 60, Bluetooth, ANT+, AXS, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 4A
DÉRAILLEUR ARRIÈRE	SRAM RIVAL XPLR eTap AXS, 13 Speed
SHIFTER	SRAM RIVAL AXS HRD Shift-Brake System
MANIVELLES	Praxis TQ Alloy
PLATEAU	SRAM X-SYNC, 42T 107 BCD
CHAÎNE	SRAM RIVAL
CASSETTE	SRAM XPLR XG1351, 10-46
FREINS	SRAM RIVAL eTap AXS HRD Shift-Brake System, Flatmount, SRAM HS2 rotor 160/F and 160/R
CINTRE	Syncros Creston 1.0 X, Carbon 31.8mm
POTENCE	Syncros RR-2.0 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1112
ROUE	Syncros Capital 1.0 40e Disc, 24 Front 12x100mmTA /24 Rear 12x142mmTA
PNEU ARRIÈRE	Schwalbe G-One Overland EVO, 700x50C Schwalbe G-One Overland EVO, 700x50C
ÉCLAIRAGE	Syncros Campbell iL rear
POIDS APPROX.	13.8 kg 30.42 lbs

WHAT'S NEW

New TQ HPR60 Motor
New Sram Rival AXS 13 Speed

SOLACE GRAVEL 30

CARBON BLACK

XS, S, M, L, XL

425494-3020 (SAP | MPH)
425497-3020 (SAP | KMH)



CADRE	Solace Gravel Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FOURCHE	Solace Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 360Wh
ÉCRAN	TQ HPR 60, Bluetooth, ANT+, AXS, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	SRAM APEX XPLR eTap AXS, 12 Speed
SHIFTER	SRAM APEX AXS HRD Shift-Brake System
MANIVELLES	FSA eBike Alloy CK-746
PLATEAU	SRAM X-SYNC, 42T 107 BCD
CHAÎNE	SRAM APEX
CASSETTE	SRAM XPLR PG1231, 11-44
FREINS	SRAM APEX eTap AXS HRD Shift-Brake System, Flatmount, SRAM HS2 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR-2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1112
ROUE	Syncros Capital 2.0 Disc, 28 Front 12x100mmTA /28 Rear 12x142mmTA, Syncros Axle w/ Removable Lever with Tool
	Schwalbe G-One Overland 365 Perf, 700x50C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Perf, 700x50C
ÉCLAIRAGE	Syncros Campbell iL rear
POIDS APPROX.	14.3 kg 31.53 lbs

WHAT'S NEW

New TQ HPR60 Motor

SOLACE GRAVEL 30

MINERAL PINK/FLINT PURPLE

XS, S, M, L, XL

425497-8334 (SAP | KMH)



CADRE	Solace Gravel Disc HMX, Endurance geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FOURCHE	Solace Gravel HMF Flatmount Disc, 11/4"-1 1/2" Eccentric Carbon steerer
MOTEUR	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERIE	TQ Internal 360Wh
ÉCRAN	TQ HPR 60, Bluetooth, ANT+, AXS, Dedicated Smartphone app
CHARGEUR	TQ AC 90-264V 2A
DÉRAILLEUR ARRIÈRE	SRAM APEX XPLR eTap AXS, 12 Speed
SHIFTER	SRAM APEX AXS HRD Shift-Brake System
MANIVELLES	FSA eBike Alloy CK-746
PLATEAU	SRAM X-SYNC, 42T 107 BCD
CHAÎNE	SRAM APEX
CASSETTE	SRAM XPLR PG1231, 11-44
FREINS	SRAM APEX eTap AXS HRD Shift-Brake System, Flatmount, SRAM HS2 rotor 160/F and 160/R
CINTRE	Syncros Creston 2.0 X, Alloy 31.8mm
POTENCE	Syncros RR-2.5 1 1/4", four Bolt 31.8mm
TIGE DE SELLE	Syncros Duncan 1.0 iL D-shape
SELLE	Syncros Tofino Regular 2.0 Cutout
JEU DE DIRECTION	Acros AIF-1112
ROUE	Syncros Capital 2.0 Disc, 28 Front 12x100mmTA /28 Rear 12x142mmTA, Syncros Axle w/ Removable Lever with Tool
	Schwalbe G-One Overland 365 Perf, 700x50C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Perf, 700x50C
ÉCLAIRAGE	Syncros Campbell iL rear
POIDS APPROX.	14.3 kg 31.53 lbs

WHAT'S NEW

New TQ HPR60 Motor



ALL TERRAIN / URBAN

eRIDE BIKE

eRIDE ALL TERRAIN | URBAN LINE-UP

Pour vos loisirs ? Pour un usage récréatif ? Pour vos trajets quotidiens ? Pour aller faire vos courses ? La gamme de vélos de ville et de VTT électriques de SCOTT a ce qu'il vous faut. Notre objectif est que, peu importe d'où vous venez, que vous viviez en ville, en banlieue ou en haut d'une colline, nous vous invitons à sortir et à SUIVRE LE MOUVEMENT.







AXIS FS

Le Axis FS eRIDE est le vélo d'aventure électrique tout-suspendu ultime. Tout aussi performant et confortable sur terrain difficile que pour aller faire vos courses, il a tout ce qu'il faut pour vous accompagner tout au long de la journée. Et avec son système d'assistance électrique Bosch Performance CX et sa batterie de 800 Wh dernière génération, il ne manque pas non plus de puissance. Pour tirer le meilleur parti de votre aventure, il est même équipé de la technologie ABS (AXIS FS 10). Avec l'Axis FS, la seule limite est votre imagination.



PASSAGE

Le Passage eRIDE a été conçu pour simplifier vos sorties à vélo en ville. Grâce à sa courroie, son dérailleur arrière, son système d'assistance électrique Bosch SX et sa batterie Bosch de 400 Wh, le Passage vous assure une incroyable sensation de légèreté. La transmission à courroie combinée à un moyeu à vitesses intégrées permet d'obtenir une grande fiabilité et exige un entretien minimal. Pour 2026, le Passage est disponible dans une nouvelle forme de cadre ergonomique.



AXIS

L'équilibre parfait entre le cyclisme urbain et le VTT. Le SCOTT AXIS eRIDE est équipé d'un moteur Performance CX et d'une batterie de 800 Wh. Il sera parfait pour vos week-ends d'exploration des grands espaces. Le porte-bagage Syncros Heavy Duty et l'axe traversant Syncros vous permettent de fixer deux remorques. Avec deux formes de cadres élégantes, vous pouvez simplement choisir celle qui vous convient le mieux.



SUB

Le SUB est synonyme de puissance, pour en faire toujours plus. Équipé de composants performants tels que des phares puissants, un porte-bagages arrière Syncros Heavy Duty, un adaptateur Syncros pour remorques de vélo, différents systèmes d'assistance électrique Bosch et des batteries longue durée, le SUB est la solution idéale pour la ville et les banlieues. Pour 2026, nous avons une nouvelle dénomination : Les options du SUB Tour sont conçues pour les transmissions à courroie et moyeu à vitesses intégrées, pour un entretien et une facilité d'utilisation réduits. Et le SUB Sport est équipé d'un dérailleur arrière.

AXIS FS / AXIS



AXIS FS 10 MARTIN GREEN



AXIS FS 20 SHARK GREY



AXIS 10 BIRD GREY



AXIS 10 WAVE BIRD GREY



AXIS 20 MIDNIGHT GREY



AXIS 20 COLORADO GOLD



AXIS 20 WAVE MIDNIGHT GREY



AXIS 20 WAVE ICY BLUE



AXIS 40 CYPRESS GREEN



AXIS 40 WAVE CYPRESS GREEN

	BOSCH PERFORMANCE CX	BOSCH PERFORMANCE	BOSCH KIOX 300	BOSCH INTUVIA 100	BOSCH PURION 200	BOSCH SYSTEM CONTROLLER	BOSCH LED REMOTE	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT600WH BATTERY	BOSCH PT540WH BATTERY	BOSCH ABS	GROUPSET	SPEED
AXIS FS 10	x		x			x		x	x			x	Shimano XT / Magura MT-C ABS Allroad	12
AXIS FS 20	x			x		x		x	x				Shimano Deore / MT520 4 Piston	12
AXIS 10	x		x			x		x	x				Shimano XT / MT420 4 Piston	12
AXIS 10 WAVE	x		x				x		x				Shimano XT / MT420 4 Piston	12
AXIS 20	x			x		x		x		x			Shimano Deore / MT420 4 Piston	12
AXIS 20 WAVE	x			x			x			x			Shimano Deore / MT420 4 Piston	12
AXIS 30		x			x						x		Shimano QUES / MT200 2 Piston	10
AXIS 30 WAVE		x			x						x		Shimano QUES / MT200 2 Piston	10

AXIS FS 10

MARTIN GREEN

S, M, L, XL

menu

423311-7961 (SAP | KMH)



CADRE	Alloy S-XL=29", Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 140mm, Rear: 140mm
FOURCHE	FOX AWL 34, Grip Remote Damper 3P, 4QR Axle 15x110mm axle, 44mm offset, tapered steerer, 140mm travel
AMORTISSEUR	FOX Float eRIDE 185x47, 5mm, 3P, Remote Ready, 140mm Travel
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Remote 3P
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Kiox 300, Mini remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano XT RD M8100SGS 12 Speed
DÉRAILLEUR AVANT	SCOTT Chainguide
SHIFTER	Shimano XT SL-M8100IR
MANIVELLES	FSA CK-745 165mm
PLATEAU	FSA 36T w/Chain Guard
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M8100-12 10-51T
FREINS	Magura MTC Allroad Disc Brakes, Bosch ABS Trail, Front: MDR-C CL 203mm, Rear: MDR-C CL 203mm
CINTRE	Syncros Forged Alloy Combo 680mm, Back Sweep 9°, Up Sweep 8°, 70mm, with front Light mount and Kiox 300 mount
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S&M 361mm, L&XL 403mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148M, Boost 12x148mm
RAYONS	Sapim double butted
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova Taillight
PORTE-BAGAGES	Racktime SnapIt 2.0 15KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29 kg 63.93 lbs

AXIS FS 20

SHARK GREY

S, M, L, XL

menu

423312-7842 (SAP | KMH)



CADRE	Alloy S-XL=29", Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
DÉBATTEMENT	Front: 140mm, Rear: 140mm
FOURCHE	RockShox Psylo Silver RC Solo Air, E-Bike, Remote Motion Control Damper 2P, QR Axle 15x110mm axle, 44mm offset, tapered steerer, 140mm travel
AMORTISSEUR	X-Fusion Nude RLX Trunnion 185x47, 5mm, 2P, Remote Ready, 140mm Travel
CONTRÔLE SUSPENSIONS	SCOTT TwinLoc Remote 2P
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Intuvia 100, Mini remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD M6100SGS 12 Speed
DÉRAILLEUR AVANT	SCOTT Chainguide
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-745 165mm
PLATEAU	FSA 36T w/Chain Guard
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T
FREINS	Shimano BR-MT520 4 Piston Disc Brakes, Front: SM-RT64 CL 203mm, Rear: SM-RT64 CL 203mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S&M 361mm, L&XL 403mm
SELLE	Syncros Tofino E 2.0
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148M, Boost 12x148mm
RAYONS	Sapim double butted
JANTES	Syncros MD30, 32H, 30mm, Pin Joint, Tubeless ready
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Lezyne Superbright
PORTE-BAGAGES	Racktime SnapIt 2.0 15KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.8 kg 63.49 lbs

AXIS 10

BIRD GREY

S, M, L, XL

423319 - 8129 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCR34X Air, Tapered, 15x110 TA, Remote Lock Out, 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Kiox 300, Mini remote
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano XT RD M8100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M7100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros Forged Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount and Kiox 300 mount
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S&M 361mm, L&XL 403mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Lezyne Rack
PORTE-BAGAGES	Racktime micro Rack SnapIt 2.0 27KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.2 kg 62.17 lbs

AXIS 10 WAVE

BIRD GREY

S, M, L, XL

423426-8129 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCR34X Air, Tapered , 15x110 bolt Axle, Remote Lock Out , 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch LED Remote & Kiox 300
CHARGEUR	4A Charger
DÉRAILLEUR ARRIÈRE	Shimano XT RD M8100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M7100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros Forged Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount and Kiox 300 mount
TIGE DE SELLE	Syncros Duncan Dropper Post 2.5, 31.6mm, S&M 361mm, L&XL 403mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Lezyne Rack
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 27KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.1 kg 64.15 lbs

AXIS 20

MIDNIGHT GREY

S, M, L, XL

menu

423330-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch System Controller, Intuvia 100, Mini remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD M6100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.3 kg 62.39 lbs

AXIS 20

COLORADO GOLD

S, M, L, XL

423330-8116 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch System Controller, Intuvia 100, Mini remote
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD M6100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.3 kg 62.39 lbs

AXIS 20 WAVE

MIDNIGHT GREY

S, M, L, XL

423324-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch LED Remote & Intuvia 100
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD M6100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.2 kg 64.37 lbs

WHAT'S NEW

AXIS 20 WAVE

ICY BLUE

S, M, L, XL

423324-8331 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 120mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch LED Remote & Intuvia 100
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano Deore RD M6100SGS 12 Speed
SHIFTER	Shimano Deore SL-M6100RA
MANIVELLES	FSA CK-220 165mm
CHAINGUIDE	Syncros
PLATEAU	FSA 36T
CHAÎNE	KMC E12S
CASSETTE	Shimano CS-M6100-12 10-51T 12 Speed
FREINS	Shimano BR-MT420 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HB-TC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FH-TC500HMSBB CL, Boost 12x148mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.2 kg 64.37 lbs

AXIS 30

CYPRESS GREEN

S, M, L, XL

menu

425607-3147 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 Coil, Tapered, 15x110 TA, 120mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000GS 10 Speed
SHIFTER	Shimano SL-U600010RC
MANIVELLES	FSA CK-220 165mm
PLATEAU	Miranda 36T w/Chain Guard
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48T 10 Speed
FREINS	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: RT-EM300 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Stainless Black
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack SnapIt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.2 kg 62.17 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540

AXIS 30 WAVE

CYPRESS GREEN

S, M, L, XL

425608-3147 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	120mm
FOURCHE	SR Suntour XCM34 Coil, Tapered, 15x110 TA, 120mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RD-U6000GS 10 Speed
SHIFTER	Shimano SL-U600010RC
MANIVELLES	FSA CK-220 165mm
PLATEAU	Miranda 36T w/Chain Guard
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48T 10 Speed
FREINS	Shimano BR-MT200 Disc Brakes, Front: SM-RT30 CL 180mm, Rear: RT-EM300 CL 180mm
CINTRE	Syncros 3.0 720mm, 31.8mm, Backsweep 9°, 12mm rise, Syncros Lock On Grip
POTENCE	Syncros with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Stainless Black
JANTES	Syncros X18 Disc
	Schwalbe Advancer 60-622 Wired
PNEU ARRIÈRE	Schwalbe Advancer 60-622 Wired
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime Rack Snaplt 2.0 25KG
PÉDALES	VP VPE-506
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.7 kg 65.48 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540



PASSAGE



PASSAGE 10 BELT MIDNIGHT GREY



PASSAGE 10 BELT SLOPE MINT GREEN



PASSAGE 10 WAVE MIDNIGHT GREY



PASSAGE 20 HIGHLAND GREEN



PASSAGE 20 SLOPE BIANCO WHITE



PASSAGE 20 WAVE HIGHLAND GREEN



PASSAGE 20 WAVE LILA PURPLE

	BOSCH PERFORMANCE PX	BOSCH PERFORMANCE	BOSCH PERFORMANCE SX	BOSCH KIOX 300	BOSCH P URION 200	BOSCH SYSTEM CONTROLLER	BOSCH LED REMOTE	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT600WH BATTERY	BOSCH PT540WH BATTERY	BOSCH CPT400WH BATTERY	GROUPSET	SPEED
PASSAGE 10 BELT			x		x							x	Shimano Nexus 8/ MT200	8
PASSAGE 10 BELT SLOPE			x		x							x	Shimano Nexus 8/ MT200	8
PASSAGE 10 BELT WAVE			x		x							x	Shimano Nexus 8/ MT200	8
PASSAGE 20			x		x							x	Shimano CUES / MT200	9
PASSAGE 20 SLOPE			x		x							x	Shimano CUES / MT200	9
PASSAGE 20 BELT WAVE			x		x							x	Shimano CUES / MT200	9

PASSAGE 10 BELT

MIDNIGHT GREY

S, M, L, XL

menu

425613-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out, Alloy Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Alfine SL-S503 Rapid Fire Plus
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDC 52T w/Guard
CHAÎNE	Gates CDC 125T
CASSETTE	Gates CDC 26T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano Nexus 8 Speed
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	21.7 kg 47.84 lbs

PASSAGE 10 BELT SLOPE

MINT GREEN

S, M, L

menu

425614-2878 (SAP | KMH)



CADRE	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out , Alloy Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Alfine SL-S503 Rapid Fire Plus
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDC 52T w/Guard
CHAÎNE	Gates CDC 125T
CASSETTE	Gates CDC 26T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano Nexus 8 Speed
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	21.9 kg 48.28 lbs

PASSAGE 10 WAVE

MIDNIGHT GREY

S, M, L, XL

menu

425615-7948 (SAP | KMH)



CADRE	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out , Alloy Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Alfine SL-S503 Rapid Fire Plus
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDC 52T w/Guard
CHAÎNE	Gates CDC 125T
CASSETTE	Gates CDC 26T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano Nexus 8 Speed
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	22.5 kg 49.6 lbs

WHAT'S NEW

New Frame

PASSAGE 20

HIGHLAND GREEN | S, M, L, XL

425616 - 8113 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered, 15x100 bolt Axle, Remote Lock Out, Steel Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RDU4000GS 9 Speed
SHIFTER	Shimano CUES SLU4009RC, 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano LG300, 11-46T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMB CL, 12x142mm
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	21.3 kg 46.96 lbs

PASSAGE 20 SLOPE

BIANCO WHITE

S, M, L

menu

425617-7978 (SAP | KMH)



CADRE	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out , Steel Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RDU4000GS 9 Speed
SHIFTER	Shimano CUES SLU4009RC, 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano LG300, 11-46T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMB CL, 12x142mm
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	21.5 kg 47.4 lbs

PASSAGE 20 WAVE

HIGHLAND GREEN

S, M, L, XL

425618 - 8113 (SAP | KMH)



CADRE	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out , Steel Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RDU4000GS 9 Speed
SHIFTER	Shimano CUES SLU4009RC, 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano LG300, 11-46T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMB CL, 12x142mm
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	22.2 kg 48.94 lbs

WHAT'S NEW

New Frame

PASSAGE 20 WAVE

LILA PURPLE

S, M, L, XL

425618 - 8126 (SAP | KMH)



CADRE	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
DÉBATTEMENT	75mm
FOURCHE	SR Suntour NRX32-E Air LO R, Tapered , 15x100 bolt Axle, Remote Lock Out , Steel Steerer, 75mm Travel
MOTEUR	Bosch Performance SX, EU: 25kmh
BATTERIE	Compact Tube 400Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
DÉRAILLEUR ARRIÈRE	Shimano CUES RDU4000GS 9 Speed
SHIFTER	Shimano CUES SLU4009RC, 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano LG300, 11-46T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros Welded Alloy Combo 680mm, Backsweep 9°, Upsweep 8°, 70mm, with front Light mount
TIGE DE SELLE	Syncros M3.0, 31.6
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015B CL, 15x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMB CL, 12x142mm
RAYONS	Black Spokes
JANTES	Syncros X15 Disc
	Schwalbe G-One Overland 365 Performance, 700x45C
PNEU ARRIÈRE	Schwalbe G-One Overland 365 Performance, 700x45C
ÉCLAIRAGE	Lezyne Fusion E550SM front light, Rear Supernova TL3Z
PORTE-BAGAGES	Racktime Micro Rack SnapIt 2.0 8KG
PÉDALES	Marwi SP-827
EXTRAS	Alumee alloy profile Fender, Hebie Kickstand
POIDS APPROX.	22.2 kg 48.94 lbs

WHAT'S NEW

New Frame

SUB

SUB Tour stands for belt and internal gear hub for low maintenance and ease of use.
SUB Sport comes with rear derailleur.



SUB TOUR 10 KELP GREEN



SUB TOUR 10 WAVE KELP GREEN



SUB TOUR 10 WAVE MAGENTA RED



SUB TOUR 20 SMOKE GREY



SUB TOUR 20 WAVE SMOKE GREY



SUB TOUR 20 WAVE CLASSIC GREY



SUB TOUR 30 MIDNIGHT GREY



SUB TOUR 30 WAVE MIDNIGHT GREY



SUB TOUR 30 WAVE STERLING BLUE



SUB TOUR 40 HEMATITE BLUE



SUB TOUR 40 WAVE HEMATITE BLUE



SUB SPORT 10 MIDNIGHT GREY



SUB SPORT 10 COLORADO GOLD



SUB SPORT 10 WAVE MIDNIGHT GREY



SUB SPORT 20 HEMATITE BLUE



SUB SPORT 20 WAVE HEMATITE BLUE



SUB SPORT 20 WAVE MINT GREEN



SUB SPORT 30 HIGHLAND GREEN



SUB SPORT 30 WAVE HIGHLAND GREEN



SUB SPORT 30 WAVE ICY BLUE

	BOSCH PERFORMANCE PX	BOSCH PERFORMANCE	BOSCH PERFORMANCE SX	BOSCH KIOX 300	BOSCH P URION 200	BOSCH SYSTEM CONTROLLER	BOSCH LED REMOTE	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT600WH BATTERY	BOSCH PT540WH BATTERY	BOSCH CPT400WH BATTERY	GROUPSET	SPEED
SUB TOUR 10	x			x		x		x	x				Shimano Nexus 5/ MT200	5
SUB TOUR 10 WAVE	x			x			x		x				Shimano Nexus 5/ MT200	5
SUB TOUR 20	x				x					x			Shimano Nexus 5/ MT200	5
SUB TOUR 20 WAVE	x				x					x			Shimano Nexus 5/ MT200	5
SUB TOUR 30		x			x						x		Shimano Nexus 5/ MT200	5
SUB TOUR 30 WAVE		x			x						x		Shimano Nexus 5/ MT200	5
SUB TOUR 40		x			x						x		Shimano Nexus 5/ MT200	5
SUB TOUR 40 WAVE		x			x						x		Shimano Nexus 5/ MT200	5
SUB SPORT 10	x				x				x				Shimano CUES / MT200	10
SUB SPORT 10 WAVE	x				x				x				Shimano CUES / MT200	10
SUB SPORT 20	x				x					x			Shimano CUES / MT200	10
SUB SPORT 20 WAVE	x				x					x			Shimano CUES / MT200	10
SUB SPORT 30		x			x						x		Shimano CUES / MT200	9
SUB SPORT 30 WAVE		x			x						x		Shimano CUES / MT200	9

SUB TOUR 10

KELP GREEN

S, M, L, XL

menu

425619 - 6546 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch System Controller, Kiox 300, Mini remote
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.1 kg 61.95 lbs

WHAT'S NEW

Bosch Performance PX DU

SUB TOUR 10 WAVE

KELP GREEN

S, M, L, XL

menu

425620-6546 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	LED remote, Kiox 300
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.7 kg 65.48 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB TOUR 10 WAVE

MAGENTA RED

S, M, L, XL

menu

425620-8333 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	LED remote, Kiox 300
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier Snaplt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.7 kg 65.48 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB TOUR 20

SMOKE GREY

S, M, L, XL

425621-2934 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.7 kg 63.27 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB TOUR 20 WAVE

SMOKE GREY

S, M, L, XL

425622-2934 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	30.1 kg 66.36 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB TOUR 20 WAVE

CLASSIC GREY

S, M, L, XL

menu

425622-8321 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance CX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	FSA CK-220 170mm
PLATEAU	Gates CDX 46T w/Guard
CHAÎNE	Gates CDX 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount and Intuvia 100 mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	30.1 kg 66.36 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB TOUR 30

MIDNIGHT GREY

S, M, L, XL

menu

25 km/h

425623-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	Miranda Virage 170mm
PLATEAU	Gates CDC 46T w/Guard
CHAÎNE	Gates CDC 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.4 kg 62.61 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB TOUR 30 WAVE

MIDNIGHT GREY

S, M, L, XL

menu

425624-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	Miranda Virage 170mm
PLATEAU	Gates CDC 46T w/Guard
CHAÎNE	Gates CDC 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.6 kg 65.26 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB TOUR 30 WAVE

STERLING BLUE

S, M, L, XL

425624-8346 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	Miranda Virage 170mm
PLATEAU	Gates CDC 46T w/Guard
CHAÎNE	Gates CDC 130T
CASSETTE	Gates CDX 32T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.6 kg 65.26 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB TOUR 40

HEMATITE BLUE

S, M, L, XL

menu

425771-8131 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	Miranda Virage 170mm
PLATEAU	Miranda 38T
CHAÎNE	KMC Z1
CASSETTE	Shimano CSC700027 27T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.1 kg 61.95 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB TOUR 40 WAVE

HEMATITE BLUE

S, M, L, XL

menu

25 km/h

425772 - 8131 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 135mm with 46mm Beltline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano Nexus Inter 5e
MANIVELLES	Miranda Virage 170mm
PLATEAU	Miranda 38T
CHAÎNE	KMC Z1
CASSETTE	Shimano CSC700027 27T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano Nexus Inter 5e
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.7 kg 65.48 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB SPORT 10

MIDNIGHT GREY

S, M, L, XL

menu

425703-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.9 kg 63.71 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 10

COLORADO GOLD

S, M, L, XL

425703-8116 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier Snaplt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.9 kg 63.71 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 10 WAVE

MIDNIGHT GREY

S, M, L, XL

425704-7948 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 800Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Rack Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 27KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	30.6 kg 67.46 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 20

HEMATITE BLUE

S, M, L, XL

425705-8131 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	28.00 kg 61.73 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 20 WAVE

HEMATITE BLUE

S, M, L, XL

425706-8131 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.8 kg 65.7 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 20 WAVE

MINT GREEN

S, M, L, XL

425706-2878 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour XCM34 LO Coil, Tapered, 15x110 bolt Axle, Lock Out, 100mm Travel
MOTEUR	Bosch Performance PX, EU: 25kmh
BATTERIE	PowerTube 600Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U6000GS 10 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG40010 11-48 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBTC50015BB CL, 15x110mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 60-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 60-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier Snaplt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.8 kg 65.7 lbs

WHAT'S NEW

Bosch Performance PX DU
Bosch PowerMore Ready

SUB SPORT 30

HIGHLAND GREEN

S, M, L, XL

menu

425707-8113 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U4000GS 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG3009 11-46 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Super Bright Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	27.6 kg 60.85 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB SPORT 30 WAVE

HIGHLAND GREEN

S, M, L, XL

425708-8113 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U4000GS 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG3009 11-46 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.9 kg 65.92 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready

SUB SPORT 30 WAVE

ICY BLUE

S, M, L, XL

425708-8331 (SAP | KMH)



CADRE	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
DÉBATTEMENT	100mm
FOURCHE	SR Suntour NVX 32 5TA NLO Coil, Tapered, 5x100 TA, Lock Out, 100mm Travel
MOTEUR	Bosch Performance, EU: 25kmh
BATTERIE	PowerTube 540Wh
ÉCRAN	Bosch Purion 200
CHARGEUR	2A Charger
SHIFTER	Shimano CUES RD-U4000GS 9 Speed
MANIVELLES	FSA CK-220 170mm
CHAINGUIDE	Syncros
PLATEAU	FSA 38T
CHAÎNE	Shimano LG500
CASSETTE	Shimano CS-LG3009 11-46 T
FREINS	Shimano BR-MT200 Disc, Front: SM-RT30 CL 180mm, Rear: SM-RT30 CL 160mm
CINTRE	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
POTENCE	Syncros UC 3.0 adjustable with front Light mount
TIGE DE SELLE	Syncros 3.0, 31.6mm, 350mm
SELLE	Syncros Capilano
JEU DE DIRECTION	Acros, 1.5"- 1.5", semi integ. OD 50/61mm, ID 44/55mm
MOYEU AVANT	Shimano HBQC400B58LL, 5x100mm
MOYEU ARRIÈRE	Shimano FHTC500HMBB, 148x12mm
RAYONS	Black Spokes
JANTES	Syncros X18 Disc
	Schwalbe Big Apple Performance, 55-622
PNEU ARRIÈRE	Schwalbe Big Apple Performance, 55-622
ÉCLAIRAGE	Front Lezyne Hecto E65, Rear Lezyne Light
PORTE-BAGAGES	Racktime carrier SnapIt 2.0 25KG
PÉDALES	Marwi SP-828
EXTRAS	Curana alloy profile Fender, Ursus Kickstand
POIDS APPROX.	29.9 kg 65.92 lbs

WHAT'S NEW

Bosch Performance DU
Bosch PT540
Bosch PowerMore Ready



KIDS

BIKES

FUTURE PRO

SPARK RC



SPARK RC 700 CARBON BLACK

RANSOM



RANSOM 600 BLACK



RANSOM 400 BERYL GREEN

SCALE



SCALE RC 700 BLACK



SCALE RC 600 BLACK



SCALE RC 400 BLACK



SCALE RC 200 BLACK

	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
SPARK RC 700	SRAM SX/NX Eagle	12	SHIMANO MT501	Manitou Machete Comp air X-Fusion 02Pro R Trunnion	120mm	27.5"	145<	57<
RANSOM 600	SRAM NX	11	SHIMANO UR405	X-Fusion Slant RC X-Fusion 02Pro R Turnnion	140mm	26"	135<	53<
RANSOM 400	SRAM NX	11	SHIMANO UR405	X-Fusion Slant RC X-Fusion 02Pro R Turnnion	140mm	26"	125<	49<
SCALE RC 700	SRAM SX/NX Eagle	12	SHIMANO UR405	RST F1rst air	100mm	27.5"	145<	57<
SCALE RC 600	MicroShift ADVENT	9	SHIMANO UR405	RST F1rst air	80mm	26"	135<	53<
SCALE RC 400	MicroShift ADVENT	9	SHIMANO UR405	RST F1rst air	60mm	24"	125<	49<
SCALE RC 200	MicroShift ADVENT	9	SHIMANO UR405	RST F1rst air	60mm	20"	115<	45<

SPARK RC 700

CARBON BLACK | S

menu

423579 - 3020



CADRE	Spark 27.5" carbon HMF, Integrated suspension technology, Flex Pivot, adjustable head angle, Syncros cable integration system, BB92, UDH interface 12x148mm with 55mm chainline
FOURCHE	Manitou Machete Comp 27.5", 15x110, tapered, Air kids tune, 120mm travel
AMORTISSEUR	X-Fusion 02Pro R Trunnion KIDS, vertical valve position, rebound adjuster, Kids tune, 120mm travel, 165x45mm
DÉRAILLEUR ARRIÈRE	SRAM SX Eagle 12 Speed
SHIFTER	SRAM NX Eagle Trigger, MMX
MANIVELLES	Prowheel DMJ 30T 2PC, Boost CL:55, 155mm
BOÎTIER	Prowheel PF92
CHAÎNE	SRAM CN SX Eagle
CASSETTE	SRAM NX Eagle, PG-1230, 11-50T, 12-Speed
LEVIER DE FREIN	Shimano BL-MT501
FREINS	Shimano BR-MT500, SM-RT30, CL, 160mm
CINTRE	Syncros Alloy 6061 DB, T shape Flat, 9°, 700mm, Syncros Performance XC lock-on grips
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
TIGE DE SELLE	Syncros Dropper Ducan Kids Remote, 31.6mm, 80mm, Kid centric custom tune, Remote Lever I-Spec II
SELLE	Syncros Future Pro
JEU DE DIRECTION	Syncros - Acros Angle adjust & Cable Routing HS System, -0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
MOYEU AVANT	Formula CL-811, 15x110mm
MOYEU ARRIÈRE	Formula CL-148S, 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros X-30SE, 32H, 30mm
PNEU AVANT	Maxxis Rekon Race, 27.5x2.35", 120TPI, folding, EXO, TR
PNEU ARRIÈRE	Maxxis Rekon Race, 27.5x2.35", 120TPI, folding, EXO, TR
POIDS APPROX.	12.5 kg 27.56 lbs

RANSOM 600

BLACK | ONE SIZE

menu

26"

425196 - 0001



CADRE	Ransom 24"/26" Alloy 6061 Custom butted tubing, Tapered headtube, BB73, Internal cable routing, UDH 148x12mm
FOURCHE	X-Fusion Slant RC 26, 140mm, tapered, Kids' Bike Tune
AMORTISSEUR	X-Fusion 02Pro R Trunnion, Rebound Adjuster, Kids' Bike Tune, Travel 130mm, 165x45mm
DÉRAILLEUR ARRIÈRE	SRAM NX 11 Speed
SHIFTER	SRAM NX Trigger
MANIVELLES	Prowheel DMJ 30T 2PC, Boost CL:52, 140mm
BOÎTIER	Prowheel BB73
CHAÎNE	KMC X11
CASSETTE	SRAM, PG-1130, 11-42T, 11-Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano Deore SM-RT56, IS, F:180 R:160
CINTRE	LEADTEC Kids riser bar alloy DB, 31.8mm clamp, 580mm, BS 9°, Syncros Grip Kids D19mm, Lock-on
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
TIGE DE SELLE	Syncros Dropper Ducan Remote, 31.6mm, 80mm, Kid centric custom tune
SELLE	Syncros Future Pro
JEU DE DIRECTION	Syncros OE Press Fit, Reduce 1.5"-1 1/8", OD 50/62mm, ID 44/56mm
MOYEU AVANT	Formula DC-71 IS, 15x100mm
MOYEU ARRIÈRE	Formula DC-3248 IS, Boost 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros DP30, 32H, 30mm
AVANT	Kenda Hellkat K1201, 60TPI, folding, 26x2.4
PNEU ARRIÈRE	Kenda Hellkat K1201, 60TPI, folding, 26x2.4
PÉDALES	Feimin FP-803
POIDS APPROX.	13.6 kg 29.98 lbs

WHAT'S NEW

SRAM SX 11Speed
Handlebar D:19mm
Syncros Kids D19 Lock-on grips

RANSOM 400

BERYL GREEN | ONE SIZE

menu

24"

425197-8263



CADRE	Ransom 24"/26" Alloy 6061 Custom butted tubing, Tapered headtube, BB73, Internal cable routing, UDH 148x12mm
FOURCHE	X-Fusion Slant RC 26, 140mm, tapered, Kids' Bike Tune
AMORTISSEUR	X-Fusion 02Pro R Trunnion, Rebound Adjuster, Kids' Bike Tune, Travel 130mm, 165x45mm
DÉRAILLEUR ARRIÈRE	SRAM NX 11 Speed
SHIFTER	SRAM NX Trigger
MANIVELLES	Prowheel DMJ 30T 2PC, Boost CL:52, 127mm
BOÎTIER	Prowheel BB73
CHAÎNE	KMC X11
CASSETTE	SRAM, PG-1130, 11-42T, 11-Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano Deore SM-RT56, IS, F: 180 R: 160
CINTRE	LEADTEC Kids riser bar alloy DB, 31.8mm clamp, 580mm, BS 9°, Syncros Grip Kids D19mm, Lock-on
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
TIGE DE SELLE	Syncros Dropper Ducan Remote, 31.6mm, 80mm, Kid centric custom tune
SELLE	Syncros Future Pro
JEU DE DIRECTION	Syncros OE Press Fit, Reduce 1.5"-1 1/8", OD 50/62mm, ID 44/56mm
MOYEU AVANT	Formula DC-71 IS, 15x100mm
MOYEU ARRIÈRE	Formula DC-3248 IS, Boost 12x148mm
RAYONS	Stainless Black 15G, 1.8mm
JANTES	Syncros DP30, 32H, 30mm
AVANT	Kenda Hellkat K1201, 60TPI, folding, 24x2.4
PNEU ARRIÈRE	Kenda Hellkat K1201, 60TPI, folding, 24x2.4
PÉDALES	Feimin FP-803
POIDS APPROX.	13.4 kg 29.54 lbs

WHAT'S NEW

SRAM SX 11Speed
Handlebar D:19mm
Syncros Kids D19 Lock-on grips

SCALE RC 700

BLACK | XS

menu

27.5"

425198 - 0001



CADRE	Scale Alloy 6061 Custom Butted Tubing, Syncros Cable Integration System, Tapered Headtube, BB92, QR 5x141mm with 55mm Chainline
FOURCHE	RST F1RST 27.5" 100-9 Air, Kids tune, 100mm travel
DÉRAILLEUR ARRIÈRE	SRAM SX Eagle 12 Speed
SHIFTER	SRAM SX Eagle Trigger
MANIVELLES	Prowheel DMJ 30T 2PC, Boost CL:55, 155mm
BOÎTIER	Prowheel PF92
CHAÎNE	SRAM CN SX Eagle
CASSETTE	SRAM NX Eagle, PG-1230, 11-50T, 12-Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano SM-RT10S, CL, 160mm
CINTRE	Syncros Alloy 6061 DB, T shape Flat, 9°, 680mm, Syncros Performance XC lock-on grips
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
TIGE DE SELLE	Alloy, 31.6mm, 300mm
SELLE	Syncros Future Pro
JEU DE DIRECTION	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
MOYEU AVANT	Formula CL-25, QR18
MOYEU ARRIÈRE	Formula CL-2241, QR QTX
RAYONS	15G, UCP, black
JANTES	Alexrims X23, Disc
AVANT	Maxxis Rekon Race, 27.5x2.35", 120TPI, folding, EXO, TR
PNEU ARRIÈRE	Maxxis Rekon Race, 27.5x2.35", 120TPI, folding, EXO, TR
PÉDALES	Feimin
POIDS APPROX.	11.7 kg 25.79 lbs

WHAT'S NEW

New model

SCALE RC 600

BLACK | ONE SIZE

menu

26"

425199-0001



CADRE	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	RST F1RST 26" 100-9 Air, Kids tune, 80mm travel
DÉRAILLEUR ARRIÈRE	Microshift ADVENT Active Motion RD+ with clutch, 9 Speed
SHIFTER	Microshift ADVENT, quick trigger, rubber pad, clamp, 9 Speed
MANIVELLES	Prowheel, 140MM, 30T Alloy, w/CG PVC single cover
BOÎTIER	Feimin, BB73, cartridge, square taper
CHAÎNE	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-42T, 9 Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano SM-RT56, 6 bolt, 160mm
CINTRE	LEADTEC Kids riser bar alloy DB, 31.8mm clamp, 580mm, BS 9°, Syncros Grip Kids D19mm, Lock-on
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
TIGE DE SELLE	Alloy, 31.6mm, 300mm
SELLE	Syncros Future Pro
JEU DE DIRECTION	Feimin SCT Syncros HS OE Pressfit, ZS56-62mm
MOYEU AVANT	Formula, seal bearing, 6 bolt, 24H, 5x100mm
MOYEU ARRIÈRE	Formula, seal bearing, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alexrims MD19, Disc
PNEU AVANT	Schwalbe Rocket Ron, Evolution, ADDIX Speed, 67EPI, 26x2.35", folding
PNEU ARRIÈRE	Schwalbe Rocket Ron, Evolution, ADDIX Speed, 67EPI, 26x2.35", folding
PÉDALES	Kids Pedal FPD NW-450
POIDS APPROX.	10.9 kg 24.03 lbs

WHAT'S NEW

Fork suspension RST
Handlebar D:19mm
Syncros Kids D19 Lock-on grips
Microshift ADVENT Drivetrain

SCALE RC 400

BLACK | ONE SIZE

423460-0001



CADRE	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	RST F1RST 24" Air, 9x100, straight, Air Kids tune, BO-TNL, Lock-out, 60mm travel
DÉRAILLEUR ARRIÈRE	Microshift ADVENT super short cage clutch, ratchet-and-pawl clutch adjustable, 9 Speed
SHIFTER	Microshift ADVENT Pro, quick short reach trigger, rubber pad lever, 9 Speed
MANIVELLES	Prowheel, 127MM, 30T steel, w/CG PVC single cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T, 9 Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano SM-RT56, 6 bolt, 160mm
CINTRE	LEADTEC Kids riser bar alloy DB D19, 31.8mm clamp, 560mm, BS 9°, Syncros Grip Kids D19mm, Lock-on
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin 48/28.6/44/30, sealed bearings, semi int.
MOYEU AVANT	Formula, seal bearing, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, seal bearing, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alexrims MD19, Disc
PNEU AVANT	Schwalbe Rocket Ron Evolution, ADDIX Speed, 67EPI, 24x2.35", folding
PNEU ARRIÈRE	Schwalbe Rocket Ron Evolution, ADDIX Speed, 67EPI, 24x2.35", folding
PÉDALES	Kids Pedal FPD NW-450
POIDS APPROX.	10.5 kg 23.15 lbs

SCALE RC 200

BLACK | ONE SIZE

423461-0001



CADRE	KIDS20 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	RST F1RST 20" Air, 9x100, straight, Air Kids tune, BO-TNL, Lock-out, 60mm travel
DÉRAILLEUR ARRIÈRE	Microshift ADVENT super short cage clutch, ratchet-and-pawl clutch adjustable, 9 Speed
SHIFTER	Microshift ADVENT Pro, quick short reach trigger, rubber pad lever, 9 Speed
MANIVELLES	Prowheel, 114MM, 28T Alloy, w/CG PVC single cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T, 9 Speed
LEVIER DE FREIN	Shimano BL-UR405
FREINS	Shimano BR-MT410, Shimano SM-RT56, 6 bolt, 160mm
CINTRE	LEADTEC Kids riser bar alloy DB D19, 31.8mm clamp, 540mm, BS 9°, Syncros Grip Kids D19mm, Lock-on
POTENCE	LEADTEC, 40mm, -/+7°, 31.8mm clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin 48/28.6/44/30, sealed bearings, semi int.
MOYEU AVANT	Formula, seal bearing, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, seal bearing, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alexrims MD19, Disc
PNEU AVANT	Schwalbe Rocket Ron Evolution, ADDIX Speed, 67EPI, 20x2.25", folding
PNEU ARRIÈRE	Schwalbe Rocket Ron Evolution, ADDIX Speed, 67EPI, 20x2.25", folding
PÉDALES	Kids Pedal FPD NW-450
POIDS APPROX.	9.5 kg 20.94 lbs



TALLER KIDS

CONTRAIL



CONTRAIL 400 FLAME ORANGE



CONTRAIL 400 PROVENCE PURPLE



CONTRAIL 200 SULPHUR GREEN



CONTRAIL 200 INDIGO PURPLE

SCALE



SCALE 600 ALLOY SILVER



SCALE 600 CLEMATIS BLUE



SCALE 400 ALLOY SILVER



SCALE 400 SPRING GREEN



SCALE 200 ALLOY SILVER



SCALE 200 GRAPEFRUIT ORANGE

ROXTER



ROXTER 600 ALLOY BROWN



ROXTER 400 LOCH GREEN



ROXTER 200 VIBRANT ORANGE

	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
CONTRAIL 400	SHIMANO	7	Tektro V-Brake	Rigid	x	24"	125<	49<
CONTRAIL 200	SHIMANO	7	Tektro V-Brake	Rigid	x	20"	115<	45<
SCALE 600	SHIMANO	8	Tektro hydr disc	Rigid	x	26"	135<	53<
SCALE 400	SHIMANO	8	Tektro hydr disc	Rigid	x	24"	125<	49<
SCALE 200	SHIMANO	7	Tektro hydr disc	Rigid	x	20"	115<	45<
ROXTER 600	SHIMANO	8	Tektro hydr disc	suspension fork	80mm	26"	135<	53<
ROXTER 400	SHIMANO	8	Tektro hydr disc	suspension fork	50mm	24"	125<	49<
ROXTER 200	SHIMANO	7	Tektro hydr disc	suspension fork	63mm	20"	115<	45<

CONTRAIL 400

FLAME ORANGE | ONE SIZE

menu

24"

425200 - 3761



CADRE	KIDS24 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS24, AL6061 rigid fork, V-Brake
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 130mm, 30T, narrow QF, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	Shimano CS-HG200-7, 12-32T, 7-Speed
LEVIER DE FREIN	Tektro TS325A, KIDS specific
FREINS	Tektro V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 540mm, 20mm Rise, Syncros Grips Kids100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alloy 21mm anodized black, V-Brake
PNEU AVANT	Kenda K1227 Booster, 24x1, 75", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 24x1, 75", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	8.9 kg 19.62 lbs

CONTRAIL 400

PROVENCE PURPLE | ONE SIZE

menu

24"

425200-8269



CADRE	KIDS24 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS24, AL6061 rigid fork, V-Brake
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 130mm, 30T, narrow QF, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	Shimano CS-HG200-7, 12-32T, 7-Speed
LEVIER DE FREIN	Tektro TS325A, KIDS specific
FREINS	Tektro V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 540mm, 20mm Rise, Syncros Grips Kids100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alloy 21mm anodized black, V-Brake
PNEU AVANT	Kenda K1227 Booster, 24x1, 75", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 24x1, 75", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	8.9 kg 19.62 lbs

CONTRAIL 200

SULPHUR GREEN | ONE SIZE

menu

20"

425201-8268



CADRE	KIDS20 V-Brake, Alloy 6061, custom tubing, semi int. CBR /BB68, SCOTT dropout, PM
FOURCHE	KIDS20, AL6061 rigid fork, V-Brake
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 115mm, 28T, narrow QF, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	Shimano CS-HG200-7, 12-28T, 7-Speed
LEVIER DE FREIN	Tektro JL510, KIDS specific
FREINS	Tektro V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 520mm, 20mm Rise, Syncros Grips Kids100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alloy 21mm anodized black, V-Brake
PNEU AVANT	Kenda K1227 Booster, 20x1, 75", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 20x1, 75", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	7.9 kg 17.42 lbs

CONTRAIL 200

INDIGO BLUE | ONE SIZE

menu

20"

425201-3028



CADRE	KIDS20 V-Brake, Alloy 6061, custom tubing, semi int. CBR /BB68, SCOTT dropout, PM
FOURCHE	KIDS20, AL6061 rigid fork, V-Brake
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 115mm, 28T, narrow QF, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	Shimano CS-HG200-7, 12-28T, 7-Speed
LEVIER DE FREIN	Tektro JL510, KIDS specific
FREINS	Tektro V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 520mm, 20mm Rise, Syncros Grips Kids100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula, 20H, 5x100mm
MOYEU ARRIÈRE	Formula, 24H, 5x135mm
RAYONS	15G, UCP, black
JANTES	Alloy 21mm anodized black, V-Brake
PNEU AVANT	Kenda K1227 Booster, 20x1, 75", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 20x1, 75", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	7.9 kg 17.42 lbs

SCALE 600

ALLOY SILVER | ONE SIZE

menu

26"

425202-2308



CADRE	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS26 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-M3020, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 140mm, 32T, w/CG PVG single cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	Shimano CS-HG400-8, 11-40T, 8-Speed
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever
CINTRE	LEADTEC Kids riser bar alloy D:19, 580mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
TIGE DE SELLE	Alloy, 31.6mm, 300mm
SELLE	Syncros Future Pro
JEU DE DIRECTION	Feimin SCT Syncros HS OE Pressfit, ZS56-62mm
MOYEU AVANT	Formula 5x100mm, 32H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 32H, disc 6 bolt
RAYONS	15G, stainless, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 26x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 26x2.2", 30TPI
PÉDALES	Feimin FP-803, w/Reflector
POIDS APPROX.	10.5 kg 23.15 lbs

WHAT'S NEW

New model

SCALE 600

CLEMATIS BLUE | ONE SIZE

menu

26"

425202-8264



CADRE	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS26 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-M3020, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 140mm, 32T, w/CG PVG single cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	Shimano CS-HG400-8, 11-40T, 8-Speed
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever,
CINTRE	LEADTEC Kids riser bar alloy D:19, 580mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
TIGE DE SELLE	Alloy, 31.6mm, 300mm
SELLE	Syncros Future Pro
JEU DE DIRECTION	Feimin SCT Syncros HS OE Pressfit, ZS56-62mm
MOYEU AVANT	Formula 5x100mm, 32H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 32H, disc 6 bolt
RAYONS	15G, stainless, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 26x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 26x2.2", 30TPI
PÉDALES	Feimin FP-803, w/Reflector
POIDS APPROX.	10.5 kg 23.15 lbs

WHAT'S NEW

New model

SCALE 400

ALLOY SILVER | ONE SIZE

menu

24"

425203-2308



CADRE	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS24 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano RD-TX800 Tourney, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 127mm, 30T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever
CINTRE	LEADTEC Kids riser bar alloy D:19, 560mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 24x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 24x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	9.80 kg 21.61 lbs

WHAT'S NEW

New model

SCALE 400

SPRING GREEN | ONE SIZE

menu

24"

425203 - 4173



CADRE	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS24 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano RD-TX800 Tourney, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 127mm, 30T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever,
CINTRE	LEADTEC Kids riser bar alloy D:19, 560mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 24x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 24x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	9.80 kg 21.61 lbs

KIDS

WHAT'S NEW

New model

SCALE 200

ALLOY SILVER | ONE SIZE

menu

20"

425204-2308



CADRE	KIDS20 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS20 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 114mm, 28T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	SunRace CSM40, 7 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever
CINTRE	LEADTEC Kids riser bar alloy D:19, 540mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 20x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 20x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	8.80 kg 19.40 lbs

WHAT'S NEW

New model

SCALE 200

GRAPEFRUIT ORANGE | ONE SIZE

menu

20"

425204-8262



CADRE	KIDS20 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	KIDS20 Disc, AL-6061 rigid fork, IS
DÉRAILLEUR ARRIÈRE	Shimano RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 114mm, 28T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	SunRace CSM40, 7 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever
CINTRE	LEADTEC Kids riser bar alloy D:19, 540mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 20x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 20x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	8.80 kg 19.40 lbs

KIDS

WHAT'S NEW

New model

ROXTER 600

ALLOY BROWN | ONE SIZE

menu

26"

425205-8266



CADRE	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	SR Suntour XCE28, 80mm travel, Softer spring setup
DÉRAILLEUR ARRIÈRE	Shimano Tourney RD-M3020, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 140mm, 32T, w/CG PVG single cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	Shimano CS-HG400-8, 11-40T, 8-Speed
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever,
CINTRE	LEADTEC Kids riser bar alloy D:19, 580mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
TIGE DE SELLE	Alloy, 31.6mm, 300mm
SELLE	Syncros Future Pro
JEU DE DIRECTION	Feimin SCT Syncros HS OE Pressfit, ZS56-62mm
MOYEU AVANT	Formula 5x100mm, 32H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 32H, disc 6 bolt
RAYONS	15G, stainless, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1227 Booster, 26x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1227 Booster, 26x2.2", 30TPI
PÉDALES	Feimin FP-803, w/Reflector
POIDS APPROX.	12.3 kg 27.12 lbs

WHAT'S NEW

New model

ROXTER 400

LOCH GREEN | ONE SIZE

menu

24"

425206-8265



CADRE	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	SR Suntour XCT-JR, 50mm travel, Softer spring setup
DÉRAILLEUR ARRIÈRE	Shimano RD-TX800 Tourney, 8 Speed
SHIFTER	Shimano SL-RV400-8R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 127mm, 30T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z8.3
CASSETTE	SunRace CSM55, 8 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever
CINTRE	LEADTEC Kids riser bar alloy D:19, 560mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1237 Karma2, 24x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1237 Karma2, 24x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	10.8 kg 23.81 lbs

KIDS

WHAT'S NEW

New model

ROXTER 200

VIBRANT ORANGE | ONE SIZE

menu

20"

425207-3774



CADRE	KIDS20 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FOURCHE	SR Suntour XCT-JR, 63mm travel, Softer spring setup
DÉRAILLEUR ARRIÈRE	Shimano RD-TY300, 7 Speed
SHIFTER	Shimano SL-RV300-7R, Revo Shifter
MANIVELLES	Prowheel, Alloy Crank 114mm, 28T, w/CG PVG double cover
BOÎTIER	Feimin, BB68, cartridge, square taper
CHAÎNE	KMC Z7
CASSETTE	SunRace CSM40, 7 Speed, 11-34T
LEVIER DE FREIN	Tektro HD-M276
FREINS	Tektro HD-M276, Hydr. Disc, 160F/160R rotor, short reach lever,
CINTRE	LEADTEC Kids riser bar alloy D:19, 540mm, 20mm Rise, Syncros Grips Kids 100/80
POTENCE	LEADTEC Alloy 50mm, +10°, 25.4 clamp
SELLE	Syncros KIDS III incl. Seatpost 27, 2mm
JEU DE DIRECTION	Feimin, 48/28.6/44/30, semi int.
MOYEU AVANT	Formula 5x100mm, 24H, disc 6 bolt
MOYEU ARRIÈRE	Formula 5x135mm, 24H, disc 6 bolt
RAYONS	15G, UCP, black
JANTES	Alloy anodized black, disc
PNEU AVANT	Kenda K1237 Karma2, 20x2.2", 30TPI
PNEU ARRIÈRE	Kenda K1237 Karma2, 20x2.2", 30TPI
PÉDALES	Kids pedal, w/Reflector
EXTRAS	Kickstand
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	9.9 kg 21.83 lbs

WHAT'S NEW

New model

SMALLER KIDS

CONTRAIL



CONTRAIL 160 MIMOSA YELLOW



CONTRAIL 160 SPRING GREEN

KIDS	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
CONTRAIL 160	single speed	1	V-Brake	Rigid	x	16"	95<	37<

CONTRAIL 160

MIMOSA YELLOW | ONE SIZE

menu

16"

425208 - 8267



CADRE	JR16 V-Brake, Alloy 6061, Bended TT, Semi int. HT, Rigid Fork
FOURCHE	Rigid Fork, Alloy 6061, 16", V-Brake Pivot
MANIVELLES	Prowheel, 26T, 90mm
BOÎTIER	BB68 threaded square type
CHAÎNE	KMC S1
CASSETTE	Freewheel Sprocket 16T
LEVIER DE FREIN	Tektro Kids' Lever
FREINS	Tektro J-310 V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 460mm, 20mm Rise, Syncros Grips Toddler
POTENCE	Ahead, Alloy, 30mm, 25.4mm clamp
SELLE	Syncros KIDS II incl. Seatpost 26.8mm
JEU DE DIRECTION	Semi integrated 1 1/8"
MOYEU AVANT	Alloy, sealed bearing, bolt type, 16H
MOYEU ARRIÈRE	Alloy, sealed bearing, bolt type, 16H
RAYONS	15G UCP, black
JANTES	Alloy, black, 16H
PNEU AVANT	Kenda K1227 Booster, 16x2.0"
PNEU ARRIÈRE	Kenda K1227 Booster, 16x2.0"
PÉDALES	Kids Pedals w/reflector
EXTRAS	Kickstand, Full-chainguard
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	6.1 kg 13.45 lbs

WHAT'S NEW

New model

CONTRAIL 160

SPRING GREEN | ONE SIZE

menu

16"

425208 - 4173



CADRE	JR16 V-Brake, Alloy 6061, Bended TT, Semi int. HT, Rigid Fork
FOURCHE	Rigid Fork, Alloy 6061, 16", V-Brake Pivot
MANIVELLES	Prowheel, 26T, 90mm
BOÎTIER	BB68 threaded square type
CHAÎNE	KMC S1
CASSETTE	Freewheel Sprocket 16T
LEVIER DE FREIN	Tektro Kids' Lever
FREINS	Tektro J-310 V-Brake,
CINTRE	LEADTEC Kids riser bar alloy D:19, 460mm, 20mm Rise, Syncros Grips Toddler
POTENCE	Ahead, Alloy, 30mm, 25.4mm clamp
SELLE	Syncros KIDS II incl. Seatpost 26.8mm
JEU DE DIRECTION	Semi integrated 1 1/8"
MOYEU AVANT	Alloy, sealed bearing, bolt type, 16H
MOYEU ARRIÈRE	Alloy, sealed bearing, bolt type, 16H
RAYONS	15G UCP, black
JANTES	Alloy, black, 16H
PNEU AVANT	Kenda K1227 Booster, 16x2.0"
PNEU ARRIÈRE	Kenda K1227 Booster, 16x2.0"
PÉDALES	Kids Pedals w/reflector
EXTRAS	Kickstand, Full-chainguard
ACCESSOIRES	Syncros Stem Protector
POIDS APPROX.	6.1 kg 13.45 lbs

WHAT'S NEW

New model



FRAMES

BIKES

menu

SCOTT SCALE RC WORLD CUP HMX FRAME AND FORK

425709 - 8275 | S, M, L, XL

HUSH PURPLE



CADRE:
- Scale Carbon HMX
- Adjustable head angle, Syncros Cable Integration System
- Advanced Shock & Standing Damping System
- BB92, UDH Interface, 12x148mm with 55mm Chainline

FOURCHE:
- RockShox SID SL Ultimate 3P Air
- Charger Race Day 2 Damper 3-Modes
- 15x110mm Maxle Stealth, 44mm offset /Tapered steerer
- Lockout, Reb. Adj., 110mm travel

POIDS APPROX. (TAILLES M): Frame 930g, Frame 2.05 lbs

ACCESSOIRES:
- Syncros - Acros Pro Headset System
- UDH Hanger and small parts

SCOTT SPARK RC WORLD CUP HMX FRAME AND FORK

425710 - 3020 | S, M, L, XL

CARBON BLACK



CADRE:
- Spark RC Carbon HMX
- Integrated Suspension Technology
- Flex Pivot, Adjustable head angle
- Syncros Cable Integration System
- BB92, UDH Interface, 12x148mm with 55mm Chainline

FOURCHE:
- RockShox SID Ultimate Flight Attendant
- Electronically controlled Suspension, FA Race Day damper 3 Modes
- 15x110mm Maxle Stealth, 44mm offset /Tapered steerer
- Lockout, Reb. Adj., 120mm travel

POIDS APPROX. (TAILLES M): Frame incl. Shock 1995g, Frame incl. Shock 4.4 lbs

DÉBATTEMENT:
- 120mm

AMORTISSEUR:
- RockShox SIDLuxe Ultimate Flight Attendant Custom
- Electronically controlled Suspension
- 3 Modes Lockout-Pedal-Descend
- Solo Air
- Reb. Adj./ Lockout, Travel 120mm, T165X45mm

ACCESSOIRES:
- Syncros - Acros Pro Headset System
- UDH Hanger and small parts



HUSH PURPLE
425710 - 8275

SCOTT RANSOM 900 RC HMX FRAME AND SHOCK

425711 - 8336 | S, M, L, XL

MISTYADE GREEN



CADRE:
- Ransom Carbon HMX
- Integrated Suspension Technology
- 6 Link kinematic, Adjustable head angle
- Syncros Cable Integration System
- BB92, UDH Interface, 12x148mm with 55mm Chainline, Syncros IS Matchbox

POIDS APPROX. (TAILLES M): 3.8 kg without matchbox IS, 8.38 lbs without matchbox IS

DÉBATTEMENT:
- Climb - 120 - 170mm

AMORTISSEUR:
- FOX FLOAT X NUDE Factory EVOL, Kashima, SCOTT custom w. travel, geo adj.
- 3 modes: Climb-Ramp Control-Descend
- Custom large Air volume, Comp & Reb. Adj.
- Bearing Hardware, T205X65mm

ACCESSOIRES:
- Tracloc Remote Control Shifter Kit
- Syncros - Acros Pro Headset System
- UDH Hanger and small parts

SCOTT GAMBLER 900 RC HMX FRAME AND SHOCK

425712 - 8336 | M, L, XL

MISTYADE GREEN



CADRE:
- Gambler Carbon HMX
- Integrated Suspension Technology
- 6 Link kinematic
- Syncros Reach Adjust DH Headset ZS56
- BB107
- UDH Interface
- 12x157mm

POIDS APPROX. (TAILLES M): 4.9 kg, 10.80 lbs

DÉBATTEMENT:
- 210mm

AMORTISSEUR:
- FOX DH X2 Factory, Kashima, SCOTT Gambler Custom Tune
- Hi/Lo Comp & Reb. Adj.
- 250X75mm

ACCESSOIRES:
- Syncros - Acros Gambler DH Headset System
- UDH Hanger and small parts

SCOTT PLASMA RC LTD HMX FRAME SET | **425713** - 8087 | XS, S, M, L, XL

CUMULUS WHITE



CADRE:
- HMX Carbon Disc Mainframe, compatible for electronic Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

ACCESSOIRES:
- Plasma 6 headset
- Syncros Creston iC TRI handlebar combo with E1 extensions
- Plasma 6 Aero bottle
- Plasma 6 Gel bottle
- Plasma 6 Storage box
- Plasma 6 Nutrition box
- Plasma 6 HMX seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT PLASMA RC TT HMX FRAME SET | **425714** - 8086 | S, M, L

CUMULUS WHITE/CARBON BLACK



CADRE:
- HMX Carbon Disc Mainframe, compatible for electronic Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

ACCESSOIRES:
- Plasma RC TT headset
- Syncros Creston iC TT handlebar combo with Plasma RC TT extensions
- Plasma RC TT HMX seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT FOIL RC ULTIMATE HMX SL FRAME SET

425715 - 8350

XXS, XS, S, M, L, XL, XXL

TUNGSTEN GREY



CADRE:
- HMX SL Carbon Disc Mainframe, compatible for eletr. and mech. Shifting

FOURCHE:
- HMX SL Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 970g, Fork 440g, Frame 2.13Lbs, Fork 0.98Lbs

ACCESSOIRES:
- ACROS AIF-1138 Headset
- Expander for Carbon Steertube and Topcap
- Syncros Duncan SL Aero CFT Carbon seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT FOIL RC PRO HMX FRAME SET

425716 - 8086

XXS, XS, S, M, L, XL, XXL

CUMULUS WHITE/CARBON BLACK



CADRE:
- HMX Carbon Disc Mainframe, compatible for eletr. and mech. Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 985g, Fork 475g, Frame 2.17Lbs, Fork 1.04Lbs

ACCESSOIRES:
- ACROS AIF-1138 Headset
- Expander for Carbon Steertube and Topcap
- Syncros Duncan SL Aero CFT Carbon seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT FOIL RC TEAM HMX FRAME SET | 425717 - 8330 | XXS, XS, S, M, L, XL, XXL

GRAPE PURPLE/CARBON BLACK



CADRE:
- HMX Carbon Disc Mainframe, compatible for eletr. and mech. Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 985g, Fork 475g, Frame 2.17Lbs, Fork 1.04Lbs

ACCESSOIRES:
- ACROS AIF-1138 Headset
- Expander for Carbon Steertube and Topcap
- Syncros Duncan SL Aero CFT Carbon seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT ADDICT RC ULTIMATE HMX SL | 425718 - 7958 | XXS, XS, S, M, L, XL, XXL

CHROME SILVER



CADRE:
- HMX SL Carbon Disc Mainframe, compatible for eletr. Shifting

FOURCHE:
- HMX SL Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 640g, Fork 275g, Frame 1.38Lbs, Fork 0.60 lbs

ACCESSOIRES:
- ACROS AIF-1317S Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R100-SL Carbon seatpost
- Syncros SL ROAD thru axle

SCOTT ADDICT RC PRO HMX RAME SET

425719 - 8086

XXS, XS, S, M, L, XL, XXL

CUMULUS WHITE/CARBON BLACK



CADRE:
- HMX Carbon Disc Mainframe, compatible for eletr. Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 690g, Fork 300g, Frame 1.52Lbs, Fork 0.66 lbs

ACCESSOIRES:
- ACROS AIF-1317S Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R100-SL Carbon seatpost
- Syncros SL ROAD thru axle

SCOTT ADDICT RC TEAM HMX FRAME SET

425720 - 7969

XXS, XS, S, M, L, XL, XXL

BELUGA GREY



CADRE:
- HMX Carbon Disc Mainframe, compatible for eletr. Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 690g, Fork 300g, Frame 1.52Lbs, Fork 0.66 lbs

ACCESSOIRES:
- ACROS AIF-1317 Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R101-CF Carbon seatpost
- Syncros SL ROAD thru axle

SCOTT ADDICT GRAVEL RC HMX FRAME SET

425721 - 3020

XS, S, M, L, XL

CARBON BLACK



CADRE:
- HMX Carbon Disc Mainframe with UDH hanger, Compatible for eletr. and mech. Shifting

FOURCHE:
- HMX Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 930g, Fork 395g, Frame 2.05Lbs, Fork 0.87Lbs

ACCESSOIRES:
- ACROS AIF-1135 Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R101-CF seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT ADDICT GRAVEL TEAM HMF FRAME SET | **425722** - 7958 | XS, S, M, L, XL

CHROME SILVER



CADRE:
- HMF Carbon Disc Mainframe with UDH hanger, compatible for eletr. and mech. Shifting

FOURCHE:
- HMF Carbon fork for Disc Brake

POIDS APPROX. (TAILLES M): Frame 990g, Fork 435g, Frame 2.18Lbs, Fork 0.95Lbs

ACCESSOIRES:
- ACROS AIF-1135 Headset
- Expander for Carbon Steertube and Topcap
- Syncros SP-R101-CF seatpost
- Syncros SL ROAD plug-in thru axle

SCOTT SCALE GRAVEL RC FRAME SET | **425723** - 3020 | S, M, L, XL

CARBON BLACK



CADRE:
- HMF Adjustable head angle, Syncros Cable Integration System
- Advanced Shock & Standing Damping System
- BB92, UDH Interface, 12x148mm with 55mm Chainline

FOURCHE:
- HMF
- Postmount Disc Standard
- Tapered Carbon steerer

POIDS APPROX. (TAILLES M): Frame 1039g, Fork 649g, Frame 2.29 lbs, Fork 1.43Lbs

ACCESSOIRES:
- Syncros - Acros Pro Headset System
- UDH Hanger and small parts



ACCESSORIES

SCOTT

SCOTT SCALE 29" RIGID HMF FORK — 425213

black matt



UTILISATION: XC et Bikepacking
CORRECTION DE DÉBATTEMENT: conçue pour les cadres avec fourches de 100 mm
PIVOT: conique
LONGUEUR DU TUBE DE PIVOT: 250 mm
DÉPORT DE FOURCHE: 44 mm
AXE JUSQU'À L'ARCEAU: 471 mm
MONTAGE DES FREINS: Post Mount
AXE: 15 x 110 mm
TAILLE DE DISQUE MAXIMALE: 180 mm
ESPACE MAXIMAL ENTRE LES PNEUS: 2,5"
DIAMÈTRE DE L'ARCEAU: 1,5"
ACHEMINEMENT DES CÂBLES DE FREINS: option externe ou interne
FIXATIONS: 3 rivets de fixation pour porte-bidon de chaque côté de la fourche (3 kg max. par côté)
CONSTRUCTION: Carbone HMF
TAILLE: Taille unique
POIDS APPROX.: 660 g

SCOTT eRIDE MAHLE ADDICT PULSARONE DISPLAY — 285950



Écran télécommandé Mahle Pulsarone pour SCOTT Addict eRide, avec écran noir et blanc 2,1 po, transmission sans fil ANT+ et alimentation via batterie CR2032 , compatible avec l'interface de montage Garmin®.

TAILLE: Taille unique

SCOTT eRIDE MAHLE ADDICT BOOSTER BATTERY MY21 — 282734

black



Cette batterie supplémentaire de 208 Wh permet de prolonger la durée d'utilisation de votre Addict eRIDE. Compatible uniquement avec l'Addict eRIDE MY21 équipé de moteurs Mahle X35+.

CONSTRUCTION
- Lithium / nylon renforcé de Fibre de verre

TAILLE: Taille unique
POIDS APPROX.: 1 450 g

CARACTÉRISTIQUES:
- Batterie fixée à l'intérieur du porte-bidon, lequel est monté sur le tube de selle comme n'importe quel modèle standard
- 208 Wh

SCOTT eRIDE TQ RANGE EXTENDER — 294537



Cette batterie externe fonctionne avec le Lumen eRIDE (nécessite le câble 294538), Voltage eRIDE (nécessite le câble 422378) ou Solace eRIDE (nécessite le câble 294539) pour allonger l'autonomie de vélo. Le support de batterie (294540) doit également être commandé.

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Batterie de rechange de 160 Wh
- Compatible avec SCOTT Solace eRIDE, Solace Gravel eRIDE, Voltage eRIDE et Lumen eRIDE MY23
- Le câble doit être commandé séparément **294538** pour Lumen, **422378** pour Voltage ou **294539** pour Solace et Solace Gravel
- Le support du prolongateur d'autonomie de batterie doit être commandé séparément (réf. **294540**)

SCOTT eRIDE MAHLE ADDICT BOOSTER 2 BATTERY — 288538



Compatible uniquement avec le modèle Addict eRIDE MY22 équipé de moteurs Mahle X20, ajoutant une capacité supplémentaire de 185 Wh.

TAILLE: Taille unique
POIDS APPROX.: 1 kg

CARACTÉRISTIQUES:
- Cette batterie supplémentaire permet de prolonger la durée d'utilisation de votre Addict eRIDE grâce à une puissance de 185 Wh

SCOTT eRIDE TQ BATTERY HOLDER — 294540



TAILLE: Taille unique

CARACTÉRISTIQUES:
- Support de batterie **294537** / SCOTT TQ range extender
- Exclusivement adapté aux vélos SCOTT équipés de systèmes d'entraînement TQ
- Le kit comprend le matériel nécessaire pour monter le TQ range extender sur le tube de selle ou le tube diagonal du vélo
- Le support à dégagement rapide inclus permet à l'utilisateur d'échanger rapidement et sans outil un porte-bidon ordinaire contre le range extender.

SCOTT eRIDE TQ RANGE EXTENDER CABLE V03 FASTLANE

425263



TAILLE: taille unique

DIMENSIONS: 300mm

CARACTÉRISTIQUES: Câble pour connecter 294537 / TQ range extender avec le système d'entraînement TQ

MODÈLE DE VÉLO COMPATIBLE: SCOTT Fastlane MY26

SCOTT eRIDE TQ RANGE EXTENDER EXT. CABLE MTB V02

422378



TAILLE: Taille unique

MATÉRIEL: Câble électrique avec fiche / noir

DIMENSION: 325mm

UTILISATION : Pour connecter le TQ Range Extender avec le système d'entraînement TQ HPR50

COMPATIBILITÉ: SCOTT Voltage eRIDE

SCOTT eRIDE TQ RANGE EXTENDER CABLE MTB

294538



TAILLE: Taille unique

DIMENSION: 85mm

CARACTÉRISTIQUES:

- Câble pour connecter un prolongateur d'autonomie de batterie **294537** / TQ sur un SCOTT Lumen eRide MY23

SCOTT eRIDE TQ EXTENDER CABLE ROAD/GRAVEL

294539



TAILLE: Taille unique

DIMENSION: 260mm

CARACTÉRISTIQUES:

- Câble pour connecter un prolongateur d'autonomie de batterie **294537** / TQ sur les modèles SCOTT Solace eRide et Solace Gravel eRide MY23

SCOTT SCALE / ROXTER / CONTESSA 19 TRAINING WHEELS

271272



CONSTRUCTION

- Bras en acier / roues en plastique

TAILLE: 16", 14

CARACTÉRISTIQUES:

- Fixation vissée sur la patte arrière du cadre
- Compatible avec les modèles Roxter / Contessa 14"/16" de 2019 et postérieurs

SCOTT EASY ADJUST 26/28 KICKSTAND

210210



Quoi de plus pratique qu'une béquille facilement adaptable pour les vélos SCOTT 26", 28", 29" et 700C?

CONSTRUCTION

- Aluminium
- Acier

CARACTÉRISTIQUES:

- Facile à monter
- S'adapte à tous les vélos SCOTT 26", 28", 29" et 700C

SCOTT GENIUS CARBON 23 CHAINSTAY/ SEATSTAY PROTECTORS

419615



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée
- Compatible avec le SCOTT Genius Carbon 2023

SCOTT GENIUS ALLOY 2023 CHAINSTAY/ SEATSTAY PROTECTORS

419616



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée

SCOTT LUMEN eRIDE 2023 CHAINSTAY/ SEATSTAY PROTECTOR

420010



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée
- Compatible avec le SCOTT Lumen avec triangle arrière en carbone à partir du modèle 2023

SCOTT SOLACE eRIDE 2023 CHAINSTAY PROTECTOR

420008



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection fine de forme personnalisée pour éviter d'endommager votre cadre
- Compatible avec le SCOTT Solace eRide de la collection 2023

SCOTT SOLACE eRIDE 2023 CHAINSTAY PROTECTION PLATE

420009



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection fine de forme personnalisée qui permet d'éviter d'endommager la base en cas de déraillement
- Compatible avec le SCOTT Solace eRide de la collection 2023

SCOTT SCALE CARBON 2023 CHAINSTAY PROTECTOR

420004



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée
- Compatible avec le cadre en aluminium SCOTT Scale de la collection 2023

SCOTT SCALE ALLOY 2023 CHAINSTAY PROTECTOR

420003



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée
- Compatible avec le cadre en carbone SCOTT Scale de la collection 2023

SCOTT FOIL 2023 CHAINSTAY PROTECTION PLATE

420002



CONSTRUCTION
- Acier inoxydable

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Cette plaque de protection en métal permet d'éviter d'endommager la base en cas de blocage de la chaîne
- Plaque collée
- Compatible avec le cadre SCOTT Foil 2023

SCOTT ASPECT eRIDE 2023 CHAINSTAY PROTECTOR

421066



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Monté avec 2 vis, non fournies
- Compatible avec les modèles SCOTT Aspect eRIDE 900/910 et BERGAMONT E-Revoxde 2024

SCOTT LUMEN eRIDE ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS

421573



CONSTRUCTION
- Caoutchouc thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection de forme personnalisée avec surface en caoutchouc souple pour protéger des glissements de chaîne
- Protection collée
- Compatible avec le SCOTT Lumen avec triangle arrière en aluminium à partir du modèle 2024

SCOTT PRE SHAPED CHAINSTAY PROTECTOR

SCOTT SPARK 2012 CHAINSTAY PROTECTOR	223374
SCOTT GENIUS 2013 / LT 2014 CHAINSTAY PROTECTOR	228206
SCOTT GAMBLER 2013 CHAINSTAY/SEATSTAY PROTECTORS	228207
SCOTT GENIUS LT 2009 CHAINSTAY PROTECTOR	219685
SCOTT GENIUS CARBON 2012 CHAINSTAY PROTECTOR	219686
SCOTT GENIUS ALLOY 2012 CHAINSTAY PROTECTOR	219687
SCOTT SCALE 700 2014 CHAINSTAY PROTECTOR	235931
SCOTT SCALE 900 2014 CHAINSTAY PROTECTOR	235932
SCOTT SCALE 700 ALLOY 2014 CHAINSTAY PROTECTOR	235933
SCOTT SCALE 700 CARBON 2014 CHAINSTAY PROTECTOR	235934



CONSTRUCTION
- Nylon/Caoutchouc thermoplastique

CARACTÉRISTIQUES:
- Préformé pour une protection optimale de la base

SCOTT VOLTAGE FR700 2016 CHAINSTAY/ SEATSTAY PROTECTORS

241872



Ce protège-base a été spécialement conçu pour protéger votre vélo SCOTT *Voltage 2015 des impacts de chaîne lors de vos sorties quotidiennes.*

CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- S'adapte parfaitement au Voltage FR pour protéger la base des coups

SCOTT GAMBLER 700 2015 CHAINSTAY/ SEATSTAYPROTECTORS — **238547**



Ce protège-base a été spécialement conçu pour protéger votre vélo SCOTT *Gambler 700 des impacts de chaîne lors de vos sorties quotidiennes.*

CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- S'adapte parfaitement au Gambler pour protéger la base des coups

SCOTT GENIUS 2018 DOWNTUBE PROTECTOR — **266268**



Protection du tube diagonal pour Genius Carbon 2018

CONSTRUCTION
- ABS

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protections du tube diagonal à vis

SCOTT SCREW ON CHAINSTAY PROTECTOR



SCOTT SCALE 700 CARBON 2017 CHAINSTAY PROTECTOR	**251849**
SCOTT SCALE RC 700 CARBON 2017 CHAINSTAY PROTECTOR	**251850**
SCOTT SPARK RC 700 CARBON 2017 CHAINSTAY PROTECTOR	**251851**
SCOTT SCALE 900 CARBON 2017 CHAINSTAY PROTECTOR	**254574**
SCOTT SCALE RC 900 CARBON 2017 CHAINSTAY PROTECTOR	**254575**
SCOTT SPARK RC 900 CARBON 2017 CHAINSTAY PROTECTOR	**254576**
SCOTT SPARK 700 2017 CHAINSTAY PROTECTOR	**251852**
SCOTT SPARK 900 ALLOY 2017 CHAINSTAY PROTECTOR	**254578**
SCOTT SPARK 700 PLUS ALLOY 2017 CHAINSTAY PROTECTOR	**251855**
SCOTT CSP GLUE ON GENIUS ALLOY 2018 BLACK ONE SIZE	**266267**
SCOTT SPARK 900 CARBON 2017 CHAINSTAY PROTECTOR	**254577**
SCOTT SPARK 700 PLUS CARBON 2017 CHAINSTAY PROTECTOR	**251854**
SCOTT GENIUS CARBON 2018 CHAINSTAY PROTECTOR	**266266**
SCOTT GENIUS ALLOY 2018 CHAINSTAY PROTECTOR	**266267**

SCOTT RANSOM 2019 CHAINSTAY PROTECTOR — **270153**



Protection base+hauban collée sur Ransom Carbon 2019.

CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Jeu de protections préformées attachées au moyen d'une bande adhésive solide pour bases et Haubans de notre nouveau cadre Ransom en carbone

SCOTT RANSOM CARBON 2019 2PC DOWNTUBE PROTECTOR — **270155**



Protection du tube diagonal en 2 parties Ransom CB 2019.

CONSTRUCTION
- Caoutchouc et bande Adhésif / polypropylène

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection du tube diagonal préformée en deux parties et dédiée à notre nouveau cadre Ransom en carbone
- Élément extérieur en caoutchouc collé pour l'absorption des chocs au niveau du tube diagonal
- Pièce en intérieur polypropylène vissée et utilisée comme support de batterie

SCOTT RANSOM ALLOY 2019 DOWNTUBE PROTECTOR — **270156**



Protection du tube diagonal collée sur Ransom Alloy 2019.

CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection du tube diagonal préformée, dédiée à notre nouveau cadre Ransom en aluminium et attachée au moyen d'une bande adhésive solide

SCOTT GAMBLER CARBON 2020 DOWNTUBE PROTECTOR

275498



CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection préformée du tube diagonal, adaptée à notre nouveau cadre en carbone Gambler
- Élément en caoutchouc collé pour l'absorption des chocs au niveau du tube diagonal

SCOTT D/T FOAM PROTECTOR GAMBLER AL 2020

276207



CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protection préformée du tube diagonal, adaptée à notre nouveau cadre en aluminium Gambler
- Élément en caoutchouc collé pour l'absorption des chocs au niveau du tube diagonal

SCOTT GAMBLER CARBON 2020 CHAINSTAY/SEATSTAY PROTECTORS

275499



CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Jeu de trois protections préformées pour bases et haubans pour notre nouveau cadre en carbone Gambler
- Collé sur le caoutchouc pour protéger la peinture et réduire le bruit

SCOTT GAMBLER ALLOY 2020 CHAINSTAY/SEATSTAY PROTECTORS

276208



CONSTRUCTION
- Caoutchouc et bande adhésive

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Jeu de trois protections préformées pour bases et haubans pour notre nouveau cadre en aluminium Gambler
- Collé sur le caoutchouc pour protéger la peinture et réduire le bruit

SCOTT GAMBLER 2020 FORK BUMPER WITH CABLE PORT

275500



CONSTRUCTION
- Caoutchouc/Polyuréthane thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Élastomère de fourche intégré sur le tube diagonal avec port câbles pour Gambler 2020

SCOTT GAMBLER 2020 FORK BUMPER WITHOUT CABLE PORT

275501



CONSTRUCTION
- Caoutchouc/Polyuréthane thermoplastique

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Élastomère de fourche intégré sur le tube diagonal avec port câbles pour Gambler 2020

SCOTT GAMBLER 2020 CHAIN GUIDE — 275502



CONSTRUCTION
- Nylon renforcé de fibre de verre/ caoutchouc

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Guide-chaîne intégré pour Gambler 2020

SCOTT GAMBLER 2020 BASH GUARD — 275503



CONSTRUCTION
- Nylon renforcé de fibre de verre/ caoutchouc

TAILLE: Taille unique

CARACTÉRISTIQUES:
- Protège-plateau intégré pour Gambler 2020

SCOTT WATER BOTTLE G7 CORPORATE PAK-10 — 426341



white



black

MATÉRIAUX: LPDE

STANDARD: Vanne à grand débit

VOLUME: 550ml, 750ml

POIDS APPROX.: 53g (550ml, 71g (750ml)

CARACTÉRISTIQUES: Bouteille compacte, Forme à fond conique, Corps à pression douce avec bande verticale transparente, Capuchon vissé, Embout large et souple en TPE

SCOTT SPARK CARBON 2022 CHAINSTAY/SEATSTAY PROTECTORS — 288539



Cet ensemble de bases et de protections pour hauban a pour objectif de protéger le cadre en carbone de votre Spark MY22 durant vos sorties quotidiennes.

CONSTRUCTION
- Caoutchouc

TAILLE: Taille unique

SCOTT SPARK ALLOY 2022 CHAINSTAY/SEATSTAY PROTECTORS — 288540



Cet ensemble de bases et de protections pour hauban a pour objectif de protéger le cadre en aluminium de votre Spark MY22 durant vos sorties quotidiennes.

CONSTRUCTION
- Caoutchouc

TAILLE: Taille unique

SCOTT ADDICT GRAVEL 2022 CHAINSTAY PROTECTOR — 288541



Cette protection de bases a pour objectif de protéger le cadre de votre Addict gravel MY22 durant vos sorties quotidiennes.

CONSTRUCTION
- Caoutchouc

TAILLE: Taille unique

SCOTT ADDICT GRAVEL 2022 RIVET PLUG 8PC SET

288542



Cet ensemble de 8 bouchons a été conçu pour protéger les rivets du cadre de votre Addict gravel MY22.

CONSTRUCTION
- Nylon + fibre de verre

TAILLE: Taille unique

SCOTT ADDICT 2022 RIVET PLUG 4PC SET

288543



Cet ensemble de 4 bouchons a été conçu pour protéger les rivets du cadre de votre Addict MY22.

CONSTRUCTION
- Nylon + fibre de verre

TAILLE: Taille unique

SCOTT GAMBLER 2025 BASH GUARD

423997



CONSTRUCTION: Nylon renforcé de fibre de verre

TAILLE: Taille unique

SCOTT GAMBLER 2025 CHAINSTAY/ SEATSTAY PROTECTORS

422739



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT GAMBLER 2025 CHAINSTAY FENDER

422740



CONSTRUCTION: Nylon renforcé de fibre de verre

TAILLE: Taille unique

SCOTT GAMBLER 2025 FORK BUMPERS

422741



CONSTRUCTION: Caoutchouc/ Polyuréthane thermoplastique

TAILLE: Taille unique

SCOTT CS CONTRAIL 26 PROTECTOR

424866



CONSTRUCTION: Nylon renforcé de fibre de verre

TAILLE: Taille unique

SCOTT CS AXIS/SUB/ASPECT 25 PROTECTOR

424867



CONSTRUCTION: Nylon renforcé de fibre de verre

TAILLE: Taille unique

SCOTT PATRON eRIDE CARBON 2025 CHAINSTAY/SEATSTAY PROTECTORS

422930



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT PATRON eRIDE ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS

422931



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT VOLTAGE HYBRID/ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS

422932



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT VOLTAGE eRIDE CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS

422917



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT RANSOM ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS

422918



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique

SCOTT RANSOM CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS

422919



CONSTRUCTION: Caoutchouc thermoplastique

TAILLE: Taille unique



RETAIL SYSTEM & MERCHANDISING

SCOTT

menu

COLORIS ET MATÉRIAUX

Nos coloris et matériaux ont été soigneusement sélectionnés pour mettre en valeur les produits SCOTT. Ils sont durables et authentiques, et constituent un investissement fiable pour les revendeurs.



SECTIONS **MURALES**

Les sections murales SCOTT Retail constituent un élément essentiel du concept SIS. Avec leur présentation de produit de haut niveau et leurs possibilités visuelles attrayantes, ils créent une atmosphère captivante dans les environnements de vente (magasins). Qu'elles soient fixées sur des murs ou utilisées de manière autoportante pour créer de nouveaux parcours intéressants pour les clients, les sections murales améliorent l'attrait visuel du magasin et optimisent l'expérience client globale.

MISE EN PLACE DES SECTIONS MURALES

Lors de la planification de la mise en place des sections murales, il est essentiel de penser en priorité à l'expérience client. Si des murs permanents sont disponibles pour les y fixer, il n'est peut-être pas nécessaire d'utiliser les sections murales de manière autonome, bien que ces supports puissent servir à démarquer les catégories de produits.
Le concept de sections murales peut aussi être employé efficacement de manière autoportante, et permettre de créer un nouveau parcours client au sein du magasin, sans avoir besoin de construire de nouveaux murs permanents. Il est important de mesurer soigneusement les zones où vous souhaitez installer ces sections, et de vous assurer qu'il n'y a pas d'obstacles à leur mise en place (systèmes de ventilation, etc.).
L'ordre d'installation devra ensuite être conçu en commençant par la gauche, comme indiqué ci-dessous…

1 COMMENCEZ **ICI**

421643 SECTION DE DÉPART AVEC LOGO → **421645** SECTION SUIVANTE AUTOPORTANTE → **421644** SECTION SUIVANTE → **421644** SECTION SUIVANTE → **421648** SECTION ANGULAIRE → **421647** SECTION FINALE



2/ AJOUTEZ **LES PANNEAUX**

Soyez créatif en préparant les panneaux, tout en restant focalisé sur l'expérience client.



421153
METAL PEG PANEL PAK-2

421155
WOOD PEG PANEL PAK-2

3/ AJOUTEZ **LES ACCESSOIRES**

Faites votre choix parmi une grande variété d'accessoires.



SIS WALL SYSTEM



SCOTT START SECTION WITH LIGHT LOGO
421643

- W / D / H: 120 / 64 / 232.5cm



SCOTT FOLLOWING SECTION
421644

- W / D / H: 120 / 64 / 232.5cm



SCOTT FOLLOWING SECTION (FREESTANDING)
421645

- W / D / H: 120 / 64 / 232.5cm



SCOTT END SECTION
421647

- W / D / H: 120 / 64 / 232.5cm



SCOTT CORNER SECTION
421648

- W / D / H: 60 / 64 / 232.5cm



SCOTT METAL PEG PANEL PAK-2
421153

- W / H: 59 / 110cm
- PAK-2



SCOTT WOOD PEG PANEL PAK-2
421155

- W / H: 59 / 110cm
- PAK-2

FREESTANDING DISPLAYS



SCOTT BIKE PODIUM SMALL
421159

- W / D / H: 171 / 29 / 13cm
- Can fit the led frame (**421175**)

FREESTANDING DISPLAYS



SCOTT BIKE PODIUM MEDIUM
421160

- W / D / H: 171 / 39 / 27.5cm
- Can fit the led frame (**421175**)



SCOTT BIKE PODIUM LARGE
421173

- W / D / H: 171 / 40 / 44cm
- Can fit the led frame (**421175**)



SCOTT LED FRAME FOR BIKE PODIUM
421175

- W / D / H: 216.5 / 10 / 123cm
- Fit only **421173**, **421159**, **421160**



SCOTT BIKE SLOPING PODIUM SMALL
421178

- W / D / H: 200 / 45 / 17.5cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM MEDIUM
421180

- W / D / H: 200 / 45 / 32cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM LARGE
421189

- W / D / H: 200 / 45 / 47cm
- Crank arm can be adjusted



SCOTT BIKE STAND PAK-2
270960

- W / D / H: 42 / 40 / 75.5cm
- PAK-2



SCOTT HIGHLIGHT GONDOLA
421194

- W / D / H: 133.5 / 63.5 / 146cm
- Possibility to add 4 peg panels in the middle



SCOTT CLOTHING GONDOLA
421191

- W / D / H: 118 / 50 / 146cm



SCOTT TRANSPORT GONDOLA
421193

- W / D / H: 118 / 50 / 146cm



SCOTT ACCESSORIES DISPLAY
421199

- W / D / H: 63 / 50 / 146cm



SCOTT CLOTHING TABLE
421200

- W / D / H : 133.5 / 86 / 65cm



SCOTT OPTICAL SHOWCASE
421195

- W / D / H: 65 / 45 / 174cm
- Possibility to add a magnetic graphic



SCOTT MANNEQUIN PODIUM
421203

- W / D / H: 57 / 57 / 15cm



SCOTT SUNGLASSES DISPLAY
421201

- W / D / H: 12 / 14.5 / 33cm
- For 4 sunglasses



SCOTT COUNTER DISPLAY
421202

- W / D / H: 29 / 25 / 53cm
- Possibility to add a magnetic banner



SCOTT SKI DISPLAY
421204

- W / D / H: 68.5 / 23 / 49.5cm



SCOTT MIRROR
421205

- W / D / H: 45 / 42 / 151cm
- Option to add wheels or fix on the wall system



SCOTT POLES DISPLAY
421641

- W / D / H: 57 / 57 / 15cm



SCOTT SIDE HANGER 1200MM
421207

- W / D : 120 / 42.5cm



SCOTT SIDE HANGER 600MM
421208

- W / D : 60 / 42.5cm



SCOTT FRONT HANGER PAK-2
421206

- D: 53cm
- Can be use with **421207** or **421208**
- PAK-2



SCOTT WOOD SHELF 600MM
421209

- W / D : 60 / 30cm
- Can be use only with **421208**



SCOTT SLOPING HANGER PAK-5
422409

- W / D : 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT STRAIGHT HANGER PAK-5
422408

- W / D : 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT SHELF FRAME WITH BRACKET
421211

- W / D / H: 60 / 40 / 35cm
- With bracket for peg panel



SCOTT SHELF FRAME WITH DRAWER
421212

- W / D / H: 60 / 40 / 35CM
- With bracket for peg panel



SCOTT SHELF FRAME WITH DRAWER AND WHEELS
422192

- W / D / H: 60 / 40 / 35CM
- W / D / H: 60 / 40 / 35 (excl wheels)



SCOTT SHOE HOLDER PAK-10
421217

- D : 12cm
- Can be used for accessories as well
- Can fit the slatwalls
- PAK-10



SCOTT DOUBLE HOOK PAK-10
421690

- D : 15cm
- PAK-10



SCOTT HELMET HOLDER PAK-5
421213

- W / D / H: 8 / 30.5 / 24.5cm
- Can fit the slatwalls
- PAK-5



SCOTT EYEWEAR ADAPTER PAK-5
421214

- PAK-5



SCOTT GOGGLE HOLDER PAK-10
421215

- W / D / H: 36 / 13 / 9.5cm
- Can fit the slatwalls
- PAK-10





SCOTT SKI HOLDER PAK-10
421216

- PAK-10



SCOTT SINGLE POLE HOLDER PAK-2
421210

- W / D / H: 10 / 8 / 4cm
- PAK-2

CHECKOUT COUNTER



SCOTT COUNTER
421219

- W / D / H: 242 / 70 / 102cm



SCOTT CABINET FOR GARBAGE
421266

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH SHELVES
421263

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH DRAWERS
421261

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH DOOR
421264

- W / D / H: 57 / 60 / 90.5cm

FREESTANDING DISPLAY

NEW



SCOTT LOGO SIGN
426571

- W / D / H: 43 / 8 / 14cm



SCOTT FREESTANDING 3D LOGO PAK-5
254602

- PAK-5

CADRES **EN TISSU**

L'utilisation d'images dans le design commercial joue un rôle essentiel, et permet de créer un environnement d'achat engageant et attractif. Elles encouragent les connexions émotionnelles avec les clients, améliorent l'attrait visuel des espaces, et guident le comportement du consommateur. Les images servent à mettre en avant des produits spécifiques, à promouvoir des offres, et à renforcer l'identité de la marque. C'est pourquoi l'utilisation stratégique des images est essentielle pour une expérience de vente efficace, pour faire la promotion d'offres, pour inspirer la fidélité à la marque, et pour se démarquer.



A/ **421682**
FABRIC FRAME
590X1100 FOR WALL SYS

B/ **421682**
FABRIC FRAME
590X2200 FOR WALL SYS

C/ **421682**
FABRIC FRAME
2390X550 FOR WALL SYS

D/ **421682**
FABRIC FRAME
1190X1100 FOR WALL SYS

E/ **421682**
FABRIC FRAME
1190X2200 FOR WALL SYS

F/ **421682**
FABRIC FRAME
1190X550 FOR WALL SYS



SCOTT FABRIC FRAME FOR WALL SYSTEM
421682

- W / H : 59 / 110cm
- W / H : 59 / 220cm
- W / H : 119 / 55cm
- W / H : 119 / 110cm
- W / H : 119 / 220cm
- W / H : 239 / 55cm

CADRE AUTOPORTANT **POUR TOILE**



SCOTT FREESTANDING FABRIC FRAME SMALL
421267

- W / H : 63 / 146.2cm
- Without graphics



SCOTT FREESTANDING FABRIC FRAME BIG
421706

- W / H : 131.2 / 231.6cm
- Without graphics



SCOTT
BEACH CHAIR
297708



SCOTT SKI STRAP
PAK-10
296067

- PAK-10



SCOTT HEADBAND
PROMO PAK-10
296621

- PAK-10



SCOTT PENS
PAK-25
282663

- PAK-25



SCOTT SMARTPHONE
CARDHOLDER PAK-50
286891

- PAK-50



SCOTT KEY HOLDER
PAK-20
269144

- PAK-20
- Random multiple colors



SCOTT
FOAM CUBE
223640

- W / D / H: 40 / 40 / 40cm



SCOTT CARPET
300X200CM
286888

- W / D : 300 / 200cm



SCOTT DOORMAT
58X96CM
289395

- W / D : 96 / 58cm



SCOTT MARKING TAPE
500M/ROLL
287403

- 500 m



SCOTT NECK STRAP
PAK-100
420450

- PAK-100



SCOTT CLOTHING
HANGER PAK-5
285948

- PAK-5



SCOTT PANT HANGER
PAK-5
285949

- PAK-5

BANNERS



SCOTT BANNER
300X80CM
217638

- W / D : 300 / 80cm



SCOTT BANNER ROLL
80CM X 50M
217639

- W / D : 80 / 50cm

FLAGS



SCOTT BEACH FLAG
180CM
425645

- 180cm



SCOTT BEACH FLAG
440X85CM
208653

- 440cm



SCOTT BEACH FLAG
HELICO FOOT
248906

- Only fits 440cm Beach Flag

SCOTT TENT ECO 3X6M
241034

- Frame and roof / 3x6m
- H: 215cm



SCOTT TENT ECO 3X3M
230609

- Frame and roof / 3x3m
- H: 215cm
- Black



SCOTT TENT ECO ROOF 3X6M
241035

- Promotion Tent-Roof 3x6m



SCOTT TENT ECO ROOF 3X3M
237648

- Promotion Tent-Roof 3x3m



SCOTT TENT ECO SIDEWALL 3M
237649

- Promotion Tent ECO - Sidewall 3m



SCOTT TENT ECO 1/2 WALL 3M
237651





SCOTT STICKER
HORIZONTAL DIE CUT
PAK-100
217635

- Horizontal die-cut PAK-100 15cm
- Horizontal die-cut PAK-100 30cm
- Horizontal die-cut PAK-100 45cm



SCOTT STICKER
HORIZONTAL DIE CUT
PAK-50
296615

- Die-cut PAK-50 15cm
- Die-cut PAK-50 30cm



SCOTT STICKER
HORIZONTAL DIE CUT
PAK-50
220923

- Horizontal die-cut PAK-50 68cm



SCOTT STICKER VERTICAL
DIE CUT PAK-100
217637

- Vertical die-cut PAK-100 40cm



SCOTT STICKER NO
SHORTCUTS DIE CUT
PAK-100
240933

- PAK-100 30cm



SCOTT STICKER VERTICAL
PAK-50
296613

- Vertical PAK-50 12cm



SCOTT STICKER
HORIZONTAL PAK-50
296614

- PAK-50 12cm
- PAK-50 25cm

ELECTRONIC DATA **INTERCHANGE**

QU'EST-CE QUE L'ÉCHANGE DE DONNÉES INFORMATISÉ OU EDI

Gagnez en efficacité et en simplicité dans votre entreprise avec la SOLUTION d'échange de données informatisé (EDI) de SCOTT. L'EDI est une solution d'échange de documents d'entreprise d'ordinateur à ordinateur dans un format numérique standard entre partenaires commerciaux.

Ces documents peuvent être de nature très variée: placement de commandes, remplissage des prix dans une base de données de produits, codes EAN, descriptions de produits, échange de factures électroniques et, dans certains cas éventuellement, échange d'informations sur le niveau des stocks.

QUI PEUT PROFITER DES SOLUTIONS D'EDI DE SCOTT?

L'EDI est un format électronique qui peut être utilisé par toutes les entreprises, à condition que chaque partenaire soit équipé d'un logiciel de gestion compatible avec la solution d'EDI.

En cas d'incertitude, contactez votre fournisseur de service informatique et posez-lui la question!

COMBIEN COÛTE L'INTÉGRATION EDI?

SCOTT offre une série de solutions d'intégration EDI dans différents formats de données. Nous n'appliquons pas de frais de service pour l'intégration à votre solution compatible EDI.

Le seul frais applicable est celui de l'activation de la fonctionnalité EDI dans votre logiciel de gestion auprès de votre fournisseur de service informatique habituel.

QUELLES SOLUTIONS D'EDI SCOTT OFFRE-T-ELLE ET COMMENT PUIS-JE PROFITER DE CE SERVICE?

ÉTAPE #1
Vérifiez auprès de votre fournisseur de service informatique si l'intégration EDI est possible et combien cela vous coûterait. Pour plus de facilité, vous pouvez lui envoyer la documentation technique disponible ici:

ÉTAPE #2
Si votre fournisseur de service informatique confirme que l'intégration EDI est possible, veuillez contacter votre représentant de ventes SCOTT habituel ou notre service clientèle. Ils vous fourniront toutes les informations nécessaires pour organiser les étapes suivantes.

ÉCHANGE D'INFORMATIONS CLASSIQUE





LES SOLUTIONS D'EDI DE SCOTT VOUS AIDENT À GAGNER EN EFFICACITÉ

En connectant le service informatique de votre logiciel de gestion au nôtre, vous permettez à vos collaborateurs, aux employés de SCOTT et à vous-même:

- ✔ d'éviter les opérations manuelles
- ✔ de gagner du temps
- ✔ d'éviter les erreurs humaines
- ✔ de faciliter l'échange de documents et d'informations commerciaux

AVEC L'ÉCHANGE AUTOMATIQUE PAR EDI





FITTING SYSTEM | SCOTT

FITTING SYSTEM

Les SYSTÈMES DE PRISE DE MESURE ont été conçus et développés pour renforcer votre processus de vente. Augmentez votre taux de conversion en aidant votre personnel de vente à utiliser des outils professionnels.

DES AVANTAGES VISIBLES INSTANTANÉMENT

+ Plus de ventes, des clients satisfaits, moins de retours
+ Vous recommandez toujours la bonne taille de vélo
+ Service qui vous démarque de la concurrence
+ Ventes supplémentaires grâce au service de mesure et de réglage
+ Gain de temps grâce aux systèmes les plus rapides du marché

EXPERTISE EN MATIÈRE DE MESURE ET DE RÉGLAGE POUR CHAQUE MAGASIN



S M L

MESURE DE TAILLE DE VÉLO

Recommandation de tailles lors de la vente



RÉGLAGE DE VÉLO

L'ergonomie du vélo comme service

SERVICE PREMIUM

Offrir une expérience de service haut de gamme à vos clients est la clé de votre succès. En explorant la meilleure solution pour répondre aux besoins de chacun, proposez toujours la bonne taille de cadre avec des réglages optimisés, afin d'améliorer la satisfaction et la fidélité de vos clients. Des solutions matérielles en boutique aux outils de mesure logiciels exclusifs pour l'intégration en ligne, les systèmes de mesure SCOTT offrent plusieurs options et constituent la solution idéale pour tous les usages et tous les ateliers.





Avec les systèmes de réglage SCOTT, vous pouvez proposer en quelques minutes à vos clients un essai sur un vélo parfaitement réglé. Ces outils permettent de mesurer avec certitude la géométrie, la taille et l'ergonomie du vélo, pour le client comme pour le personnel.

SCOTT fait confiance à Smartfit by Radlabor en tant que partenaire professionnel pour le réglage des vélos, afin d'offrir des solutions haut de gamme à tous les magasins de vélos. Les systèmes de mesure SCOTT sont utilisés avec succès par les partenaires du réseau SCOTT dans le monde entier. Basé sur les mesures corporelles clés, les types de pratique et les préférences personnelles des clients, le logiciel intégré fournit des recommandations rapides, précises et scientifiques, afin d'obtenir l'ajustement parfait pour chaque client.



424851

SCOTT **AI** FIT

Le SCOTT AI FIT est votre allié le plus rapide en magasin. Gagnez du temps, améliorez votre service et concentrez-vous pleinement sur la conclusion des ventes grâce à ce système de mesure primé basé sur l'intelligence artificielle. En quelques secondes, le SCOTT AI FIT détecte et suit tous les points corporels pertinents de manière visuelle et précise.

AVANTAGES

Mesure corporelle et ajustement automatique des vélos, sans contact, basés sur l'IA, parfaitement adaptés à la morphologie individuelle de vos clients.

SYSTÈME DE BALAYAGE

Caméra industrielle intégrée (2592 x 1944 pixels)
Tapis de sol prémesuré
Outil de mesure de la longueur des jambes avec marqueurs de suivi
Ordinateur: Intel Core i5
adaptateur Wi-Fi intégré
Win 11 Professional
Écran: 24 " LED multitouch, Full HD

CONFIGURATION DU SYSTÈME

Wi-Fi ou Ethernet pour accès internet
Branchements électriques: 110 – 220V / 50 – 60Hz
Espace requis pour le tapis de sol: 280/60/124 (L/I/P)



278855

SCOTT **DIRECT** FIT

Optimisez les services et les ventes de vélos grâce à SCOTT Direct Fit. Mesurez les dimensions du corps rapidement et précisément, transférez ces valeurs et, grâce au logiciel intuitif, obtenez en quelques clics une position de selle basée sur des données scientifiques. Réglez la position optimale avec précision via un outil laser, pour un essai parfait.

AVANTAGES
Permet de mesurer manuellement et facilement la morphologie des clients directement sur le point de vente. Le logiciel fournit la taille de cadre adaptée et permet d'ajuster immédiatement le vélo en conséquence. Un télémètre laser associé permet un réglage précis.

SYSTÈME MANUEL
Peu encombrant (0,3m²)
Utilisation rapide et intuitive
Plateforme durable fabriquée en Allemagne

CONFIGURATION DU SYSTÈME
Configuration du système
Un ordinateur ou une tablette avec Windows 10 est nécessaire
Espace requis: 55 cm/50 cm/220 cm (L/l/P)



278854

SCOTT **SMART** FIT

Le SCOTT Smart Fit impressionne au sein du service des ventes. Des mesures effectuées sans contact en associant une technologie se basant sur une photo et un logiciel intuitif permettent d'obtenir rapidement une position de conduite basée sur des données scientifiques. Réglez la position optimale avec précision via un lecteur laser, pour un essai parfait.

MISE À NIVEAU DISPONIBLE DÈS MAINTENANT :
Mettez à niveau votre SCOTT SMART FIT grâce à notre kit et profitez de la même technologie de mesure par intelligence artificielle que le SCOTT AI FIT.

AVANTAGES
Permet de mesurer rapidement la taille de vélo requise sur la base d'une photo. Mesure corporelle sans contact, transfert de données automatisé et mesure laser pour ajuster directement le vélo.

SYSTÈME DE BALAYAGE
Caméra industrielle intégrée (2592 x 1944 pixels)
Tapis de sol prémesuré
Outil de mesure de la longueur des jambes avec ajustement automatique de la pression
Ordinateur: Intel Core i3
Adaptateur Wi-Fi intégré
Win 10 Professional
Écran: 21,5" LED multitouch, full HD

CONFIGURATION DU SYSTÈME
Wi-Fi ou Ethernet pour accès internet
Branchements électriques: 110 – 220V / 50 – 60Hz
Espace requis pour le tapis de sol: 300 cm/80 cm/200 cm (L/l/P)



278853

SCOTT **ADVANCED** FIT

SCOTT Advanced Fit est votre outil professionnel pour les services ergonomiques, la mesure de la taille et le réglage. Scans haute précision de la morphologie et du vélo, avec technologie laser. Bénéficiez rapidement d'une position de selle basée sur des données scientifiques grâce à un logiciel intuitif. Réglez la position optimale, guidé par laser, directement sur le système.

AVANTAGES
Permet de mesurer rapidement la taille du vélo et de le régler. Mesure au laser précise de la morphologie et du vélo, réglage intuitif du vélo guidé par laser, directement sur la plateforme.

SYSTÈME DE BALAYAGE
Plateforme de mesure durable fabriquée en Allemagne
Système de rails linéaires (axes X/Y) avec appareil de mesure électronique haute précision à deux dimensions (Résolution: 1 mm)
Laser croisé industriel (classe 1M) et transfert automatique des données vers l'ordinateur
Outil de mesure de la longueur des jambes avec réglage automatique de la pression
Ordinateur: Intel Core i5
adaptateur Wi-Fi intégré
Win 11 Professional
Écran: 24 po, full HD

CONFIGURATION DU SYSTÈME
Wi-Fi ou Ethernet pour accès internet
Branchements électriques: 110 – 220V / 50 – 60Hz
Espace requis pour le système de balayage: 255 cm/160 cm/205 cm (L/l/P)

SCOTT DISTRIBUTION NETWORK

AUSTRALIA
SHEPPARD CYCLES AUSTRALIA PTY LTD
PO Box 225
AU–3170 Mulgrave
Tel: +61 3 8345 9345
Fax: +61 3 8345 9355
csaustralia@sheppardcycles.com

AUSTRIA
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

BELGIUM & LUXEMBURG
SCOTT BENELUX N.V.
BE–3070 Kortenberg
Tel: +32 2 755 93 20
Fax: +32 2 759 52 29
info@scott-benelux.com
www.scott-sports.com

DENMARK
SCOTT SPORTS DENMARK A/S
DK-8660 Skanderborg
Tel: +45 44220 120
denmark@scott-sports.dk
www.scott-sports.com

FINLAND
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

FRANCE
SCOTT SPORTS SA
Succursale France
FR-74940 Annecy le Vieux
Tel: +33 450 64 24 00
Fax: +33 450 64 24 01
france@scott-sports.com
www.scott-sports.com

GERMANY
SCOTT SPORTS AG
Niederlassung Deutschland
DE-85748 Garching/Hochbrück
Tel. +49 89 8987836 0
Fax: +49 89 8987836 50
scott-de@scott-sports.de
www.scott-sports.com

HUNGARY
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

INDIA
SCOTT SPORTS INDIA PVT LTD
IN-400604 Thane West, MH
Tel.: +9122 25871652
info@scott-sports.co.in
www.scott-sports.com/in/en

IRELAND
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

ITALY
SCOTT ITALIA SRL
Via Provinciale 110, 24021 Albino BG
Tel: +39 035 756 000
Fax: +39 035 756 122
customerservice@scott-sports.it
www.scott-sports.com

JAPAN
SCOTT JAPAN INC.
Katsushika-ku, Tokyo, Japan
Tel: +81 3 5647 7388
Fax: +81 3 5647 7389
info@scott-japan.com
www.scott-japan.com

KOREA
SCOTT NORTH ASIA LTD
177-177 Premium outlet-ro
Hobeop-myeon, Icheon-si
Gyeonggi-do, Korea
Zip : 17384
Tel: +82 1544 3603
Fax: +82 507 350 2347
info@scott-korea.com
www.scott-korea.com

NETHERLANDS
SCOTT SPORTS NL B.V
Beyerinckweg 8a
NL-4251 LP Werkendam
Tel. : +31 183 788137
info.nl@scott-benelux.com
www.scott-sports.com

NEW ZEALAND
SHEPPARD CYCLES NEW ZEALAND LTD
PO Box 62067
NZ-1644 Auckland
Tel: +64 9 915 5770
customerservices@sheppardcycles.com

SOUTH AFRICA
SCOTT SPORTS AFRICA PTY LTD
ZA–Edenvale, Johannesburg
Tel: +27 11 201 4000
Fax: +27 11 608 3798
info@scott-sports.co.za
www.scott-sports.com

SWEDEN
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

SWITZERLAND
SCOTT SPORTS SA
Niederlassung Schweiz
CH–1762 Givisiez
Tel: +41 26 460 16 99
Fax: +41 26 460 16 88
switzerland@scott-sports.com
www.scott-sports.com

UNITED KINGDOM
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

USA
SCOTT USA INC.
US–Salt Lake City, UT. 84109
Tel: (800)-292-5874
Fax: (208)-622-1005
bikesupport@scottusa.com
www.scott-sports.com

DISTRIBUTORS

ARGENTINA
LA EMILIA
Casa Central : Raulet 55, CABA.
Tel: +54 11 4860-5500
comex@laemilia.com.ar
www.grupolaemilia.com

BRAZIL
IGP
BR–13335-070 Indaiatuba,
Sao Paulo
Tel: +55 19 3825 7570
scott@scott.com.br
www.scott.com.br

BULGARIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

CANADA
MICA SPORT CANADA INC.
9 Monica Lane Bracebridge,
ON Canada P1L1P8
Tel: +1 705 646 2462
Fax: +1 705 646 2464
mica@micasport.com
www.micasport.com

COLOMBIA
HA BICICLETAS
Medellin
Tel: + 57 2855040
scott@habicicletas.com
www.habicicletas.com

COSTA RICA
CICLO SAN NICOLAS S.A.
CR-San José
Tel: +506 22338253
Fax: +506 22554749
info@ciclosannicolas.com
www.ciclosannicolas.com

IVORY COAST
EVOLVE CI
Rue du Chevalier Clieu
Marcory, Zone 4
Abidjan, Côte d'Ivoire
Tel: +(225) 07 48 300 300
Info@evolve-ci.com

CROATIA
PANEX DINAMIC
HR-40000 Cakovec
Tel: +385 40 384-161
Fax: +385 40 384-161
pandin@dinamic.hr
www.dinamic.hr

CHILE
ANDES INDUSTRIAL LTDA
Santa Elena 1511
8360349 Santiago
Tel: +56 2 2650 3100
zwi@andesindustrial.cl

CHINA
SHING SHEN YANG BICYCLE CO., LTD.
3rd Floor, Building A
No. 62, Qilinling Road
Shahu Village, Tangxia Town,
Dongguan City, CHINA
Tel:+86-14776270811
info@ssybike.cn
www.sycycles.com

CZECH REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

ECUADOR
TATOO ADVENTURE GEAR
Quito, Ecuador
Tel: +593 2 244 8073
Fax: +593 2 2406526
info@tatoo.ws
www.tatoo.ws

EL SALVADOR
GROUPO EXTREMO SA DE C.V. BICIMANIA
SV- San Salvador
Tel: +503 22645999
diego@grupoextremo.com.sv

ESTONIA | LATVIA | LITHUANIA
HAWAII EXPRESS LTD.
EE–12011 Tallinn
Tel: +372 6 398508
Fax: +372 6 398566
info@hawaii.ee
www.hawaii.ee

GREECE / CYPRUS
NIKOS MANIATOPOULOS S.A.
GR–26504 Patras
Tel: +30 2610 993045
Fax: +30 2610 990424
commerce@idealbikes.gr

GUATEMALA
BICIMANIA
GT-Guatemala City
Tel: +502 2336 7763
Fax: +502 2 367 3866
info@bicimaniaguate.com
www.bicimaniaguate.com

ISLAND
VETUR EHF / MARKID
Ármúla 40, 108 Reykjavík
Tel. +354 5174600
Email. markid@markid.is

ISRAEL
COBRA BORDO LTD.
P.O.B – 1392 Haïfa, IL
Tel: +972 4 9840995
Fax: +972 4 9840993
info@cobra-bordo.co.il
www.cobra-bordo.co.il

LEBANON
I.M.C.O. LINE INTERNATIONAL S.A.R.L.
LB – Feytroun
Tel: +961 9958625
Fax: +961 9952036
info@lamaisonduski.net
www.lamaisonduski.net

LA RÉUNION
COMPTOIR DE L'OCEAN INDIEN
04 Rue Antanifotsy – ZAE Ravine à Marquet
97419 La Possession
Tel: +262 692 91 83 33
Fax: +262 (0)262 43 29 41
Elodie.hoarau@gbh.fr
jacky.sery@gbh.fr
Stephan.Deloutre@gbh.fr

MEXICO
ELITE BIKE, SA DE C.V.
MX-27000 Torreón Coah
Tel: +871 716 0795
Fax: +871 799 0067
hola@elitebike-mx.com

NEW CALEDONIA
VELOCITY
BP 15746
98804 Noumea

NORWAY
RAMO A.S.
NO–2013 Skjetten
Tel: +47 67 91 02 00
kundeservice@ramo.no
www.ramo.no

PERU
DISEÑOS TATOO PERU S.R.L.
Av. Prescott 295,
San Isidro, Lima, Peru
maticarreno@tatoo.ws
+(51 1) 221 0515
+(51 1) 981248796
tatoo.ws/pe

PANAMA
TRI STORE PANAMA S.A.
Tel: +507 393 6874
contact@tristorepanama.com
www.tristorepanama.com

PARAGUAY
CHACOMER S.A.E.
PY-Asunción
Tel: +595 21 5180000
Fax: +595 21 607769
chacomer@chacomer.com.py
www.chacomer.com.py

POLAND
SCOTT SPORTECH POLAND SP. Z.O.O.
PL–05-400 Otwock
Tel: +48 22 788 36 90
Fax: +48 22 788 36 91
info@scott.pl
www.scott.pl

PORTUGAL
STAND JASMA
PT–2855-093 Corroios
Tel: +351 212 268 838
info@jasma.pt
www.scott-sports.com/pt

ROMANIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

SERBIA
PLANET BIKE CO. D.O.O.
RS–37 000 Krusevac
Tel: +381 37 42 00 00
Fax: +381 37 42 00 11
office@planetbike.rs
www.planetbike.rs

SINGAPORE/ INDONESIA/ MALAYSIA/ THAILAND/ PHILIPPINES/ CAMBODIA/VIETNAM
KIAN HONG CYCLE PTE LTD
SG-415928 Singapore
Tel: +65 6749 5787
Fax: +65 6749 5789
scott@khcycle.com
www.khcycle.com

SLOVENIA
PROLOCO TRADE D.O.O.
SI-4000 Kranj
Tel: +386 4 27 11 700
Fax: +386 4 27 11 722
info@prolocotrade.si
www.skm.si

SLOVAK REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

SPAIN
BM SPORTECH IB S.L
ES–50197 Zaragoza
Tel: +34 876 269 100
Fax: +34 976 322 453
scott@bmsportech.es
www.bmsportech.es

TAIWAN
KARED, INC
TW-Taichung
Tel: 886-4-23103709
service@scottusa.com.tw
www.scott-sports.com.tw

TAHITI
LA KLINIC DU VÉLO
B.P. 51085 Pirae
Tahiti / French Polynesia
Tel: +689 40 43 27 90
Fax: +689 40 43 27 90
laklinicduvelo@gmail.com
www.laklinicduvelo.pf

TURKEY
KRON BISIKLET TIC. VE SAN. A.S
34959 Tuzla / Istanbul
Tel: 0090216 444 68 10
Fax: 02165931042
info@kronbisiklet.com.tr
www.kronbisiklet.com.tr

UKRAINE
LLC EXTREME SPORTS DISTRIBUTION
UA - 04053 Kyiv
Tel: +380 95 145 4774
Fax: +380 96 145 4774
scott.ukraine@gmail.com
www.scott-extreme.com.ua

UNITED ARAB EMIRATES/ SAUDI ARABIA/ OMAN BAHRAIN/ KUWAIT
WBS SPORT EQUIPMENT TRADING LLC
UAE-Dubai
Tel: +971 4 339 4453
Fax: +971 4 339 4452
info@wbs.ae
www.wbssporttrading.com

URUGUAY
DECELESTE S.A.
UY-CP.11800 Montevideo
Tel: +598 2 203 5929
Fax: +598 2 209 0311
scott-uruguay@deceleste.com.uy
www.deceleste.com.uy

VENEZUELA
PEDAL POWER
Calle Madrid c/Monterrey Edif. Monterrey Local PB
Caracas
Tel: +58 (212) 9936450
ventas@pedalpower.com.ve
www.pedalpower.com.ve

All rights reserved ©2025 SCOTT Sports SA

PHOTOGRAPHY
STYLE PHOTOS: SCOTT SPORTS
ACTION PHOTOS: Nils Laengner, Brazo de hierro, Maxime Rambaud, Simon Ricklin, Woujow, Kifcat, Thomas Marzusch, Roo Fowler, Matteo Challe, Michal Cerveny, Richard Bord, Sven Martin, Chris Casal, Markus Greber, Sebastian Sternemann

Printed and bound in Austria by
SAMSON DRUCK GMBH
Samson Druck Straße 171, AT-5581 St. Margarethen in Salzburg, Österreichn

The information contained in this workbook is in various languages but only the English version will be relevant in case of conflict.
Although SCOTT Sports SA has published all information contained in this workbook after careful examination, SCOTT Sports SA assumes no liability for being up-to-date, correct, reliable or complete. SCOTT Sports SA reserves the right to change the content of this workbook, particularly colors, materials and specifications, at any time without prior notice. Any liability shall be exempted. Products shown may not be available in all regions, please check with your local SCOTT retailer for availability.

EDITOR
SCOTT Sports SA
Route du Crochet 11
1762 Givisiez
Switzerland

www.scott-sports.com/contact

Commercial register: Fribourg
IDE/UID: CHE-103.535.982



WORKBOOK OFFERING:
2026
APPAREL & EQUIPMENT