

2027 Bikes & Components

SCOTT

Like the modest champion sitting in the corner listening as others spit their egos all over each other, SCOTT quietly lets its achievements, its victories, its skills speak for themselves. We don't make products for those who yearn to be noticed. We make them for those who are going to do what they do whether there's anyone watching or not. If you're like us, you say what you say, do what you do, ride where you ride because you love it. You do it the right way. You do it for the right reasons.

CONTENT

GLOSSARY **003**

SIZE CHART **004**

MTN **006**
FULL SUSPENSION 007
HARDTAIL 035

ROAD **068**
ROAD 069
GRAVEL 120

eRIDE **152**
eRIDE MTB 153
eRIDE ROAD 178
eRIDE GRAVEL 186
eRIDE ALL TERRAIN / URBAN 192
eRIDE CARGO 244

URBAN / ALL TERRAIN **246**

KIDS **274**
FUTURE PRO 275
TALLER KIDS 284

FRAMES **306**

ACCESSORIES **316**

FITTING SYSTEM **326**

RETAIL SYSTEM & MERCHANDISING **330**

If either code is sold out please check with the sales team whether another country of origin can be ordered.

EMBARGO INFO

DEAR SCOTT FAMILY,

As we embark on another special year with many new products, we would like you to please take note of and respect the following: All bikes in this workbook are under embargo until further notice unless otherwise specified.

That means that for all bikes in this workbook, no information, photos or specs shall be shared or published in any way until a specific date has been communicated from SCOTT SPORTS.



GLOSSARY BIKES



16" WHEELS
Bikes with this icon feature 16" wheels.



20" WHEELS
Bikes with this icon feature 20" wheels.



24" WHEELS
Bikes with this icon feature 24" wheels.



26" WHEELS
Bikes with this icon feature 26" wheels.



27.5" WHEELS
Bikes with this icon feature 27.5" wheels.



29" WHEELS
Bikes with this icon feature 29" wheels.



MX WHEELS
Bikes with this icon come in an MX setup, featuring a 29'' front wheel and a 27.5'' rear wheel.



25 KM/H
These bikes have an assist of up to 25kph.



ABS
Bikes with Bosch ABS/ABS Pro system.



ELECTRONIC CONTROLLED SUSPENSION



COLOR EFFECT
These bikes feature a special metallic paint job. Take them into the sun to see them shine!



HAND MADE RAW CARBON
These bikes feature a raw carbon finish, you'll be able to see the beauty of the carbon fibers yourself!



POWER METER
Bikes with this icon come equipped with a power meter.



REAR CARRIER
All bikes with these icons are rack compatible.



CARRY OVER



RANGE BOOSTER COMPATIBLE
These bikes are compatible with a range booster.



RANGE BOOSTER INCLUDED
Bikes with these icons come equipped with a range booster.



BOSCH PERFORMANCE UPGRADE 2.0
More power, more control – you decide. The next performance upgrade for the smart system is here. Get up to 120 newton metres of torque, 600% support, even more powerful propulsion and ride faster for longer.



SIZE CHART

BODY HEIGHT	< 165 CM < 65 IN	165 - 175 CM 65 - 69 IN	175 - 185 CM 69 - 73 IN	185 - 195 CM 73 - 77 IN	> 195 CM > 77 IN
SPARK RC SPARK DC LUMEN	S	M	L	XL	
RANSOM PATRON PATRON ST STRIKE	S	M	L	XL	
GAMBLER	M	L	XL		
SCALE SCALE RC SCALE GRAVEL CONTRAIL	XS	S	M	L	XL XXL
PLASMA RC	XS S	M L	XL		
FOIL RC ADDICT RC ADDICT SPEEDSTER ADDICT GRAVEL SPEEDSTER GRAVEL	XXS XS	S M	L XL	XXL	
METRIX OVERLAND	M S	L	XL XXL		
FASTLANE SOLACE GRAVEL	XS S	M L	XL		
AXIS WAVE	M S	L	XL		
AXIS E-VILLE SUB TOUR SUB SPORT SUB CROSS PASSAGE	M S	L	XL XXL		
VITESS	XXS XS	S M	L XL	XXL	
SUMMERVILLE 200 SUMMERVILLE 600	ONE SIZE S L				
SWEEP	M S	L	XL XXL		

KIDS

BODY HEIGHT	95 CM / 37 IN	115 CM / 45 IN	125 CM / 49 IN	135 CM / 53 IN	145 CM / 57 IN
MIN SEATHEIGHT (ground to top of saddle)	46 CM / 18 IN	53 CM / 20 IN	62 CM / 24 IN	68 CM / 27 IN	75 CM / 29 IN
APPROXIMATE AGE	3+	5+	7+	9+	11+
SPARK PRO					WHEEL 27.5"
RANSOM PRO				WHEEL 26"	
SCALE PRO		WHEEL 20"	WHEEL 24"	WHEEL 26"	WHEEL 27.5"
CONTRAIL	WHEEL 16"	WHEEL 20"	WHEEL 24"		
SCALE		WHEEL 20"	WHEEL 24"	WHEEL 26"	
ROXTER		WHEEL 20"	WHEEL 24"	WHEEL 26"	

RE-SOURCE BY SCOTT

It is an important step for us in becoming a responsible steward of our planet and society. We look forward to improving our practices in each of these fields.

PEOPLE

We consider that all people involved in our supply chain should be treated fairly with dignity and respect.

PLANET

We take into consideration that the earth's resources must be used in such a way that ecosystems and future generations shouldn't be adversely affected.

PRODUCTS

We aim to maximize the sustainable nature of our products while still maintaining their high level of performance through innovation, technology and design.

SINCE 2021

272.19 TONS OF CO_2

COMPENSATED FOR OUR ATHLETE'S TRAVEL WITH ALMIGHTY TREE.

SUSTAINABLE DEVELOPMENT GOALS

- Clean water & sanitation
- Decent work & economic growth
- Reduced Inequalities
- Climate action
- Partnership for the goals
- Sustainable cities & communities
- Responsible consumption & production

SCIENCE BASED TARGETS INITIATIVE (SBTI): SCOTT SPORTS GROUP HAS COMMITED TO THE SCIENCE BASED TARGET INITIATIVE (SBTI), A GLOBALLY RECOGNIZED FRAMEWORK THAT PROVIDES COMPANIES WITH GUIDANCE TO ALIGN THEIR CLIMATE STRATEGIES WITH SCIENCE-BASED PATHWAYS.

SCIENCE BASED TARGETS
DRIVING AMBITIOUS CORPORATE CLIMATE ACTION

WORLD BICYCLE RELIEF FUNDRAISER

500 000€

collected with fundraisers

UCI SOLIDARITY PROGRAM

70 000€

of equipment donated for sports development



CLIMATE ACTION TRAINING

In late 2023, we came together with other companies in the cycling industry to co-develop a Climate Action Training programme to drive down greenhouse gas emissions in our shared supply chains. This initiative has been facilitated by Shift Cycling Culture and the Deutsche Gesellschaft für Internationale Zusammenarbeit (GIZ) and hopes to create a blueprint for future collaborative projects of the industry.

This training tool is no complete and we are rolling this out within our supply chain in order to help our partners measure, evaluate and mitigate the impact of their processes.

By participating and implementing the learnings from the Climate Action Training, we have ensured that all parties are speaking the same language and working together in reducing the industry's environmental impact.


MOUNTAIN
BIKE





SPARK RC

The Spark RC lineup is comprised of bikes that just have one thing on the agenda, pure race speed. Ultra-light, ultraintegrated, and ultracapable, this new breed of Cross-Country race bike is like no other seen before.



SPARK DC

The Spark DC is what comes to mind when we think of the perfect mountain bike.Built for riders who measure their days in stories, not podiums. The Spark DC is lightweight when the climb demands it, capable when the trail turns technical, and versatile enough to adapt to whatever the day throws at you.

FULL SUSPENSION
LINE-UP

Full Suspension Mountain Bikes are at the core of everything we love at SCOTT. From lightweight race bikes, to descent focused carbon dream-rides, if you're after a bike to hit the trails, we've got what you need.





RANSOM

Make mountains move with the Ransom. Our latest version was uncompromisingly engineered for maximum performance and an all-time confidence inspiring ride. Lightweight, versatile and a killer geometry paired with a supernatural suspension kinematic results in a bike that doesn't take "no" for an answer. Don't hold yourself hostage, ride Ransom.





GAMBLER

The fastest bike on earth? We think so! Tuned to perfection with some of the World's best on track, the Gambler is the bike racers seek when they aim to make it down the hill in a hurry.

SPARK RC



SPARK RC SL



SPARK RC WORLD CUP EVO



SPARK RC WORLD CUP



SPARK RC TEAM ISSUE



SPARK RC TEAM ISSUE



SPARK RC TEAM ISSUE



SPARK RC PRO



SPARK RC EXPERT



SPARK RC TEAM



SPARK RC TEAM



SPARK RC COMP

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SPARK RC SL	SRAM XX SL Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton CF1 Carbon & Carbon spokes	Syncros iC SL XC carbon combo / Rock Shox Reverb AXS	HMX SL	2.6	120 / 120mm
SPARK RC WORLD CUP EVO	SRAM XX SL-XX Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton CF1 Carbon & Carbon spokes	Syncros iC XC carbon combo / Rock Shox Reverb AXS	HMX	2.6	120 / 120mm
SPARK RC WORLD CUP	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton CF2 Carbon	Syncros iC carbon combo / Syncros dropper XC	HMF	2.6	120 / 120mm
SPARK RC TEAM ISSUE	SRAM GX Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate FA	Electronically Controlled	Syncros Silverton CF2 Carbon	Syncros iC carbon combo / Syncros dropper XC	HMF	2.6	120 / 120mm
SPARK RC PRO	Shimano XTR Di2 / Shimano XTR 4P	12	Fox 34SL Facotry / Fox Factory TC 6 EVOL	TwinLoc	Syncros Silverton CF2 Carbon	Syncros iC carbon combo / Syncros dropper XC	HMF	2.6	120 / 120mm
SPARK RC EXPERT	Shimano XT Di2 / Shimano Deore 4P	12	Fox 34SL Facotry / Fox Factory TC 6 EVOL	TwinLoc	Syncros Silverton AL2	Syncros iC alloy combo / Syncros dropper XC	HMF	2.6	120 / 120mm
SPARK RC TEAM	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Rock Shox SID 3P / Rock Shox SIDluxe 3P	TwinLoc	Syncros Silverton AL2	Syncros iC alloy combo / Syncros dropper XC	HMF	2.6	120 / 120mm
SPARK RC COMP	Shimano Deore / Shimano MT600 2P	12	Rock Shox SID 3P / Rock Shox SIDluxe 3P	TwinLoc	Tubless ready rims	Syncros XC / Syncros dropper XC	HMF	2.6	120 / 120mm

SPARK RC SL

PIANO BLACK/CARBON BLACK

S, M, L, XL

427542-8570 (EU)
427534-8570 (NON EU 1)



FRAME	Spark RC HMX SL Carbon Gen5, adjustable head angle and fork lock, Ceramic Speed bearings, titanium hardware, Syncros Octopus cable integration system Gen2, BSA, UDH interface, 12x148mm with 55mm chainline, lightest 120mm frame, 1427g w/o shock
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX SL Eagle AXS Transmission, carbon crankarm, Spider Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	Ceramic Speed Alpha BSA
CHAIN	SRAM XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS-1299 Transmission, 10-52T
BRAKES	SRAM Motive Ultimate 4-Piston
FRONT DISC ROTOR	SRAM CLX Centerline CL, 180mm
REAR DISC ROTOR	SRAM CLX Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL1 HMX SL Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Rock Shox Reverb AXS, 31.6mm
SEAT	Syncros Celista Cut Out, Carbon Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF1, F: 15x110mm, R: 12x148mm Boost, CL, Ratchet Freewheel, Carbon Rim 30mm Tubeless ready & Carbon Spokes 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
REAR TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	9.9 kg kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	21.83 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Ceramic Speed Parts
Syncros CF1 Carbon Wheelset and Handlebar Combo

SPARK RC WORLD CUP EVO

RUSH WHITE/CARBON BLACK

S, M, L, XL

427543-8575 (EU)
427535-8575 (NON EU 1)



FRAME	Spark RC HMX Carbon Gen5, adjustable head angle and fork lock, Ceramic Speed bearings, titanium hardware, Syncros Octopus cable integration system Gen2 , BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX Eagle AXS Transmission, carbon crankarm, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	Ceramic Speed Alpha BSA
CHAIN	SRAM XX SL Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS-1299 Transmission, 10-52T
BRAKES	SRAM Motive Ultimate 4-Piston
FRONT DISC ROTOR	SRAM CLX Centerline CL, 180mm
REAR DISC ROTOR	SRAM CLX Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Rock Shox Reverb AXS, 31.6mm
SEAT	Syncros Celista Cut Out, Carbon Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF1, F: 15x110mm, R: 12x148mm Boost, CL, Ratchet Freewheel, Carbon Rim 30mm Tubeless ready & Carbon Spokes 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
REAR TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	10.5 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	23.15 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Ceramic Speed Parts
Syncros CF1 Carbon Wheelset and Handlebar Combo

SPARK RC WORLD CUP

CUMULUS WHITE/CARBON BLACK

S, M, L, XL

427544-8086 (EU)
427536-8086 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS-1295 Transmisson, 10-52T
BRAKES	SRAM Motive Silver 4-Piston
FRONT DISC ROTOR	SRAM CLX Centerline CL, 180mm
REAR DISC ROTOR	SRAM CLX Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost, CL, Carbon Rim 30mm Tubeless ready, 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
REAR TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	10.9 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	24.03 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Syncros Carbon Wheelset and Handlebar Combo

SPARK RC TEAM ISSUE

CARBON BLACK

S, M, L, XL

29" P RAW

427545-3020 (EU)
427537-3020 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Motive Bronze 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros Dropper Post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost, CL, Carbon Rim 30mm Tubeless ready, 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	11.3 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	24.91 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Rock Shox Flight Attendant
Syncros Carbon Wheelset and Handlebar Combo

SPARK RC TEAM ISSUE

DORADO GREY/CARBON BLACK

S, M, L, XL

427545-8532 (EU)
427537-8532 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Motive Bronze 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros Dropper Post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost, CL, Carbon Rim 30mm Tubeless ready, 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	11.3 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	24.91 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Rock Shox Flight Attendant
Syncros Carbon Wheelset and Handlebar Combo

SPARK RC TEAM ISSUE

ULTRA BLUE/CARBON BLACK

S, M, L, XL

427545-8598 (EU)
427537-8598 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Motive Bronze 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros Dropper Post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost, CL, Carbon Rim 30mm Tubeless ready, 24H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	11.3 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	24.91 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Rock Shox Flight Attendant
Syncros Carbon Wheelset and Handlebar Combo

SPARK RC PRO

OBSIDIAN PURPLE/CARBON BLACK

S, M, L, XL

29" RAW

427546-8562 (EU)
427538-8562 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	Fox 34SL Factory Grip SL, Kashima, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REAR SHOCK	Fox Float Factory Traction Control EVOL, Kashima, SCOTT custom w. travel, geo adj., 3P: Lockout-Traction Control-Descend, Low Speed & Reb. Adj., bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XTR Di2 RD-M9250 12-speed, Wireless Electronic Shift System
SHIFTERS	Shimano XTR Di2 SW-M9250
CRANKSET	Shimano XTR FC-M9200, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	Shimano XTR SM-BB93 BSA
CHAIN	Shimano CN-M9100
CASSETTE	Shimano XTR CS-M9200, 10-51T
BRAKES	Shimano XTR BR-M9220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL900, 180mm
REAR DISC ROTOR	Shimano RT-CL900, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-SL2 HMF Carbon, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost , CL, Carbon Rim 30mm Tubeless ready, 24H, Micro Spline
FRONT TIRE	Maxxis Aspen 29x2.4" Maxxspeed, 120TPI Foldable Bead, Tubeless Ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4" Maxxspeed, 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, Shimano Di2 Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	10.9 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	24.03 lbs Tubless, without save the day kit

WHAT'S NEW

Spark RC Frame
Fox Factory Suspension
Syncros Carbon Wheelset and Handlebar Combo

SPARK RC EXPERT

TUNGSTEN GREY

S, M, L, XL

29"

427547-8350 (EU)
427539-8350 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	Fox 34SL Factory Grip SL, Kashima, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REAR SHOCK	Fox Float Factory Traction Control EVOL, Kashima, SCOTT custom w. travel, geo adj., 3P: Lockout-Traction Control-Descend, Low Speed & Reb. Adj., bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XT Di2 RD-M8250 12-speed, Wireless Electronic Shift System
SHIFTERS	Shimano Deore Di2 SW-M6250
CRANKSET	Shimano XT FC-M8200, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	Shimano BB-MT501 BSA
CHAIN	Shimano CN-M7100
CASSETTE	Shimano Deore CS-M7200, 10-51T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL700, 180mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-AL2, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock & cable routing Gen2 system, stainless bearings, IS52
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, Micro Spline
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool, Shimano Di2 Powerpack
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	11.8 kg Tubless
APPROX WEIGHT IN LBS	26.01 lbs Tubless

WHAT'S NEW

Spark RC Frame
Fox Factory Suspension
Shimano XT Di2

SPARK RC TEAM

SPECTRAL BLACK

S, M, L, XL

29"

427548-8585 (EU)
427540-8585 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REAR SHOCK	RockShox SIDLuxe Select+, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB6 4-Piston
FRONT DISC ROTOR	SRAM Centerline CL, 180mm
REAR DISC ROTOR	SRAM Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-AL2, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros Angle adjust +-0.5°, fork lock & cable routing Gen2 system, IS52
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, HG Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool, SRAM AXS Powerpack
APPROX WEIGHT IN KG	12.5 kg Tubless
APPROX WEIGHT IN LBS	27.56 lbs Tubless

WHAT'S NEW

Spark RC Frame

SPARK RC TEAM

CREAM GREEN/CARBON BLACK

S, M, L, XL

29" RAW

427548-8527 (EU)
427540-8527 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REAR SHOCK	RockShox SIDLuxe Select+, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB6 4-Piston
FRONT DISC ROTOR	SRAM Centerline CL, 180mm
REAR DISC ROTOR	SRAM Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M100-AL2, -10° angle, back sweep 7°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros Angle adjust +-0.5°, fork lock & cable routing Gen2 system, IS52
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, HG Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool, SRAM AXS Powerpack
APPROX WEIGHT IN KG	12.5 kg Tubless
APPROX WEIGHT IN LBS	27.56 lbs Tubless

WHAT'S NEW

Spark RC Frame

SPARK RC COMP

WHITE

S, M, L, XL

29"

427549-0002 (EU)
427541-0002 (NON EU 1)



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REAR SHOCK	RockShox SIDLuxe Select+, 3P Lockout-Pedal-Descend, Solo Air, Reb. Adj., Lockout, bearing hardware 20x8mm, 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano Deore RD-M7200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 34T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	Shimano BB-MT501 BSA
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT600 2-Piston
FRONT DISC ROTOR	Shimano RT-CL300, 180mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros HB-M100-AL2, Alloy 6061 DB, Flat, 7°, 740mm, Syncros XC lock-on grips
H'STEM	Syncros XC ST-M100-AL2, -6°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros Angle adjust +-0.5°, fork lock & cable routing Gen2 system, IS52
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Syncros Tool
APPROX WEIGHT IN KG	12.9 kg Tubless
APPROX WEIGHT IN LBS	28.44 lbs Tubless

WHAT'S NEW

Spark RC Frame

SPARK DC

OVERVIEW



SPARK DC FACTORY



SPARK DC 10



SPARK DC 20



SPARK DC 30



SPARK DC 40

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SPARK DC FACTORY	SRAM XX SL-XX Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate XL FA	Electronically Controlled	Syncros Silverton CF1 Carbon & Carbon spokes	Syncros iC DC carbon combo / Rock Shox Reverb AXS	HMX	2.6	140 / 138mm
SPARK DC 10	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID Ultimate FA / Rock Shox SIDluxe Ultimate XL FA	Electronically Controlled	Syncros Silverton CF2 Carbon	Syncros iC DC carbon combo / Syncros dropper	HMF	2.6	140 / 138mm
SPARK DC 20	Shimano XT Di2 / Shimano Deore 4P	12	Fox 36SL Facotry / Fox Factory TC 6 EVOL	TwinLoc	Syncros Silverton AL2	Syncros DC / Syncros dropper	HMF	2.6	140 / 138mm
SPARK DC 30	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Rock Shox Pike Select 3P / Rock Shox Deluxe TC 3P	TwinLoc	Syncros Silverton AL2	Syncros DC / Syncros dropper	HMF	2.6	140 / 138mm
SPARK DC 40	Shimano Deore / Shimano MT620 4P	12	Rock Shox Pike 3P / Rock Shox Deluxe TC 3P	TwinLoc	Tubless ready rims	Syncros DC / Syncros dropper	HMF	2.6	140 / 138mm

SPARK DC FACTORY

CARBON BLACK

S, M, L, XL

427555-3020 (EU)
427550-3020 (NON EU 1)



FRAME	Spark DC HMX Carbon Gen5, adjustable head angle and fork lock, Ceramic Speed bearings, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 140 mm, Rear: 138 mm
FORK	RockShox Pike Ultimate Flight Attendant, electronically controlled suspension, Charger 3.1 Damper 3P, 15x110mm Maxle Stealth, tapered Steerer, Reb. Adj.
REAR SHOCK	RockShox SIDLuxe XL Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Large Air Can, Reb. Adj., Lockout, Bearing Hardware 20x8mm, 205X50mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM XX SL Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM XX Eagle AXS Transmission, Carbon crankarm, Spindle Powermeter, DUB, 55mm CL, 32T
CHAINGUIDE	Spark DC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM XX Eagle Transmission
CASSETTE	SRAM XX SL Eagle XS-1299 Transmission, 10-52T
BRAKES	SRAM Motive Ultimate 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 180mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M200-SL2 HMF Carbon, 20mm rise, back sweep 7°, 760mm
SEATPOST	Rock Shox Reverb AXS, 31.6mm
SEAT	Syncros Tofino R 1.0, Carbon Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock, stainless bearings, IS52
WHEELSET	Syncros Silverton CF1, F: 15x110mm, R: 12x148mm Boost, CL, Ratchet Freewheel, Carbon Rim 30mm Tubeless ready & Carbon Spokes 24H, XD Driver
FRONT TIRE	Maxxis Forekaster 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
REAR TIRE	Maxxis Recon 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	11.5 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	25.35 lbs Tubless, without save the day kit

WHAT'S NEW

Spark DC Frame
RockShox Sidluxe XL FA
Ceramic Speed Parts
Syncros CF1 Carbon wheelset and handlebar combo

SPARK DC 10

MIST BLUE

S, M, L, XL

427556-8387 (EU)
427551-8387 (NON EU 1)



FRAME	Spark DC HMF Carbon Gen5, Adjustable Head angle and Fork lock, Syncros Octopus cable Integration System Gen2, BSA BB, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 140 mm, Rear: 138 mm
FORK	RockShox Pike Ultimate Flight Attendant, electronically controlled suspension, Charger 3.1 Damper 3P, 15x110mm Maxle Stealth, tapered Steerer, Reb. Adj.
REAR SHOCK	RockShox SIDLuxe XL Ultimate Flight Attendant, electronically controlled suspension, 3P Lockout-Pedal-Descend, Large Air Can, Reb. Adj., Lockout, Bearing Hardware 20x8mm, 205X50mm
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 32T
CHAINGUIDE	Spark DC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS-1295 Transmisson, 10-52T
BRAKES	SRAM Motive Silver 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 180mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros IC-M200-SL2 HMF Carbon, 20mm rise, back sweep 7°, 760mm
SEATPOST	Syncros Dropper Post SP-M301-AL2, +RAD 2.0 drop adjust, 31.6mm
SEAT	Syncros Tofino R 2.0, CrMo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock, stainless bearings, IS52
WHEELSET	Syncros Silverton CF2, F: 15x110mm, R: 12x148mm Boost, CL, Carbon Rim 30mm Tubeless ready, 24H, XD Driver
FRONT TIRE	Maxxis Forekaster 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
REAR TIRE	Maxxis Recon 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
EXTRAS	Syncros Save the Day kit IS-M100, Syncros Tool & Tubeless Handlebar kit, SRAM AXS Powerpack
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	12.3 kg Tubless, without save the day kit
APPROX WEIGHT IN LBS	27.12 lbs Tubless, without save the day kit

WHAT'S NEW

Spark DC Frame
Syncros Carbon wheelset and handlebar combo

SPARK DC 20

LEMON YELLOW

S, M, L, XL

29"

427557-8544 (EU)
427552-8544 (NON EU 1)



FRAME	Spark DC HMF Carbon Gen5, Adjustable Head angle and Fork lock, Syncros Cable Integration System Gen2, BSA BB, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 140 mm, Rear: 138 mm
FORK	Fox 36SL Factory Grip SL, Kashima, 3P, Kabolt 15x110mm axle, tapered Steerer, Reb. Adj, Lockout
REAR SHOCK	Fox Float Factory Traction Control EVOL, Kashima, SCOTT custom w. travel, geo adj., 3P: Lockout-Traction Control-Descend, Low Speed & Reb. Adj., Bearing Hardware 20x8mm, 210X50mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XT Di2 RD-M8250 12-speed, Wireless Electronic Shift System
SHIFTERS	Shimano Deore Di2 SW-M6250
CRANKSET	Shimano XT FC-M8200, 32T
CHAINGUIDE	Spark DC Gen5 chainguide
BB-SET	Shimano BB-MT501 BSA
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M7200, 10-51T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL700, 180mm
REAR DISC ROTOR	Shimano RT-CL700, 180mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros HB-M200-AL1, Alloy 7075, 760mm, 31.8mm, 7°, 20mm rise, Syncros lock-on grips
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros Dropper Post SP-M301-AL2, +RAD 2.0 drop adjust, 31.6mm
SEAT	Syncros Tofino R 2.0, CrMo Rails
HEADSET	Syncros - Acros angle adjust +-0.5°, fork lock, stainless bearings, IS52
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, Micro Spline
FRONT TIRE	Maxxis Forekaster 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
REAR TIRE	Maxxis Recon 29x2.4", 120TPI Foldable, 3C Maxx Terra, Tubeless Ready, EXO
EXTRAS	Syncros Tool
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	12.7 kg Tubless
APPROX WEIGHT IN LBS	28 lbs Tubless

WHAT'S NEW

Spark DC Frame
Fox Factory Suspension
Shimano XT Di2

SPARK DC 30

CARBON BLACK

S, M, L, XL

29" RAW

427558-3020 (EU)
427553-3020 (NON EU 1)



FRAME	Spark DC HMF Carbon Gen5, Adjustable Head angle and Fork lock, Syncros Cable Integration System Gen2, BSA BB, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 140 mm, Rear: 138 mm
FORK	RockShox Pike Select 3P Air, Charger RC 3P Damper, 15x110mm Maxle Stealth, tapered Steerer, Reb. Adj., Lockout
REAR SHOCK	RockShox Deluxe Traction Control RL3, SCOTT custom w. travel, geo adj., 3P: Lockout-Traction Control-Descend, Reb. Adj., Bearing Hardware 20x8mm, 210X50mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	Spark DC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB6 4-Piston
FRONT DISC ROTOR	SRAM Centerline CL, 180mm
REAR DISC ROTOR	SRAM Centerline CL, 180mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros HB-M200-AL1, Alloy 7075, 760mm, 31.8mm, 7°, 20mm rise, Syncros lock-on grips
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros Dropper Post SP-M301-AL2, +RAD 2.0 drop adjust, 31.6mm
SEAT	Syncros Tofino R 2.0, CrMo Rails
HEADSET	Syncros - Acros Angle adjust +-0.5°, Fork Lock, is52
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, HG Driver
FRONT TIRE	Maxxis Forekaster 29x2.4", 60TPI Foldable, Tubeless Ready
REAR TIRE	Maxxis Recon 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
EXTRAS	Syncros Tool
APPROX WEIGHT IN KG	13 kg Tubless
APPROX WEIGHT IN LBS	28.66 lbs Tubless

WHAT'S NEW

Spark DC Frame

SPARK DC 40

TENDER GREEN

S, M, L, XL

29"

427559-4715 (EU)
427554-4715 (NON EU 1)



FRAME	Spark DC HMF Carbon Gen5, Adjustable Head angle and Fork lock, Syncros Cable Integration System Gen2, BSA BB, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 140 mm, Rear: 138 mm
FORK	RockShox Pike 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered Steerer, Reb. Adj., Lockout
REAR SHOCK	RockShox Deluxe Traction Control RL3, SCOTT custom w. travel, geo adj., 3P: Lockout-Traction Control-Descend, Reb. Adj., Bearing Hardware 20x8mm, 210X50mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano Deore RD-M7200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
CHAINGUIDE	Spark DC Gen5 chainguide
BB-SET	Shimano BB-MT501 BSA
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano RT-CL300, 180mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros HB-M200-AL2, Alloy 6061, 760mm, 31.8mm, 7°, 20mm rise, Syncros lock-on grips
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros Dropper Post SP-M303-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino R 2.5
HEADSET	Syncros - Acros Angle adjust +-0.5°, Fork Lock, is52
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula CL-3248M, 12x148mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Forekaster 29x2.4", 60TPI Foldable, Tubeless Ready
REAR TIRE	Maxxis Recon 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
EXTRAS	Syncros Tool
APPROX WEIGHT IN KG	13.8 kg Tubless
APPROX WEIGHT IN LBS	30.42 lbs Tubless

WHAT'S NEW

Spark DC Frame

RANSOM

OVERVIEW



RANSOM RC



RANSOM 10



RANSOM 20

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
RANSOM RC	SRAM X0 Eagle AXS Transmission / SRAM Maven Silver	12	Öhlins RXF 38 M.3 / Öhlins TTX 22 M.2	x	DT Swiss EXC 1500	Syncros Alloy DH Cockpit / Syncros Dropper 1.5S	HMX	2.5	170mm
RANSOM 10	SRAM Eagle 90 Transmission / SRAM Maven Bronze	12	FOX 38 Factory / FOX DHX Factory	x	DT Swiss EX 1900	Syncros Alloy DH Cockpit / Syncros Dropper 1.5S	HMX / Alloy SL	2.5	170mm
RANSOM 20	SRAM Eagle 70 Transmission / Sram DB8	12	Marzocchi Z1 / Marzocchi Bomber Air	x	Syncros MD30 Rims TR	Syncros Alloy DH Cockpit / Syncros Dropper 1.5S	HMX / Alloy SL	2.5	170mm

RANSOM RC

FOGGY GREY

S, M, L, XL

29"

427563-8535



FRAME	Ransom Carbon HMX Mainframe, 6 Link kinematic, Integrated Suspension Technology, head angle Adj, BB92, UDH interface, 12x148mm with 55mm chainline, MX ready
TRAVEL	Front travel: 170 mm / Rear travel: 170 mm
FORK	Öhlins RXF38 M.3 Air, TTX-Technology, HSC - LSC - R adjustable, 15x110mm Axle, tapered steerer
REAR SHOCK	Öhlins TTX 22 M.2, HSC-LSC-R adj., SCOTT Ransom custom tune, hardware 20x8mm, T205x65mm
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB, shell 41x92mm
CHAIN	SRAM X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS-1295 Transmisson, 10-52T
BRAKES	SRAM Maven Silver 4-Piston
FRONT DISC ROTOR	SRAM HS2 6B, 200mm
REAR DISC ROTOR	SRAM HS2 6B, 200mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	Syncros CNC ST-M400-AL2 35mm
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino R 1.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	DT Swiss EXC 1500 wheelset, EXC 240 DEG DF Hubs, EXC 330 Carbon Rims
FRONT TIRE	Schwalbe Magic Mary 29x2.5", Trail PRO, Radial, Ultra Soft, TLR, Foldable Bead
REAR TIRE	Schwalbe Albert 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
APPROX WEIGHT IN KG	15.68 kg Tubeless, without save the day kit
APPROX WEIGHT IN LBS	34.57 lbs Tubeless, without save the day kit

WHAT'S NEW

Öhlins suspensions
DT Swiss Carbon wheelset
Syncros DH1.5 alloy cockpit

RANSOM 10

QUARRY GREY

S, M, L, XL

29"

427564 -8572



FRAME	Ransom Carbon HMF Mainframe, alloy 6061 Rear End, 6 Link kinematic, Integrated Suspension Technology, head angle Adj, BB92, UDH interface, 12x148mm with 55mm chainline, MX ready
TRAVEL	Front travel: 170 mm / Rear travel: 170 mm
FORK	Fox 38 Float Factory Grip X2 Air, Kashima, HSC - LSC - HSR- LSR adjustable, Kabolt 15x110mm axle, tapered steerer
REAR SHOCK	Fox DH X Factory, Comp-Reb Adj, SCOTT Ransom Custom Tune, 20x8mm Hardware, T205x65mm
REAR DERAILLEUR	SRAM Eagle 90 Transmission, 12 Speed
SHIFTERS	SRAM Eagle 90 Trigger
CRANKSET	SRAM Eagle 90 Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB, shell 41x92mm
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Maven Bronze 4-Piston
FRONT DISC ROTOR	SRAM HS2 6B, 200mm
REAR DISC ROTOR	SRAM HS2 6B, 200mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	Syncros CNC ST-M400-AL2 35mm
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino R 1.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	DT Swiss EX 1700 wheelset, EX350 DEG DF Hubs, EX 441 Alloy Rims
FRONT TIRE	Schwalbe Magic Mary 29x2.5", Trail PRO, Radial, Ultra Soft, TLR, Foldable Bead
REAR TIRE	Schwalbe Albert 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
APPROX WEIGHT IN KG	16.84 kg Tubeless, without save the day kit
APPROX WEIGHT IN LBS	37.13 lbs Tubeless, without save the day kit

WHAT'S NEW

Fox Factory suspension
SRAM Eagle 90 Drivetrain
DT Swiss alloy wheelset
Syncros DH1.5 alloy cockpit

RANSOM 20

CARBON BLACK

S, M, L, XL

29" RAW

427565 -3020



FRAME	Ransom Carbon HMF Mainframe, alloy 6061 Rear End, 6 Link kinematic, Integrated Suspension Technology, head angle Adj, BB92, UDH interface, 12x148mm with 55mm chainline, MX ready
TRAVEL	Front travel: 170 mm / Rear travel: 170 mm
FORK	Marzocchi Z1, Rail 3 , Comp-Reb adj., 15x110mm, 44mm offset, tapered steerer
REAR SHOCK	Marzocchi Bomber Air, SCOTT Ransom Custom Tuned, Comp-Reb adjust, 20x8mm Hardware, T205x65mm
REAR DERAILLEUR	SRAM Eagle 70 Transmission, 12 Speed
SHIFTERS	SRAM Eagle 70 Trigger
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 32T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB, shell 41x92mm
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB8 4-Piston
FRONT DISC ROTOR	SRAM G2CS 6B, 200mm
REAR DISC ROTOR	SRAM G2CS 6B, 200mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	Syncros CNC ST-M400-AL2 35mm
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino R 2.0, CrMo Rails
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula DC-611, 15x110mm
REAR HUB	Formula DC-3248, 148x12mm, 4 sealed bearings
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Schwalbe Magic Mary 29x2.5", Trail PRO, Radial, Ultra Soft, TLR, Foldable Bead
REAR TIRE	Schwalbe Albert 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
APPROX WEIGHT IN KG	16.57 kg Tubeless, without save the day kit
APPROX WEIGHT IN LBS	36.53 lbs Tubeless, without save the day kit

WHAT'S NEW

Syncros DH1.5 Alloy Cockpit

GAMBLER

OVERVIEW



GAMBLER RC



GAMBLER 10



GAMBLER 20

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
GAMBLER RC	SRAM XO1 DH / SRAM Maven Ultimate	7	Fox 40 Factory / Fox DH X2 Factory	DT Swiss EX 1900	12 X 157	Syncros DH1.5	HMX	29x2.5 / 27.5x2.5	200 / 210mm
GAMBLER 10	SRAM GX DH / SRAM Maven	7	Rock Shox Boxxer Select / RS Vivid Coil	Syncros MD30 Rims TR	12 X 157	Syncros DH2.0	HMX / Alloy SL	29x2.5 / 27.5x2.5	200 / 210mm
GAMBLER 20	SRAM GX DH / Sram DB8	7	Rock Shox Boxxer Select / RS Vivid Coil	Syncros MD30 Rims TR	12 X 157	Syncros DH2.0	Alloy SL	29x2.5 / 27.5x2.5	200 / 200mm

GAMBLER RC

FOGGY GREY

M, L, XL

29" MX 27.5

427566-8585



FRAME	Gambler Carbon HMX, 6 link kinematic, Integrated Suspension Technology, Reach-BB height-CST length adjust, UDH interface, BB107, 12x157mm, MX ready
TRAVEL	Front: 200 mm / Rear: 210 mm
FORK	Fox 40 Factory Grip X2 Air, Kashima, HSC - LSC - HSR- LSR adj, 20x110mm, 52mm offset
REAR SHOCK	Fox DH X2 Factory, HSC-LSC-R Adj, RVS, SCOTT Gambler custom tune, 20*8mm-50*8mm hardware, 250x75mm
REAR DERAILLEUR	SRAM X01 DH 7-Speed
SHIFTERS	SRAM GX DH Eagle Trigger
CRANKSET	Raceface Atlas 36T, alloy chainring DM, 165mm
CHAINGUIDE	MRP TR2 upper guide, SCOTT Gambler integrated bashguard
BB-SET	Raceface PF BB107 Double row
CHAIN	KMC X11
CASSETTE	SRAM GX DH PG720, 11-25T
BRAKES	SRAM Maven Ultimate 4-Piston
FRONT DISC ROTOR	SRAM HS2 6B, 200mm
REAR DISC ROTOR	SRAM HS2 6B, 200mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	Syncros DH35 45mm
SEATPOST	Syncros DH1.5, 10mm offset, 31.6x350mm
SEAT	Syncros Kaslo 1.5
HEADSET	Syncros-Acros Gambler semi integrated, DH reach adj +-5mm with cup, ZS56/28.6-ZS56/40
WHEELSET	DT Swiss EX 1700 Wheelset, EX350 DEG DF hubs, EX 441 alloy rims
FRONT TIRE	DH22 Racing Line Dark 29x2.4", BTB shield, Magi-X, TLR, Foldable Bead
REAR TIRE	DH22 Racing Line Dark 27.5x2.4", BTB shield, Magi-X, TLR, Foldable Bead
APPROX WEIGHT IN KG	16.69 Tubeless
APPROX WEIGHT IN LBS	36.80 Tubeless

WHAT'S NEW

New Fox 40 Factory
DT Swiss wheelset
SRAM Maven Ultimate brakes
Michelin DH22 Racing Line tires

GAMBLER 10

META BLACK

M, L, XL

427567-8551



FRAME	Gambler Carbon HMX Mainframe, Alloy 6061 Rear End, 6 link kinematic, Integrated Suspension Technology, Reach-BB height-CST length adjust, UDH interface, BB107, 12x157mm, MX ready
TRAVEL	Front: 200 mm / Rear: 210 mm
FORK	RockShox Boxxer Select, Charger 3.2, Comp-Reb adj, 20x110mm, 52mm Offset, 200mm travel
REAR SHOCK	RockShox Vivid Coil, Reb Adj., custom tune, 20x8mm-50x8mm hardware, 250x75mm
REAR DERAILLEUR	SRAM GX1 DH 7-Speed
SHIFTERS	SRAM GX DH Eagle Trigger
CRANKSET	SRAM Descendant DH, 34T boost steel chainring
CHAINGUIDE	MRP TR2 upper guide, SCOTT Gambler integrated bashguard
BB-SET	SRAM DUB PF 92 MTB, shell 41x92mm
CHAIN	KMC X11
CASSETTE	SRAM GX DH PG720, 11-25T
BRAKES	SRAM Maven Base 4-Piston
FRONT DISC ROTOR	SRAM G2CS 6B, 200mm
REAR DISC ROTOR	SRAM G2CS 6B, 200mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	DH Stem CNC, 35mm, 45-50mm
SEATPOST	Syncros DH1.5, 10mm offset, 31.6x350mm
SEAT	Syncros Kaslo 2.0
HEADSET	Syncros-Acros Gambler Semi integrated, ZS56/28.6-ZS56/40
FRONT HUB	Formula DHL-93 Boost , 110x20mm thru axle
REAR HUB	Formula DHL-157, 157x12mm thru axle, sealed bearings
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 27.5" 32H, Black, Tubeless Ready
FRONT TIRE	DH22 Racing Line Dark 29x2.4", BTB shield, Magi-X, TLR, Foldable Bead
REAR TIRE	DH22 Racing Line Dark 27.5x2.4", BTB shield, Magi-X, TLR, Foldable Bead
APPROX WEIGHT IN KG	17.62 Tubeless
APPROX WEIGHT IN LBS	38.85 Tubeless

WHAT'S NEW

New Rockshox Boxxer
SRAM Maven brakes
Michelin DH22 Racing Line tires

GAMBLER 20

ALLOY BLACK

S, M, L, XL

29" MX 27.5

427568 - 8511



FRAME	Gambler Alloy 6061, hydroformed custom butted, Virtual 4 link kinematic, BB Height-CST length adjust, 12x157mm, MX ready
TRAVEL	Front: 200 mm / Rear: 200 mm
FORK	RockShox Boxxer Select, Charger 3.2, Comp-Reb adj, 20x110mm, 52mm Offset, 200mm travel
REAR SHOCK	RockShox Vivid Coil, Reb Adj., custom tune, 50x8mm hardware, T225x75mm
REAR DERAILLEUR	SRAM GX1 DH 7-Speed
SHIFTERS	SRAM GX DH Eagle Trigger
CRANKSET	SRAM Descendant DH, 34T boost steel chainring
CHAINGUIDE	SCOTT Gambler MY20 integrated chainguide and bashguard
BB-SET	SRAM DUB PF 92 MTB, shell 41x92mm
CHAIN	KMC X11
CASSETTE	SRAM GX DH PG720, 11-25T
BRAKES	SRAM DB8 4-Piston
FRONT DISC ROTOR	SRAM Centerline 6B, 203mm
REAR DISC ROTOR	SRAM Centerline 6B, 203mm
GRIPS	Syncros Performance AM Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	DH Stem CNC, 35mm, 45-50mm
SEATPOST	Syncros DH1.5, 10mm offset, 31.6x350mm
SEAT	Syncros Kaslo 2.0
HEADSET	Syncros headset Gambler Alloy
FRONT HUB	Formula DHL-93 Boost , 110x20mm thru axle
REAR HUB	Formula DHL-157, 157x12mm thru axle, sealed bearings
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 27.5" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Assegai 29x2.5", 2x60TPI, DH, TR, 3C Maxx Grip
REAR TIRE	Maxxis DHR II 27.5x2.5", 2x60TPI, DH, TR, 3C Maxx Terra
APPROX WEIGHT IN KG	17.24 Tubeless
APPROX WEIGHT IN LBS	38.01 Tubeless



HARDTAIL
LINE-UP

Our Hardtail mountain bikes are suitable for anything from racing at the highest level, to allowing you to make your first forays into the world of MTB. When it comes to efficiency, these bikes are tough to beat!







SCALE RC

The Scale RC is the perfect blend of stiffness, light weight, and 30 years of carbon expertise. These characteristics, encompassed in an uncompromising frame design decisively accelerate the Scale away from the pack with every pedal stroke.



SCALE

The Scale family of bikes takes inspiration fromtheir race bred cousins, and focus more on ride comfort and affordability. Available in both Carbon and Alloy frame materials, these bikes are used around the world as race bikes, adventure bikes, and for everything in between.



CONTRAIL

Step into the World of mountain bikes with the all-new Contrail family of bikes, your versatile companion and ticket to explore the outdoors. Featuring a modern trail inspired geometry, carefully curated components that back you up at every opportunity as well as a selection of colors and models that leaves nothing to be desired.

SCALE RC

OVERVIEW



SCALE RC WORLD CUP



SCALE RC TEAM ISSUE



SCALE RC EXPERT



SCALE RC TEAM



SCALE RC COMP

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SCALE RC WORLD CUP	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Rock Shox SID SL Ultimate FA	Electronically Controlled	DT Swiss XRC 1500 EVO	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMX	2.5	110mm
SCALE RC TEAM ISSUE	SRAM GX Eagle Transmission AXS / SRAM Motive 4P	12	Rock Shox SID SL Select 3P	RideLoc / 3P	DT Swiss XRC 1500 EVO	Syncros Fraser iC SL XC Carbon / Syncros Dropper XC	HMF	2.5	110mm
SCALE RC EXPERT	Shimano XT Di2 / Shimano Deore 4P	12	Fox 32 Float Rhythm	RideLoc / 3P	Syncros Silverton AL2	Syncros Fraser XC / Syncros Dropper XC	HMF	2.5	110mm
SCALE RC TEAM	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Rock Shox SID SL 3P	RideLoc / 3P	Syncros Silverton AL2	Syncros Fraser XC / Syncros Dropper XC	HMF	2.5	110mm
SCALE RC COMP	Shimano Deroe Di2 / Shimano MT600 2P	12	Fox 32 Float Rhythm	RideLoc / 3P	Tubless ready rims	Syncros Fraser XC / Syncros Dropper XC	HMF	2.5	110mm

SCALE RC WORLD CUP

CUMULUS WHITE/CARBON BLACK

S, M, L, XL

427569-8086



FRAME	Scale RC HMX carbon, adjustable head angle, Syncros cable integration system, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox SID SL Ultimate Flight Attendant, electronically controlled suspension, FA Race Day damper 3P, 15x110mm Maxle Stealth, tapered steerer, reb. adj., lockout
REMOTE SYSTEM	Automatic electronic suspension system, that listens to the rider and responds in real-time
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS-1295 Transmisson, 10-52T
BRAKES	SRAM Motive Silver 4-Piston
FRONT DISC ROTOR	SRAM CLX Centerline CL, 180mm
REAR DISC ROTOR	SRAM CLX Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Carbon Rails
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	DT Swiss XRC 1500 EVO, CL, F: 15x110mm, R: 12x148mm Boost, 30mm Tubeless ready Carbon Rim 28H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
REAR TIRE	Maxxis Aspen 29x2.4", Race Edition, 120TPI Foldable Bead, Maxxspeed, tubeless ready
EXTRAS	Syncros Tool & Tubeless Handlebar kit, SRAM AXS powerpack
ACCESSORIES	Milkit Sealant, Transport Axle
APPROX WEIGHT IN KG	9.3 kg Tubless
APPROX WEIGHT IN LBS	20.50 lbs Tubless

WHAT'S NEW

Rock Shox Flight Attendant
DT swiss carbon wheelset
Maxxis Aspen tires

SCALE RC TEAM ISSUE

CARBON BLACK

S, M, L, XL

29" RAW

427570-3020



FRAME	Scale RC HMF Carbon, Adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 110 mm
FORK	RockShox SID SL Select 3P Air, Charger RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, suspension & dropper remote, 3 suspension modes
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM GX Eagle Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Motive Bronze 4-Piston
FRONT DISC ROTOR	SRAM CLX Centerline CL, 180mm
REAR DISC ROTOR	SRAM CLX Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Fraser iC SL XC Carbon, -12° rise, back sweep 8°, 740mm
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	DT Swiss XRC 1500 EVO, CL, F: 15x110mm, R: 12x148mm Boost, 30mm Tubeless ready Carbon Rim 28H, XD Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	SRAM AXS powerpack
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	9.8 kg Tubless
APPROX WEIGHT IN LBS	21.61 lbs Tubless

WHAT'S NEW

DT swiss carbon wheelset
Maxxis Aspen tires

SCALE RC EXPERT

TUNGSTEN GREY/CARBON BLACK

S, M, L, XL

29" RAW

427571-8546



FRAME	Scale RC HMF Carbon, Adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 110 mm
FORK	Fox 32 Rhythm Grip, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, suspension & dropper remote, 3 suspension modes
REAR DERAILLEUR	Shimano XT Di2 RD-M8250 12-speed, Wireless Electronic Shift System
SHIFTERS	Shimano Deore Di2 SW-M6250
CRANKSET	Shimano XT FC-M8200, 34T
CHAINGUIDE	SCOTT custom
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M8100
CASSETTE	Shimano XT CS-M8200, 10-51T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL700, 180mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
H'STEM	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out, Cr-Mo Rails
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, Micro Spline
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Shimano Di2 powerpack
APPROX WEIGHT IN KG	10.8 kg Tubless
APPROX WEIGHT IN LBS	23.81 lbs Tubless

WHAT'S NEW

Fox 32 Rhythm
Shimano XT Di2
Maxxis Aspen tires

SCALE RC TEAM

CREAM GREEN/CARBON BLACK

S, M, L, XL

29" RAW

427572-8527



FRAME	Scale RC HMF Carbon, Adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 110 mm
FORK	RockShox SID SL 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, suspension & dropper remote, 3 suspension modes
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB6 4-Piston
FRONT DISC ROTOR	SRAM Centerline CL, 180mm
REAR DISC ROTOR	SRAM Centerline CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
H'STEM	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M100-AL2, 31.6mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton AL2, CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready, 28H, HG Driver
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	SRAM AXS powerpack
APPROX WEIGHT IN KG	11 kg Tubless
APPROX WEIGHT IN LBS	24.25 lbs Tubless

WHAT'S NEW

Maxxis Aspen tires

SCALE RC COMP

MIRAGE BLUE/CARBON BLACK

S, M, L, XL

29" RAW

427573-8553



FRAME	Scale RC HMF Carbon, Adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH Interface, 12x148mm with 55mm Chainline
TRAVEL	Front: 110 mm
FORK	Fox 32 Rhythm Grip, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, suspension & dropper remote, 3 suspension modes
REAR DERAILLEUR	Shimano Deore Di2 RD-M6250 12-speed, Wireless Electronic Shift System
SHIFTERS	Shimano Deore Di2 SW-M6250
CRANKSET	Shimano FC-MT520, 34T
CHAINGUIDE	SCOTT custom
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT600 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Fraser 2.0 XC Alloy 6061 D.B., Flat Bar, 8°, 740mm, Syncros Performance XC lock-on grips
H'STEM	Syncros XC 2.0, Syncros Cable Integration System, -12° rise, 6061 Alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, tubeless ready, EXO
EXTRAS	Shimano Di2 powerpack
APPROX WEIGHT IN KG	11.9 kg Tubless
APPROX WEIGHT IN LBS	26.23 lbs Tubless

WHAT'S NEW

Fox 32 Rhythm
Shimano Deore Di2
Maxxis Aspen tires

SCALE

OVERVIEW



SCALE 10



SCALE 10



SCALE 20



SCALE 20



SCALE 20



SCALE 30



SCALE 40



SCALE 50



SCALE 50



SCALE 60



SCALE 60

	DRIVE TRAIN/BRAKES	SPEED	SUSPENSION	REMOTE	WHEELS	COMPONENTS	FRAME / SWING ARM	MAX TIRE WIDTH	F & R TRAVEL
SCALE 910	Shimano XT - Deore / Shimano MT401 2P	12	Fox 32 Float Rhythm	RideLoc / 3P	Tubless ready rims	Syncros Alloy / Syncros Dropper	HMF	2.5	110mm
SCALE 920	Shimano Deore / Shimano MT200 2P	12	Rock Shox Judy Silver Air TK	RideLoc / 2P	Tubless ready rims	Syncros Alloy / Syncros Dropper	HMF	2.5	110mm
SCALE 930	Shimano XT - Deore / Shimano MT401 2P	12	Rock Shox SID 3P	RideLoc / 3P	Tubless ready rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 940	SRAM S100 Eagle / Shimano MT200	12	Rock Shox Reba RL	RideLoc / 2P	Tubless ready rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 950	Shimano Deore / Shimano MT200	12	Rock Shox Judy Silver Air TK	PopLoc / 2P	Tubless ready rims	Syncros Alloy / Syncros Dropper	Alloy 6061 / Boost	2.5	110mm
SCALE 960	Shimano Deore / Shimano MT200	12	Rock Shox Judy Silver TK Coil QR	x	Tubless ready rims	Syncros Alloy	Alloy 6061 / 5 x 141 QR	2.5	100mm

SCALE 10

SPECTRAL BLACK

S, M, L, XL

29"

427574-8585



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	Fox 32 Rhythm Grip, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT401 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
APPROX WEIGHT IN KG	12 kg Tubless
APPROX WEIGHT IN LBS	26.46 lbs Tubless

WHAT'S NEW

Shimano XT

SCALE 10

PEARL WHITE/CARBON BLACK

S, M, L, XL

29" RAW

427574-8567



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	Fox 32 Rhythm Grip, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT401 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
APPROX WEIGHT IN KG	12 kg Tubless
APPROX WEIGHT IN LBS	26.46 lbs Tubless

WHAT'S NEW

Shimano XT

SCALE 20

HIGHRISE GREY

S, M, L, XL

29"

427575-2182



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Judy Silver TK Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
APPROX WEIGHT IN KG	12.6 kg Tubless
APPROX WEIGHT IN LBS	27.78 lbs Tubless

SCALE 20

CREAM GREEN/CARBON BLACK

S, M, L, XL

29" RAW

427575-8527



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Judy Silver TK Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
APPROX WEIGHT IN KG	12.6 kg Tubless
APPROX WEIGHT IN LBS	27.78 lbs Tubless

SCALE 20

GLINT BLACK

S, M, L, XL

29"

427575 - 8537



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Judy Silver TK Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros angle adjust & cable routing HS system, stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
APPROX WEIGHT IN KG	12.6 kg Tubless
APPROX WEIGHT IN LBS	27.78 lbs Tubless

SCALE 30

INDIAN BLUE

XS, S, M, L, XL, XXL

29"

427576-5814



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, UDH interface, Boost 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox SID SL 3P Air, Rush RL 3P Damper, 15x110mm Maxle Stealth, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 3 Suspension modes
REAR DERAILLEUR	Shimano XT RD-M8200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT401 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	12.7 kg without pedals
APPROX WEIGHT IN LBS	28.00 lbs without pedals

SCALE 40

FLINT GREY

XS, S, M, L, XL, XXL

29"

427577-8533



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, UDH interface, Boost 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Reba RL Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	SCOTT RideLoc Technology, Suspension & Dropper Remote, 2 Suspension modes
REAR DERAILLEUR	SRAM Eagle S100 Half-Mount, 12 Speed
SHIFTERS	SRAM Eagle S100 Trigger
CRANKSET	SRAM Eagle S200 Transmission, DUB, 55mm CL, 32T
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM Eagle S100
CASSETTE	SRAM PG1210, 11-50T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros Dropper Post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula CL-3248, 12x148mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.3 kg without pedals
APPROX WEIGHT IN LBS	29.32 lbs without pedals

WHAT'S NEW

SRAM Eagle S100

SCALE 50

OBSIDIAN BLACK

XS, S, M, L, XL, XXL

29"

427578 - 8561



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, UDH interface, Boost 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Judy Silver TK Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	Rockshox Poploc
REAR DERAILLEUR	Shimano Deore RD-M7200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros Dropper Post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.8 kg without pedals
APPROX WEIGHT IN LBS	30.42 lbs without pedals

SCALE 50

WHITE

XS, S, M, L, XL, XXL

29"

427578-0002



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, UDH interface, Boost 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox Judy Silver TK Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REMOTE SYSTEM	Rockshox Poploc
REAR DERAILLEUR	Shimano Deore RD-M7200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 32T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros Dropper Post SP-M302-AL2, 31.6mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.8 kg without pedals
APPROX WEIGHT IN LBS	30.42 lbs without pedals

SCALE 60

META BLACK

XS, S, M, L, XL, XXL

29"

427579-8551



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, QR Axle 5x141mm with 55mm Chainline
TRAVEL	Front: 100 mm
FORK	RockShox Judy Silver TK Coil, Reb. Adj., Lockout
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Prowheel RMZ-MD25S-TT, 32T
BB-SET	Prowheel PF BB92
CHAIN	Shimano CN-M6100
CASSETTE	Sunrace CSMZ600, 11-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Formula CL-541S, 5x141mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.5 kg without pedals
APPROX WEIGHT IN LBS	29.76 lbs without pedals

SCALE 60

ARCTIC GREEN

XS, S, M, L, XL, XXL

29"

427579 - 8512



FRAME	Scale made from low impact Alloy, Tapered Headtube, BB92, QR Axle 5x141mm with 55mm Chainline
TRAVEL	Front: 100 mm
FORK	RockShox Judy Silver TK Coil, Reb. Adj., Lockout
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Prowheel RMZ-MD25S-TT, 32T
BB-SET	Prowheel PF BB92
CHAIN	Shimano CN-M6100
CASSETTE	Sunrace CSMZ600, 11-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Belcarra R 2.5
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Formula CL-541S, 5x141mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X25 Disc 32H, Tubeless ready
REAR RIM	Alex Rims X25 Disc 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.5 kg without pedals
APPROX WEIGHT IN LBS	29.76 lbs without pedals

CONTRAIL

OVERVIEW



CONTRAIL 10



CONTRAIL 10



CONTRAIL 20



CONTRAIL 20



CONTRAIL 20



CONTRAIL 30



CONTRAIL 30



CONTRAIL 30



CONTRAIL 40



CONTRAIL 40



CONTRAIL 40



CONTRAIL 40

	FORK	TRAVEL	REMOTE LOCK OUT	DRIVETRAIN	BRAKES	HUB STANDARD	FRAME COMPATIBILITY	TIRE WIDTH
CONTRAIL 10	Rock Shox 30 Silver TK	100mm	x	Shimano CUES 11 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	2.4
CONTRAIL 20	SR Suntour XCT30 HLO	100mm	x	Shimano CUES 11 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	2.4
CONTRAIL 30	SR Suntour XCE28	100mm	x	Shimano CUES 9 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	2.4
CONTRAIL 40	SR Suntour XCE28	100mm	x	Shimano ESSA 8 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	2.4

CONTRAIL 10

SPINEL BLACK

XS, S, M, L, XL, XXL

27.5" 29"

427580-8587 (NON EU 1)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	RockShox Judy Silver TK Coil, Reb. Adj., Lockout
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Shimano Cues FC-U4000, 32T
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Shimano FH-QC300-HM QR, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.98 kg without pedals
APPROX WEIGHT IN LBS	30.82 lbs without pedals

CONTRAIL 10

ALLOY BROWN

XS, S, M, L, XL, XXL

27.5" 29"

427580-8266 (NON EU 1)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	RockShox Judy Silver TK Coil, Reb. Adj., Lockout
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Shimano Cues FC-U4000, 32T
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Shimano FH-QC300-HM QR, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.98 kg without pedals
APPROX WEIGHT IN LBS	30.82 lbs without pedals

CONTRAIL 20

CHISELED GREY

XS, S, M, L, XL, XXL

27.5" 29"

427581-8523 (NON EU 1)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCT 30 LO
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.37 kg without pedals
APPROX WEIGHT IN LBS	31.68 lbs without pedals

CONTRAIL 20

PARADISE GREEN

XS, S, M, L, XL, XXL

27.5" 29"

427581-8423 (NON EU 1)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCT 30 LO
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.37 kg without pedals
APPROX WEIGHT IN LBS	31.68 lbs without pedals

CONTRAIL 20

PEACH PINK

XS, S, M, L, XL, XXL

27.5" 29"

427581-8566 (NON EU 1)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCT 30 LO
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.37 kg without pedals
APPROX WEIGHT IN LBS	31.68 lbs without pedals

CONTRAIL 30

GRAVEL BLUE

XS, S, M, L, XL, XXL

27.5" 29"

427582-8538 (NON EU 1)
427794-8538 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.33 kg without pedals
APPROX WEIGHT IN LBS	31.59 lbs without pedals

CONTRAIL 30

ARCTIC GREEN

XS, S, M, L, XL, XXL

27.5" 29"

427582-8512 (NON EU 1)
427794-8512 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.33 kg without pedals
APPROX WEIGHT IN LBS	31.59 lbs without pedals

CONTRAIL 30

WISTERIA PURPLE

XS, S, M, L, XL, XXL

27.5" 29"

427582-8605 (NON EU 1)
427794-8605 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel C10Y-NW, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC XGlide
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.33 kg without pedals
APPROX WEIGHT IN LBS	31.59 lbs without pedals

CONTRAIL 40

BLACK

XS, S, M, L, XL, XXL

27.5" 29"

426933-0001 (NON EU 1)
427102-0001 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel EPRO-MD26S, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.2 kg without pedals
APPROX WEIGHT IN LBS	31.31 lbs without pedals

WHAT'S NEW

New Model

CONTRAIL 40

WHITE

XS, S, M, L, XL, XXL

27.5" 29"

426933-0002 (NON EU 1)
427102-0002 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel EPRO-MD26S, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.2 kg without pedals
APPROX WEIGHT IN LBS	31.31 lbs without pedals

WHAT'S NEW

New Model

CONTRAIL 40

MINT GREEN

XS, S, M, L, XL, XXL

27.5 29

426933-2878 (NON EU 1)
427102-2878 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel EPRO-MD26S, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.2 kg without pedals
APPROX WEIGHT IN LBS	31.31 lbs without pedals

WHAT'S NEW

New Model

CONTRAIL 40

WHITE/PINK

XS, S, M, L, XL, XXL

27.5" 29"

426933-1087 (NON EU 1)
427102-1087 (NON EU 2)



FRAME	Contrail alloy 6061 custom butted tubing, BSA73, internal cable routing, QR Axle 5x135mm, replaceable hanger
TRAVEL	Front: 100mm
FORK	SR Suntour XCE 28
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel EPRO-MD26S, 32T Steel
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI
REAR TIRE	Maxxis Rekon Race 29x2.4", 60TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	14.2 kg without pedals
APPROX WEIGHT IN LBS	31.31 lbs without pedals

WHAT'S NEW

New Model




ROAD
BIKE



ROAD
LINE-UP



A category dedicated to bikes engineered for pure performance and the intensity of competitive riding. Designed for cyclists who seek every edge, these machines are built to push limits, optimize speed, and elevate performance to the next level.



PLASMA RC

With the Plasma we decided to really flex our “Aero Muscles”. This Triathlon-specific Plasma features fully integrated cables, a hydration system and storage boxes. We’ve also made it versatile, making sure that anyone can find their most efficient cockpit position on the bike.



FOIL RC

Aero, Lightweight or Comfort – choose three. Welcome to the next evolution of aero bikes with the Foil RC. Designed to meet the demands of WorldTour sprinters, attackers and breakaway riders, this is the fastest road bike we’ve ever produced.



ADDICT RC

Engineered to defy gravity and elevate your performance, the Addict RC is our lightest production race bike ever. Whether you’re attacking steep climbs or sprinting for the finish line, every aspect of this bike was meticulously crafted with one thing in mind – leave everyone else in the dust.

The Ride category is designed for exactly what the name suggests—pure riding enjoyment. Whether it’s a weekend adventure, an after-work cruise, or a fast-paced group ride every once in a while, these bikes are perfect for the occasion. With slightly wider tires, a comfort-optimized frame, and a relaxed geometry, they ensure a smooth and enjoyable ride, no matter where the road takes you.



ADDICT

The Addict is dedicated to riders who embrace the joy of cycling, prioritizing the ride over racing. With comfort and performance, it brings people together to share experiences, no matter the pace.



SPEEDSTER

The Speedster is lighter and more stylish than ever before. The frame kit features a carbon fork, internal cable routing and comfortable geometry.

PLASMA RC / FOIL RC TRI



PLASMA RC ULTIMATE



PLASMA RC PRO



FOIL RC TRI

	GROUPSET	CHAIN RINGS	CASSETTE	COCKPIT	WHEELS	TIRE	FRAME
PLASMA RC ULTIMATE	SRAM RED AXS with POWER METER	50/37	10/33	Syncros Creston iC TRI	Syncros Capital SL Aero 80mm	28C	HMX
PLASMA RC PRO	Shimano Ultegra Di2	52/36	11/30	Syncros Creston iC TRI	DT Swiss ARC 1400 Dicut DB	28C	HMX
FOIL RC TRI	SRAM FORCE AXS with SPINDLE POWER METER	48/35	11/36	ZIPP VUKA Bull / VUKA clip with carbon EVO extensions	Syncros Capital 1.0 60mm	28C	HMX

PLASMA RC ULTIMATE

XS, S, M, L, XL

427584-8558



FRAME	Plasma 6 HMX, Race Geometry, Plasma HMX seatpost, replaceable derailleur hanger
FORK	Plasma 6 HMX, 1 1/4"- 1 1/2" Carbon, Flatmount Disc
REAR DERAILLEUR	SRAM RED AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM eTap AXS Wireless Blips
CRANKSET	SRAM RED Powermeter Crankset, 50-37T
BB-SET	SRAM DUB PF ROAD 86.5 Ceramic Bearing
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-33
BRAKES	Sram RED Aero
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC TRI, 400mm, Syncros E1 carbon extension
SEATPOST	Syncros Plasma 6 HMX with Ritchey WCS clamp, adjustable head
SEAT	Syncros Belcarra TRI 1.0
HEADSET	Syncros Integrated, 1 1/4"- 1 1/2" drop-in headset
WHEELSET	Syncros Capital SL Aero 80mm, Syncros SL Axle, Removable Lever with Tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	SRAM AXS powerpack
APPROX WEIGHT IN KG	9.3 kg
APPROX WEIGHT IN LBS	20.5 lbs

PLASMA RC PRO

CUMULUS WHITE/VIPER GREEN

XS, S, M, L, XL

427585-8529



FRAME	Plasma 6 HMX, Race Geometry, Plasma HMX seatpost, replaceable derailleur hanger
FORK	Plasma 6 HMX, 11/4"- 11/2" Carbon, Flatmount Disc
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Dura Ace Di2 R9160 Wireless
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CASSETTE	Shimano Ultegra CS-R8100-12, 11-30
BRAKES	Shimano BR-R9180 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC TRI, 400mm, Syncros E1 carbon extension
SEATPOST	Syncros Plasma 6 HMX with Ritchey WCS clamp, adjustable head
SEAT	Syncros Belcarra TRI 1.5
HEADSET	Syncros Integrated, 11/4"- 11/2" drop-in headset
WHEELSET	DT Swiss ARC 1400 Dicut DB 65mm Carbon Rim, DT Swiss 240 Hub
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	9.9 kg
APPROX WEIGHT IN LBS	21.83 lbs

FOIL RC TRI

NARWAL GREY/GLOAMING ORANGE

XXS, XS, S, M, L, XL, XXL

427586-8558



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE AXS 24-Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM FORCE AXS Electronic Shift System
SHIFTERS	SRAM eTap AXS Wireless Blips
CRANKSET	SRAM FORCE Powermeter 48-35T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-33T
BRAKES	SRAM eTap AXS Wireless Blips
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	ZIPP VUKA Bull, VUKA clip with carbon EVO extensions
H'STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero TRI
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	SRAM AXS powerpack
APPROX WEIGHT IN KG	8 kg
APPROX WEIGHT IN LBS	17.64 lbs

FOIL RC

OVERVIEW



FOIL RC ULTIMATE



FOIL RC TEAM REPLICA



FOIL RC PRO



FOIL RC TEAM



FOIL RC 10



FOIL RC 10



FOIL RC 20



FOIL RC 20

	GROUPSET	CHAIN RINGS	CASSETTE	COCKPIT	WHEELS	TIRE	FRAME
FOIL RC ULTIMATE	SRAM RED AXS with POWER METER	48/35	10/33	Syncros Creston iC SL Aero	Syncros Capital SL Aero 60mm	28C	HMX SL
FOIL RC TEAM REPLICA	SRAM RED AXS with POWER METER	48/35	10/33	Syncros Creston iC SL Aero	ZIPP 454 NSW	28C	HMX
FOIL RC PRO	Shimano Dura Ace Di2	52/36	11/34	Syncros Creston iC SL Aero	Syncros Capital 60 CF I with carbon spokes	28C	HMX
FOIL RC TEAM	SRAM FORCE AXS with SPINDLE POWER METER	48/35	10-36	Syncros Creston 1.0 Aero	Syncros Capital 1.0S Aero 60mm	28C	HMX
FOIL RC 10	Shimano Ultegra Di2	52/36	11/34	Syncros Creston 1.0 Aero	Syncros Capital 1.0 60	28C	HMX
FOIL RC 20	Shimano 105 Di2	52/36	11/34	Syncros Creston 2.0 Aero	Syncros Capital 1.0 60	28C	HMX

FOIL RC ULTIMATE

PIANO BLACK/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427592-8570 (EU)
427587-8570 (NON EU 1)



FRAME	Foil RC HMX SL, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC HMX SL, Flatmount Disc, 1" eccentric carbon steerer
REAR DERAILLEUR	SRAM RED AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	SRAM RED Powermeter Crankset, 48-35T
BB-SET	SRAM DUB PF ROAD 86.5 Ceramic Bearing
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-33
BRAKES	SRAM RED AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL Aero, Carbon combo
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1138S
WHEELSET	Syncros Capital SL Aero 60mm, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	SRAM AXS powerpack
APPROX WEIGHT IN KG	6.86 kg
APPROX WEIGHT IN LBS	14.72 lbs

FOIL RC TEAM REPLICA

TEAM CLEAR

XXS, XS, S, M, L, XL, XXL

427972-8652 (EU)
427971-8652 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	SRAM RED AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM RED AXS Electronic Shift System
CRANKSET	SRAM RED Powermeter Crankset, 48-35T
BB-SET	SRAM DUB PF ROAD 86.5 Ceramic Bearing
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-33
BRAKES	SRAM RED AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL Aero, Carbon combo
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Selle Italia SLR 3D Carbon
HEADSET	Acros AIF-1138S
WHEELSET	ZIPP 454 NSW Carbon Tubeless, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	SRAM AXS powerpack
APPROX WEIGHT IN KG	7 kg
APPROX WEIGHT IN LBS	15.43 lbs

FOIL RC PRO

RUSH WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427593-8575 (EU)
427588-8575 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270, 24 Speed Electronic Shift System, Shimano BR-R9270 Hyd.Disc
CRANKSET	Shimano Dura-Ace FC-R9200, Hollowtech II 52-36T
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano CN-M9100
CASSETTE	Shimano Dura-Ace CS-R9200-12, 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL900, 160mm
REAR DISC ROTOR	Shimano RT-CL900, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL Aero, Carbon combo
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1138S
WHEELSET	Syncros Capital 60 CF I, Carbon spokes 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	7.1 kg
APPROX WEIGHT IN LBS	15.65 lbs

FOIL RC TEAM

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

427594-8350 (EU)
427589-8350 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE AXS 24-Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM FORCE AXS Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE Powermeter 48-35T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL Aero, Carbon combo
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0S Aero 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	SRAM AXS Powerpack
APPROX WEIGHT IN KG	7.5 kg
APPROX WEIGHT IN LBS	16.53 lbs

FOIL RC 10

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427595-3020 (EU)
427590-3020 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 1.0 Aero
H'STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	7.9 kg
APPROX WEIGHT IN LBS	17.42 lbs

FOIL RC 10

CHAMPAGNE PINK/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427595-8522 (EU)
427590-8522 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 1.0 Aero
H'STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	7.9 kg
APPROX WEIGHT IN LBS	17.42 lbs

FOIL RC 20

CUMULUS WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427596-8086 (EU)
427591-8086 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II 52-36T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 2.0 Aero
H'STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	8.1 kg
APPROX WEIGHT IN LBS	17.86 lbs

FOIL RC 20

PARADISE GREEN/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

427596-8564 (EU)
427591-8564 (NON EU 1)



FRAME	Foil RC Disc HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Foil RC Disc HMX, 1" eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II 52-36T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 2.0 Aero
H'STEM	Syncros Foil 1.5 Aero
SEATPOST	Syncros Duncan SL Aero CFT
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1138
WHEELSET	Syncros Capital 1.0 60mm, 24 Front, 24 Rear, Syncros SL Axle, removable lever with tool
FRONT TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
REAR TIRE	Schwalbe PRO ONE Aero, TL-Easy, Fold, 700x28C
EXTRAS	Shimano Built in DN300
APPROX WEIGHT IN KG	8.1 kg
APPROX WEIGHT IN LBS	17.86 lbs


SCOTT

ADDICT RC

OVERVIEW



ADDICT RC ULTIMATE



ADDICT RC PRO



ADDICT RC PRO



ADDICT RC TEAM



ADDICT RC TEAM



ADDICT RC 10



ADDICT RC 10



ADDICT RC 20



ADDICT RC 20



ADDICT RC 25



ADDICT RC 25



ADDICT RC 30



ADDICT RC 30

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
ADDICT RC ULTIMATE	SRAM RED AXS with POWER METER	48/35	10/36	Syncros Capital SL 40mm	30C	HMX-SL	RACE
ADDICT RC PRO	Shimano Dura Ace Di2	52/36	11/34	Syncros Capital 40 CF I with carbon spokes	30C	HMX	RACE
ADDICT RC TEAM	SRAM FORCE AXS with SPINDLE POWER METER	48/35	10/36	Syncros Capital 1.0S 40mm	30C	HMX	RACE
ADDICT RC 10	Shimano Ultegra Di2	52/36	11/34	Syncros Capital 1.0S 40mm	30C	HMX	RACE
ADDICT RC 20	Shimano Ultegra Di2	52/36	11/34	Syncros Capital 1.0 40mm	30C	HMX	RACE
ADDICT RC 25	SRAM RIVAL AXS with SPINDLE POWER METER	48/35	11/36	Syncros Capital 1.0 40mm	30C	HMX	RACE
ADDICT RC 30	Shimano 105 Di2	52/36	11/34	Syncros Capital 1.0 40mm	30C	HMX	RACE

ADDICT RC ULTIMATE

PIANO BLACK/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

427602-8570 (EU)
427597-8570 (NON EU 1)



FRAME	Addict RC HMX SL, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX SL Flatmount Disc, 27.2mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RED AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RED AXS Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	SRAM RED Powermeter Crankset, 48-35T
BB-SET	SRAM DUB PF ROAD 86.5 Ceramic Bearing
CHAIN	SRAM RED
CASSETTE	SRAM RED XG1290 E1, 10-36
BRAKES	SRAM RED AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R100-SL
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	Syncros Capital SL 40mm, Syncros SL Axle
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	6.1 kg
APPROX WEIGHT IN LBS	13.45 lbs

ADDICT RC PRO

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

427603-8350 (EU)
427598-8350 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270, 24 Speed Electronic Shift System, Shimano BR-R9270 Hyd.Disc
CRANKSET	Shimano Dura-Ace FC-R9200, Hollowtech II 52-36T
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano CN-M9100
CASSETTE	Shimano Dura-Ace CS-R9200-12, 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL900, 160mm
REAR DISC ROTOR	Shimano RT-CL900, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R100-SL
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	Syncros Capital 40 CF I, Carbon spokes 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	6.4 kg
APPROX WEIGHT IN LBS	14.11 lbs

ADDICT RC PRO

RUSH WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427603-8575 (EU)
427598-8575 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270, 24 Speed Electronic Shift System, Shimano BR-R9270 Hyd.Disc
CRANKSET	Shimano Dura-Ace FC-R9200, Hollowtech II 52-36T
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano CN-M9100
CASSETTE	Shimano Dura-Ace CS-R9200-12, 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL900, 160mm
REAR DISC ROTOR	Shimano RT-CL900, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R100-SL
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	Syncros Capital 40 CF I, Carbon spokes 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	6.4 kg
APPROX WEIGHT IN LBS	14.11 lbs

ADDICT RC TEAM

RAINBOW WHITE

XXS, XS, S, M, L, XL, XXL

427604 - 8110 (EU)
427599 - 8110 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE AXS 24-Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM FORCE AXS Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE Powermeter 48-35T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	6.9 kg
APPROX WEIGHT IN LBS	15.21 lbs

ADDICT RC TEAM

WATERY BLUE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

427604-8601 (EU)
427599-8601 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE AXS 24-Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM FORCE AXS Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE Powermeter 48-35T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix 5000 S TR 30x622
REAR TIRE	Continental Grand Prix 5000 S TR 30x622
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	6.9 kg
APPROX WEIGHT IN LBS	15.21 lbs

ADDICT RC 10

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

427605-8350 (EU)
427600-8350 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.1 kg
APPROX WEIGHT IN LBS	15.65 lbs

ADDICT RC 10

FLOURISH BLUE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

427605-8534 (EU)
427600-8534 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0S 40mm, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.1 kg
APPROX WEIGHT IN LBS	15.65 lbs

ADDICT RC 20

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

CO

425685-3020 (EU)
423265-3020 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.3 kg
APPROX WEIGHT IN LBS	16.09 lbs

ADDICT RC 20

CREAM GREEN/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

425685-8527 (EU)
423265-8527 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II 52-36T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.3 kg
APPROX WEIGHT IN LBS	16.09 lbs

ADDICT RC 25

CUMULUS WHITE/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

427606-8086 (EU)
427601-8086 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset, 48-35T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250, 10-36T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	7.6 kg
APPROX WEIGHT IN LBS	16.76 lbs

ADDICT RC 25

GELATO BLUE/GELATO PINK

XXS, XS, S, M, L, XL, XXL

427606-8329 (EU)
427601-8329 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset, 48-35T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250, 10-36T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	7.6 kg
APPROX WEIGHT IN LBS	16.76 lbs

ADDICT RC 30

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

CO

425686-3020 (EU)
423283-3020 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II 52-36T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.8 kg
APPROX WEIGHT IN LBS	17.2 lbs

ADDICT RC 30

CHAMPAGNE PINK/CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

425686-8522 (EU)
423283-8522 (NON EU 1)



FRAME	Addict RC HMX, Race geometry, replaceable derailleur hanger, internal cable routing
FORK	Addict RC HMX Flatmount Disc, 27.2mm eccentric carbon steerer
BATTERY	Shimano Built in DN300
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II 52-36T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 140mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Continental Grand Prix TR 30x622
REAR TIRE	Continental Grand Prix TR 30x622
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	7.8 kg
APPROX WEIGHT IN LBS	17.2 lbs

ADDICT

OVERVIEW



ADDICT PREMIUM



ADDICT 10



ADDICT 20



ADDICT 20



ADDICT 25



ADDICT 25



ADDICT 30



ADDICT 30



ADDICT 30



ADDICT 40



ADDICT 40



ADDICT 40



ADDICT 50



ADDICT 50



ADDICT 50

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
ADDICT PREMIUM	Shimano Dura Ace Di2	50/34	11/34	Fulcrum WIND 42 DB Carbon	34C	HMX	RIDE
ADDICT 10	SRAM FORCE AXS with SPINDLE POWER METER	46/33	10/36	Fulcrum WIND 42 DB Carbon	34C	HMX	RIDE
ADDICT 20	Shimano Ultegra Di2	50/34	11/34	Fulcrum WIND 42 DB Carbon	34C	HMF	RIDE
ADDICT 25	SRAM RIVAL AXS with SPINDLE POWER METER	46/33	10/36	Fulcrum WIND 42 DB Carbon	34C	HMF	RIDE
ADDICT 30	Shimano 105 Di2	50/34	11/34	Syncros Capital 1.0 40	34C	HMF	RIDE
ADDICT 40	Shimano 105 Di2	50/34	11/34	Syncros RP2.0 Disc	34C	HMF	RIDE
ADDICT 50	Shimano 105	50/34	11/34	Syncros RP2.0 Disc	34C	HMF	RIDE

ADDICT PREMIUM

WATERY GREEN

XXS, XS, S, M, L, XL, XXL

427607-8602



FRAME	Addict HMX Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMX Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270, 2 4 Speed Electronic Shift System, Shimano BR-R9270 Hyd.Disc
CRANKSET	Shimano Dura-Ace FC-R9200, Hollowtech II, 50-34T
BB-SET	Shimano SM-BB92-41B
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL900, 160mm
REAR DISC ROTOR	Shimano RT-CL900, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 1.0 Cut-out
HEADSET	Acros AIF-1317S stainless
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
EXTRAS	Syncros Save the day kit IS-R300, Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	7.4 kg
APPROX WEIGHT IN LBS	16.31 lbs

ADDICT 10

RAINBOW WHITE

XXS, XS, S, M, L, XL, XXL

427608 - 8110



FRAME	Addict HMX Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMX Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE AXS 24-Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM FORCE AXS Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE Powermeter 46-33T
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XG1270, 10-36T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros Save the day kit IS-R300, Syncros handlebar tool, SRAM AXS Powerpack
APPROX WEIGHT IN KG	7.6 kg
APPROX WEIGHT IN LBS	16.76 lbs

ADDICT 20

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

RAW

425355-3020



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II, 50-34T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.3 kg
APPROX WEIGHT IN LBS	18.3 lbs

ADDICT 20

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

CO

425355-8087



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	Shimano Ultegra FC-R8100, Hollowtech II, 50-34T
BB-SET	Shimano SM-BB71-41B
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.3 kg
APPROX WEIGHT IN LBS	18.3 lbs

ADDICT 25

IRON GREY

XXS, XS, S, M, L, XL, XXL

427609-3831



FRAME	Addict HMF Carbon, Ride geometry, r eplaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset, 46-33T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250, 10-36T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, SRAM AXS Powerpack
APPROX WEIGHT IN KG	8.2 kg
APPROX WEIGHT IN LBS	18.08 lbs

ADDICT 25

PEACH PINK

XXS, XS, S, M, L, XL, XXL

427609-8566



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL eTap AXS, 24 Speed, Electronic Shift System
FRONT DERAILLEUR	SRAM RIVAL eTap AXS Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL Crankset, 46-33T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XG1250, 10-36T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-CF
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum WIND 42 DB Carbon, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, SRAM AXS Powerpack
APPROX WEIGHT IN KG	8.2 kg
APPROX WEIGHT IN LBS	18.08 lbs

ADDICT 30

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

425356-3020



FRAME	Addict HMF Carbon, Ride geometry, r eplaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.4 kg
APPROX WEIGHT IN LBS	18.52 lbs

ADDICT 30

SAND GREEN

XXS, XS, S, M, L, XL, XXL

425356-8576



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.4 kg
APPROX WEIGHT IN LBS	18.52 lbs

ADDICT 30

NEBULA PURPLE

XXS, XS, S, M, L, XL, XXL

425356-8559



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.4 kg
APPROX WEIGHT IN LBS	18.52 lbs

ADDICT 40

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

CO

425357-3020



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.7 kg
APPROX WEIGHT IN LBS	19.18 lbs

ADDICT 40

AGATE GREY

XXS, XS, S, M, L, XL, XXL

425357-8510



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.7 kg
APPROX WEIGHT IN LBS	19.18 lbs

ADDICT 40

CREAM GREEN

XXS, XS, S, M, L, XL, XXL

425357-8526



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool, Shimano Built in DN300
APPROX WEIGHT IN KG	8.7 kg
APPROX WEIGHT IN LBS	19.18 lbs

ADDICT 50

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

425358-8350



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100, 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100, 24-Speed
SHIFTERS	Shimano 105 ST-R7120, 24 Speed System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	8.9 kg
APPROX WEIGHT IN LBS	19.62 lbs

ADDICT 50

CUMULUS WHITE

XXS, XS, S, M, L, XL, XXL

CO

425358-8087



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100, 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100, 24-Speed
SHIFTERS	Shimano 105 ST-R7120, 24 Speed System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	8.9 kg
APPROX WEIGHT IN LBS	19.62 lbs

ADDICT 50

MALLOW PINK

XXS, XS, S, M, L, XL, XXL

425358-8549



FRAME	Addict HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100, 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100, 24-Speed
SHIFTERS	Shimano 105 ST-R7120, 24 Speed System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano 105 FC-R7100, Hollowtech II, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Tofino V 2.0 Cut Out
HEADSET	Acros AIF-1317
WHEELSET	Syncros RP2.0 Disc, 28 Front, 28 Rear, Syncros Axle
FRONT TIRE	Schwalbe ONE Fold, 700x34C
REAR TIRE	Schwalbe ONE Fold, 700x34C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	8.9 kg
APPROX WEIGHT IN LBS	19.62 lbs

SPEEDSTER

OVERVIEW



SPEEDSTER 10



SPEEDSTER 10



SPEEDSTER 20



SPEEDSTER 20

	GROUPSET	SPEED	CHAIN RINGS	CASSETTE	WHEELS	TIRE	GEOMETRY
SPEEDSTER 10	Shimano 105	24 Speed	50/34	11/34	Syncros Race X25 Disc	32C	RIDE
SPEEDSTER 20	Shimano Cues 6000	20 Speed	50/34	11/39	Syncros Race X25 Disc	32C	RIDE

SPEEDSTER 10

CHAMPION BLACK

XXS, XS, S, M, L, XL, XXL

423303-7965



FRAME	Speedster Disc, 6061 D.Butted Alloy, Ride geometry, int. cable routing, Syncros fender kit ready
FORK	Speedster HMF Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100, 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100, 24-Speed
SHIFTERS	Shimano 105 ST-R7120, 24 Speed System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano FC-RS520, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 Compact, 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe Lugano, 700x32C
REAR TIRE	Schwalbe Lugano, 700x32C
APPROX WEIGHT IN KG	10.5 kg
APPROX WEIGHT IN LBS	23.15 lbs

SPEEDSTER 10

PASTEL GREEN

XXS, XS, S, M, L, XL, XXL

423303-8565



FRAME	Speedster Disc, 6061 D.Butted Alloy, Ride geometry, int. cable routing, Syncros fender kit ready
FORK	Speedster HMF Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano 105 RD-R7100, 24 Speed
FRONT DERAILLEUR	Shimano 105 FD-R7100, 24-Speed
SHIFTERS	Shimano 105 ST-R7120, 24 Speed System, Shimano BR-R7170 Hyd.Disc
CRANKSET	Shimano FC-RS520, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 Compact, 31.8mm
H'STEM	Syncros RR2.5, 11/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe Lugano, 700x32C
REAR TIRE	Schwalbe Lugano, 700x32C
APPROX WEIGHT IN KG	10.5 kg
APPROX WEIGHT IN LBS	23.15 lbs

SPEEDSTER 20

TIDE BLUE

XXS, XS, S, M, L, XL, XXL

427611-8591



FRAME	Speedster Disc, 6061 D.Butted Alloy, Ride geometry, int. cable routing, Syncros fender kit ready
FORK	Speedster HMF Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6020 20-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
SHIFTERS	Shimano BR-RS405, Shimano Cues ST-U6030 20 Speed
CRANKSET	Shimano Cues FC-U6030, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 10-Speed 11-39T
BRAKES	Shimano BR-RS405 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 Compact, 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe Lugano, 700x32C
REAR TIRE	Schwalbe Lugano, 700x32C
APPROX WEIGHT IN KG	10.9 kg
APPROX WEIGHT IN LBS	24.03 lbs

SPEEDSTER 20

MALLOW PINK

XXS, XS, S, M, L, XL, XXL

427611-8549



FRAME	Speedster Disc, 6061 D.Butted Alloy, Ride geometry, int. cable routing, Syncros fender kit ready
FORK	Speedster HMF Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6020 20-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
SHIFTERS	Shimano BR-RS405, Shimano Cues ST-U6030 20 Speed
CRANKSET	Shimano Cues FC-U6030, 50-34T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 10-Speed 11-39T
BRAKES	Shimano BR-RS405 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 Compact, 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe Lugano, 700x32C
REAR TIRE	Schwalbe Lugano, 700x32C
APPROX WEIGHT IN KG	10.9 kg
APPROX WEIGHT IN LBS	24.03 lbs




GRAVEL
BIKE

GRAVEL
LINE-UP

SCOTT gravel bikes are all about getting you wherever you're going, no matter what the terrain throws at you. Our Gravel bikes just love a rugged road. Up champagne gravel, or on the toughest gravel paths, you'll find the right tool for the job in our line up.







ADDICT GRAVEL

The Addict Gravel dials up the fun for your gravel outings. Long day rides, lightweight bikepacking adventures? The Addict Gravel's massive tire clearance and multiple mounting points make for a comfortable and capable companion – in its element, no matter the grade of your gravel.



SCALE GRAVEL

The Scale Gravel was put on this planet for going on adventures with attitude Designed to go the distance over any and all types of terrain, the Scale Gravel is lightweight with agile handling and features multiple mounting options.



SPEEDSTER GRAVEL

The Speedster Gravel is your one stop shop for when the path gets less traveled. Comfortable geometry for all-day rides, room for big tires and fully internal cable routing make this a great option for those looking to take it off road!



OVERLAND GRAVEL

The Overland Gravel is the perfect companion for commuters, tourers and everyday gravel enthusiasts. Equipped for carrying heavy grocery bags, well-laden paniers and keeping spray at bay, it's equally ready for those cruisy sunset gravel rides carrying nothing but your windbreaker. A versatile, alloy gravel bike, ready for every occasion.

ADDICT GRAVEL

OVERVIEW



ADDICT GRAVEL PREMIUM



ADDICT GRAVEL 10



ADDICT GRAVEL 10



ADDICT GRAVEL 20



ADDICT GRAVEL 20



ADDICT GRAVEL 30



ADDICT GRAVEL 30



ADDICT GRAVEL 40



ADDICT GRAVEL 40



ADDICT GRAVEL 40

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
ADDICT GRAVEL PREMIUM	SRAM RED XPLR AXS with POWER METER	42	10/46	Fulcrum Sharq GR CULT Carbon	50C	HMX
ADDICT GRAVEL 10	SRAM FORCE XPLR AXS with SPINDLE POWER METER	42	10/46	Fulcrum Soniq GR Carbon	50C	HMX
ADDICT GRAVEL 20	SRAM FORCE XPLR AXS	42	10/46	Fulcrum Soniq GR Carbon	50C	HMF
ADDICT GRAVEL 30	SRAM RIVAL XPLR AXS	42	10/46	Syncros Capital GR 35 CF II	50C	HMF
ADDICT GRAVEL 40	Shimano GRX 822/610	40	11/45	Syncros GR 25 AL II	50C	HMF

ADDICT GRAVEL PREMIUM

WATERY GREEN

XXS, XS, S, M, L, XL, XXL

427612-8602



FRAME	Addict Gravel HMX Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMX Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RED XPLR AXS, 13 Speed, Electronic Shift System
SHIFTERS	SRAM RED AXS HRD Shift-Brake System
CRANKSET	SRAM RED XPLR AXS Crankset, 42T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM RED
CASSETTE	SRAM RED XPLR XG1391, 10-46T
BRAKES	SRAM RED AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros SYN IC-R501-CF2, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R501
HEADSET	Acros AIF-1317S stainless
WHEELSET	Fulcrum Sharq GR Cult Carbon, 24 Front - 24 Rear, Syncros SL Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros Save the Day KitIS-M100, Syncros handlebar tool and tubeless kit, SRAM AXS powerpack
APPROX WEIGHT IN KG	8.4 kg
APPROX WEIGHT IN LBS	18.52 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 10

LUPINE GREY

XXS, XS, S, M, L, XL, XXL

427613-8547



FRAME	Addict Gravel HMX Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMX Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE XPLR AXS Crankset, 42T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XPLR XG1371, 10-46T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros SYN IC-R501-CF2, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum Soniq GR Carbon, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros Save the Day KitIS-M100, Syncros handlebar tool and tubeless kit, SRAM AXS powerpack
APPROX WEIGHT IN KG	8.7 kg
APPROX WEIGHT IN LBS	19.18 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 10

BLAZE PURPLE

XXS, XS, S, M, L, XL, XXL

427613 - 8517



FRAME	Addict Gravel HMX Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMX Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE XPLR AXS Crankset, 42T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XPLR XG1371, 10-46T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros SYN IC-R501-CF2, Carbon combo
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum Soniq GR Carbon, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros Save the Day KitIS-M100, Syncros handlebar tool and tubeless kit, SRAM AXS powerpack
APPROX WEIGHT IN KG	8.7 kg
APPROX WEIGHT IN LBS	19.18 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 20

WATERY BLACK

XXS, XS, S, M, L, XL, XXL

427614-8600



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE XPLR AXS Crankset, 42T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XPLR XG1371, 10-46T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum Soniq GR Carbon, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros Save the Day KitIS-M100, Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	8.9 kg
APPROX WEIGHT IN LBS	19.62 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 20

MOJITO GREEN

XXS, XS, S, M, L, XL, XXL

427614 - 8554



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
SHIFTERS	SRAM FORCE AXS HRD Shift-Brake System
CRANKSET	SRAM FORCE XPLR AXS Crankset, 42T, Powermeter
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XPLR XG1371, 10-46T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Fulcrum Soniq GR Carbon, 24 Front, 24 Rear, Syncros SL Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros Save the Day KitIS-M100, Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	8.9 kg
APPROX WEIGHT IN LBS	19.62 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 30

AGATE GREY

XXS, XS, S, M, L, XL, XXL

427615 - 8510



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL XPLR AXS, 13 Speed, Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL XPLR Crankset, 42T
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XPLR XG1351, 10-46T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital GR 35 CF II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	9 kg
APPROX WEIGHT IN LBS	19.84 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 30

MULBERRY PURPLE

XXS, XS, S, M, L, XL, XXL

427615-8557



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	SRAM RIVAL XPLR AXS, 13 Speed, Electronic Shift System
SHIFTERS	SRAM RIVAL AXS HRD Shift-Brake System
CRANKSET	SRAM RIVAL XPLR Crankset, 42T
BB-SET	SRAM DUB PF ROAD 86.5 Wide
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XPLR XG1351, 10-46T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline CL, 160mm
REAR DISC ROTOR	SRAM Paceline CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital GR 35 CF II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros handlebar tool, SRAM AXS powerpack
APPROX WEIGHT IN KG	9 kg
APPROX WEIGHT IN LBS	19.84 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 40

CARBON BLACK

XXS, XS, S, M, L, XL, XXL

427616-3020



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTERS	Shimano BR-RX410 Hyd. Disc, Shimano GRX ST-RX610, BL-RX610L, 12 Speed
CRANKSET	Shimano GRX FC-RX610-1, 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano SLX CS-M7100, 11-45T
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital GR 25 AL II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	9.7 kg
APPROX WEIGHT IN LBS	21.38 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 40

IRON GREY

XXS, XS, S, M, L, XL, XXL

427616 - 3831



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTERS	Shimano BR-RX410 Hyd. Disc, Shimano GRX ST-RX610, BL-RX610L, 12 Speed
CRANKSET	Shimano GRX FC-RX610-1, 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano SLX CS-M7100, 11-45T
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital GR 25 AL II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	9.7 kg
APPROX WEIGHT IN LBS	21.38 lbs

WHAT'S NEW

New frame/fork

ADDICT GRAVEL 40

PEACH PINK

XXS, XS, S, M, L, XL, XXL

427616-8566



FRAME	Addict Gravel HMF Carbon, Ride geometry, replaceable UDH derailleur hanger, internal cable routing, integrated storage
FORK	Addict Gravel HMF Flatmount Disc, 27.2 mm eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS, 12 Speed
SHIFTERS	Shimano BR-RX410 Hyd. Disc, Shimano GRX ST-RX610, BL-RX610L, 12 Speed
CRANKSET	Shimano GRX FC-RX610-1, 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano SLX CS-M7100, 11-45T
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R502-AL2, 31.8mm
H'STEM	Syncros ST-R310-AL
SEATPOST	Syncros SP-R101-CF
SEAT	Syncros Kildala SD-R505
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital GR 25 AL II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
REAR TIRE	Schwalbe G-One RX PRO Evolution, 700x50C
EXTRAS	Syncros handlebar tool
APPROX WEIGHT IN KG	9.7 kg
APPROX WEIGHT IN LBS	21.38 lbs

WHAT'S NEW

New frame/fork



SCALE GRAVEL



SCALE GRAVEL 20



SCALE GRAVEL 20



SCALE GRAVEL 30

	DRIVE TRAIN/BRAKES	SPEED	FORK	WHEELS	COMPONENTS	FRAME	MAX TIRE WIDTH
SCALE GRAVEL 10	SRAM X0 Eagle Transmission Powermeter AXS / SRAM Motive 4P	12	Scale Rigid HMF	Syncros Silverton GR Carbon	Syncros Fraser iC SL XC Carbon / Syncros Duncan	HMF	2.5
SCALE GRAVEL 20	SRAM S1000 Eagle Transmission AXS / SRAM DB6 4P	12	Scale Rigid HMF	Tubless ready rims	Syncros Fraser XC / Syncros Duncan	HMF	2.5
SCALE GRAVEL 30	Shimano Deore / Shimano MT401	12	Scale Rigid HMF	Tubless ready rims	Syncros alloy	Alloy 6061 / Boost	2.5

SCALE GRAVEL 10

DORADO GREY

S, M, L, XL

427617-8531



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92, UDH interface, 12x148mm with 55mm chainline
FORK	Scale Rigid HMF, postmount disc standard, tapered carbon steerer
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle Transmission, Spindle Powermeter, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM X0 Eagle Transmission
CASSETTE	SRAM X0 Eagle XS-1295 Transmisson, 10-52T
BRAKES	SRAM Motive Silver 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Fraser iC SL XC Carbon, -20° rise, back sweep 8°, 740mm
SEATPOST	Syncros Carbon, 10mm offset, 31.6x400mm
SEAT	Syncros Celista Cut Out, Carbon Rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.0X CL, F: 15x110mm, R: 12x148mm, Tubeless ready Carbon rim 28H, XD Driver
FRONT TIRE	Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO REAR TIRE Maxxis Rekon Race 29x2.4", 60TPI Foldable, Tubeless Ready, EXO
REAR TIRE	Schwalbe Thunder Burt, Super Ground, TLE, 29 x 2.25, ADDIX Speed, 67EPI
EXTRAS	Spirgrips Inner Bar ends, SRAM AXS powerpack
ACCESSORIES	Milkit sealant
APPROX WEIGHT IN KG	9 kg Tubless
APPROX WEIGHT IN LBS	19.84 lbs Tubless

SCALE GRAVEL 20

ASH GREEN

S, M, L, XL

427618 - 8513



FRAME	Scale HMF Carbon, adjustable head angle, Syncros Cable Integration System, advanced shock & standing damping system, BB92,UDH interface, 12x148mm with 55mm chainline
FORK	Scale Rigid HMF, postmount disc standard, tapered carbon steerer
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	SRAM Eagle 70 Transmission, DUB, 55mm CL, 34T
CHAINGUIDE	SCOTT custom
BB-SET	SRAM DUB PF 92 MTB Wide, shell 41x92mm
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB6 4-Piston
FRONT DISC ROTOR	SRAM Centerline CL, 180mm
REAR DISC ROTOR	SRAM Centerline CL, 160mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Celista Cut Out
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula CL-3248, 12x148mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
REAR RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
EXTRAS	Spirgrips Inner Bar ends, SRAM AXS powerpack
APPROX WEIGHT IN KG	11.4 kgTubless
APPROX WEIGHT IN LBS	25.13 lbs Tubless

SCALE GRAVEL 30

MOJITO GREEN

S, M, L, XL, XXL

427619-8554



FRAME	Scale Alloy 6061 Custom Butted Tubing, Tapered Headtube, BB92, UDH interface, Boost 12x148mm with 55mm chainline
FORK	Scale Rigid HMF, postmount disc standard, tapered carbon steerer
REAR DERAILLEUR	Shimano Deore RD-M7200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Shimano FC-MT520, 34T
BB-SET	Shimano BB-MT500 PF
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT401 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061, T shape Flat, 9°, 740mm
H'STEM	Syncros Alloy 6061, oversized 31.8mm, 1 1/8", 6° angle
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Celista Cut Out
HEADSET	Cable Routing Headset ZS56/28.6 – ZS56/40
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula FCL-548M, 148x12mm, Micro Spline
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
REAR RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
FRONT TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
REAR TIRE	Maxxis Aspen 29x2.4", 120TPI Foldable Bead, Tubeless Ready, EXO
PEDALS	Feimin FP-873ZU
EXTRAS	Spirgrips Inner Bar ends
APPROX WEIGHT IN KG	11.7 kg without pedals
APPROX WEIGHT IN LBS	25.79 lbs without pedals

WHAT'S NEW

Shimano Deore

SPEEDSTER GRAVEL



SPEEDSTER GRAVEL 10



SPEEDSTER GRAVEL 20



SPEEDSTER GRAVEL 20



SPEEDSTER GRAVEL 30



SPEEDSTER GRAVEL 40



SPEEDSTER GRAVEL 40



SPEEDSTER GRAVEL 40

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
SPEEDSTER GRAVEL 10	Shimano GRX 820/610	46/30	11/36	Syncros Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 20	Shimano GRX 822/610	40	10/45	Syncros Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 30	Shimano CUES 6000	46/32	11/39	Syncros Race X25 Disc	45C	Alloy
SPEEDSTER GRAVEL 40	Shimano CUES 6000	40	11/48	Syncros Race X25 Disc	45C	Alloy

SPEEDSTER GRAVEL 10

HORNBLENDE GREEN

XXS, XS, S, M, L, XL, XXL

427620-8542



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX820 GS, 12 Speed
FRONT DERAILLEUR	Shimano FD-RX820F GRX
CRANKSET	Shimano GRX FC-RX610-2, 46-30T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-HG710-12, 11-36
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	10.5 kg
APPROX WEIGHT IN LBS	23.15 lbs

SPEEDSTER GRAVEL 20

TUNGSTEN GREY

XXS, XS, S, M, L, XL, XXL

427621-8350



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS, 12 Speed
CRANKSET	Shimano GRX FC-RX610-1, 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano SLX CS-M7100, 10-45T
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	10.6 kg
APPROX WEIGHT IN LBS	23.37 lbs

SPEEDSTER GRAVEL 20

MOJITO GREEN

XXS, XS, S, M, L, XL, XXL

427621-8554 (EU)



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX822 GS, 12 Speed
CRANKSET	Shimano GRX FC-RX610-1, 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano SLX CS-M7100, 10-45T
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	10.6 kg
APPROX WEIGHT IN LBS	23.37 lbs

SPEEDSTER GRAVEL 30

AGATE GREY

XXS, XS, S, M, L, XL, XXL

427622-8510



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6020 20-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
CRANKSET	Shimano Cues FC-U6040, 46-32T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10 Speed11-39T
BRAKES	Shimano BR-RS405 Hyd. Disc.
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	11 kg
APPROX WEIGHT IN LBS	24.25 lbs

SPEEDSTER GRAVEL 40

TEMPEST GREY

XXS, XS, S, M, L, XL, XXL

427623-8590



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
CRANKSET	Shimano Cues FC-U6030 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-RS405 Hyd. Disc.
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	11 kg
APPROX WEIGHT IN LBS	24.25 lbs

SPEEDSTER GRAVEL 40

ASH GREEN

XXS, XS, S, M, L, XL, XXL

427623-8513



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
CRANKSET	Shimano Cues FC-U6030 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-RS405 Hyd. Disc.
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	11 kg
APPROX WEIGHT IN LBS	24.25 lbs

SPEEDSTER GRAVEL 40

PEACH PINK

XXS, XS, S, M, L, XL, XXL

427623-8566



FRAME	Speedster Gravel, D.Butted 6061 alloy, SCOTT Ride geometry, Replaceable UDH derailleur hanger, Internal cable routing, Syncros fender kit ready
FORK	Addict Gravel HMF Flatmount Disc, 1 1/4"-1 1/2" eccentric carbon steerer
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
CRANKSET	Shimano Cues FC-U6030 40T
BB-SET	Shimano BB-RS500-PB
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-RS405 Hyd. Disc.
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros RR2.5 27.2/350mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AIF-1113
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One RX, 700x45C
REAR TIRE	Schwalbe G-One RX, 700x45C
APPROX WEIGHT IN KG	11 kg
APPROX WEIGHT IN LBS	24.25 lbs

OVERLAND



OVERLAND 10



OVERLAND 20



OVERLAND 30



OVERLAND 30

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
OVERLAND 10	Shimano GRX 820/610	48/31	11/34	Syncros Race X25 Disc	40C	Alloy
OVERLAND 20	Shimano CUES 6000	50/34	11/36	Syncros Race X25 Disc	40C	Alloy
OVERLAND 30	Shimano CUES 6000	50/34	11/39	Syncros Race X25 Disc	40C	Alloy

OVERLAND 10

MAIDENGRASS GREEN

S, M, L, XL, XXL

427624-8548



FRAME	28", ultra lite AL-6061
FORK	Allroad Carbon, 12x100 mm axle, 1 1/8" carbon steerer
REAR DERAILLEUR	Shimano GRX RD-RX820 GS, 24 Speed
FRONT DERAILLEUR	Shimano FD-RX820F GRX
SHIFTERS	Shimano BR-RX410 Hyd. Disc, Shimano GRX ST-RX610, 24 Speed
CRANKSET	Shimano GRX FC-RX820-2, 48-31T
BB-SET	Shimano BB-RS501 BSA
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-RX410 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros, 11/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-813
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 32H
FRONT TIRE	Schwalbe G-One Allround Performance, 400x40C
REAR TIRE	Schwalbe G-One Allround Performance, 400x40C
FRONT LIGHT	Hermanns MR9
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	13.1 kg
APPROX WEIGHT IN LBS	28.88 lbs

OVERLAND 20

GRAPHITE BLUE

S, M, L, XL, XXL

427625-3909



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U6040, 22 Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
SHIFTERS	Shimano Cues BR-RS405, Shimano ST-U6030 22 Speed
CRANKSET	Shimano Cues FC-U6040, 50-34T
BB-SET	Shimano BB-RS501 BSA
CHAIN	Shimano CN-LG500
CASSETTE	Shimano CS-RS400, 11-36
BRAKES	Shimano Cues BR-RS405 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 32H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
FRONT LIGHT	Hermanns MR5
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	14.1 kg
APPROX WEIGHT IN LBS	31.09 lbs

OVERLAND 30

MARINE GREEN

S, M, L, XL, XXL

427626-8550



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U6020 20-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
SHIFTERS	Shimano Cues BR-U6030, Shimano ST-U6030 20 Speed
CRANKSET	Shimano Cues FC-U6030, 50-34T
BB-SET	Shimano BB-RS501 BSA
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 10-Speed 11-39T
BRAKES	Shimano Cues BR-UR6030 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 32H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
FRONT LIGHT	Hermanns CL3
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	14.9 kg
APPROX WEIGHT IN LBS	32.85 lbs

OVERLAND 30

DOGWOOD PINK

S, M, L, XL, XXL

427626-8530



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U6020 20-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6030
SHIFTERS	Shimano Cues BR-U6030, Shimano ST-U6030 20 Speed
CRANKSET	Shimano Cues FC-U6030, 50-34T
BB-SET	Shimano BB-RS501 BSA
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 10-Speed 11-39T
BRAKES	Shimano Cues BR-UR6030 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 32H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
FRONT LIGHT	Hermanns CL3
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	14.9 kg
APPROX WEIGHT IN LBS	32.85 lbs


SCOTT
SCOTT


MTB
eRIDE



eRIDE MTB
LINE-UP

SCOTT eRIDE Mountain Bikes are poised and ready to take you further and faster than ever before. They can tackle the steepest of climbs and the most demanding of descents. Wherever and however you're dreaming of conquering the trails, SCOTT covers all eMTB segments, from long-travel Trail eMTB to Lightweight Trail eMTB. Regardless of your riding style or aspirations, the SCOTT eRIDE range has it all.





LUMEN eRIDE

An E-MTB at just 15.5kg! Take the best Downcountry platform to date—the Spark 900—top it off with 140mm/130mm of travel, add near-silent, powerful electric assistance, and keep its legendary lightweight DNA. For 2026, we've gone even further—with the new TQ HPR60 drive unit and a 160Wh range extender included, boosting the total battery capacity to an impressive 520Wh, giving you the extra support and mileage to push even deeper into the mountains. Ready to ride any trail at Nino's level of speed.



PATRON eRIDE

The SCOTT Patron eRIDE embodies the perfect balance of power, precision, and innovation; where cutting-edge technology meets unparalleled design.Equipped with the latest motor and battery technology from Bosch and packing 150mm of travel front and rear, the Patron eRIDE is ready to rumble on any trail.



PATRON ST eRIDE

The Patron ST, or "Super Trail", offers 170mm of front travel, allowing you to tackle bigger hits when the trail gets truly rough. The rear travel remains at 150mm but is managed by a piggyback Nude shock, ensuring the rear stays smooth and responsive, even on the longest descents.



STRIKE eRIDE

The SCOTT STRIKE is built to make every ride feel natural, comfortable, and effortlessly right. With its intuitive handling, balanced 150mm suspension, and smooth Bosch Performance CX assistance, it fades quietly into the background, so you can focus on what truly matters.

LUMEN



LUMEN 900



LUMEN 910



LUMEN 920

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARTPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	SPEED
LUMEN 900	TQ HPR60 Mid drive 60Nm	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM GX AXS Eagle Transmission / SRAM Motive Silver 4 Piston	12
LUMEN 910	TQ HPR60 Mid drive 60Nm	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM S1000 AXS Eagle Transmission / SRAM Motive Bronze 4 Piston	12
LUMEN 920	TQ HPR60 Mid drive 60Nm	Display/ Handlebar Remote	TQ	360Wh	160Wh (included)	SRAM Eagle 70 Transmission / SRAM DB4 4 Piston	12

LUMEN 900

PIANO BLACK/CARBON BLACK

S, M, L, XL

427719 - 8570 (SAP | KMH)
427718 - 8570 (SAP | MPH)



FRAME	Carbon HMX, Integrated Suspension Technology, Flex Pivot, adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 140 mm / Rear: 130 mm
FORK	Fox 36SL Performance Elite Grip SL , 3P with low speed adj., Kabolt 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REAR SHOCK	Fox Nude 6 EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, low speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, 3 Suspension modes
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 4A 100-240V
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM GX Eagle, alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM XX Direct Mount TQ 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	SRAM Motive Silver 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 180mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Fraser iC SL DC Carbon, 0° rise, back sweep 8°, mini Rise, 760mm
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino R 1.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	Syncros Silverton 1.5-30 CL, F: 15x110mm, R: 12x148mm, 30mm Tubeless ready rim 28H, XD Driver, Syncros Axle w/Removable Lever, with 6mm Allen, T30 and T25 Tools
FRONT TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
REAR TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
EXTRAS	TQ 160Wh Range Extender
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	18.2 kg
APPROX WEIGHT IN LBS	40.12 lbs

WHAT'S NEW

New Graphics and color

LUMEN 910

CUMULUS WHITE

S, M, L, XL

425438-8087 (SAP | KMH)
425434-8087 (SAP | MPH)



FRAME	Carbon HMX, Integrated Suspension Technology, Flex Pivot, adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 140 mm / Rear: 130 mm
FORK	Fox 34 Rhythm Grip, 3P, Kabolt 15x110mm axle, tapered steerer, Reb. Adj, Lockout
REAR SHOCK	Fox Nude 6 EVOL Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, low speed Adj., Custom large Air volume, Reb. Adj., Bearing Hardware, T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, 3 Suspension modes
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 4A 100-240V
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Pod Controller
CRANKSET	Praxis alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM 104BCD 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM Motive Bronze 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 180mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Fraser 2.0 DC alloy 6061 D.B. Mini Rise, back sweep 8°, 740mm Syncros Performance XC lock-on grips
H'STEM	Syncros DC 2.0 Syncros Cable Integration System 0° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino R 1.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula CL-148S, 12x148mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
REAR RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
FRONT TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
REAR TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
EXTRAS	TQ 160Wh Range Extender
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	17.8 kg Tubless setup without RE (1.1kg)
APPROX WEIGHT IN LBS	39.24 lbs Tubless setup without RE (1.1kg)

LUMEN 920

TWINKLE GREEN

S, M, L, XL

425439-8351 (SAP | KMH)
425435-8351 (SAP | MPH)



FRAME	Carbon HMF Main Frame, alloy SST-CST, Integrated Suspension Technology, Flex Pivot, adjustable head angle, Syncros Cable Integration System, TQ HPR60, UDH interface, 12x148mm with 55mm chainline
TRAVEL	Front: 140 mm / Rear: 130 mm
FORK	RockShox Recon Gold RL Solo Air, 15x110mm axle, tapered steerer, Reb. Adj., Lockout
REAR SHOCK	X-Fusion Nude 5 RLX Trunnion, SCOTT custom w. travel, geo adj., 3 modes: Lockout-Traction Control-Descend, Reb. Adj., T165X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology, 3 Suspension modes
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 4A 100-240V
REAR DERAILLEUR	SRAM Eagle 70 Transmission, 12 Speed
SHIFTERS	SRAM Eagle 70 Trigger
CRANKSET	Praxis alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM 104BCD 34T
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM DB4 4-Piston
FRONT DISC ROTOR	SRAM HS2 CL, 180mm
REAR DISC ROTOR	SRAM HS2 CL, 180mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Fraser 2.0 DC alloy 6061 D.B. Mini Rise, back sweep 8°, 740mm Syncros Performance XC lock-on grips
H'STEM	Syncros DC 2.0 Syncros Cable Integration System 0° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino R 1.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula CL-148S, 12x148mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
REAR RIM	Alex Rims X-30S 32H, Sleeve Joint, Tubeless ready
FRONT TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
REAR TIRE	Schwalbe Wicked Will EVO, TLE 29 x 2.40
EXTRAS	TQ 160Wh Range Extender
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	18.5 kg
APPROX WEIGHT IN LBS	40.79 lbs

PATRON

OVERVIEW



PATRON 10



PATRON 20



PATRON 20



PATRON 30



PATRON 30



PATRON 30



PATRON ST TUNED



PATRON ST 10

	BOSCH PERF. LINE CX-R	BOSCH PERF. LINE CX	BOSCH KIOX 400C	BOSCH KIOX 300	BOSCH INTUVIA 200	BOSCH SYSTEM CONTROLLER	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH ABS PRO	GROUPSET	SPEED
PATRON 10		x		x		x	x	x	x	SRAM GX AXS Eagle Transmission / Shimano XT BR-M8220 4 Piston	12
PATRON 20		x		x		x	x	x		SRAM S1000 AXS Eagle Transmission / Shimano Deore BR-M6220 4 Piston	12
PATRON 30		x			x	x	x	x		Shimano Deore / Shimano BR-MT620 4 Piston	12
PATRON ST TUNED	x		x				x	x	x	SRAM X0 AXS Eagle Transmission / Shimano XT BR-M8220 4 Piston	12
PATRON ST 10		x				x	x	x		SRAM Eagle70 Transmission / SRAM Maven Base 4 Piston	12

PATRON 10

OBSIDIAN RED/CARBON BLACK

S, M, L, XL

427632-8563 (SAP | KMH)
427628-8563 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox 36 Perf. Air, eOptimized, Grip, 3Pos Microadj, Reb Adj, QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	Fox Float Performance EVOL, LSR, 2P Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	SRAM GX Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM GX Eagle, alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM XX Direct Mount Bosch 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	Shimano XT BR-M8220 ABS Pro 4-Piston
FRONT DISC ROTOR	Shimano RT-6B750, 220mm
REAR DISC ROTOR	Shimano RT-6B750, 200mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 1.5 alloy 7050, back sweep 8°, 780mm
H'STEM	Syncros AM 1.5, Syncros Cable Integration System, 4° rise, 7050 alloy, 31.8mm, 11/8"
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino-E 1.5, Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula DC-611, 15x110mm
REAR HUB	Formula EHL-148S, Boost 148x12mm
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24.4 kg
APPROX WEIGHT IN LBS	53.79 lbs

WHAT'S NEW

Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON 20

PULSE GREY/CARBON BLACK

S, M, L, XL

427633-8571 (SAP | KMH)
427629-8571 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox 36 Rhythm, eOptimized, Grip, Comp & Reb Adj, QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	Fox Float Performance EVOL, LSR, 2P Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM Direct Mount Bosch 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino-E 2.0
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148S, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24.3 kg
APPROX WEIGHT IN LBS	53.57 lbs

WHAT'S NEW

Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON 20

PEACH PINK

S, M, L, XL

427633-8566 (SAP | KMH)
427629-8566 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox 36 Rhythm, eOptimized, Grip, Comp & Reb Adj, QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	Fox Float Performance EVOL, LSR, 2P Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	SRAM S1000 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM Direct Mount Bosch 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino-E 2.0
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148S, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24.3 kg
APPROX WEIGHT IN LBS	53.57 lbs

WHAT'S NEW

Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON 30

CARBON BLACK

S, M, L, XL

427634-3020 (SAP | KMH)
427630-3020 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox AWL HD Sport, Rail 2.0, LSR
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino R 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24 kg
APPROX WEIGHT IN LBS	52.91 lbs

WHAT'S NEW

Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON 30

SOLITUDE BEIGE/CARBON BLACK

S, M, L, XL

427634-8583 (SAP | KMH)
427630-8583 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox AWL HD Sport, Rail 2.0, LSR
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino R 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24 kg
APPROX WEIGHT IN LBS	52.91 lbs

WHAT'S NEW

Bosch Intuvia 200
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON 30

SILT GREEN

S, M, L, XL

29" 12S

427634-8582 (SAP | KMH)
427630-8582 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox AWL HD Sport, Rail 2.0, LSR
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros AM 2.0, Syncros Cable Integration System, 4° rise, 6061 alloy, 31.8mm, 1 1/8"
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino R 2.5
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24 kg
APPROX WEIGHT IN LBS	52.91 lbs

WHAT'S NEW

Bosch Intuvia 200
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support



PATRON ST TUNED

BLUSH WHITE/RALLY RED

S, M, L, XL

427640-8518 (SAP | KMH)
427638-8518 (SAP | MPH)



FRAME	Carbon Frame, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 170 mm / Rear travel: 150 mm
FORK	Öhlins RXF38 M.3 Air, TTX-Technology, HSC - LSC - R adjustable, 15x110mm Axle, tapered steerer
REAR SHOCK	RockShox SuperDeluxe Ultimate, DebonAir Linear, Trunnion, RC2T, Reb Adj., T185X55mm
DRIVE UNIT	Bosch Performance Line CX-R (BDU386Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 400C
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	SRAM X0 Eagle AXS Transmission 12 Speed, Wireless Electronic Shift System
SHIFTERS	SRAM AXS Rocker Pod Controller
CRANKSET	SRAM X0 Eagle, alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM XX Direct Mount Bosch 34T
CHAIN	SRAM GX Eagle Transmission
CASSETTE	SRAM GX Eagle XS-1275 Transmission, 10-52T
BRAKES	Shimano XT BR-M8220 ABS Pro 4-Piston
FRONT DISC ROTOR	Shimano RT-6B750, 220mm
REAR DISC ROTOR	Shimano RT-6B750, 200mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon DH35 1.5
H'STEM	Syncros CNC ST-M400-AL2 35mm
SEATPOST	Syncros dropper post SP-M300-AL2, +RAD drop adjust, 31.6mm
SEAT	Syncros Tofino-E 1.5, Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
WHEELSET	DT Swiss HX1700, IS, F: 15x110mm, R: 12x148mm boost, 30mm Tubeless ready rim 28H, Syncros Axle w/Removable Lever with Tool
FRONT TIRE	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
REAR TIRE	Schwalbe Albert 29x2.5", Gravity PRO, Radial, Soft, TLR, Foldable Bead
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	24.1 kg
APPROX WEIGHT IN LBS	53.13 lbs

WHAT'S NEW

Ohlins RXF38 Fork
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

PATRON ST 10

MOSS GREEN/CARBON BLACK

S, M, L, XL

427641-8556 (SAP | KMH)
427639-8556 (SAP | MPH)



FRAME	Carbon Main Frame, alloy SST-CST, Integrated Suspension Technology, Virtual 4 Link kinematic, Adjustable head angle, Syncros Cable Integration System, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 170 mm / Rear travel: 150 mm
FORK	RockShox ZEB, E-Bike, Delta RC, DebonAir+ Reb Adj., 15x110mm axle, tapered steerer
REAR SHOCK	RockShox SuperDeluxe, DebonAir Linear, Trunnion, Reb Adj., T185X55mm
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch System Controller
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	SRAM Eagle 70 Transmission, 12 Speed
SHIFTERS	SRAM Eagle 70 Trigger
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	SRAM Direct Mount Bosch 34T
CHAIN	SRAM Eagle 70 Transmission
CASSETTE	SRAM Eagle XS-1270 Transmission, 10-52T
BRAKES	SRAM Maven Base 4-Piston
FRONT DISC ROTOR	SRAM HS2 6B, 220mm
REAR DISC ROTOR	SRAM HS2 6B, 200mm
GRIPS	Syncros Performance XC Lock-On
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	Syncros Tofino-E 1.5, Titanium rails
HEADSET	Syncros - Acros Angle adjust & Cable Routing HS System, Stainless, +-0.6° head angle adjustment, ZS56/28.6 – ZS56/40 MTB
FRONT HUB	Formula DC-611, 15x110mm
REAR HUB	Formula EHL-148S, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Schwalbe Magic Mary 29x2.5", Gravity, Radial, Ultra Soft, Tubeless ready, 120TPI Foldable Bead
REAR TIRE	Schwalbe Albert 29x2.5", Gravity PRO, Radial, Soft, TLR, Foldable Bead
ACCESSORIES	Milkit Sealant
APPROX WEIGHT IN KG	25.3 kg
APPROX WEIGHT IN LBS	55.78 lbs

WHAT'S NEW

Sram Eagle 70 drivetrain
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE

OVERVIEW



STRIKE 10



STRIKE 10



STRIKE 20



STRIKE 30



STRIKE 30



STRIKE 30



STRIKE 40



STRIKE 40

	BOSCH PERF. LINE CX	BOSCH KIOX 300	BOSCH INTUVIA 200	BOSCH PURION 200	BOSCH SYSTEM CONTROLLER	BOSCH MINI REMOTE	BOSCH PT800WH BATTERY	BOSCH PT720WH BATTERY	GROUPSET	SPEED
STRIKE 10	x		x		x	x	x		Shimano XT / Shimano XT BR-M8220 4 Piston	12
STRIKE 20	x		x		x	x	x		Shimano Deore / Shimano BR-M6220 4 Piston	12
STRIKE 30	x			x			x		Shimano Deore / Shimano BR-MT620 4 Piston	12
STRIKE 40	x			x				x	Shimano Deore / Shimano BR-MT420 4 Piston	12

STRIKE 10

BLACK

S, M, L, XL

29" 12S

427635-0001 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox 36 Rhythm, eOptimized, Grip, Comp & Reb Adj, QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano XT RD-M8200 12-speed
SHIFTERS	Shimano Deore XT SL-M8210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano XT CS-M8200, 10-51T
BRAKES	Shimano XT BR-M8220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL750, 220mm
REAR DISC ROTOR	Shimano RT-CL750, 200mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
APPROX WEIGHT IN KG	25.3 kg
APPROX WEIGHT IN LBS	55.78 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Intuvia 200 Display
Shimano XT Drivetrain
Fox 36 Rhythm LV fork
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 10

PARADISE GREEN

S, M, L, XL

29" 12S

427635-8423 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox 36 Rhythm, eOptimized, Grip, Comp & Reb Adj, QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano XT RD-M8200 12-speed
SHIFTERS	Shimano Deore XT SL-M8210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano XT CS-M8200, 10-51T
BRAKES	Shimano XT BR-M8220 4-Piston
FRONT DISC ROTOR	Shimano RT-CL750, 220mm
REAR DISC ROTOR	Shimano RT-CL750, 200mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
APPROX WEIGHT IN KG	25.3 kg
APPROX WEIGHT IN LBS	55.78 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Intuvia 200 Display
Shimano XT Drivetrain
Fox 36 Rhythm LV fork
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 20

FOGGY GREY

S, M, L, XL

427636-8535 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	Fox AWL HD Sport, Rail 2.0, LSR
REAR SHOCK	Fox Float Rhythm LV EVOL, LSR, 2 Pos Lever
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Intuvia 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano Deore BR-M6220 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI Foldable, Tubeless Ready, EXO 3C maxx Terra
APPROX WEIGHT IN KG	24.8 kg
APPROX WEIGHT IN LBS	54.67 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Intuvia 200 Display
FOX Suspensions
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 30

BLACK

S, M, L, XL

427637-0001 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
APPROX WEIGHT IN KG	25.7 kg
APPROX WEIGHT IN LBS	56.66 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Purion 200 Display
RockShox Psylo Silver RC Air
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 30

MIST BLUE

S, M, L, XL

427637-8387 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
APPROX WEIGHT IN KG	25.7 kg
APPROX WEIGHT IN LBS	56.66 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Purion 200 Display
RockShox Psylo Silver RC Air
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 30

PEACH PINK

S, M, L, XL

29" 12S

427637-8566 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	RockShox Psylo Silver RC Air, E-Bike, Comp & Reb Adj., QR Axle 15x110mm axle, tapered steerer
REAR SHOCK	X-Fusion O2 Trunnion PRO RL, Lockout, Reb. Adj., T185X55mm
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT620 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
H'STEM	Syncros DC ST-M200-AL2, 0°, 31.6mm
SEATPOST	Syncros dropper post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Press Fit, 1.5", OD 62mm, ID 56mm, sealed bearings
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
REAR TIRE	Maxxis Forekaster 29x2.6", 60TPI, Tubeless Ready, Dual
APPROX WEIGHT IN KG	25.7 kg
APPROX WEIGHT IN LBS	56.66 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Purion 200 Display
RockShox Psylo Silver RC Air
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 40

QUARRY GREY

S, M, L, XL

427720-8572 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	SR Suntour SF26-XCR 36X, 29", Air, Tapered
REAR SHOCK	SR Suntour Edge X, Rebound
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT420 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
SEATPOST	Syncros Dropper Post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"-1.5"
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster, 29x2.4", 60TPI
REAR TIRE	Maxxis Forekaster, 29x2.4", 60TPI
APPROX WEIGHT IN KG	25.4 kg
APPROX WEIGHT IN LBS	56 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Purion 200 Display
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support

STRIKE 40

PEARL WHITE

S, M, L, XL

29" 12S

427720-2101 (SAP | KMH)



FRAME	Alloy Frame, 4 Link kinematic, Bosch Smart System, UDH Interface, 12x148mm with 55mm Chainline, Bosch PowerMore Ready
TRAVEL	Front travel: 150 mm / Rear travel: 150 mm
FORK	SR Suntour SF26-XCR 36X, 29", Air, Tapered
REAR SHOCK	SR Suntour Edge X, Rebound
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6210
CRANKSET	FSA alloy
CHAINGUIDE	e*thirteen, e*spec Slider
CHAINRING	FSA 12 Speed 36T DM chainring
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT420 4-Piston
FRONT DISC ROTOR	Shimano SM-RT64 rotor 220mm
REAR DISC ROTOR	Shimano SM-RT64 rotor 203mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros Hixon 2.0 alloy 6061 D.B, 12mm Rise, back sweep 8°, 780mm
SEATPOST	Syncros Dropper Post SP-M302-AL2, 31.6mm
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS56-62mm, 1 1/8"-1.5"
FRONT HUB	Formula CL-811, 15x110mm
REAR HUB	Formula ECT-148M, Boost 148x12mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
REAR RIM	Alex Rims MD30 Disc 29" 32H, Black, Tubeless Ready
FRONT TIRE	Maxxis Forekaster, 29x2.4", 60TPI
REAR TIRE	Maxxis Forekaster, 29x2.4", 60TPI
APPROX WEIGHT IN KG	25.4 kg
APPROX WEIGHT IN LBS	56 lbs

WHAT'S NEW

Strike Alloy frame
Bosch Purion 200 Display
Bosch Performance Upgrade 2.0 / up to 120Nm / up to 600% support




ROAD
eRIDE

FASTLANE

OVERVIEW

Fastlane is all about having support there for when you need it. On the flat or a descent, it's mostly you. Once the road turns uphill and you actually need support, the lightweight motor kicks in subtlety to augment your legs and keep you moving up the hill at pace.



FASTLANE PREMIUM



FASTLANE 10



FASTLANE 10



FASTLANE 20



FASTLANE 20

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARTPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
FASTLANE PREMIUM	TQ HPR40 Mid drive 40NM	Bar End Controller/ Hood Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano Dura Ace Di2	50/34	11/34	Zipp 353 NSW TL SR	34c	Carbon HMX	Ride
FASTLANE 10	TQ HPR40 Mid drive 40NM	Bar End Controller/ Hood Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano Ultegra Di2	50/34	11/34	Syncros Capital 1.0 40	34c	Carbon HMX	Ride
FASTLANE 20	TQ HPR40 Mid drive 40NM	Bar End Controller/ Handlebar Buttons	TQ E-bike	290Wh	160Wh (optional)	Shimano 105 Di2	50/34	11/34	Syncros Capital 1.0 40	34c	Carbon HMX	Ride

FASTLANE PREMIUM

CHROME SILVER

XS, S, M, L, XL

CO

425599-7958 (SAP | KMH)
425596-7958 (SAP | MPH)



FRAME	Fastlane Road Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR40, UDH interface, range extender ready
FORK	Fastlane Road HMX Flatmount Disc, 27.2mm eccentric carbon steerer
DRIVE UNIT	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 290Wh
DISPLAY	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	Shimano Dura-Ace Di2 RD-R9250 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Dura-Ace Di2 FD-R9250, Electronic Shift System
SHIFTERS	Shimano Dura-Ace Di2 ST-R9270, 24 Speed Electronic Shift System, Shimano BR-R9270 Hyd.Disc
CRANKSET	FSA e-Bike Carbon CK-713, Chainring 50/34T
CHAIN	Shimano CN-M9100
CASSETTE	Shimano Dura-Ace CS-R9200-12, 11-34
BRAKES	Shimano BR-R9270 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL900, 160mm
REAR DISC ROTOR	Shimano RT-CL900, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros Duncan SL iL D-shape
SEAT	Syncros Belcarra V1.0 Cut-out, Carbon rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	ZIPP 353 NSW TL SR 40 Carbon, Front 12x100mmTA, Rear 12x142mmTA, Syncros SL Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
ACCESSORIES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
APPROX WEIGHT IN KG	9.9 kg
APPROX WEIGHT IN LBS	21.83 lbs

FASTLANE 10

CUMULUS WHITE

XS, S, M, L, XL

CO

425600-8087 (SAP | KMH)
425597-8087 (SAP | MPH)



FRAME	Fastlane Road Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR40, UDH interface, range extender ready
FORK	Fastlane Road HMX Flatmount Disc, 27.2mm eccentric carbon steerer
DRIVE UNIT	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 290Wh
DISPLAY	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	FSA e-Bike Carbon CK-713, Chainring 50/34T
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
ACCESSORIES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
APPROX WEIGHT IN KG	10.6 kg
APPROX WEIGHT IN LBS	23.37 lbs

FASTLANE 10

TUNGSTEN GREY

XS, S, M, L, XL

425600-8350 (SAP | KMH)
425597-8350 (SAP | MPH)



FRAME	Fastlane Road Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR40, UDH interface, range extender ready
FORK	Fastlane Road HMX Flatmount Disc, 27.2mm eccentric carbon steerer
DRIVE UNIT	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 290Wh
DISPLAY	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	Shimano Ultegra Di2 RD-R8150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano Ultegra Di2 FD-R8150, Electronic Shift System
SHIFTERS	Shimano Ultegra Di2 ST-R8170, 24 Speed Electronic Shift System, Shimano BR-R8170 Hyd.Disc
CRANKSET	FSA e-Bike Carbon CK-713, Chainring 50/34T
CHAIN	Shimano CN-M8100
CASSETTE	Shimano Ultegra CS-R8100-12, 11-34
BRAKES	Shimano BR-R8170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL800, 160mm
REAR DISC ROTOR	Shimano RT-CL800, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL, Carbon combo
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317S stainless
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
ACCESSORIES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
APPROX WEIGHT IN KG	10.6 kg
APPROX WEIGHT IN LBS	23.37 lbs

FASTLANE 20

CARBON BLACK

XS, S, M, L, XL

425601-3020 (SAP | KMH)
425598-3020 (SAP | MPH)



FRAME	Fastlane Road Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR40, UDH interface, range extender ready
FORK	Fastlane Road HMX Flatmount Disc, 27.2mm eccentric carbon steerer
DRIVE UNIT	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 290Wh
DISPLAY	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	FSA e-Bike Alloy CK-6048, Chainring 50/34T
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
ACCESSORIES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
APPROX WEIGHT IN KG	11.1 kg
APPROX WEIGHT IN LBS	24.47 lbs

FASTLANE 20

CREAM GREEN

XS, S, M, L, XL

425601-8526 (SAP | KMH)
425598-8526 (SAP | MPH)



FRAME	Fastlane Road Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR40, UDH interface, range extender ready
FORK	Fastlane Road HMX Flatmount Disc, 27.2mm eccentric carbon steerer
DRIVE UNIT	TQ HPR40 Mid Motor drive 40Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 290Wh
DISPLAY	TQ Bar-End-Display, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	Shimano 105 Di2 RD-R7150 24 Speed, Electronic Shift System
FRONT DERAILLEUR	Shimano 105 Di2 FD-R7150, Electronic Shift System
SHIFTERS	Shimano 105 Di2 ST-R7170, 24 Speed Electronic Shift System, Shimano BR-R7170 Hyd.Disc
CRANKSET	FSA e-Bike Alloy CK-6048, Chainring 50/34T
CHAIN	Shimano CN-M6100
CASSETTE	Shimano CS-R7100, 11-34
BRAKES	Shimano BR-R7170 Hyd.Disc
FRONT DISC ROTOR	Shimano RT-CL700, 160mm
REAR DISC ROTOR	Shimano RT-CL700, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros HB-R100-AL
H'STEM	Syncros ST-R100-AL
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Belcarra V 2.0 Cut-out, CrMo rails
HEADSET	Acros AIF-1317
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe PRO ONE Fold, 700x34C
REAR TIRE	Schwalbe PRO ONE Fold, 700x34C
ACCESSORIES	Syncros iS Drop Bar Tool 2, Coupe Cage 1.0 bottle cage
APPROX WEIGHT IN KG	11.1 kg
APPROX WEIGHT IN LBS	24.47 lbs




GRAVEL
eRIDE

SOLACE GRAVEL

The Solace Gravel eRIDE is your ticket for fun, fast rides, whether there's a spare moment for a quick spin or longer weekend outings. It's quiet, solid and encourages the exploration of every centimeter of gravel. The TQ HPR60 drive unit together with the 50c tires ensures a riding experience that's unintrusive and natural with or without assistance.



SOLACE GRAVEL 10



SOLACE GRAVEL 20



SOLACE GRAVEL 30



SOLACE GRAVEL 30

	MOTOR	DISPLAY/REMOTE	DEDICATED SMARTPHONE APP BT	BATTERY	RANGE EXTENDER	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME	GEOMETRY
SOLACE GRAVEL 10	TQ HPR60 Mid drive 60NM	Color Display/ Hood Buttons	TQ E-bike	360Wh	160Wh included	Sram Force XPLR AXS	42	10/46	Zipp 303 XPLR SW	50c	Carbon HMX	Ride
SOLACE GRAVEL 20	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ E-bike	360Wh	(optional 160Wh)	Sram Rival XPLR AXS	42	10/46	Syncros Capital 1.0 40	50c	Carbon HMX	Ride
SOLACE GRAVEL 30	TQ HPR60 Mid drive 60NM	Display/ Handlebar Remote	TQ E-bike	360Wh	(optional 160Wh)	Sram Apex XPLR AXS	42	11/44	Syncros Capital GR 25 AL II	50c	Carbon HMX	Ride

SOLACE GRAVEL 10

PALE GREEN/BELUGA GREY

XS, S, M, L, XL

CO

425495-8337 (SAP | KMH)



FRAME	Solace eRIDE Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FORK	Solace eRIDE HMX Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh + 160Wh Range Extender included
DISPLAY	TQ HPR Color, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 4A 100-240V
REAR DERAILLEUR	SRAM FORCE XPLR AXS, 13 Speed Electronic Shift System
CRANKSET	Praxis TQ Carbon
CHAINRING	SRAM X-Sync 42T
CHAIN	SRAM FORCE
CASSETTE	SRAM FORCE XPLR XG1371, 10-46T
BRAKES	SRAM FORCE AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM Paceline X CL, 160mm
REAR DISC ROTOR	SRAM Paceline X CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston iC SL X, Carbon combo
SEATPOST	Syncros Duncan SL iL D-shape
SEAT	Syncros Tofino R SL Cut-out
HEADSET	Acros AIF-1135
WHEELSET	ZIPP 303 XPLR SW Carbon Tubeless disc-brake, 24 Front 12x100mm TA /24 Rear 12x142mm TA , Syncros Axle w/Removable Lever with Tool
FRONT TIRE	Schwalbe G-One Overland PRO Evo, 700x50C
REAR TIRE	Schwalbe G-One Overland PRO Evo, 700x50C
APPROX WEIGHT IN KG	13.2 kg without Range Extender
APPROX WEIGHT IN LBS	29.10 lbs without Range Extender

SOLACE GRAVEL 20

SQUID BLUE/BELUGA GREY

XS, S, M, L, XL

425496-8345 (SAP | KMH)
427906-8345 (SAP | MPH)



FRAME	Solace eRIDE Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FORK	Solace eRIDE HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 4A 100-240V
REAR DERAILLEUR	SRAM RIVAL XPLR AXS, 13 Speed, Electronic Shift System
CRANKSET	Praxis TQ Alloy
CHAINRING	SRAM X-Sync 42T
CHAIN	SRAM RIVAL
CASSETTE	SRAM RIVAL XPLR XG1351, 10-46T
BRAKES	SRAM RIVAL AXS HRD Shift-Brake System
FRONT DISC ROTOR	SRAM HS2 CL, 160mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 1.0 X, Carbon 31.8mm
H'STEM	Syncros RR2.0, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Tofino R 2.0 Cut-out
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital 1.0 40 Disc, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One Overland PRO Evo, 700x50C
REAR TIRE	Schwalbe G-One Overland PRO Evo, 700x50C
APPROX WEIGHT IN KG	13.8 kg
APPROX WEIGHT IN LBS	30.42 lbs

SOLACE GRAVEL 30

CARBON BLACK

XS, S, M, L, XL

CO RAW

425497-3020 (SAP | KMH)
425494-3020 (SAP | MPH)



FRAME	Solace eRIDE Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FORK	Solace eRIDE HMF Flatmount Disc, 1 1/4"-1 1/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	SRAM APEX XPLR, 12 Speed
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-Sync 42T
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231, 11-44T
BRAKES	SRAM APEX AXS Shift-Brake System
FRONT DISC ROTOR	SRAM HS2 CL, 160mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Tofino R 2.0 Cut-out
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital GR 25 AL II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One Overland RaceGuard, 700x50C
REAR TIRE	Schwalbe G-One Overland RaceGuard, 700x50C
APPROX WEIGHT IN KG	14.3 kg
APPROX WEIGHT IN LBS	31.53 lbs

WHAT'S NEW

New wheels: Syncros Capital GR 25 AL II

SOLACE GRAVEL 30

CREAM GREEN/GROVE GREEN

XS, S, M, L, XL

425497-8528 (SAP | KMH)



FRAME	Solace eRIDE Disc HMX, ride geometry, Syncros Cable Integration System, TQ HPR60, UDH Interface, Range Extender Ready
FORK	Solace eRIDE HMF Flatmount Disc, 11/4"-11/2" Eccentric Carbon steerer
DRIVE UNIT	TQ HPR60 Mid Motor drive 60Nm max Torque, EU: 25kmh - INT: 20mph - US: 28mph
BATTERY	TQ Internal 360Wh
DISPLAY	TQ HPR, Bluetooth, ANT+, Dedicated Smartphone app
CHARGER	TQ 2A 100-240V
REAR DERAILLEUR	SRAM APEX XPLR, 12 Speed
CRANKSET	FSA eBike Alloy CK-746
CHAINRING	SRAM X-Sync 42T
CHAIN	SRAM APEX
CASSETTE	SRAM XPLR PG1231, 11-44T
BRAKES	SRAM APEX AXS Shift-Brake System
FRONT DISC ROTOR	SRAM HS2 CL, 160mm
REAR DISC ROTOR	SRAM HS2 CL, 160mm
GRIPS	Syncros RC Bartape
HANDLEBAR	Syncros Creston 2.0 X, Alloy 31.8mm
H'STEM	Syncros RR2.5, 1 1/4", four Bolt 31.8mm
SEATPOST	Syncros Duncan 1.0 iL D-shape
SEAT	Syncros Tofino R 2.0 Cut-out
HEADSET	Acros AIF-1134
WHEELSET	Syncros Capital GR 25 AL II, 24 Front, 24 Rear, Syncros Axle
FRONT TIRE	Schwalbe G-One Overland RaceGuard, 700x50C
REAR TIRE	Schwalbe G-One Overland RaceGuard, 700x50C
APPROX WEIGHT IN KG	14.3 kg
APPROX WEIGHT IN LBS	31.53 lbs

WHAT'S NEW

New wheels: Syncros Capital GR 25 AL II


ALL TERRAIN
/ URBAN
eRIDE



ALL TERRAIN / URBAN
LINE-UP eRIDE

Leisure? Recreation? Every day transportation? Running errands? SCOTT's Urban and All-Terrain electric offering has got you covered. What we really aim for is that, no matter where you're from, no matter if you live in the city, in the suburbs or on top of a hill, we invite you to get out there to EMBRACE MOVEMENT.





AXIS

The SCOTT AXIS combines everyday practicality with adventure-ready performance, powered by the latest Bosch drive units and removable batteries for maximum flexibility—whether you're commuting, exploring, or heading out with kids and dogs. No problem. AXIS is built for it. It comes in two sleek frame shapes and features SP Connect on the stem, the adjustable stem strong rear rack supporting till 30 Kg.As comfortable as you want. As capable as you need.



E-VILLE

The E-VILLE is a dedicated wave urban full suspension solution, blending rugged versatility and urban sophistication. With its low step-through frame, full suspension, adjustable stem, dropper seat post, SP connect mount, removable battery and trailer compatibility, the E-Ville range is ready for everything, delivering the ideal balance of high comfort in a minimalistic silhouette, inside and outside the cities, for commuting or weekend get-aways."



PASSAGE

Style, power, and a lightweight riding feel make Passage the ideal choice for riders navigating flat or moderately urban terrain.

With two frame shape options, a robust rear rack supporting up to 20 kg, and the Bosch SX drive unit paired with a 400 Wh battery, Passage delivers a smooth, efficient, and confidence-inspiring ride every day. Passage 10 is equipped with a belt drive and internal gear hub, offering a clean, quiet, and low-maintenance riding experience—perfect for hassle-free commuting, while Passage 20 is equipped with rear derailleur.



SUB

The power to do more with SUB, equipped with the latest Bosch drive units and high-performance batteries, it's the perfect solution for longer commutes – whether you live in a hilly city or a suburban neighborhood. SUB comes in two versions: the SUB Tour, featuring an internal gear hub and a low-maintenance belt drive, and the SUB Sport, equipped with a classic rear derailleur for a more dynamic riding feel.

Both versions are available in two frame shapes and come with SP Connect, an adjustable stem, and a versatile rear rack compatible with Snap it 2.0 as well as Kids and Carry accessories. The rack supports up to 30 kg, giving you the flexibility to bring along everything – and everyone – you need.



SWEEP

SCOTT Sweep is a sleek, modern, and city-ready e-Urban platform built around the Bosch rear-hub drive system and a 360Wh battery, delivering a smooth, confident ride that makes everyday urban commuting both enjoyable and efficient. Available in two models—each featuring an easy-to-remove battery system—the Sweep lineup offers distinct riding personalities: the Sweep 10, with its rigid fork, delivers a clean, sporty aesthetic, while the Sweep 20 adds greater comfort and versatility through a front suspension fork, an adjustable stem, and two frame shape options.



SUMMERVILLE

Summerville LT 200 and 600 are the first ever SCOTT Long Tail e-cargo bikes. They are the perfect stylish, safe and family-friendly solution that fit up to two kids, for city dwellers who live in the city or in the nearest suburbs. They come already equipped with all the accessories needed for a comfortable, safe, and reliable ride for all the passengers: blinkers, kickstand, footrest, front carrier, wheel guard, seat cushion, canopy, handrail, enough?
Summerville LT are designed for urban mobility, made for everyday.

AXIS

OVERVIEW



AXIS 10



AXIS 10 WAVE



AXIS 20



AXIS 20 WAVE



AXIS 30 WAVE



AXIS 40 WAVE

	BOSCH PERFORMANCE LINE CX	BOSCH PERFORMANCE LINE	BOSCH PURION 200	BOSCH PT800WH BATTERY	BOSCH PT720WH BATTERY	BOSCH PT540WH BATTERY	GROUPSET	SPEED
AXIS 10	x		x	x			Shimano CUES / MT420 4 Piston	11
AXIS 10 WAVE	x		x	x			Shimano CUES / MT420 4 Piston	11
AXIS 20	x		x		x		Shimano CUES / MT200 2 Piston	10
AXIS 20 WAVE	x		x		x		Shimano CUES / MT200 2 Piston	10
AXIS 30 WAVE		x	x			x	Shimano CUES / MT200 2 Piston	9
AXIS 40 WAVE		x	x			x	Shimano CUES / MT200 2 Piston	9

AXIS 10

IVORY BEIGE

S, M, L, XL, XXL

427653-7936 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U8000 11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT420 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros Dropper, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.2 kg
APPROX WEIGHT IN LBS	62.17 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready
Adjustable stem

AXIS 10 WAVE

AUBERGINE RED

S, M, L, XL

427654-7307 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U8000 11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT420 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.1 kg
APPROX WEIGHT IN LBS	64.15 lbs

WHAT'S NEW

SP Connect
Kid 'n Carry Ready
Adjustable stem

AXIS 20

GRANITE BLACK

S, M, L, XL, XXL

427655 - 6922 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros Dropper, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.2 kg
APPROX WEIGHT IN LBS	62.17 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready
Adjustable stem

AXIS 20 WAVE

OFF WHITE

S, M, L, XL

427656-00071 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros Dropper , 31.6mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.1 kg
APPROX WEIGHT IN LBS	64.15 lbs

WHAT'S NEW

SP Connect
Kid 'n Carry Ready
Adjustable stem

AXIS 30 WAVE

CLOUD GREY

S, M, L, XL

427657-8525 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.8 kg
APPROX WEIGHT IN LBS	65.7 lbs

WHAT'S NEW

SP Connect
Kid 'n Carry Ready
Adjustable stem

AXIS 40 WAVE

KELP GREEN

S, M, L, XL

25 km/h

427658-6546 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	120mm
FORK	SR Suntour XCM 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	27.7 kg
APPROX WEIGHT IN LBS	61.07 lbs

WHAT'S NEW

SP Connect
Kid 'n Carry Ready
Adjustable stem



E-VILLE

OVERVIEW



E-VILLE 10 SUV



E-VILLE 10 SUV



E-VILLE 20



E-VILLE 20

	BOSCH PERFORMANCE LINE CX	BOSCH KIOX 300	BOSCH PURION 200	BOSCH LED CONTROLLER	BOSCH PT800WH BATTERY	BOSCH PT720WH BATTERY	GROUPSET	SPEED
E-VILLE 10 SUV	x	x		x	x		Shimano CUES / MT420 4 Piston	11
E-VILLE 20	x		x			x	Shimano CUES / MT420 4 Piston	10

E-VILLE 10 SUV

TAWNY GREEN

S, M, L, XL

427685 - 8589 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery
TRAVEL	120mm
FORK	RockShox Recon Silver RL
REAR SHOCK	SR Suntour Raidon-R-TR T 145x35
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U8000 11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT4120 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 90 mm −10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snaplt 2.0 20Kg
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	31.16 kg
APPROX WEIGHT IN LBS	68.7 lbs

WHAT'S NEW

Alloy FS Frame
SP Connect
Dropper post
Bike Trailer Ready
Adjustable Stem

E-VILLE 10 SUV

PEACH PINK

S, M, L, XL

427685-8566 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery
TRAVEL	120mm
FORK	RockShox Recon Silver RL
REAR SHOCK	SR Suntour Raidon-R-TR T 145x35
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U8000 11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	FSA CK 220 165mm
CHAINRING	FSA 36T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT4120 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 90 mm -10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Advancer 60-622
REAR TIRE	Schwalbe Advancer 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Curana Apollo 75
PEDALS	VP VPE-506
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	31.16 kg
APPROX WEIGHT IN LBS	68.7 lbs

WHAT'S NEW

Alloy FS Frame
SP Connect
Dropper post
Bike Trailer Ready
Adjustable Stem

E-VILLE 20

TUNGSTEN GREY

S, M, L, XL

427686-8350 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
REAR SHOCK	SR Suntour Raidon-R-TR T 145x35
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-10
CRANKSET	FSA CK 220 170mm
CHAINRING	FSA 38T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT4120 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 90 mm −10°~+60°, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 60-622
REAR TIRE	Schwalbe Big Apple Performance, 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snaplt 2.0 20Kg
FENDER	Curana Apollo 75
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	31.3 kg
APPROX WEIGHT IN LBS	69 lbs

WHAT'S NEW

- Alloy FS Frame
- SP Connect
- Dropper post
- Bike Trailer Ready
- Adjustable Stem

E-VILLE 20

SILT GREEN

S, M, L, XL

427686-8582 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
REAR SHOCK	SR Suntour Raidon-R-TR T 145x35
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-10
CRANKSET	FSA CK 220 170mm
CHAINRING	FSA 38T with Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT4120 4-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 19mm, Backsweep 15°
H'STEM	JD, Adjustable, 90 mm −10°~+60°, SP Connect
SEATPOST	Syncros Dropper, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X18 Disc
REAR RIM	X18 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 60-622
REAR TIRE	Schwalbe Big Apple Performance, 60-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 20Kg
FENDER	Curana Apollo 75
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	31.3 kg
APPROX WEIGHT IN LBS	69 lbs

WHAT'S NEW

Alloy FS Frame
SP Connect
Dropper post
Bike Trailer Ready
Adjustable Stem



PASSAGE

OVERVIEW



PASSAGE 10 BELT



PASSAGE 10 BELT WAVE



PASSAGE 20



PASSAGE 20 WAVE



PASSAGE 20 WAVE

	BOSCH PERFORMANCE LINE SX	BOSCH PURION 200	BOSCH CPT400WH BATTERY	GROUPSET	SPEED
PASSAGE 10 BELT	x	x	x	Shimano Nexus 8/ MT200 2 Piston	8
PASSAGE 10 BELT WAVE	x	x	x	Shimano Nexus 8/ MT200 2 Piston	8
PASSAGE 20	x	x	x	Shimano CUES / MT200 2 Piston	9
PASSAGE 20 BELT WAVE	x	x	x	Shimano CUES / MT200 2 Piston	9

PASSAGE 10 BELT

CLOUD GREY

S, M, L, XL, XXL

427660-8525 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32 E AIR LO
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus 8 Speed Disc
SHIFTERS	Shimano Alfine SL-S503 Rapid Fire Plus
CRANKSET	FSA CK 220 170mm
CHAINRING	Gates CDC 52T w/Guard
CHAIN	Gates CDC 125T
CASSETTE	Gates CDC 26T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HBTC50015B CL, 15x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
REAR TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snapit 2.0 20Kg
FENDER	Curana C-Lite 55
PEDALS	Marwi SP-827
EXTRAS	Hebie IC Kickstand
APPROX WEIGHT IN KG	21.8 kg
APPROX WEIGHT IN LBS	48.06 lbs

WHAT'S NEW

SP Connect
Carrier 20Kg
Adjustable Stem
50x622 Tires
XXL Size

PASSAGE 10 BELT WAVE

PARADISE GREEN

S, M, L, XL

427662-8423 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32 E AIR LO
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus 8 Speed Disc
SHIFTERS	Shimano Alfine SL-S503 Rapid Fire Plus
CRANKSET	FSA CK 220 170mm
CHAINRING	Gates CDC 52T w/Guard
CHAIN	Gates CDC 125T
CASSETTE	Gates CDC 26T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HBTC50015B CL, 15x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
REAR TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snapit 2.0 20Kg
FENDER	Curana C-Lite 55
PEDALS	Marwi SP-827
EXTRAS	Hebie IC Kickstand
APPROX WEIGHT IN KG	22.5 kg
APPROX WEIGHT IN LBS	49.6 lbs

WHAT'S NEW

SP Connect
Carrier 20Kg
50x622 Tires
Adjustable stem

PASSAGE 20

CINDER GREY

S, M, L, XL, XXL

427663-8524 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32 E AIR LO
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINRING	FSA 42T DM With Chainguard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBTC50015B CL, 15x100mm
REAR HUB	Shimano FH-TC500 142mm
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
REAR TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier Snapit 2.0 20Kg
FENDER	Curana C-Lite 55
PEDALS	Marwi SP-827
EXTRAS	Hebie IC Kickstand
APPROX WEIGHT IN KG	21.8 kg
APPROX WEIGHT IN LBS	48.06 lbs

WHAT'S NEW

SP Connect
Carrier 20Kg
Adjustable Stem
50x622 Tires
XXL Size

PASSAGE 20 WAVE

SIGNAL GREY

S, M, L, XL

427665-8578 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32 E AIR LO
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINRING	FSA 42T DM With Chainguard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBTC50015B CL, 15x100mm
REAR HUB	Shimano FH-TC500 142mm
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
REAR TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier Snapit 2.0 20Kg
FENDER	Curana C-Lite 55
PEDALS	Marwi SP-827
EXTRAS	Hebie IC Kickstand
APPROX WEIGHT IN KG	22.2 kg
APPROX WEIGHT IN LBS	48.94 lbs

WHAT'S NEW

SP Connect
Carrier 20Kg
50x622 Tires
Adjustable stem

PASSAGE 20 WAVE

DOGWOOD PINK

S, M, L, XL

427665-8530 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NRX32 E AIR LO
DRIVE UNIT	Bosch Performance Line SX
BATTERY	Compact Tube 400Wh
DISPLAY	Bosch Purion 200
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINRING	FSA 42T DM With Chainguard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBTC50015B CL, 15x100mm
REAR HUB	Shimano FH-TC500 142mm
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
REAR TIRE	Schwalbe G-One Overland 365 Perf, 700x50C
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier Snapit 2.0 20Kg
FENDER	Curana C-Lite 55
PEDALS	Marwi SP-827
EXTRAS	Hebie IC Kickstand
APPROX WEIGHT IN KG	22.2 kg
APPROX WEIGHT IN LBS	48.94 lbs

WHAT'S NEW

SP Connect
Carrier 20Kg
50x622 Tires
Adjustable stem

SUB

OVERVIEW



SUB TOUR 10



SUB TOUR 10 WAVE



SUB TOUR 10 WAVE



SUB TOUR 20



SUB TOUR 20 WAVE



SUB TOUR 20 WAVE



SUB TOUR 30



SUB TOUR 30 WAVE



SUB TOUR 40



SUB TOUR 40 WAVE



SUB TOUR 40 WAVE



SUB TOUR 50



SUB TOUR 50 WAVE

	BOSCH PERFORMANCE LINE CXW	BOSCH PERFORMANCE LINE PX	BOSCH PERFORMANCE LINE	BOSCH KIOX 300	BOSCH PURION 200	BOSCH LED CONTROLLER	BOSCH PT800WH BATTERY	BOSCH PT720WH BATTERY	BOSCH PT540WH BATTERY	GROUPSET	SPEED
SUB TOUR 10	x			x		x	x			Shimano Nexus 5e/ MT200	5
SUB TOUR 10 WAVE	x			x		x	x			Shimano Nexus 5e/ MT200	5
SUB TOUR 20		x			x			x		Shimano Nexus 5e/ MT200	5
SUB TOUR 20 WAVE		x			x			x		Shimano Nexus 5e/ MT200	5
SUB TOUR 30			x		x			x		Shimano Nexus 5e/ MT200	5
SUB TOUR 30 WAVE			x		x			x		Shimano Nexus 5e/ MT200	5
SUB TOUR 40			x		x				x	Shimano Nexus 5e/ MT200	5
SUB TOUR 40 WAVE			x		x				x	Shimano Nexus 5e/ MT200	5
SUB TOUR 50			x		x				x	Shimano Nexus 5e/ MT200	5
SUB TOUR 50 WAVE			x		x				x	Shimano Nexus 5e/ MT200	5

SUB SPORT



SUB SPORT 10



SUB SPORT 10 WAVE



SUB SPORT 10 WAVE



SUB SPORT 20



SUB SPORT 20 WAVE



SUB SPORT 20 WAVE



SUB SPORT 30



SUB SPORT 30 WAVE



SUB SPORT 30 WAVE



SUB SPORT 40 WAVE

	BOSCH PERFORMANCE LINE CXW	BOSCH PERFORMANCE LINE PX	BOSCH PERFORMANCE LINE	BOSCH KIOX 300	BOSCH PURION 200	BOSCH LED CONTROLLER	BOSCH PT800WH BATTERY	BOSCH PT720WH BATTERY	BOSCH PT540WH BATTERY	GROUPSET	SPEED
SUB SPORT 10	x			x		x	x			Shimano CUES / MT200	10
SUB SPORT 10 WAVE	x			x		x	x			Shimano CUES / MT200	10
SUB SPORT 20		x			x			x		Shimano CUES / MT200	10
SUB SPORT 20 WAVE		x			x			x		Shimano CUES / MT200	10
SUB SPORT 30			x		x				x	Shimano CUES / MT200	9
SUB SPORT 30 WAVE			x		x				x	Shimano CUES / MT200	9
SUB SPORT 40 WAVE			x		x				x	Shimano CUES / MT200	9

SUB TOUR 10

CELESTIAL SILVER

S, M, L, XL, XXL

427666-8521 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.1 kg
APPROX WEIGHT IN LBS	61.95 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB TOUR 10 WAVE

CELESTIAL SILVER

S, M, L, XL

427667-8521 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snaplt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.7 kg
APPROX WEIGHT IN LBS	65.48 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 10 WAVE

PARADISE GREEN

S, M, L, XL

427667-8423 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Kiox 300
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros Dropper Post, 31.6mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.7 kg
APPROX WEIGHT IN LBS	65.48 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 20

GRANITE BLACK

S, M, L, XL, XXL

427668-6922 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snaplt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.1 kg
APPROX WEIGHT IN LBS	61.95 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB TOUR 20 WAVE

GRANITE BLACK

S, M, L, XL

427669-6922 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.7 kg
APPROX WEIGHT IN LBS	65.48 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 20 WAVE

SILK BLUE

S, M, L, XL

427669-8581 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier Snaplt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.7 kg
APPROX WEIGHT IN LBS	65.48 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 30

CHROME SILVER

S, M, L, XL, XXL

427670-7958 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDC 46T w/Guard
CHAIN	Gates CDC 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.1 kg
APPROX WEIGHT IN LBS	61.95 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB TOUR 30 WAVE

HAIL BLUE

S, M, L, XL

427671-8541 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDC 46T w/Guard
CHAIN	Gates CDC 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.7 kg
APPROX WEIGHT IN LBS	65.48 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 40

SHADOW BLUE

S, M, L, XL, XXL

427672-8577 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDC 46T w/Guard
CHAIN	Gates CDC 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.4 kg
APPROX WEIGHT IN LBS	62.61 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB TOUR 40 WAVE

SHADOW BLUE

S, M, L, XL

427673-8577 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDC 46T w/Guard
CHAIN	Gates CDC 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.1 kg
APPROX WEIGHT IN LBS	66.36 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 40 WAVE

ROYAL PURPLE

S, M, L, XL

427673-8574 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	Gates CDC 46T w/Guard
CHAIN	Gates CDC 130T
CASSETTE	Gates CDX 32T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.8 kg
APPROX WEIGHT IN LBS	65.7 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB TOUR 50

BLACK

S, M, L, XL, XXL

427721-0001 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAIN	KMC Z1
CASSETTE	Shimano CSC700027 27T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	27.6 kg
APPROX WEIGHT IN LBS	60.85 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB TOUR 50 WAVE

CLOUD GREY

S, M, L, XL

427722-8525 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, 135mm with 46mm Beltline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Nexus Inter 5e
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	Miranda Virage 170mm
CHAINGUIDE	Chaincase cover
CHAIN	KMC Z1
CASSETTE	Shimano CSC700027 27T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.8 kg
APPROX WEIGHT IN LBS	67.9 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB SPORT 10

CINDER GREY

S, M, L, XL, XXL

427674-8524 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.9 kg
APPROX WEIGHT IN LBS	63.71 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready
Bike Trailer Ready

SUB SPORT 10 WAVE

CINDER GREY

S, M, L, XL

427675-8524 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.6 kg
APPROX WEIGHT IN LBS	67.46 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready
Bike Trailer Ready

SUB SPORT 10 WAVE

CANARY YELLOW

S, M, L, XL

427675-8519 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST AIR LO
DRIVE UNIT	Bosch Performance Line CX (BDU384Y)
BATTERY	Bosch PowerTube 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.6 kg
APPROX WEIGHT IN LBS	67.46 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready
Bike Trailer Ready

SUB SPORT 20

SIGNAL GREY

S, M, L, XL, XXL

427676-8578 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros M3.0, 31 6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	28.9
APPROX WEIGHT IN LBS	63.71

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready
Bike Trailer Ready

SUB SPORT 20 WAVE

SIGNAL GREY

S, M, L, XL

427677-8578 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros M3.0, 31 6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.6 kg
APPROX WEIGHT IN LBS	67.46 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB SPORT 20 WAVE

AUBERGINE PURPLE

S, M, L, XL

427677-4638 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 12x148mm with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour XCM34 BOOST COIL LO
DRIVE UNIT	Bosch Performance Line PX
BATTERY	Bosch PowerTube 720Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 10-Speed 11-48T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, Kiox 300, SP Connect
SEATPOST	Syncros M3.0, 31 6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8), Sealed Bearing, Alloy Cup
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano FH-TC500 148mm
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Hecto Pro STVZO E400
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Curana Apollo 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.6 kg
APPROX WEIGHT IN LBS	67.46 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB SPORT 30

BLACK

S, M, L, XL, XXL

427678-0001 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Side extraction battery, UDH Interface, 141mm QR with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 12mm, Backsweep 15°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier Snaplt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	27.7 kg
APPROX WEIGHT IN LBS	61.07 lbs

WHAT'S NEW

Geometry Frame Update
XXL size
SP connect
Kid 'n Carry Ready

SUB SPORT 30 WAVE

BLACK

S, M, L, XL

427679-0001 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 141mm QR with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	29.3 kg
APPROX WEIGHT IN LBS	64.6 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB SPORT 30 WAVE

STERLING BLUE

S, M, L, XL

427679 - 8346 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 141mm QR with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Performance Line (BDU346Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier Snaplt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.3 kg
APPROX WEIGHT IN LBS	66.8 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready

SUB SPORT 40 WAVE

BLACK

S, M, L, XL

427680-0001 (SAP | KMH)



FRAME	Alloy S-XL=29", 6061 Alloy custom butted tubing, Top extraction battery, UDH Interface, 141mm QR with 52mm Chainline
TRAVEL	100mm
FORK	SR Suntour NVX 32 5TA COIL LO
DRIVE UNIT	Bosch Active Line Plus (BDU344Y)
BATTERY	Bosch PowerTube 540Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	FSA CK 220 170mm
CHAINGUIDE	Chaincase cover
CHAINRING	FSA 38T w/o Chain Guard
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 180mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros UC3.0 680mm, Rise 26mm, Backsweep 30°
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	Shimano HBQC400B58LL, 5x100mm
REAR HUB	Shimano FH-QC400-HM QR
SPOKES	Stainless Black 13G
FRONT RIM	X17 Disc
REAR RIM	X17 Disc
FRONT TIRE	Schwalbe Big Apple Performance, 55-622
REAR TIRE	Schwalbe Big Apple Performance, 55-622
FRONT LIGHT	Lezyne Mini Lite STVZO E350
RACK	Racktime carrier SnapIt 2.0 30Kg Kid 'n Carry Ready
FENDER	Metasol 65
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	30.25 kg
APPROX WEIGHT IN LBS	66.69 lbs

WHAT'S NEW

SP connect
Kid 'n Carry Ready



SWEEP

OVERVIEW



SWEEP 10



SWEEP 20



SWEEP 20 WAVE

	BOSCH HUB DRIVE	BOSCH PURION 200	BOSCH PT360WH BATTERY	GROUPSET	SPEED
SWEEP 10	x	x	x	Shimano CUES / MT200	9
SWEEP 20	x	x	x	Shimano CUES / MT200	9
SWEEP 20 WAVE	x	x	x	Shimano CUES / MT200	9

SUMMERVILLE

OVERVIEW



SUMMERVILLE LT 200



SUMMERVILLE LT 600

	BOSCH CARGO LINE	BOSCH PURION 200	BOSCH POWERPACK 800WH BATTERY	GROUPSET	SPEED
SUMMERVILLE LT 200	x	x	x	Shimano Nexus 5e/ Magura Elite Leisure	5
SUMMERVILLE LT 600	x	x	x	Shimano Nexus 5e/ Magura Elite Leisure	5

SWEEP 10

SIGNAL WHITE

S, M, L, XL, XXL

25 km/h

427682-8580 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Bottom extraction battery
FORK	Alloy Rigid
DRIVE UNIT	Hub Drive Motor
BATTERY	Powertube 360
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel DMG-FD04SG
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT26 6B, 180mm
REAR DISC ROTOR	Shimano SM-RT26 6B, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros Welded Alloy Combo 680mm, Back Sweep 9°, Up Sweep 8°, 70mm, with front Light mount
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Athletic 155mm
HEADSET	Acros
FRONT HUB	Formula RX-812
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Super Moto 50-622
REAR TIRE	Super Moto 50-622
FRONT LIGHT	LUMOTEC Briq-S
FENDER	Alumee W62
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	22 kg
APPROX WEIGHT IN LBS	48.5 lbs

WHAT'S NEW

Frame
Fork
Bosch Hub Drive
PT360

SWEEP 20

CHROME SILVER

S, M, L, XL, XXL

427683-7958 (SAP | KMH)



FRAME	Alloy S-XXL=29", 6061 Alloy custom butted tubing, Bottom extraction battery
TRAVEL	75mm
FORK	SR Suntour NEX-E25-DS COIL
DRIVE UNIT	Hub Drive Motor
BATTERY	Powertube 360
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel DMG-FD04SG
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT26 6B, 180mm
REAR DISC ROTOR	Shimano SM-RT26 6B, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Satori Seagual Sweep 40°, RISE 40mm, 31,8mm
H'STEM	JD, Adjustable, 31.8*90 mm -10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	HB-QB400
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	Lezyne Hecto E65 STVZO
RACK	Racktime Stand-it Eco 2.0
FENDER	Metasol 60
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	24.6 kg
APPROX WEIGHT IN LBS	54.23 lbs

WHAT'S NEW

Frame
SP Connect
Bosch Hub Drive
PT360

SWEEP 20 WAVE

CHROME SILVER

S, M, L, XL

427684-7958 (SAP | KMH)
427907-7958 (SAP | MPH)



FRAME	Alloy S-L=29", 6061 Alloy custom butted tubing, Top extraction battery
TRAVEL	75mm
FORK	SR Suntour NEX-E25-DS COIL
DRIVE UNIT	Hub Drive Motor
BATTERY	Powertube 360
DISPLAY	Bosch Purion 200
CHARGER	Bosch 2A Charger 230V
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 With Display
CRANKSET	Prowheel DMG-FD04SG
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Shimano BR-MT201 2-Piston
FRONT DISC ROTOR	Shimano SM-RT26 6B, 180mm
REAR DISC ROTOR	Shimano SM-RT26 6B, 180mm
GRIPS	Urban Comfort
HANDLEBAR	Satori HB-Seagull, Sweep 40°, RISE 40mm, 31,8mm
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Syncros M3.0, 31.6mm, 350mm
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	Feimin, 28.8-56-62(39.8/30), H887 Bearing Cup
FRONT HUB	HB-QB400
SPOKES	Stainless Black 13G
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	Lezyne Hecto E65 STVZO
RACK	Racktime Stand-it Eco 2.0
FENDER	Metasol 60
PEDALS	Marwi SP-827
EXTRAS	Ursus U-Mount Kickstand
APPROX WEIGHT IN KG	24.7 kg
APPROX WEIGHT IN LBS	54.45 lbs

WHAT'S NEW

Frame
SP Connect
Bosch Hub Drive
PT360

SUMMERVILLE LT 200

SIGNAL WHITE

ONE SIZE

427702-8580



FRAME	20", lightweight AL-6061 tubing, Long Tail version, PowerPack battery
TRAVEL	Front: 80mm
FORK	SR Suntour Mobie34 Air
DRIVE UNIT	Bosch Cargo Line
BATTERY	Bosch PowerPack 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 165mm
CHAINRING	Gates CDX 46T w/Guard
CHAIN	Gates CDX 174T
CASSETTE	Gates CDX 28T
BRAKES	Magura Louise Elite Leisure, Heavy Duty, 4-Piston
FRONT DISC ROTOR	Magura MDR-S 180mm, CL 2.0
REAR DISC ROTOR	Magura MDR-S 180mm, CL 2.0
GRIPS	Urban Comfort
HANDLEBAR	Syncros Alloy 31.8mm, 20° Backsweep
H'STEM	Speedlifter Twist PRO 2 SDS
SEATPOST	Satori Sorata 34.9mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Top: FEIMIN FP-H856F4- Bottom: Cane Creek Viscoset
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano SG-C7005 Nexus 5 Speed
SPOKES	Stainless Black 13G
FRONT RIM	Mach1, Trucky 30, 20"
REAR RIM	Mach1, Trucky 30, 20"
FRONT TIRE	Schwalbe Pick-Up Performace, Super Defense 65-406
REAR TIRE	Schwalbe Pick-Up Performace, Super Defense 65-406
FRONT LIGHT	Lezyne Ebike Lite STVZO E450
RACK	Front: Custom Alloy front carrier, * w/MIK system, W/ cable routing base: Rear: Alloy Long tail rear carrier, p/c matt black, * w/MIK HD system
FENDER	Curana Apollo 75
PEDALS	Marwi SP-827
ACCESSORIES	Custom handrail, seat-cushion and canopy
APPROX WEIGHT IN KG	42.72 kg
APPROX WEIGHT IN LBS	94.18 lbs

WHAT'S NEW

Frame, Speedlifter
Twist PRO 2 SDS
Blinkers
All accessories included
Trailer compatible

SUMMERVILLE LT 600

GREY WHITE

S, L

427703-8539



FRAME	26", lightweight AL-6061 tubing, Long Tail version, PowerPack battery
TRAVEL	Front: 80mm
FORK	SR Suntour Mobie35 Air
DRIVE UNIT	Bosch Cargo Line
BATTERY	Bosch PowerPack 800Wh
DISPLAY	Bosch Purion 200
CHARGER	Bosch 4A Charger 230V
SHIFTERS	Nexus 5 Revo Shifter
CRANKSET	FSA CK 220 165mm
CHAINRING	Gates CDX 50T w/Guard
CHAIN	Gates CDX 166T
CASSETTE	Gates CDX 36T
BRAKES	Magura Louise Elite Leisure, Heavy Duty, 4-Piston
FRONT DISC ROTOR	Magura MDR-S 180mm, CL 2.0
REAR DISC ROTOR	Magura MDR-S 180mm, 6B 2.0
GRIPS	Urban Comfort
HANDLEBAR	Syncros Alloy 31.8mm, 20° Backsweep
H'STEM	JD, Adjustable, 31.8*90 mm −10°~+60°, SP Connect
SEATPOST	Satori Sorata 34.9mm
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	Top: Acros- Bottom: Cane Creek Viscoset
FRONT HUB	Shimano HB-TC500 15x110mm
REAR HUB	Shimano SG-C7010 Nexus 5 Speed
SPOKES	Stainless Black 13G
FRONT RIM	Mach1, Trucky 30, 26"
REAR RIM	Mach1, Trucky 30, 26"
FRONT TIRE	Schwalbe Pick-Up Performace, Super Defense 65-559
REAR TIRE	Schwalbe Pick-Up Performace, Super Defense 65-559
FRONT LIGHT	Lezyne Ebike Lite STVZO E450
RACK	Front: Custom Alloy front carrier, * w/MIK system, W/ cable routing base: Rear: Alloy Long tail rear carrier, p/c matt black, * w/MIK HD system
FENDER	Curana Apollo 75
PEDALS	Marwi SP-827
ACCESSORIES	Custom handrail, seat-cushion and canopy
APPROX WEIGHT IN KG	45.04 kg
APPROX WEIGHT IN LBS	99.3 lbs

WHAT'S NEW

Frame
SP Connect
Blinkers
All accessories included
Trailer compatible


URBAN
BIKE



URBAN
LINE-UP





METRIX

The SCOTT Metrix is the ultimate hyper-commuter bike, built for daily city rides and all-weather conditions. With a sporty alloy frame, integrated cable routing, lights and fenders, it blends high-end performance with practicality and versatility. Every component has been chosen for precision and durability, making it more than a bike—it's a reliable partner for fitness-focused riders with on-the-go lifestyles.



VITESS

Lightweight, reliable, and stable, the SCOTT Vitess is made for urban riding and light touring. Its balanced, upright position delivers all-day comfort with a sleek, sporty feel. Vitess is available in two configurations, with rigid fork and suspended fork, and in three different frame shapes - there's a Vitess for every style of rider. Fully equipped with fenders, carriers, dynamo-powered lights, and multiple mounting points, it's ready for anything from city cruising to weekend adventures.



SUB CROSS

Designed for urban explorers and everyday riders, the SCOTT Sub Cross offers comfort, stability and ease of use. With two frame shapes options, rigid or suspension forks, hydraulic disc brakes, multi-speed drivetrains, and rack and fender compatibility, it's ready for any journey. The Sub Cross is an ideal choice for those who enjoy commuting and touring by bike.

METRIX



METRIX 10



METRIX 20



METRIX 30

	GROUPSET	CHAIN RINGS	CASSETTE	WHEELS	TIRE	FRAME
METRIX 10	Shimano Cues 6000	40	11/48	Syncros Race X25 Disc	40C	Alloy
METRIX 20	Shimano Cues 4000	40	11/46	Syncros Race X25 Disc	40C	Alloy
METRIX 30	Shimano Cues 4000	40	11/46	Syncros Race X25 Disc	40C	Alloy

METRIX 10

IRON GREY

S, M, L, XL, XXL

427687-3831



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
CRANKSET	Shimano Cues FC-U6000 40T
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 10-Speed 11-48T
BRAKES	Shimano BR-RS405 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros 3.0, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 32H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
FRONT LIGHT	Hermanns MR5
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	14.22 kg
APPROX WEIGHT IN LBS	31.35 lbs

METRIX 20

ATMOSPHERE GREY

S, M, L, XL, XXL

427688-8515



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
CRANKSET	Shimano Cues FC-U6000 40T
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 9-Speed 11-46T
BRAKES	Shimano BR-UR300 Hyd. Disc
FRONT DISC ROTOR	Shimano RT-CL300, 160mm
REAR DISC ROTOR	Shimano RT-CL300, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros 3.0, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Shutter Precision PL-7, 32h, Thru axle
REAR HUB	Formula CL Disc 32 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 32H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
FRONT LIGHT	Hermanns CL3
FENDER	Fenderset, alloy
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	14.09 kg
APPROX WEIGHT IN LBS	31.06 lbs

METRIX 30

TURBULENCE GREY

S, M, L, XL, XXL

427689-8595



FRAME	28", ultra lite AL-6061
FORK	Allroad alloy, 12x100 mm axle, 1 1/8" alloy steerer
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
CRANKSET	Shimano Cues FC-U4000, 40T
BB-SET	Shimano BB-UN101
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300 9-Speed 11-46T
BRAKES	Shimano BR-UR300 Hyd. Disc
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	Syncros 3.0, 31.8mm, 9°, 12mm rise, Syncros Comfort lock-on grips
H'STEM	Syncros, 1 1/8", four Bolt 31.8mm, GoPro Mount
SEATPOST	Syncros alloy, 10mm offset, 31.6x400mm
SEAT	Syncros Tofino R 2.5
HEADSET	Acros AZA-812
FRONT HUB	Formula Team II CL Disc 28 H
REAR HUB	Formula Team II CL Disc 28 H
SPOKES	Black 2mm
FRONT RIM	Syncros Race X25 Disc 28H
REAR RIM	Syncros Race X25 Disc 28H
FRONT TIRE	Schwalbe G-One Comp, 700x40C
REAR TIRE	Schwalbe G-One Comp, 700x40C
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	12.08 kg
APPROX WEIGHT IN LBS	26.63 lbs

SUB CROSS

OVERVIEW



SUB CROSS 10



SUB CROSS 10 SLOPE



SUB CROSS 20



SUB CROSS 20 SLOPE



SUB CROSS 30



SUB CROSS 30 SLOPE



SUB CROSS 40



SUB CROSS 40 SLOPE

	FORK	TRAVEL	DRIVETRAIN	BRAKES	HUB STANDARD	FRAME COMPATIBILITY	TIRE
SUB CROSS 10 / 10 SLOPE	SR Suntour NEX HLO	63mm	Shimano DEORE 12 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	50mm
SUB CROSS 20 / 20 SLOPE	SR Suntour NEX	63mm	Shimano CUES 11 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	50mm
SUB CROSS 30 / 30 SLOPE	SR Suntour NEX	63mm	Shimano CUES 9 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	50mm
SUB CROSS 40 / 40 SLOPE	Sub Cross Rigid	x	Shimano ESSA 8 Speed	Tektro Hydr. Disc brakes	F: QR / 5 x 135 QR	Dropper Post / Fender / Rear Rack / Kickstand	50mm

SUB CROSS 10

GRANITE BLACK

S, M, L, XL, XXL

425379-6922



FRAME	Sub Cross, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX LO
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Prowheel DMG-FD04SP-TT-B, 38T Steel, Chainguard, BSA BB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Shimano FH-QC500 QR, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.42 kg without pedals
APPROX WEIGHT IN LBS	29.59 lbs without pedals

URBAN / ALL TERRAIN

WHAT'S NEW

Shimano Deore 12 speed
Shimano Hydr. Disc Brakes

SUB CROSS 10 SLOPE

VIOLET PINK

S, M, L, XL

CO

425380-8352



FRAME	Sub Cross Slope, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX LO
REAR DERAILLEUR	Shimano Deore RD-M6200 12-speed
SHIFTERS	Shimano Deore SL-M6200
CRANKSET	Prowheel DMG-FD04SP-TT-B, 38T Steel, Chainguard, BSA BB
CHAIN	Shimano CN-M6100
CASSETTE	Shimano Deore CS-M6200, 10-51T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula CL-51, w/QR 22 Alloy, 5x100mm
REAR HUB	Shimano FH-QC500 QR, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	13.42 kg without pedals
APPROX WEIGHT IN LBS	29.59 lbs without pedals

WHAT'S NEW

Shimano Deore 12 speed
Shimano Hydr. Disc Brakes

SUB CROSS 20

FJORD GREY

S, M, L, XL, XXL

425381-8323



FRAME	Sub Cross, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.63 kg without pedals
APPROX WEIGHT IN LBS	30.05 lbs without pedals

WHAT'S NEW

Shimano CUES 11 speed
Tektro Hydr. Disc Brakes

SUB CROSS 20 SLOPE

CUMULUS WHITE

S, M, L, XL

CO

425382-8087



FRAME	Sub Cross Slope, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX
REAR DERAILLEUR	Shimano Cues RD-U6000 10/11-Speed
SHIFTERS	Shimano Cues SL-U6000-11
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-50T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C212, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.63 kg without pedals
APPROX WEIGHT IN LBS	30.05 lbs without pedals

WHAT'S NEW

Shimano CUES 11 speed
Tektro Hydr. Disc Brakes

SUB CROSS 30

SWORD GREY

S, M, L, XL, XXL

425383-8347



FRAME	Sub Cross, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 with Display
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.48 kg without pedals
APPROX WEIGHT IN LBS	29.72 lbs without pedals

WHAT'S NEW

Shimano CUES 9 Speed

SUB CROSS 30 SLOPE

MISTY BEIGE

S, M, L, XL

CO

425384-8335



FRAME	Sub Cross Slope, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
TRAVEL	Front travel: 63 mm
FORK	SR Suntour NEX
REAR DERAILLEUR	Shimano Cues RD-U4000 9-Speed
SHIFTERS	Shimano Cues SL-U4000 with Display
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG300, 9-Speed 11-46T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	Syncros Comfort Lock On grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.48 kg without pedals
APPROX WEIGHT IN LBS	29.72 lbs without pedals

WHAT'S NEW

Shimano CUES 9 Speed

SUB CROSS 40

IRON GREY

S, M, L, XL, XXL

427690-3831



FRAME	Sub Cross Rigid, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
FORK	Sub Cross Alloy Rigid Fork
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	12 kg without pedals
APPROX WEIGHT IN LBS	26.46 lbs without pedals

WHAT'S NEW

New Model

SUB CROSS 40 SLOPE

ATMOSPHERE GREY

S, M, L, XL

427691-8515



FRAME	Sub Cross Slope Rigid, Alloy 6061, custom butted tubing, internal routing, fender and rack compatible
FORK	Sub Cross Alloy Rigid Fork
REAR DERAILLEUR	Shimano RD-U2000 8-Speed
SHIFTERS	Shimano Altus SL-M315 with Display
CRANKSET	Prowheel C10Y-NW, 36T Steel, Chainguard
BB-SET	Feimin FP.B908N, BB73, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG300 8-Speed 11-45T
BRAKES	Tektro TKD 176, 2-Piston, 160mm Rotor, Hydraulic
GRIPS	DDK Grips
HANDLEBAR	HL MTB-AL-312BT, Black, 12mm rise
H'STEM	HL TDS-C342-8FOV, 10°, 31.8, Black
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	DDK Vacuum Saddle
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Formula DC-19 FQR Disc, 5x100mm
REAR HUB	Formula DC-25 8s RQR Disc, 5x135mm
SPOKES	Stainless Black
FRONT RIM	Alex Rims X20 Disc 29" 32H
REAR RIM	Alex Rims X20 Disc 29" 32H
FRONT TIRE	Kenda Piedmont 700 x 50
REAR TIRE	Kenda Piedmont 700 x 50
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	12 kg without pedals
APPROX WEIGHT IN LBS	26.46 lbs without pedals

WHAT'S NEW

New Model


SCOTT

VITESS

OVERVIEW



VITESS 10



VITESS 10 WAVE



VITESS 15



VITESS 15 SLOPE



VITESS 15 WAVE



VITESS 20



VITESS 20 WAVE



VITESS 25



VITESS 25 SLOPE



VITESS 25 WAVE

	DRIVE TRAIN/BRAKES	SPEED	FORK	REMOTE LOCK OUT	DRIVETRAIN	BRAKES	HUB STANDARD	MAX TIRE WIDTH	TRAVEL
VITESS 10	Shimano Cues / Shimano BR MT200	22	RST VIVAIR E TNL		Shimano Cues 22 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	60mm
VITESS 10 WAVE	Shimano Cues / Shimano BR MT200	22	RST VIVAIR E TNL		Shimano Cues 22 Speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	60mm
VITESS 15	Gates CDN Belt / Shimano BR MT200	8	Alloy rigid fork		Shimano Nexus 8 FH / Gates CDN belt	Shimano Hydr. Disc Brakes	F: QR / Screwed	50mm	
VITESS 15 SLOPE	Gates CDN Belt / Shimano BR MT200	8	Alloy rigid fork		Shimano Nexus 8 FH / Gates CDN belt	Shimano Hydr. Disc Brakes	F: QR / Screwed	50mm	
VITESS 15 WAVE	Gates CDN Belt / Shimano BR MT200	8	Alloy rigid fork		Shimano Nexus 8 FH / Gates CDN belt	Shimano Hydr. Disc Brakes	F: QR / Screwed	50mm	
VITESS 20	Shimano / Shimano BR MT200	16	SR Suntour NEX-E25		Shimano Acera/Altus 16 speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	63mm
VITESS 20 WAVE	Shimano / Shimano BR MT200	16	SR Suntour NEX-E25		Shimano Acera/Altus 16 speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	63mm
VITESS 25	Shimano / Shimano BR MT200	16	Alloy rigid fork		Shimano Acera/Altus 16 speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	
VITESS 25 SLOPE	Shimano / Shimano BR MT200	16	Alloy rigid fork		Shimano Acera/Altus 16 speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	
VITESS 25 WAVE	Shimano / Shimano BR MT200	16	Alloy rigid fork		Shimano Acera/Altus 16 speed	Shimano Hydr. Disc Brakes	F: QR / 5 x 135 QR	50mm	

VITESS 10

CINDER GREY

S, M, L, XL, XXL

427692-8524



FRAME	28”, ultra lite AL-6061 tubing
TRAVEL	Front: 60mm
FORK	RST VIVAIR E TNL, Lockout
REAR DERAILLEUR	Shimano Cues RD-U6020 22-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6010
CRANKSET	Shimano Cues FC-U6010 46-32T
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	HL MTB-AL-320BT, 680mm, Black, 15mm rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	Syncros, Suspension
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8”
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	Trelock LS805ST, 60 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	18.5 kg
APPROX WEIGHT IN LBS	40.79 lbs

VITESS 10 WAVE

WILLOW GREEN

XS, S, M, L

427693-8604



FRAME	28", ultra lite AL-6061 tubing
TRAVEL	Front: 60mm
FORK	RST VIVAIR E TNL, Lockout
REAR DERAILLEUR	Shimano Cues RD-U6020 22-Speed
FRONT DERAILLEUR	Shimano Cues FD-U6010
CRANKSET	Shimano Cues FC-U6010 46-32T
CHAIN	Shimano CN-LG500
CASSETTE	Shimano Cues CS-LG400, 11-Speed 11-45T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	Syncros, Suspension
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	Trelock LS805ST, 60 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	18 kg
APPROX WEIGHT IN LBS	39.68 lbs

VITESS 15

FLAKY BLACK

S, M, L, XL, XXL

427694-7308



FRAME	28", ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Nexus SG-C6001 8 Speed inner gear hub
CRANKSET	Gates CDN 46T
BB-SET	Thun Zumba
CHAIN	Gates CDN 118T
CASSETTE	Gates CDN 22T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	HL MTB-AL-320BT, 680mm, Black, 15mm rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano Nexus 8 Speed Disc
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Marathon Performance GreenGuard 50-622
REAR TIRE	Schwalbe Marathon Performance GreenGuard 50-622
FRONT LIGHT	Trelock LS805ST, 60 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25KG
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	16.4 kg
APPROX WEIGHT IN LBS	36.16 lbs

VITESS 15 SLOPE

SILK BLUE

XS, S, M, L

427695-8581



FRAME	28", ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Nexus SG-C6001 8 Speed inner gear hub
CRANKSET	Gates CDN 46T
BB-SET	Thun Zumba
CHAIN	Gates CDN 118T
CASSETTE	Gates CDN 22T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano Nexus 8 Speed Disc
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Marathon Performance GreenGuard 50-622
REAR TIRE	Schwalbe Marathon Performance GreenGuard 50-622
FRONT LIGHT	Trelock LS805ST, 60 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25KG
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	16.8 kg
APPROX WEIGHT IN LBS	37.04 lbs

VITESS 15 WAVE

FLAKY BLACK

XS, S, M, L

427696-7308



FRAME	28”, ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Nexus SG-C6001 8 Speed inner gear hub
CRANKSET	Gates CDN 46T
BB-SET	Thun Zumba
CHAIN	Gates CDN 118T
CASSETTE	Gates CDN 22T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8”
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano Nexus 8 Speed Disc
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Marathon Performance GreenGuard 50-622
REAR TIRE	Schwalbe Marathon Performance GreenGuard 50-622
FRONT LIGHT	Trelock LS805ST, 60 Lux, LED, standlight
RACK	Racktime carrier Snaplt 2.0 25KG
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	17.3 kg
APPROX WEIGHT IN LBS	38.14 lbs

VITESS 20

IVORY BEIGE

S, M, L, XL, XXL

427697-7936



FRAME	28", ultra lite AL-6061 tubing
TRAVEL	Front: 63mm
FORK	SF24-NEX-E25 DS
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
FRONT DERAILLEUR	Shimano Altus FD-M315
CRANKSET	Shimano FC-TY501, 46-30T
BB-SET	Shimano BB-UN101
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG41, 8 Speed 11-34T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	HL MTB-AL-320BT, 680mm, Black, 15mm rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	AXA NXT45, 45 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	18.6 kg
APPROX WEIGHT IN LBS	41.01 lbs

VITESS 20 WAVE

IVORY BEIGE

XS, S, M, L

427698-7936



FRAME	28”, ultra lite AL-6061 tubing
TRAVEL	Front: 63mm
FORK	SF24-NEX-E25 DS
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
FRONT DERAILLEUR	Shimano Altus FD-M315
CRANKSET	Shimano FC-TY501, 46-30T
BB-SET	Shimano BB-UN101
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG41, 8 Speed 11-34T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8”
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	AXA NXT45, 45 Lux, LED, standlight
RACK	Racktime carrier Snaplt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	19 kg
APPROX WEIGHT IN LBS	41.89 lbs

VITESS 25

KELP GREEN

S, M, L, XL, XXL

427699-6546



FRAME	28", ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
FRONT DERAILLEUR	Shimano Altus FD-M315
CRANKSET	Shimano FC-TY501, 46-30T
BB-SET	Shimano BB-UN101
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG41, 8 Speed 11-34T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	HL MTB-AL-320BT, 680mm, Black, 15mm rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate 170mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	AXA NXT45, 45 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	16.8 kg
APPROX WEIGHT IN LBS	37.04 lbs

VITESS 25 SLOPE

DOGWOOD PINK

XS, S, M, L

427700-8530



FRAME	28", ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
FRONT DERAILLEUR	Shimano Altus FD-M315
CRANKSET	Shimano FC-TY501, 46-30T
BB-SET	Shimano BB-UN101
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG41, 8 Speed 11-34T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	AXA NXT45, 45 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	16.9 kg
APPROX WEIGHT IN LBS	37.26 lbs

VITESS 25 WAVE

KELP GREEN

XS, S, M, L

427701-6546



FRAME	28", ultra lite AL-6061 tubing
FORK	Trekking rigid alloy fork, alloy steerer, disc
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
FRONT DERAILLEUR	Shimano Altus FD-M315
CRANKSET	Shimano FC-TY501, 46-30T
BB-SET	Shimano BB-UN101
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG41, 8 Speed 11-34T
BRAKES	Shimano BR-MT200 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Urban Comfort
HANDLEBAR	Syncros 3.0, riserbar, backsweep: 35°, 8.5mm Rise
H'STEM	Ahead Adjustable Satori Hatchback 90mm
SEATPOST	HL-SP-C255
SEAT	Selle Royal Explora Moderate Wide 195mm
HEADSET	BGM Comp, A-Headset, semi-integrated, 1 1/8"
FRONT HUB	Shimano Hub Dynamo DH-3D37
REAR HUB	Shimano FH-QC300-HM QR
FRONT RIM	X15 Disc
REAR RIM	X15 Disc
FRONT TIRE	Schwalbe Energizer Active Plus 50-622
REAR TIRE	Schwalbe Energizer Active Plus 50-622
FRONT LIGHT	AXA NXT45, 45 Lux, LED, standlight
RACK	Racktime carrier SnapIt 2.0 25Kg
FENDER	SKS, with stainless stays
PEDALS	Marwi SP-827
APPROX WEIGHT IN KG	17.4 kg
APPROX WEIGHT IN LBS	38.36 lbs


SCOTT


KIDS
BIKE

FUTURE PRO



SPARK PRO 700



RANSOM PRO 600



RANSOM PRO 400



SCALE PRO 700



SCALE PRO 600



SCALE PRO 400



SCALE PRO 200

	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
SPARK PRO 700	SRAM Eagle S100	12	SHIMANO Deore	RST F1RST air, X-Fusion 02Pro R Trunnion	120mm	27.5"	145<	57<
RANSOM PRO 600	SRAM NX	11	SHIMANO UR405	X-Fusion Slant RC, X-Fusion 02Pro R Trunnion	140mm	26"	135<	53<
RANSOM PRO 400	SRAM NX	11	SHIMANO UR405	X-Fusion Slant RC, X-Fusion 02Pro R Trunnion	140mm	24"	125<	49<
SCALE PRO 700	SRAM Eagle S100	12	SHIMANO UR405	RST F1RST air	100mm	27.5"	145<	57<
SCALE PRO 600	MicroShift ADVENT	9	SHIMANO UR405	RST F1RST air	80mm	26"	135<	53<
SCALE PRO 400	MicroShift ADVENT	9	SHIMANO UR405	RST F1RST air	60mm	24"	125<	49<
SCALE PRO 200	MicroShift ADVENT	9	SHIMANO UR405	RST F1RST air	60mm	20"	115<	45<

SPARK PRO 700

BLACK | S | 27.5"

427704-0001



FRAME	Spark RC HMF Carbon Gen5, adjustable head angle and fork lock, Syncros Octopus cable integration system Gen2, BSA BB, UDH interface, 12x148mm with 55mm chainline
TRAVEL	120mm/120mm
FORK	RST F1RST 27.5" 100-15 Air, Kids tune
REAR SHOCK	X-Fusion 02Pro R Metric , Rebound Adjuster, Kids' Bike Tune, Travel 120mm, 190x45mm
REAR DERAILLEUR	SRAM Eagle S100 Half-Mount, 12 Speed
SHIFTERS	SRAM Eagle S100 Trigger
CRANKSET	SRAM Eagle S200 Transmission, DUB, 55mm CL, 155mm, 30T
CHAINGUIDE	Spark RC Gen5 chainguide
BB-SET	SRAM DUB BSA 73 MTB Wide
CHAIN	SRAM Eagle S100
CASSETTE	SRAM PG1210, 11-50T
BRAKES	Shimano BR-MT600 2-Piston
FRONT DISC ROTOR	Shimano SM-RT30 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT30 CL, 160mm
GRIPS	Syncros XC Lock-On, ready for Tubeless plug Kit Storage
HANDLEBAR	Syncros Alloy 6061 DB, T shape Flat, 9°, 700mm
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEATPOST	Syncros Dropper Post SP-K200-AL2, +RAD travel adjust, Kids' tune, 31.6mm
SEAT	Syncros Future Pro
HEADSET	Syncros - Acros Angle adjust +-0.5°, Fork Lock, is52
FRONT HUB	Formula CL-71, 32H, CL, 15x100mm
REAR HUB	Formula CL-148S, 32H, CL, 12x148mm
FRONT RIM	Alex Rims X-30SE 32H, Tubeless ready
REAR RIM	Alex Rims X-30SE 32H, Tubeless ready
FRONT TIRE	Maxxis Rekon Race 27.5 x 2.35", 120TPI Foldable, Tubless ready, EXO
REAR TIRE	Maxxis Rekon Race 27.5 x 2.35", 120TPI Foldable, Tubless ready, EXO
APPROX WEIGHT IN KG	12.9 kg
APPROX WEIGHT IN LBS	28.44 lbs

WHAT'S NEW

New frame
New fork
New SRAM Drivetrain
Dropper Seatpost travel adjustment

RANSOM PRO 600

LARKSPUR BLUE

ONE SIZE

26" ONE SIZE

427705-5831



FRAME	Ransom 24"/26" Alloy 6061 Custom butted tubing, Tapered headtube, BB73, Internal cable routing, UDH 148x12mm
TRAVEL	140mm/130mm
FORK	X-Fusion Slant RC 26, tapered, Kids' Bike Tune, 15x100
REAR SHOCK	X-Fusion 02Pro R Trunnion, Rebound Adjuster, Kids' Bike Tune, Travel 130mm, 165x45mm
REAR DERAILLEUR	SRAM NX, roller bearing clutch, cage lock, 11 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	Prowheel DMJ 30T 2PC, Boost CL:52
BB-SET	Prowheel BSA73
CHAIN	KMC X11
CASSETTE	SRAM PG1130, 11-42T
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT56 6B, 180mm
REAR DISC ROTOR	Shimano SM-RT56 6B, 160mm
GRIPS	Syncros Kids Grips ID19, OD 255 , Lock on
HANDLEBAR	Leadtec Kids riser bar alloy DB, D:19, 25mm rise, 31.8mm clamp, BS 9°
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEATPOST	Syncros Dropper Post SP-K200-AL2, +RAD travel adjust, Kids' tune, 31.6mm
SEAT	Syncros Future Pro
HEADSET	Syncros OE Press Fit, Reduce 1.5"-1 1/8", OD 50/62mm, ID 44/56mm
FRONT HUB	Formula DC-61, 6 bolt, 15x100mm
REAR HUB	Formula DC-3248, 148x12mm, 4 sealed bearings
FRONT RIM	Syncros DP30 26"
REAR RIM	Syncros DP30 26"
FRONT TIRE	Kenda Hellkat 26 x 2.4, 60TPI, folding
REAR TIRE	Kenda Hellkat 26 x 2.4, 60TPI, folding
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.6 kg w/o Pedals
APPROX WEIGHT IN LBS	29.98 lbs w/o Pedals

WHAT'S NEW

Dropper Seatpost travel adjustment

RANSOM PRO 400

PARADISE GREEN

ONE SIZE

24" ONE SIZE

427706-8423



FRAME	Ransom 24"/26" Alloy 6061 Custom butted tubing, Tapered headtube, BB73, Internal cable routing, UDH 148x12mm
TRAVEL	140mm/130mm
FORK	X-Fusion Slant RC 26, tapered, Kids' Bike Tune, 15x100
REAR SHOCK	X-Fusion 02Pro R Trunnion, Rebound Adjuster, Kids' Bike Tune, Travel 130mm, 165x45mm
REAR DERAILLEUR	SRAM NX, roller bearing clutch, cage lock, 11 Speed
SHIFTERS	SRAM NX Eagle Trigger
CRANKSET	Prowheel DMJ 30T 2PC, Boost CL:52
BB-SET	Prowheel BSA73
CHAIN	KMC X11
CASSETTE	SRAM PG1130, 11-42T
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT56 6B, 180mm
REAR DISC ROTOR	Shimano SM-RT56 6B, 160mm
GRIPS	Syncros Kids Grips ID19, OD 255 , Lock on
HANDLEBAR	Leadtec Kids riser bar alloy DB, D:19, 25mm rise, 31.8mm clamp, BS 9°
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEATPOST	Syncros Dropper Post SP-K200-AL2, +RAD travel adjust, Kids' tune, 31.6mm
SEAT	Syncros Future Pro
HEADSET	Syncros OE Press Fit, Reduce 1.5"-1 1/8", OD 50/62mm, ID 44/56mm
FRONT HUB	Formula DC-61, 6 bolt, 15x100mm
REAR HUB	Formula DC-3248, 148x12mm, 4 sealed bearings
FRONT RIM	Syncros DP30 24"
REAR RIM	Syncros DP30 24"
FRONT TIRE	Kenda Hellkat 24 x 2.4, 60TPI, folding
REAR TIRE	Kenda Hellkat 24 x 2.4, 60TPI, folding
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	13.4 kg w/o Pedals
APPROX WEIGHT IN LBS	29.54 lbs w/o Pedals

WHAT'S NEW

Dropper Seatpost travel adjustment

SCALE PRO 700

BLACK | XS | 27.5"

427707-0001



FRAME	Scale Alloy 6061 Custom Butted Tubing, Tapered Headtube, BB92, QR Axle 5x141mm with 55mm Chainline
TRAVEL	100mm
FORK	RST F1RST 27.5" 100-9 Air, Kids tune
REAR DERAILLEUR	SRAM Eagle S100, 12 Speed
SHIFTERS	SRAM Eagle S100 Trigger
CRANKSET	Prowheel DMJ 30T 2PC, Boost CL:55
BB-SET	Prowheel PF BB92
CHAIN	SRAM Eagle S100
CASSETTE	SRAM PG1210, 11-50T
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT10 CL, 160mm
REAR DISC ROTOR	Shimano SM-RT10 CL, 160mm
GRIPS	Syncros Performance XC
HANDLEBAR	Syncros Alloy 6061 DB, T shape Flat, 9°, 700mm
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEATPOST	Syncros Dropper Post SP-K200-AL2, +RAD travel adjust, Kids' tune, 31.6mm
SEAT	Syncros Future Pro
HEADSET	Syncros - Acros OE Cable Routing HS System, OD 50/62mm, ID 42/56mm
FRONT HUB	Formula CL-25, QR18
REAR HUB	Formula CL-2241, QR 5x141mm
FRONT RIM	Alex Rims X23 Disc 27.5" 32H
REAR RIM	Alex Rims X23 Disc 27.5" 32H
FRONT TIRE	Maxxis Rekon Race 27.5 x 2.35", 120TPI Foldable, Tubless ready, EXO
REAR TIRE	Maxxis Rekon Race 27.5 x 2.35", 120TPI Foldable, Tubless ready, EXO
PEDALS	Feimin FP-873ZU
APPROX WEIGHT IN KG	12.2 kg w/o Pedals
APPROX WEIGHT IN LBS	26.90 lbs w/o Pedals

WHAT'S NEW

Dropper Seatpost travel adjustment
New SRAM S100 Drivetrain

SCALE PRO 600

BLACK

ONE SIZE

26" ONE SIZE

427708-0001



FRAME	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	80mm
FORK	RST F1RST 26" 100-9 Air, Kids tune, 80mm travel
REAR DERAILLEUR	Microshift ADVENT Active Motion RD+ with clutch, 9 Speed
SHIFTERS	Microshift ADVENT, quick trigger, rubber pad, clamp, 9 Speed
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG single cover
BB-SET	Feimin, BB73, cartridge, square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-42T, 9 Speed
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT56 6B, 160mm
REAR DISC ROTOR	Shimano SM-RT56 6B, 160mm
GRIPS	Syncros Kids Grips ID19, OD 255 , Lock on
HANDLEBAR	Leadtec Kids riser bar alloy DB, D:19, 25mm rise, 31.8mm clamp, BS 9°
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEATPOST	Alloy, 31.6mm, 300mm
SEAT	Syncros Future Pro
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula, Seal Bearing, 6 bolt, 24H, 5x100mm
REAR HUB	Formula, Seal Bearing, 24H, 5x135mm
FRONT RIM	Syncros MD19 26" 24H
REAR RIM	Syncros MD19 26" 24H
FRONT TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 26 x 2.35, ADDIX Speed, 67EPI
REAR TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 26 x 2.35, ADDIX Speed, 67EPI
PEDALS	Kids Pedal medium, w/Reflector
APPROX WEIGHT IN KG	10.9 kg w/o Pedals
APPROX WEIGHT IN LBS	24.03 lbs w/o Pedals

SCALE PRO 400

BLACK

ONE SIZE

24" ONE SIZE

427709-0001



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	60mm
FORK	RST F1RST 24", 60mm
REAR DERAILLEUR	Microshift ADVENT super short cage, ratchet-and-pawl clutch, 9 Speed
SHIFTERS	Microshift ADVENT, quick trigger, rubber pad, clamp, 9 Speed
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG single cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T, 9 Speed
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT56 6B, 160mm
REAR DISC ROTOR	Shimano SM-RT56 6B, 160mm
GRIPS	Syncros Kids Grips ID19, OD 255 , Lock on
HANDLEBAR	Leadtec Kids riser bar alloy DB, D:19, 25mm rise, 31.8mm clamp, BS 9°
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin 48/28.6/44/30, sealed bearings, semi int.
FRONT HUB	Formula, Seal Bearing, 6 bolt, 20H, 5x100mm
REAR HUB	Formula, Seal Bearing, 24H, 5x135mm
FRONT RIM	Syncros MD19 24" 20H
REAR RIM	Syncros MD19 24" 24H
FRONT TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 24 x 2.35, ADDIX Speed, 67EPI
REAR TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 24 x 2.35, ADDIX Speed, 67EPI
PEDALS	Kids Pedal medium, w/Reflector
APPROX WEIGHT IN KG	10.5 kg w/o Pedals
APPROX WEIGHT IN LBS	23.15 lbs w/o Pedals

SCALE PRO 200

BLACK

ONE SIZE

20" ONE SIZE

427710-0001



FRAME	KIDS20 Disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	60mm
FORK	RST F1RST 20", 60mm
REAR DERAILLEUR	Microshift ADVENT super short cage, ratchet-and-pawl clutch, 9 Speed
SHIFTERS	Microshift ADVENT, quick trigger, rubber pad, clamp, 9 Speed
CRANKSET	Prowheel, Alloy Crank, 28T, w/CG PVC single cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC X9
CASSETTE	Microshift ADVENT H-Series 11-38T, 9 Speed
BRAKES	Shimano BL-UR405 Brakelever Short Reach, BR-MT410 2-Piston
FRONT DISC ROTOR	Shimano SM-RT56 6B, 160mm
REAR DISC ROTOR	Shimano SM-RT56 6B, 160mm
GRIPS	Syncros Kids Grips ID19, OD 255 , Lock on
HANDLEBAR	Leadtec Kids riser bar alloy DB, D:19, 25mm rise, 31.8mm clamp, BS 9°
H'STEM	Leadtec, Alloy, -/+7°, 31.8mm clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin 48/28.6/44/30, sealed bearings, semi int.
FRONT HUB	Formula, Seal Bearing, 6 bolt, 20H, 5x100mm
REAR HUB	Formula, Seal Bearing, 24H, 5x135mm
FRONT RIM	Syncros MD19 20" 20H
REAR RIM	Syncros MD19 20" 24H
FRONT TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 20 x 2.25, ADDIX Speed, 67EPI
REAR TIRE	Schwalbe Rocket Ron EVO, Super Race, TLE, 20 x 2.25, ADDIX Speed, 67EPI
PEDALS	Kids Pedal medium, w/Reflector
APPROX WEIGHT IN KG	9.5 kg w/o Pedals
APPROX WEIGHT IN LBS	20.94 lbs w/o Pedals


SCOTT
SCOTT
SCOTT

TALLER KIDS

CONTRAIL



CONTRAIL 400



CONTRAIL 400



CONTRAIL 200



CONTRAIL 200

SCALE



SCALE 600



SCALE 600



SCALE 400



SCALE 400



SCALE 400



SCALE 200



SCALE 200

ROXTER



ROXTER 600



ROXTER 400



ROXTER 400



ROXTER 200



ROXTER 200

	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
CONTRAIL 400	SHIMANO	7	Tektro V-Brake	Rigid	x	24"	125<	49<
CONTRAIL 200	SHIMANO	7	Tektro V-Brake	Rigid	x	20"	115<	45<
SCALE 600	SHIMANO	8	Tektro hydr disc	Rigid	x	26"	135<	53<
SCALE 400	SHIMANO	8	Tektro hydr disc	Rigid	x	24"	125<	49<
SCALE 200	SHIMANO	7	Tektro hydr disc	Rigid	x	20"	115<	45<
ROXTER 600	SHIMANO	8	Tektro hydr disc	suspension fork	80mm	26"	135<	53<
ROXTER 400	SHIMANO	8	Tektro hydr disc	suspension fork	50mm	24"	125<	49<
ROXTER 200	SHIMANO	7	Tektro hydr disc	suspension fork	63mm	20"	115<	45<

CONTRAIL 400

ZESTY YELLOW

ONE SIZE

24" ONE SIZE

427711-8606 (NON EU 1)
427795-8606 (NON EU 2)



FRAME	KIDS24 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS24, AL6061 rigid fork, V-Brake
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, narrow Q-factor, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Shimano CS-HG200 7-Speed 12-32T
BRAKE LEVERS	Tektro TS325A, Kids' specific, adjustable reach
BRAKES	Tektro V-Brake
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula, 20H, V-Brake, 5x100mm, QR/allen key
REAR HUB	Formula, 24H, V-Brake, 5x135mm, QR/allen key
FRONT RIM	Alloy, 20H, 507-21, A/V, for V-Brake
REAR RIM	Alloy, 24H, 507-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 24 x 1.75, 30TPI
REAR TIRE	Kenda Booster 24 x 1.75, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	8.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	19.62 lbs w/o Pedals and Kickstand

CONTRAIL 400

PERSIAN GREEN

ONE SIZE

24" ONE SIZE

427711 - 8568 (NON EU 1)
427795 - 8568 (NON EU 2)



FRAME	KIDS24 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS24, AL6061 rigid fork, V-Brake
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, narrow Q-factor, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Shimano CS-HG200 7-Speed 12-32T
BRAKE LEVERS	Tektro TS325A, Kids' specific, adjustable reach
BRAKES	Tektro V-Brake
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula, 20H, V-Brake, 5x100mm, QR/allen key
REAR HUB	Formula, 24H, V-Brake, 5x135mm, QR/allen key
FRONT RIM	Alloy, 20H, 507-21, A/V, for V-Brake
REAR RIM	Alloy, 24H, 507-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 24 x 1.75, 30TPI
REAR TIRE	Kenda Booster 24 x 1.75, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	8.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	19.62 lbs w/o Pedals and Kickstand

CONTRAIL 200

ULTRA ORANGE

ONE SIZE

20" ONE SIZE

427712-8599 (NON EU 1)
427796-8599 (NON EU 2)



FRAME	KIDS20 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS20, AL6061 rigid fork, V-Brake
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, narrow Q-factor, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Shimano CS-HG200 7-Speed 12-28T
BRAKE LEVERS	Tektro JL510, Kids' specific, adjustable reach
BRAKES	Tektro V-Brake
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula, 20H, V-Brake, 5x100mm, QR/allen key
REAR HUB	Formula, 24H, V-Brake, 5x135mm, QR/allen key
FRONT RIM	Alloy, 20H, 406-21, A/V, for V-Brake
REAR RIM	Alloy, 24H, 406-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 20 x 1.75, 30TPI
REAR TIRE	Kenda Booster 20 x 1.75, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	7.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	17.42 lbs w/o Pedals and Kickstand

CONTRAIL 200

LAVENDER BLUE

ONE SIZE

20" ONE SIZE

427712-8543 (NON EU 1)
427796-8543 (NON EU 2)



FRAME	KIDS20 V-Brake, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS20, AL6061 rigid fork, V-Brake
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, narrow Q-factor, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Shimano CS-HG200 7-Speed 12-28T
BRAKE LEVERS	Tektro JL510, Kids' specific, adjustable reach
BRAKES	Tektro V-Brake
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula, 20H, V-Brake, 5x100mm, QR/allen key
REAR HUB	Formula, 24H, V-Brake, 5x135mm, QR/allen key
FRONT RIM	Alloy, 20H, 406-21, A/V, for V-Brake
REAR RIM	Alloy, 24H, 406-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 20 x 1.75, 30TPI
REAR TIRE	Kenda Booster 20 x 1.75, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	7.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	17.42 lbs w/o Pedals and Kickstand

SCALE 600

ALLOY SILVER

ONE SIZE

CO 26" ONE SIZE

425202-2308



FRAME	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS26 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 32T Alloy, w/CG PVG single cover
BB-SET	Feimin, BB73, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG400 8-Speed 11-40T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	Syncros Future Pro
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19, 32H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 32H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 32H, 559-21, A/V, for disc brake
REAR RIM	Alloy, 32H, 559-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 26 x 2.2, 30TPI
REAR TIRE	Kenda Booster 26 x 2.2, 30TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	10.5 kg w/o Pedals
APPROX WEIGHT IN LBS	23.15 lbs w/o Pedals

SCALE 600

LAND GREEN

ONE SIZE

26" ONE SIZE

425202-6924



FRAME	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS26 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 32T Alloy, w/CG PVG single cover
BB-SET	Feimin, BB73, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG400 8-Speed 11-40T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	Syncros Future Pro
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19, 32H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 32H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 32H, 559-21, A/V, for disc brake
REAR RIM	Alloy, 32H, 559-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 26 x 2.2, 30TPI
REAR TIRE	Kenda Booster 26 x 2.2, 30TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	10.5 kg w/o Pedals
APPROX WEIGHT IN LBS	23.15 lbs w/o Pedals

SCALE 400

ALLOY SILVER

ONE SIZE

425203-2308



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS24 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Tourney RD-TX800, 8 Speed
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Sunrace CSM55 8-Speed, 11-34T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 24H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 507-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 507-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 24 x 2.2, 30TPI
REAR TIRE	Kenda Booster 24 x 2.2, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	9.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	21.61 lbs w/o Pedals and Kickstand

SCALE 400

MONZA RED

ONE SIZE

24" ONE SIZE

425203-8555



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS24 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Tourney RD-TX800, 8 Speed
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Sunrace CSM55 8-Speed, 11-34T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 24H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 507-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 507-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 24 x 2.2, 30TPI
REAR TIRE	Kenda Booster 24 x 2.2, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	9.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	21.61 lbs w/o Pedals and Kickstand

SCALE 400

TROPICAL BLUE

ONE SIZE

24" ONE SIZE

425203-8594



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS24 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Tourney RD-TX800, 8 Speed
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Sunrace CSM55 8-Speed, 11-34T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 24H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 507-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 507-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 24 x 2.2, 30TPI
REAR TIRE	Kenda Booster 24 x 2.2, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	9.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	21.61 lbs w/o Pedals and Kickstand

SCALE 200

ALLOY SILVER

ONE SIZE

CO 20" ONE SIZE

425204-2308



FRAME	KIDS20 Disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS20 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Sunrace CSM40 7-Speed, 11-34T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-27A, 24H, disc 6 bolt, 7s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 406-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 406-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 20 x 2.2, 30TPI
REAR TIRE	Kenda Booster 20 x 2.2, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	8.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	19.40 lbs w/o Pedals and Kickstand

SCALE 200

PETAL PURPLE

ONE SIZE

20" ONE SIZE

425204-8569



FRAME	KIDS20 Disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
FORK	KIDS20 Disc, AL-6061 rigid fork, IS
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Sunrace CSM40 7-Speed, 11-34T
BRAKE LEVERS	Tektro Kids' specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-27A, 24H, disc 6 bolt, 7s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 406-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 406-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 20 x 2.2, 30TPI
REAR TIRE	Kenda Booster 20 x 2.2, 30TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	8.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	19.40 lbs w/o Pedals and Kickstand

ROXTER 600

TRANSFORMATIVE GREEN

ONE SIZE

26" ONE SIZE

427713 - 8592



FRAME	KIDS26, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	80mm
FORK	SR Suntour XCE28, 26", softer spring setup
REAR DERAILLEUR	Shimano Acera RD-M3020 8-Speed, Double Servo technology
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 32T Alloy, w/CG PVG single cover
BB-SET	Feimin, BB73, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Shimano CS-HG400 8-Speed 11-40T
BRAKE LEVERS	Tektro KIDS specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEATPOST	HL SP C207, 31.6mm, Black
SEAT	Syncros Future Pro
HEADSET	Headset ZS56-62mm, 1 1/8"
FRONT HUB	Formula DC-19, 32H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 32H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 32H, 559-21, A/V, for disc brake
REAR RIM	Alloy, 32H, 559-21, A/V, for disc brake
FRONT TIRE	Kenda Booster 26 x 2.2, 30TPI
REAR TIRE	Kenda Booster 26 x 2.2, 30TPI
PEDALS	Feimin FP-803, w/Reflector
APPROX WEIGHT IN KG	12.2 kg w/o Pedals
APPROX WEIGHT IN LBS	26.90 lbs w/o Pedals

ROXTER 400

PASTEL GREEN

ONE SIZE

24" ONE SIZE

427714-8565



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	50mm
FORK	SR Suntour XCT JR, 24", softer spring setup
REAR DERAILLEUR	Shimano Tourney RD-TX800, 8 Speed
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Sunrace CSM55 8-Speed, 11-34T
BRAKE LEVERS	Tektro KIDS specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 24H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 507-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 507-21, A/V, for disc brake
FRONT TIRE	Kenda Karma 2 24 x 2.2, 60TPI
REAR TIRE	Kenda Karma 2 24 x 2.2, 60TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	10.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	23.81 lbs w/o Pedals and Kickstand

ROXTER 400

SUNNY YELLOW

ONE SIZE

24" ONE SIZE

427714 - 8588



FRAME	KIDS24 disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	50mm
FORK	SR Suntour XCT JR, 24", softer spring setup
REAR DERAILLEUR	Shimano Tourney RD-TX800, 8 Speed
SHIFTERS	Shimano RevoShift SL-RV400 with Display
CRANKSET	Prowheel, Alloy Crank, 30T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z8
CASSETTE	Sunrace CSM55 8-Speed, 11-34T
BRAKE LEVERS	Tektro KIDS specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 300mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-25, 24H, disc 6 bolt, 8s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 507-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 507-21, A/V, for disc brake
FRONT TIRE	Kenda Karma 2 24 x 2.2, 60TPI
REAR TIRE	Kenda Karma 2 24 x 2.2, 60TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	10.8 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	23.81 lbs w/o Pedals and Kickstand

ROXTER 200

CANAL BLUE

ONE SIZE

20" ONE SIZE

427715-1494



FRAME	KIDS20 Disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	63mm
FORK	SR Suntour XCT JR, 20", softer spring setup
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Sunrace CSM40 7-Speed, 11-34T
BRAKE LEVERS	Tektro KIDS specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-27A, 24H, disc 6 bolt, 7s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 406-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 406-21, A/V, for disc brake
FRONT TIRE	Kenda Karma 2 20 x 2.2, 60TPI
REAR TIRE	Kenda Karma 2 20 x 2.2, 60TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	9.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	21.83 lbs w/o Pedals and Kickstand

ROXTER 200

ZESTY YELLOW

ONE SIZE

20" ONE SIZE

427715 - 8606



FRAME	KIDS20 Disc, Alloy 6061, custom tubing, semi int. CBR, BB68, SCOTT dropout, PM
TRAVEL	63mm
FORK	SR Suntour XCT JR, 20", softer spring setup
REAR DERAILLEUR	Shimano Tourney RD-TY300, 7 Speed
SHIFTERS	Shimano RevoShift SL-RV300 with Display
CRANKSET	Prowheel, Alloy Crank, 28T, w/CG PVG double cover
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC Z7
CASSETTE	Sunrace CSM40 7-Speed, 11-34T
BRAKE LEVERS	Tektro KIDS specific, adjustable reach
BRAKES	Tektro hydraulic disc brake
FRONT DISC ROTOR	160mm
REAR DISC ROTOR	160mm
GRIPS	Syncros Kids' Grips ID19, OD 25.5 , 100/80
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp
H'STEM	Leadtec, Alloy, +10°, 25.4 clamp
SEAT	Syncros KIDS III Incl. Seatpost 27.2mm, 250mm
HEADSET	Feimin, 48/28.6/44/30, semi int.
FRONT HUB	Formula DC-19, 24H, disc 6 bolt, 5x100mm, QR/allen key
REAR HUB	Formula DC-27A, 24H, disc 6 bolt, 7s, 5x135mm, QR/allen key
FRONT RIM	Alloy, 24H, 406-21, A/V, for disc brake
REAR RIM	Alloy, 24H, 406-21, A/V, for disc brake
FRONT TIRE	Kenda Karma 2 20 x 2.2, 60TPI
REAR TIRE	Kenda Karma 2 20 x 2.2, 60TPI
PEDALS	Kids Pedal medium, w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector
APPROX WEIGHT IN KG	9.9 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	21.83 lbs w/o Pedals and Kickstand

SMALLER KIDS



CONTRAIL 160



CONTRAIL 160

	DRIVE TRAIN	SPEED	BRAKES	SUSPENSION	TRAVEL	WHEELSIZE	BODY HEIGHT (CM)	BODY HEIGHT (INCH)
CONTRAIL 160	single speed	1	Tektro V-Brake	Rigid	x	16"	95<	37<

CONTRAIL 160

ULTRA BLUE

ONE SIZE

16" ONE SIZE

427716 - 8597



FRAME	JR16 V-Brake, Alloy 6061, Bended TT, Semi int. HT, Rigid Fork
FORK	Rigid Fork, Alloy 6061, 16", V-Brake Pivot
CRANKSET	Prowheel, 26T
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC S1
CASSETTE	Freewheel Sprocket 16T
BRAKE LEVERS	Tektro Kids' Lever, radjustable reach
BRAKES	Tektro J-310 V-Brake
GRIPS	Syncros Kids' Grips Toddler, ID19, extra impact protection
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp\
H'STEM	Ahead, Alloy, 25.4mm clamp
SEAT	Syncros KIDS II Incl. Seatpost 26.8mm
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Alloy, sealed bearing, screw type allen key, 16H
REAR HUB	Alloy, sealed bearing, screw type allen key, 16H
FRONT RIM	Alloy, 16H, 305-21, A/V, for V-Brake
REAR RIM	Alloy, 16H, 305-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 16 x 2.0, 30TPI
REAR TIRE	Kenda Booster 16 x 2.0, 30TPI
PEDALS	Kids' pedals w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector, Chainguard closed type
APPROX WEIGHT IN KG	6.1 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	13.45 lbs w/o Pedals and Kickstand

CONTRAIL 160

GUMMY PINK

ONE SIZE

16" ONE SIZE

427716-8540



FRAME	JR16 V-Brake, Alloy 6061, Bended TT, Semi int. HT, Rigid Fork
FORK	Rigid Fork, Alloy 6061, 16", V-Brake Pivot
CRANKSET	Prowheel, 26T
BB-SET	Feimin, BB68, cartridge, square taper
CHAIN	KMC S1
CASSETTE	Freewheel Sprocket 16T
BRAKE LEVERS	Tektro Kids' Lever, radjustable reach
BRAKES	Tektro J-310 V-Brake
GRIPS	Syncros Kids' Grips Toddler, ID19, extra impact protection
HANDLEBAR	Leadtec Kids' riser bar alloy D:19, 20mm rise, 25.4mm clamp\
H'STEM	Ahead, Alloy, 25.4mm clamp
SEAT	Syncros KIDS II Incl. Seatpost 26.8mm
HEADSET	Headset ZS44-50mm, 1 1/8"
FRONT HUB	Alloy, sealed bearing, screw type allen key, 16H
REAR HUB	Alloy, sealed bearing, screw type allen key, 16H
FRONT RIM	Alloy, 16H, 305-21, A/V, for V-Brake
REAR RIM	Alloy, 16H, 305-21, A/V, for V-Brake
FRONT TIRE	Kenda Booster 16 x 2.0, 30TPI
REAR TIRE	Kenda Booster 16 x 2.0, 30TPI
PEDALS	Kids' pedals w/Reflector
EXTRAS	Kickstand
ACCESSORIES	Syncros Stem Protector, Chainguard closed type
APPROX WEIGHT IN KG	6.1 kg w/o Pedals and Kickstand
APPROX WEIGHT IN LBS	13.45 lbs w/o Pedals and Kickstand


KENDA
BOOSTER
SCOTT


FRAMES
BIKE
SCOTT

SCALE RC WORLD CUP FRAME+FORK

427723 - 8086 | S, M, L, XL

CUMULUS WHITE/CARBON BLACK

WHAT'S NEW
Rock Shox Flight Attendant



FRAME	Scale RC HMX carbon adjustable head angle Syncros cable integration system advanced shock & standing damping system BB92 UDH interface 12x148mm with 55mm chainline
TRAVEL	Front: 110 mm
FORK	RockShox SID SL Ultimate Flight Attendant electronically controlled suspension FA Race Day damper 3P 15x110mm Maxle Stealth tapered steerer reb. adj. lockout
APPROX WEIGHT IN KG	0.93 kg - 2.05 lbs

SPARK RC SL FRAME+FORK

427724 - 8570 | S, M, L, XL

PIANO BLACK/CARBON BLACK

WHAT'S NEW
Spark RC frame



FRAME	Spark RC HMX SL Carbon Gen5 carbon link adjustable head angle and fork lock Ceramic Speed bearings titanium hardware Syncros Octopus cable integration system Gen2 BB92 UDH interface 12x148mm with 55mm chainline lightest 120mm frame 1427g (without shock)
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant electronically controlled suspension FA Race Day damper 3P 15x110mm Maxle Stealth tapered steerer reb. adj. lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant electronically controlled suspension 3P Lockout-Pedal-Descend Solo Air Reb. Adj. Lockout bearing hardware 20x8mm 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system that listens to the rider and responds in real time
CHAINGUIDE	Spark RC Gen5 chainguide
HEADSET	Syncros - Acros angle adjust +-0.5° fork lock & cable routing Gen2 system stainless bearings IS52
EXTRAS	Syncros Save the Day kit IS-M100 Syncros Tool SRAM AXS Powerpack
ACCESSORIES	Transport Axle
APPROX WEIGHT IN KG	1.427 kg without rear shock - 3.15 lbs without rear shock

SPARK RC WORLD CUP EVO FRAME+FORK | 427725 - 8575 | S, M, L, XL

RUSH WHITE/CARBON BLACK

WHAT'S NEW
Spark RC frame



FRAME	Spark RC HMX Carbon Gen5 adjustable head angle and fork lock Ceramic Speed bearings titanium hardware Syncros Octopus cable integration system Gen2 BSA BB UDH interface 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	RockShox SID Ultimate Flight Attendant electronically controlled suspension FA Race Day damper 3P 15x110mm Maxle Stealth tapered steerer reb. adj. lockout
REAR SHOCK	RockShox SIDLuxe Ultimate Flight Attendant electronically controlled suspension 3P Lockout-Pedal-Descend Solo Air Reb. Adj. Lockout bearing hardware 20x8mm 190X45mm
REMOTE SYSTEM	Automatic electronic suspension system that listens to the rider and responds in real time
CHAINGUIDE	Spark RC Gen5 chainguide
HEADSET	Syncros - Acros angle adjust +-0.5° fork lock & cable routing Gen2 system stainless bearings IS52
EXTRAS	Syncros Save the Day kit IS-M100 Syncros Tool SRAM AXS Powerpack
ACCESSORIES	Transport Axle
APPROX WEIGHT IN KG	1.57 kg without rear shock - 3.46 lbs without rear shock

SPARK RC WORLD CUP FRAME+FORK | 427846 - 8086 | S, M, L, XL

CUMULUS WHITE/CARBON BLACK

WHAT'S NEW
Spark RC frame
Ohlins suspension



FRAME	Spark RC HMF Carbon Gen5 adjustable head angle and fork lock Syncros Octopus cable integration system Gen2 BSA BB UDH interface 12x148mm with 55mm chainline
TRAVEL	Front: 120 mm, Rear: 120 mm
FORK	Öhlins RXC34 M.1 Air OTX14R Damper 3 Modes 15x110mm Axle tapered Steerer Reb. Adj. Lockout
REAR SHOCK	Öhlins TXC2 Air Custom 3P Reb. Adj. Lockout Hardware 20x8mm 190X45mm
REMOTE SYSTEM	SCOTT TwinLoc Technology Suspension & Dropper Remote 3 Suspension modes
CHAINGUIDE	Spark RC Gen5 chainguide
HEADSET	Syncros - Acros angle adjust +-0.5° fork lock & cable routing Gen2 system stainless bearings IS52
EXTRAS	Syncros Save the Day kit IS-M100 Syncros Tool
ACCESSORIES	Transport Axle
APPROX WEIGHT IN KG	1.793 kg without rear shock - 3.95 lbs without rear shock

SPARK DC DANGERHOLM FRAME+FORK | 427726 - 8609 | S, M, L, XL

CARBON CLEAR

WHAT'S NEW
Spark DC Frame
Intend Suspension



FRAME	Spark DC HMX Carbon Gen5 adjustable head angle and fork lock Ceramic Speed bearings Syncros Octopus cable integration system Gen2 BSA BB UDH interface 12x148mm with 55mm chainline
TRAVEL	Front: 140 mm Rear: 138 mm
FORK	Samurai TR - EVO Travel Ranger air spring 15x110mm Axle tapered steerer reb. adj.
REAR SHOCK	Intend Hover Monocoque 3P flip lever 210x50mm
CHAINGUIDE	Spark DC Gen5 chainguide
HANDLEBAR	Syncros IC-M200-SL2 HMF Carbon, 20mm rise, back sweep 7°, 760mm
HEADSET	Syncros - Acros angle adjust +-0.5° fork lock stainless bearings IS52
EXTRAS	Syncros Save the Day Kit IS-M100 Syncros tool
APPROX WEIGHT IN KG	1.793 kg without rear shock - 3.95 lbs without rear shock

RANSOM RC FRAME+SHOCK | 427727 - 8535 | S, M, L, XL

FOGGY GREY

WHAT'S NEW
Öhlins TTX 22 M.2 custom tuned
rear shock



FRAME	Ransom Carbon HMX Mainframe 6 Link kinematic Integrated Suspension Technology head angle Adj BB92 UDH interface 12x148mm with 55mm chainline MX ready
TRAVEL	Front travel: 170 mm / Rear travel: 170 mm
REAR SHOCK	Öhlins TTX 22 M.2 HSC-LSC-R adj. SCOTT Ransom custom tune hardware 20x8mm T205x65mm
CHAINGUIDE	SCOTT custom
HEADSET	Syncros - Acros angle adjust & cable routing HS system stainless +-0.6° head angle adjustment ZS56/28.6 – ZS56/40 MTB
APPROX WEIGHT IN KG	3.8 kg - 8.38 lbs

GAMBLER RC FRAME+SHOCK | 427728 - 8535 | M, L, XL

FOGGY GREY



FRAME	Gambler Carbon HMX 6 link kinematic Integrated Suspension Technology Reach-BB height-CST length adjust UDH interface BB107 12x157mm MX ready
TRAVEL	Front: 200 mm / Rear: 210 mm
REAR SHOCK	Fox DH X2 Factory HSC-LSC-R Adj RVS SCOTT Gambler custom tune 20*8mm-50*8mm hardware 250x75mm
CHAINGUIDE	MRP TR2 upper guide SCOTT Gambler integrated bashguard
HEADSET	Syncros-Acros Gambler semi integrated DH reach adj +-5mm with cup ZS56/28.6-ZS56/40
APPROX WEIGHT IN KG	4.85 kg - 10.69 lbs

PLASMA RC LTD FRAME SET | 427729 - 8516 | XS, S, M, L, XL

BELUGA GREY/SACHET PINK



FRAME	Plasma 6 HMX TRI Geometry Plasma HMX seatpost replaceable derailleur hanger
FORK	Plasma 6 HMX 1 1/4"- 1 1/2" Carbon Flatmount Disc
HANDLEBAR	Syncros Creston iC TRI, 400mm, Syncros E1 carbon extension
SEATPOST	Syncros Plasma 6 HMX with Ritchey WCS clamp, adjustable head
HEADSET	Syncros Integrated 1 1/4"- 1 1/2" drop-in headset

PLASMA RC TT FRAME SET

427730 - 8086 | S, M, L

CUMULUS WHITE/CARBON BLACK



FRAME	HMX Carbon Disc mainframe compatible for electronic shifting
FORK	HMX Carbon fork for disc brake
ACCESSORIES	Plasma RC TT headset, Syncros Creston iC TT handlebar combo with Plasma RC TT extensions, Plasma RC TT HMX seatpost, Syncros SL ROAD plug-in thru axle

FOIL RC ULTIMATE FRAME SET

427731 - 8570 | XXS, XS, S, M, L, XL, XXL

PIANO BLACK/CARBON BLACK



FRAME	Foil RC HMX SL road race geometry replaceable derailleur hanger internal cable routing
FORK	Foil RC HMX SL Flatmount Disc 1" eccentric carbon steerer
SEATPOST	Syncros Duncan SL Aero CFT
HEADSET	Acros AIF-1138S
APPROX WEIGHT IN KG	1.92 kg - 4.23 lbs

FOIL RC PRO FRAME SET

427732 - 8575

XXS, XS, S, M, L, XL, XXL

RUSH WHITE/CARBON BLACK



FRAME	Foil RC Disc HMX road race geometry replaceable derailleur hanger internal cable routing
FORK	Foil RC Disc HMX 1" eccentric carbon steerer
SEATPOST	Syncros Duncan SL Aero CFT
HEADSET	Acros AIF-1138S
APPROX WEIGHT IN KG	2.01 kg - 4.43 lbs

FOIL RC TEAM REPLICA FRAME SET

427733 - 8652

XXS, XS, S, M, L, XL, XXL

TEAM CLEAR



FRAME	Foil RC Disc HMX road race geometry replaceable derailleur hanger internal cable routing
FORK	Foil RC Disc HMX 1" eccentric carbon steerer
SEATPOST	Syncros Duncan SL Aero CFT
HEADSET	Acros AIF-1138S
APPROX WEIGHT IN KG	2.06 kg - 4.54 lbs

ADDICT RC ULTIMATE FRAME SET

427734 - 8570 | XXS, XS, S, M, L, XL, XXL

PIANO BLACK/CARBON BLACK



FRAME	Addict RC HMX SL road race geometry replaceable derailleur hanger internal cable routing
FORK	Addict RC HMX SL Flatmount Disc 27.2mm eccentric carbon steerer
SEATPOST	Syncros SP-R100-SL
HEADSET	Acros AIF-1317S stainless
APPROX WEIGHT IN KG	1.22 kg - 2.69 lbs

ADDICT RC PRO FRAME SET

427735 - 8575 | XXS, XS, S, M, L, XL, XXL

RUSH WHITE/CARBON BLACK



FRAME	Addict RC HMX road race geometry replaceable derailleur hanger internal cable routing
FORK	Addict RC HMX Flatmount Disc 27.2mm eccentric carbon steerer
SEATPOST	Syncros SP-R100-SL
HEADSET	Acros AIF-1317S stainless
APPROX WEIGHT IN KG	1.31 kg - 2.89 lbs

ADDICT RC TEAM REPLICA FRAME SET

427736 - 8652

XXS, XS, S, M, L, XL, XXL

TEAM CLEAR



FRAME	Addict RC HMX road race geometry replaceable derailleur hanger internal cable routing
FORK	Addict RC HMX Flatmount Disc 27.2mm eccentric carbon steerer
SEATPOST	Syncros SP-R101-CF
HEADSET	Acros AIF-1317
APPROX WEIGHT IN KG	1.37 kg - 3.02 lbs

ADDICT GRAVEL 10 FRAME SET

427737 - 8517

XXS, XS, S, M, L, XL, XXL

BLAZE PURPLE

WHAT'S NEW
New frame/fork



FRAME	Addict Gravel HMX Carbon gravel geometry replaceable UDH derailleur hanger internal cable routing integrated storage
FORK	Addict Gravel HMX Flatmount Disc 27.2 mm eccentric carbon steerer
SEATPOST	Syncros SP-R101-CF
HEADSET	Acros AIF-1317
APPROX WEIGHT IN KG	1.78 kg - 3.92 lbs

ADDICT GRAVEL 20 FRAME SET

427738 - 7969

XXS, XS, S, M, L, XL, XXL

BELUGA GREY

WHAT'S NEW
New frame/fork



FRAME	Addict Gravel HMF Carbon gravel geometry replaceable UDH derailleur hanger internal cable routing integrated storage
FORK	Addict Gravel HMF Flatmount Disc 27.2 mm eccentric carbon steerer
SEATPOST	Syncros SP-R101-CF
HEADSET	Acros AIF-1317
APPROX WEIGHT IN KG	1.97 kg - 4.34 lbs




ACCESSORIES
BIKE

SCOTT SCALE 29" RIGID HMF FORK — 425213

black matt



USE: XC and Bikepacking
TRAVEL CORRECTION: designed for frames with 100mm forks
STEERER TUBE: Tapered
STEERER TUBE LENGTH: 250mm
RAKE: 44mm
AXLE TO CROWN: 471mm
BRAKE MOUNT: Post mount
AXLE: 15x110mm
MAX ROTOR SIZE: 180mm
MAX TIRE CLEARANCE: 2.5"
CROWN RACE DIAMETER: 1.5"
BRAKE CABLE ROUTING: outside or internal option
MOUNTS: 3 bottle mounts rivets on each side of the fork legs (max 3kg per side)
CONSTRUCTION: Carbon HMF
SIZE: One size
APPROX. WEIGHT: 660g

SCOTT eRIDE TQ RANGE EXTENDER — 294537



This extra battery works with the Lumen eRIDE (requires cable 294538), Voltage eRIDE (requires cable 422378) or Solace eRIDE (requires cable 294539) or Fastlane (requires cable 42526) to extend the user range. The Battery holder (294540) must be ordered too.

SIZE: One size

FEATURES:
- 160 Wh Spare battery
- Compatible with all SCOTT Bikes equiped with TQ engines
- Cable must be ordered separately depending bike model
- Range extender holder must be ordered seperately **294540**

SCOTT eRIDE TQ BATTERY HOLDER — 294540



SIZE: One size

FEATURES:
- Battery holder fitting **294537** / SCOTT TQ range extender
- Exclusive fit for SCOTT bikes equiped with TQ drive systems
- Set includes hardware to mount TQ range extender either on seat tube or down tube of the bike
- Including quick release bracket allows for tool free fast exchange of a regular bottle cage for the range extender by the user

SCOTT eRIDE TQ RANGE EXTENDER CABLE MTB — 294538



SIZE: One size
DIMENSIONS: 85mm

FEATURES:
- Cable to connect **294537** / TQ range extender on SCOTT Lumen eRide MY23

SCOTT eRIDE TQ EXTENDER CABLE ROAD/GRAVEL — 294539



SIZE: One size
DIMENSION: 260mm

FEATURES:
- Cable to connect **294537** / TQ range extender on SCOTT Solace eRide, Solace Gravel eRide MY23

SCOTT eRIDE TQ RANGE EXTENDER EXT. CABLE MTB V02 — 422378



SIZE: One size
MATERIAL: Electric cable with plug / black
DIMENSION: 325mm

USE: To connect TQ Range Extender with TQ HPR50 drive system
COMPATIBLE BIKES: SCOTT Voltage eRIDE

SCOTT eRIDE TQ RANGE EXTENDER CABLE V03 FASTLANE

425263



SIZE: One size

DIMENSION: 300mm

FEATURES: Cable to connect 294537 / TQ range extender with TQ drive system

COMPATIBLE BIKES: SCOTT Fastlane MY26

SCOTT SCALE / ROXTER / CONTESSA 19 TRAINING WHEELS

271272



CONSTRUCTION:
- Steel arms / plastic wheel

SIZE: 16", 14

FEATURES:
- Screw attachment on frame rear dropout
- Compatible with Roxter / Contessa 14"/16" from 2019

SCOTT EASY ADJUST 26/28 KICKSTAND

210210



What more ergonomics than an easy adjustable kickstand for both SCOTT 26", 28", 29" and 700C bikes.

CONSTRUCTION:
- Alloy
- Steel

FEATURES:
- Easy adjustment
- Fits all SCOTT 26", 28" 29" and 700C bikes

SCOTT ADDICT GRAVEL 2027 CHAINSTAY PROTECTOR GLUE

428159



SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on

SCOTT SPARK RC 27 CHAINSTAY/SEATSTAY PROTECTOR GLUE

428160



SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Set covering top of frame chainstay and seatstay
- Glued on
- Set covering top of frame chainstay, bottom for frame chainstay and seatstay

SCOTT SPARK DC 27 CHAINSTAY/ SEATSTAY PROTECTOR 3PC GLUE

428161



SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Set covering top of frame chainstay, bottom for frame chainstay and seatstay
- Glued on

SCOTT GENIUS CARBON 23 CHAINSTAY/ SEATSTAY PROTECTORS

419615



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Genius Carbon from MY23

SCOTT GENIUS ALLOY 2023 CHAINSTAY/ SEATSTAY PROTECTORS

419616



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on

SCOTT LUMEN eRIDE 2023 CHAINSTAY/ SEATSTAY PROTECTOR

420010



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Lumen with Carbon rear triangle from MY23

SCOTT SOLACE eRIDE 2023 CHAINSTAY PROTECTOR

420008



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Thin Custom shaped protector enabling to prevent your frame from damage
- Compatible with SCOTT Solace eRide from MY23

SCOTT SOLACE eRIDE 2023 CHAINSTAY PROTECTION PLATE

420009



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Thin Custom shaped protector preventing damage to the chainstay in case of chain drop
- Compatible with SCOTT Solace eRide from MY23

SCOTT SCALE CARBON 2023 CHAINSTAY PROTECTOR

420004



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Scale Alloy frame from MY23

SCOTT SCALE ALLOY 2023 CHAINSTAY PROTECTOR

420003



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Scale Carbon frame from MY23

SCOTT FOIL 2023 CHAINSTAY PROTECTION PLATE

420002



CONSTRUCTION:
- Stainless steel

SIZE: One size

FEATURES:
- Metal protection plate prevents from damaging the chainstay in case of chain suck
- Glued on
- Compatible with SCOTT Foil frame from MY23

SCOTT ASPECT eRIDE 2023 CHAINSTAY PROTECTOR

421066



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Mounted with 2 screws, not supplied
- Compatible with SCOTT Aspect eRIDE 900/910 as well as BERGAMONT E-REVOX till 2024

SCOTT LUMEN eRIDE ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS

421573



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on
- Compatible with SCOTT Lumen with Alloy rear triangle from MY24

SCOTT GENIUS LT 2009 CHAINSTAY PROTECTOR

219685



CONSTRUCTION:
- Nylon / Thermo Plastic Rubber

FEATURES:
- Pre-shaped for the best protection of your chainstay

SCOTT STRIKE 2027 CHAINSTAY PROTECTOR

428388



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on

SCOTT E-VILLE CHAINSTAY PROTECTOR 428389



CONSTRUCTION:
- Thermoplastic rubber

SIZE: One size

FEATURES:
- Custom shaped protector with soft rubber surface to protect from chain slap
- Glued on

SCOTT RANSOM 2019 CHAINSTAY PROTECTOR 270153



Chainstay+Seatstays Protector Glue on Ransom Carbon 2019

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of Preshaped chainstay and seatstays protectors dedicated for our new Ransom carbon frame, attached thanks to strong tape

SCOTT RANSOM CARBON 2019 2PC DOWNTUBE PROTECTOR 270155



Downtube Protector Ransom Carbon 2019 2pc

CONSTRUCTION:
- Rubber and adhesive tape / Polypropylene

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Ransom carbon frame made out 2 pieces
- Glued outer rubber part for shock damping on frame downtube
- Screwed inner Polypropylene part used as battery holder

SCOTT RANSOM ALLOY 2019 DOWNTUBE PROTECTOR 270156



Downtube Protector Glue on Ransom Alloy 2019

CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Ransom Alloy frame, attached thanks to strong tape

SCOTT GAMBLER CARBON 2020 DOWNTUBE PROTECTOR 275498



CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Gambler carbon frame
- Glued rubber part for shock damping onframe downtube

SCOTT D/T FOAM PROTECTOR GAMBLER AL 2020 276207



CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Preshaped downtube protector dedicated for our new Gambler Alloy frame
- Glued rubber part for shock damping onframe downtube

SCOTT GAMBLER CARBON 2020 CHAINSTAY/SEATSTAY PROTECTORS

275499



CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of 3 Preshaped chainstay and seatstays protectors dedicated for our new Gambler carbon frame
- Glued on Rubber shaped for paint protection and noise reduction

SCOTT GAMBLER ALLOY 2020 CHAINSTAY/ SEATSTAY PROTECTORS

276208



CONSTRUCTION:
- Rubber and adhesive tape

SIZE: One size

FEATURES:
- Set of 3 Preshaped chainstay and seatstays protectors dedicated for our new Gambler Alloy frame
- Glued on Rubber shaped for paint protection and noise reduction

SCOTT WATER BOTTLE G7 CORPORATE PAK-10

426341



white



black

MATERIAL: LPDE

STANDARD: Big Flow valve

VOLUME: 550ml, 750ml

WEIGHT: 53g (550ml), 71g (750ml)

FEATURES: Compact bottle, tapered bottom shape, soft squeezing body with clear stripe to see through, screwed cap, wide and soft TPE Tip

SCOTT SPARK CARBON 2022 CHAINSTAY/SEATSTAY PROTECTORS

288539



This set of chainstay and seatstay protectors aims to protect your MY22 Spark Carbon frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT SPARK ALLOY 2022 CHAINSTAY/SEATSTAY PROTECTORS

288540



This set of chainstay and seatstay protectors aims to protect your MY22 Spark Alloy frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT ADDICT GRAVEL 2022 CHAINSTAY PROTECTOR

288541



This chainstay protector aims to protect your MY22 Addict gravel frame during your daily rides.

CONSTRUCTION:
- Rubber

SIZE: One size

SCOTT GAMBLER 2025 CHAINSTAY/ SEATSTAY PROTECTORS

422739



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT GAMBLER 2025 FORK BUMPERS

422741



CONSTRUCTION: Rubber/Thermoplastic polyurethane **SIZE:** One size

SCOTT CS CONTRAIL 26 PROTECTOR

424866



CONSTRUCTION: Glass fiber reinforced Nylon **SIZE:** One size

SCOTT CS AXIS/SUB/ASPECT 25 PROTECTOR

424867



CONSTRUCTION: Glass fiber reinforced Nylon **SIZE:** One size

SCOTT PATRON eRIDE CARBON 2025 CHAINSTAY/SEATSTAY PROTECTORS

422930



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT PATRON eRIDE ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS

422931



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT VOLTAGE HYBRID/ALLOY 2025 CHAINSTAY/SEATSTAY PROTECTORS

422932



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT VOLTAGE eRIDE CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS

422917



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT RANSOM ALLOY 2024 CHAINSTAY/SEATSTAY PROTECTORS

422918



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size

SCOTT RANSOM CARBON 2024 CHAINSTAY/SEATSTAY PROTECTORS

422919



CONSTRUCTION: Thermoplastic rubber **SIZE:** One size





FITTING SYSTEM

FITTING SYSTEM

The SCOTT FITTING SYSTEMS is designed and developed to augment your sales process. Raise your conversion rate by supporting your sales staff with professional tools.

YOUR BENEFITS AT A GLANCE

+ More sales, satisfied customers, lower return rates
+ Always recommend the right bike size
+ Service advantage over competitors
+ Generate additional sales through sizing and fitting
+ Save time with the fastest systems on the market

PREMIUM SERVICE

Delivering premium service experience to your customers is the key to your success. Exploring the best solution regarding individual needs and always offering the right frame-size with optimized adjustments will boost satisfaction and loyalty of your customers. From in-shop hardware solutions to proprietary software fitting tools for online integration, SCOTT Fitting Systems offer several options providing the ideal solution for every purpose and shop size.



SIZING & FITTING EXPERTISE FOR EVERY SHOP



BIKE SIZING
Size recommendations in sales



BIKE FITTING
Bike ergonomics as service



With the SCOTT Fitting Systems you're able to send your customers in a few minutes on a test ride with an a perfectly sized bike. The tools create certainty regarding bike geometry, sizing and ergonomics for both customer and staff.

SCOTT relies on Smartfit by Radlabor as professional bike-fitting partner to offer premium solutions for all bike shops. The SCOTT Fitting Systems are successfully used by SCOTT network partners worldwide. Based on key body measurements, riding styles and the personal preferences of customers, the integrated software delivers fast, accurate and scientifically proven recommendations to achieve the perfect fit for every customer.



278855

SCOTT **DIRECT** FIT

Optimize service and bike sales with the Scott Direct Fit. Measure body dimensions Quickly and precisely, transfer these values and with the intuitive software receive a scientifically based seat position in a few clicks. Set the optimum position precisely via laser meter for the perfect test ride.

ENABLES
Easy manual body measurement directly at the Point of Sale. Software provides frame size and bike adjustment immediately. Attached lasermeter enables a precise adjustment of the bike.

MANUAL SYSTEM
Small Footprint - 0.3m²
Quick and intuitive to use
Durable platform made in Germany

SYSTEM REQUIREMENTS
System requirements
Requires a computer or tablet with Windows 10
Required space: 55/50/220 (L/W/H)



424851

SCOTT **AI** FIT

The SCOTT AI FIT is your fastest tool on the ground. Save time, enhance your service, and focus entirely on closing deals with the award-winning AI based sizing system. Within seconds the SCOTT AI FIT recognizes and tracks all relevant body points – fully visual and accurate.

ENABLES
Automatic and contactless AI based body measurement and bike sizing perfectly tailored to your customers' individual body types.

SCANNING SYSTEM
Integrated industrial camera (2592 x 1944 pixels)
Small footprint floor mat
Leg length measurement tool with tracking markers
Computer: Intel Core i5 or similar
WIFI adapter integrated
Win 11 Professional
Screen: 24 " LED multitouch, Full HD

SYSTEM REQUIREMENTS
WIFI or Ethernet for internet access
Electrical connection: 110-220V / 50 – 60Hz
Required space incl. floor mat 280/60/124 (L/W/H)



278853

SCOTT **ADVANCED** FIT

The Scott Advanced Fit is your professional tool for ergonomic services, sizings and fittings. High-precision body- & bikescans with laser technology. Receive the scientifically based seat position quickly via intuitive software. Adjust the optimal position laser guided and directly on the system.

ENABLES
Fast bike sizing for sale and fitting service. Precise laser based body and bike measurement, intuitive laser guided bike adjustment directly on the platform.

SCANNING SYSTEM
Durable measuring platform made in Germany
Linear railing system (X/Y axes) with electronic high-precision two-dimensional measurement device (Resolution: 1mm)
Industrial cross laser (class 1M) and automatic data transfer to computer
Leg length measurement tool with automatic pressure adjustment
Computer: Intel Core i5
WIFI adapter integrated
Win 11 Professional
Screen: 24", full HD

SYSTEM REQUIREMENTS
WIFI or Ethernet for internet access
Electrical connection: 110 - 220V / 50 - 60Hz
Required space scanning system: 255/160/205 (L/W/H)


FITTING SYSTEM
syncros
SCOTT



RETAIL SYSTEM & MERCHANDISING

COLOR & MATERIALS

Color and material selections are carefully curated to enhance SCOTT's products. They are durable and authentic, making the concept a reliable investment for retailers.



WALL **SECTIONS**

The SCOTT Retail Wall Sections serves as the cornerstone of the SIS concept. With its high-level product display and captivating image possibilities, it creates an attention grabbing atmosphere within the store environment. Whether fixed to permanent walls or freestanding to create new exciting customer paths, the wall sections enhances the store's visual appeal and elevates the overall customer experience.

IMPLEMENTATION OF WALL SECTIONS

When planning for the implementation of wall sections, it is essential to prioritize the customer experience. If there are existing permanent walls available for attachment, the use of freestanding wall sections may not be necessary, although they can still serve the purpose of dividing product categories.
The concept of wall sections can also be effectively employed in a freestanding manner when creating a new customer path within a store, without the need for constructing new permanent walls. It is important to carefully measure the intended areas and ensure that there are no obstacles to the construction, such as ventilation systems, etc.
Subsequently, the order should be planned starting from the left, as outlined below...

1/ START **HERE**

421643
START SECTION
WITH LIGHT LOGO

421645
FOLLOWING
SECTION FREESTANDING

421644
FOLLOWING
SECTION

421644
FOLLOWING
SECTION

421648
CORNER
SECTION

421647
END
SECTION



2/ ADD **PANELS**

Be creative planning the panels, still with focus on the customer experience.



421153
METAL PEG PANEL PAK-2

421155
WOOD PEG PANEL PAK-2

3/ ADD **ACCESSORIES**

Choose from a wide variety of accessories.



SIS WALL SYSTEM



SCOTT START SECTION WITH LIGHT LOGO
421643

- W / D / H: 120 / 64 / 232.5cm



SCOTT FOLLOWING SECTION (FREESTANDING)
421645

- W / D / H: 120 / 64 / 232.5cm



SCOTT FOLLOWING SECTION
421644

- W / D / H: 120 / 64 / 232.5cm



SCOTT END SECTION
421647

- W / D / H: 120 / 64 / 232.5cm



SCOTT CORNER SECTION
421648

- W / D / H: 60 / 64 / 232.5cm



SCOTT WOOD PEG PANEL PAK-2
421155

- W / H: 59 / 110cm
- PAK-2



SCOTT METAL PEG PANEL PAK-2
421153

- W / H: 59 / 110cm
- PAK-2

FREESTANDING DISPLAYS



SCOTT BIKE PODIUM SMALL
421159

- W / D / H: 171 / 29 / 13cm
- Can fit the led frame (**421175**)

FREESTANDING DISPLAYS



SCOTT BIKE PODIUM MEDIUM
421160

- W / D / H: 171 / 39 / 27.5cm
- Can fit the led frame (**421175**)



SCOTT BIKE PODIUM LARGE
421173

- W / D / H: 171 / 40 / 44cm
- Can fit the led frame (**421175**)



SCOTT LED FRAME FOR BIKE PODIUM
421175

- W / D / H: 216.5 / 10 / 123cm
- Fit only **421173**, **421159**, **421160**



SCOTT BIKE SLOPING PODIUM SMALL
421178

- W / D / H: 200 / 45 / 17.5cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM MEDIUM
421180

- W / D / H: 200 / 45 / 32cm
- Crank arm can be adjusted



SCOTT BIKE SLOPING PODIUM LARGE
421189

- W / D / H: 200 / 45 / 47cm
- Crank arm can be adjusted



SCOTT BIKE STAND PAK-2
270960

- W / D / H: 42 / 40 / 75.5cm
- PAK-2



SCOTT HIGHLIGHT GONDOLA
421194

- W / D / H: 133.5 / 63.5 / 146cm
- Possibility to add 4 peg panels in the middle



SCOTT CLOTHING GONDOLA
421191

- W / D / H: 118 / 50 / 146cm



SCOTT TRANSPORT GONDOLA
421193

- W / D / H: 118 / 50 / 146cm



SCOTT ACCESSORIES DISPLAY
421199

- W / D / H: 63 / 50 / 146cm



SCOTT CLOTHING TABLE
421200

- W / D / H: 133.5 / 86 / 65cm



SCOTT OPTICAL SHOWCASE
421195

- W / D / H: 65 / 45 / 174cm
- Possibility to add a magnetic graphic



SCOTT MANNEQUIN PODIUM
421203

- W / D / H: 57 / 57 / 15cm



SCOTT SUNGLASSES DISPLAY
421201

- W / D / H: 12 / 14.5 / 33cm
- For 4 sunglasses



SCOTT COUNTER DISPLAY
421202

- W / D / H: 29 / 25 / 53cm
- Possibility to add a magnetic banner



SCOTT SKI DISPLAY
421204

- W / D / H: 68.5 / 23 / 49.5cm



SCOTT MIRROR
421205

- W / D / H: 45 / 42 / 151cm
- Option to add wheels or fix on the wall system



SCOTT POLES DISPLAY
421641

- W / D / H: 57 / 57 / 15cm



SCOTT SIDE HANGER 1200MM
421207

- W / D: 120 / 42.5cm



SCOTT SIDE HANGER 600MM
421208

- W / D: 60 / 42.5cm



SCOTT FRONT HANGER PAK-2
421206

- D: 53cm
- Can be use with **421207** or **421208**
- PAK-2



SCOTT WOOD SHELF 600MM
421209

- W / D: 60 / 30cm
- Can be use only with **421208**



SCOTT SLOPING HANGER PAK-5
422409

- W / D: 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT STRAIGHT HANGER PAK-5
422408

- W / D: 60 / 49
- Can fit the slatwalls
- PAK-5



SCOTT SHELF FRAME WITH BRACKET
421211

- W / D / H: 60 / 40 / 35cm
- With bracket for peg panel



SCOTT SHELF FRAME WITH DRAWER
421212

- W / D / H: 60 / 40 / 35CM
- With bracket for peg panel



SCOTT SHELF FRAME WITH DRAWER AND WHEELS
422192

- W / D / H: 60 / 40 / 35 (excl wheels)



SCOTT SHOE HOLDER PAK-10
421217

- D: 12cm
- Can be used for accessories as well
- Can fit the slatwalls
- PAK-10



SCOTT DOUBLE HOOK PAK-10
421690

- D: 15cm
- PAK-10



SCOTT HELMET HOLDER PAK-5
421213

- W / D / H: 8 / 30.5 / 24.5cm
- Can fit the slatwalls
- PAK-5



SCOTT EYEWEAR ADAPTER PAK-5
421214

- PAK-5



SCOTT GOGGLE HOLDER PAK-10
421215

- W / D / H: 36 / 13 / 9.5cm
- Can fit the slatwalls
- PAK-10



SCOTT SKI HOLDER PAK-10
421216

- PAK-10



SCOTT SINGLE POLE HOLDER PAK-2

421210

- W / D / H: 10 / 8 / 4cm
- PAK-2

CHECKOUT COUNTER



SCOTT COUNTER

421219

- W / D / H: 242 / 70 / 102cm



SCOTT CABINET FOR GARBAGE

421266

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH SHELVES

421263

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH DRAWERS

421261

- W / D / H: 57 / 60 / 90.5cm



SCOTT CABINET WITH DOOR

421264

- W / D / H: 57 / 60 / 90.5cm

FABRIC **FRAMES**

The use of images in retail design plays a key role in creating an engaging and attractive shopping environment. They foster an emotional connection with customers, enhance the visual appeal of spaces, and guide consumer behavior. Images serve to highlight specific products, promote offers, and reinforce brand identity. Therefore, strategic use of imagery is crucial for a successful retail experience, promoting sales, building brand loyalty, and standing out.



A/ **421682**
FABRIC FRAME
590×1100mm

B/ **421682**
FABRIC FRAME
590×2200mm

C/ **421682**
FABRIC FRAME
2390×550mm

D/ **421682**
FABRIC FRAME
1190×1100mm

E/ **421682**
FABRIC FRAME
1190×2200mm

F/ **421682**
FABRIC FRAME
1190×550mm



SCOTT FABRIC FRAME FOR WALL SYSTEM

421682

- **A** W / H: 59 / 110cm
- **B** W / H: 59 / 220cm
- **C** W / H: 119 / 55cm
- **D** W / H: 119 / 110cm
- **E** W / H: 119 / 220cm
- **F** W / H: 239 / 55cm

FREESTANDING FABRIC **FRAMES**

SCOTT FREESTANDING FABRIC FRAME SMALL
421267

- W / H : 63 / 146.2cm
- Without graphics

SCOTT FREESTANDING FABRIC FRAME BIG
421706

- W / H : 131.2 / 231.6cm
- Without graphics





SCOTT
BEACH CHAIR
297708



SCOTT SKI STRAP
PAK-10
296067

- PAK-10



SCOTT HEADBAND
PROMO PAK-10
296621

- PAK-10



SCOTT PENS
PAK-25
282663

- PAK-25



SCOTT SMARTPHONE
CARDHOLDER PAK-50
286891

- PAK-50



SCOTT KEY HOLDER
PAK-20
269144

- PAK-20
- Random multiple colors



SCOTT
FOAM CUBE
223640

- W / D / H: 40 / 40 / 40cm



SCOTT CARPET
300×200CM
286888

- W / D: 300 / 200cm



SCOTT DOORMAT
58×96CM
289395

- W / D: 96 / 58cm



SCOTT MARKING TAPE
500M/ROLL
287403

- 500m



SCOTT NECKWARMER
427717

- PAK-100



SCOTT PAPER BAG

- **286894** SMALL
  PAK-250
- **286893** BIG
  PAK-150



SCOTT CLOTHING
HANGER PAK-5
285948

- PAK-5



SCOTT PANT HANGER
PAK-5
285949

- PAK-5



SCOTT PURSE ZIP
PAK-25
286892

- PAK-25



SCOTT NOTEBOOK
PAK-10
285947

- PAK-10



SCOTT
LOGO SIGN
426571

- W / D / H: 43 / 8 / 14cm



SCOTT FREESTANDING
3D ICON
428086

- W / D / H: 10 / 8 / 20cm

BANNERS



SCOTT BANNER
300×80CM
217638

- W / D: 300 / 80cm



SCOTT BANNER ROLL
80CM×50M
217639

- W / D: 80 / 50cm

FLAGS



SCOTT BEACH FLAG
170CM
425645

- 180cm



SCOTT BEACH FLAG
430×90CM
208653

- 440cm



SCOTT BEACH FLAG
HELICO FOOT
248906

- Only fits 440cm Beach Flag

SCOTT TENT ECO 3X6M
241034

- Frame and roof / 3×6m
- H: 215cm



SCOTT TENT ECO 3×3M
230609

- Frame and roof / 3×3m
- H: 215cm



SCOTT TENT ECO ROOF 3X6M
241035

- Promotion Tent-Roof 3×6m



SCOTT TENT ECO ROOF 3×3M
237648

- Promotion Tent-Roof 3×3m



SCOTT TENT ECO ROOF TRANSPARENT 3×6M
426809

- Promotion Tent-Roof Transparent 3×6m



SCOTT TENT ECO SIDEWALL 3M
237649

- Promotion Tent ECO - Sidewall 3m



SCOTT TENT ECO 1/
237651



STICKERS



SCOTT STICKER
HORIZONTAL DIE CUT
PAK-100
217635

- Horizontal die-cut PAK-100 15cm
- Horizontal die-cut PAK-100 30cm
- Horizontal die-cut PAK-100 45cm



SCOTT STICKER
HORIZONTAL DIE CUT
PAK-50
296615

- Die-cut PAK-50 30cm



SCOTT STICKER
HORIZONTAL DIE CUT
PAK-50
220923

- Horizontal die-cut PAK-50 68cm



SCOTT STICKER VERTICAL
DIE CUT PAK-100

217637

- Vertical die-cut PAK-100 40cm



SCOTT STICKER VERTICAL
PAK-50
296613

- Vertical PAK-50 12cm

CONTACT

HQ.RETAIL.MARKETING@SCOTT-SPORTS.COM

ELECTRONIC DATA INTERCHANGE

WHAT IS EDI – ELECTRONIC DATA INTERCHANGE

Improve your business efficiency and simplify work with SCOTT's electronic data interchange (EDI) SOLUTION. EDI is a solution for computer-to-computer exchange of business documents in a standard electronic format between business partners.

These business documents cover a wide range of options from placing an order, fulfilling the product database with prices, EAN code, product descriptions, or even exchanging electronic invoices, and in some contexts, optionally exchanging stock level information.

WHO CAN BENEFIT FROM OUR SCOTT EDI SOLUTIONS?

EDI is an electronic format that every business can use, so long as both partners have Business Software compatible with EDI solution.

If you are unsure, contact your IT service provider and ask!

HOW MUCH DOES EDI INTEGRATION COST?

SCOTT offers a range of EDI integration solutions in different data formats. We do not charge anything for the service of integrating with your EDI-ready solution.

The only cost for you would be the cost of enabling EDI capability on your Business software, with your habitual IT service provider.

WHAT EDI SOLUTIONS DOES SCOTT OFFER AND HOW COULD I BENEFIT FROM THE SERVICE?

STEP #1
Check with your IT provider if you can handle EDI integration, and what it would cost for you.
To make the process smoother you can share the technical documentation delivered here:

WWW.SCOTT-SPORTS.COM/EDI

STEP #2
If your IT Provider confirms your ability to benefit from EDI integration, please contact your usual SCOTT Sales Representative or SCOTT Customer Service, they will deliver all the necessary information for organizing the next steps.



TRADITIONAL INFORMATION EXCHANGE





SCOTT EDI SOLUTIONS HELP YOU TO BECOME MORE EFFICIENT

By proceeding with IT connection between our Business Software and your Business Software, both yourself, your collaborators and SCOTT's employees

- **Avoid manual operations**
- **Save employees time**
- **Avoid human error**
- **Simplify business documents and information exchange**

WITH EDI AUTOMATIC EXCHANGE



NOTES

SCOTT DISTRIBUTION NETWORK

AUSTRALIA
SHEPPARD CYCLES AUSTRALIA PTY LTD
PO Box 225
AU–3170 Mulgrave
Tel: +61 3 8345 9345
Fax: +61 3 8345 9355
csaustralia@sheppardcycles.com

AUSTRIA
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

BELGIUM & LUXEMBURG
SCOTT BENELUX N.V.
BE–3070 Kortenberg
Tel: +32 2 755 93 20
Fax: +32 2 759 52 29
info@scott-benelux.com
www.scott-sports.com

DENMARK
SCOTT SPORTS DENMARK A/S
DK-8660 Skanderborg
Tel: +45 44220 120
denmark@scott-sports.dk
www.scott-sports.com

FINLAND
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

FRANCE
SCOTT SPORTS SA
Succursale France
FR-74940 Annecy le Vieux
Tel: +33 450 64 24 00
Fax: +33 450 64 24 01
france@scott-sports.com
www.scott-sports.com

GERMANY
SCOTT SPORTS AG
Niederlassung Deutschland
DE-85748 Garching/Hochbrück
Tel. +49 89 8987836 0
Fax: +49 89 8987836 50
scott-de@scott-sports.de
www.scott-sports.com

HUNGARY
SCOTT SPORTS AG
Niederlassung Österreich
AT–6020 Innsbruck
Tel: +43 512 34 35 31
austria@scott-sports.at
www.scott-sports.com

INDIA
SCOTT SPORTS INDIA PVT LTD
IN-400604 Thane West, MH
Tel.: +9122 25871652
info@scott-sports.co.in
www.scott-sports.com/in/en

IRELAND
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

ITALY
SCOTT ITALIA SRL
Via Provinciale 110, 24021 Albino BG
Tel: +39 035 756 000
Fax: +39 035 756 122
customerservice@scott-sports.it
www.scott-sports.com

JAPAN
SCOTT JAPAN INC.
Katsushika-ku, Tokyo, Japan
Tel: +81 3 5647 7388
Fax: +81 3 5647 7389
info@scott-japan.com
www.scott-japan.com

KOREA
SCOTT NORTH ASIA LTD
177-177 Premium outlet-ro
Hobeop-myeon, Icheon-si
Gyeonggi-do, Korea
Zip : 17384
Tel: +82 1544 3603
Fax: +82 507 350 2347
info@scott-korea.com
www.scott-korea.com

NETHERLANDS
SCOTT SPORTS NL B.V
Beyerinckweg 8a
NL-4251 LP Werkendam
Tel. : +31 183 788137
info.nl@scott-benelux.com
www.scott-sports.com

NEW ZEALAND
SHEPPARD CYCLES NEW ZEALAND LTD
PO Box 62067
NZ-1644 Auckland
Tel: +64 9 915 5770
customerservices@sheppardcycles.com

SOUTH AFRICA
SCOTT SPORTS AFRICA PTY LTD
ZA–Edenvale, Johannesburg
Tel: +27 11 201 4000
Fax: +27 11 608 3798
info@scott-sports.co.za
www.scott-sports.com

SWEDEN
SCOTT SPORTS AB
SE–75002 Uppsala
Tel: +46 18 562800
info@scott-sports.se
www.scott-sports.com

SWITZERLAND
SCOTT SPORTS SA
Niederlassung Schweiz
CH–1762 Givisiez
Tel: +41 26 460 16 99
Fax: +41 26 460 16 88
switzerland@scott-sports.com
www.scott-sports.com

UNITED KINGDOM
SCOTT SPORTS SA
Branch United Kingdom
GB–Cramlington NE23 1WL
Tel: +44 1 670 712 129
info@scott-sports.uk.com
www.scott-sports.com

USA
SCOTT USA INC.
US–Salt Lake City, UT. 84109
Tel: (800)-292-5874
Fax: (208)-622-1005
bikesupport@scottusa.com
www.scott-sports.com

DISTRIBUTORS

ARGENTINA
LA EMILIA
Casa Central : Raulet 55, CABA.
Tel: +54 11 4860-5500
comex@laemilia.com.ar
www.grupolaemilia.com

BRAZIL
IGP
BR–13335-070 Indaiatuba,
Sao Paulo
Tel: +55 19 3825 7570
scott@scott.com.br
www.scott.com.br

BULGARIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

CANADA
MICA SPORT CANADA INC.
9 Monica Lane Bracebridge,
ON Canada P1L1P8
Tel: +1 705 646 2462
Fax: +1 705 646 2464
mica@micasport.com
www.micasport.com

COLOMBIA
HA BICICLETAS
Medellin
Tel: + 57 2855040
scott@habicicletas.com
www.habicicletas.com

COSTA RICA
CICLO SAN NICOLAS S.A.
CR-San José
Tel: +506 22338253
Fax: +506 22554749
info@ciclosannicolas.com
www.ciclosannicolas.com

IVORY COAST
EVOLVE CI
Rue du Chevalier Clieu
Marcory, Zone 4
Abidjan, Côte d'Ivoire
Tel: +(225) 07 48 300 300
Info@evolve-ci.com

CROATIA
PANEX DINAMIC
HR-40000 Cakovec
Tel: +385 40 384-161
Fax: +385 40 384-161
pandin@dinamic.hr
www.dinamic.hr

CHILE
ANDES INDUSTRIAL LTDA
Santa Elena 1511
8360349 Santiago
Tel: +56 2 2650 3100
zwi@andesindustrial.cl

CHINA
SHING SHEN YANG BICYCLE CO., LTD.
3rd Floor, Building A
No. 62, Qilinling Road
Shahu Village, Tangxia Town,
Dongguan City, CHINA
Tel:+86-14776270811
info@ssybike.cn
www.sycycles.com

CZECH REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

ECUADOR
TATOO ADVENTURE GEAR
Quito, Ecuador
Tel: +593 2 244 8073
Fax: +593 2 2406526
info@tatoo.ws
www.tatoo.ws

EL SALVADOR
GROUPO EXTREMO SA DE C.V. BICIMANIA
SV- San Salvador
Tel: +503 22645999
diego@grupoextremo.com.sv

ESTONIA | LATVIA | LITHUANIA
HAWAII EXPRESS LTD.
EE–12011 Tallinn
Tel: +372 6 398508
Fax: +372 6 398566
info@hawaii.ee
www.hawaii.ee

GREECE / CYPRUS
NIKOS MANIATOPOULOS S.A.
GR–26504 Patras
Tel: +30 2610 993045
Fax: +30 2610 990424
commerce@idealbikes.gr

GUATEMALA
BICIMANIA
GT-Guatemala City
Tel: +502 2336 7763
Fax: +502 2 367 3866
info@bicimaniaguate.com
www.bicimaniaguate.com

ISLAND
VETUR EHF / MARKID
Ármúla 40, 108 Reykjavík
Tel. +354 5174600
Email. markid@markid.is

ISRAEL
COBRA BORDO LTD.
P.O.B – 1392 Haïfa, IL
Tel: +972 4 9840995
Fax: +972 4 9840993
info@cobra-bordo.co.il
www.cobra-bordo.co.il

LEBANON
I.M.C.O. LINE INTERNATIONAL S.A.R.L.
LB – Feytroun
Tel: +961 9958625
Fax: +961 9952036
info@lamaisonduski.net
www.lamaisonduski.net

LA RÉUNION
JYREC IMPORT
28 Rue des lianes d'or
97430 Le Tampon
Tel : +262 692 95 39 41
Jacky.sery@jyrecimport.com
www.jyrecimport.com

MEXICO
ELITE BIKE, SA DE C.V.
MX-27000 Torreón Coah
Tel: +871 716 0795
Fax: +871 799 0067
hola@elitebike-mx.com

NEW CALEDONIA
VELOCITY
BP 15746
98804 Noumea

NORWAY
RAMO A.S.
NO–2013 Skjetten
Tel: +47 67 91 02 00
kundeservice@ramo.no
www.ramo.no

PERU
DISEÑOS TATOO PERU S.R.L.
Av. Prescott 295,
San Isidro, Lima, Peru
maticarreno@tatoo.ws
+(51 1) 221 0515
+(51 1) 981248796
tatoo.ws/pe

PANAMA
TRI STORE PANAMA S.A.
Tel: +507 393 6874
contact@tristorepanama.com
www.tristorepanama.com

PARAGUAY
CHACOMER S.A.E.
PY-Asunción
Tel: +595 21 5180000
Fax: +595 21 607769
chacomer@chacomer.com.py
www.chacomer.com.py

POLAND
SCOTT SPORTECH POLAND SP. Z.O.O.
PL–05-400 Otwock
Tel: +48 22 788 36 90
Fax: +48 22 788 36 91
info@scott.pl
www.scott.pl

PORTUGAL
STAND JASMA
PT–2855-093 Corroios
Tel: +351 212 268 838
info@jasma.pt
www.scott-sports.com/pt

ROMANIA
ROM-EUROTRADE S.R.L.
RO-077096 Judetul Ilfov
Tel: +40 21 350 5624
Fax: +40 21 350 5457
info@rom-eurotrade.ro
www.rom-eurotrade.ro

SERBIA
PLANET BIKE CO. D.O.O.
RS–37 000 Krusevac
Tel: +381 37 42 00 00
Fax: +381 37 42 00 11
office@planetbike.rs
www.planetbike.rs

SINGAPORE/ INDONESIA/ MALAYSIA/ THAILAND/ PHILIPPINES/ CAMBODIA/VIETNAM
KIAN HONG CYCLE PTE LTD
SG-415928 Singapore
Tel: +65 6749 5787
Fax: +65 6749 5789
scott@khcycle.com
www.khcycle.com

SLOVENIA
PROLOCO TRADE D.O.O.
SI-4000 Kranj
Tel: +386 4 27 11 700
Fax: +386 4 27 11 722
info@prolocotrade.si
www.skm.si

SLOVAK REPUBLIC
SPORT PORT S.R.O.
Švejcarovo nám. 2694/5
CZ - 155 00 Prague
Tel: +420 777 007 403
info@sportport.cz
www.sportport.cz

SPAIN
BM SPORTECH IB S.L
ES–50197 Zaragoza
Tel: +34 876 269 100
Fax: +34 976 322 453
scott@bmsportech.es
www.bmsportech.es

TAIWAN
KARED, INC
TW-Taichung
Tel: 886-4-23103709
service@scottusa.com.tw
www.scott-sports.com.tw

TAHITI
LA KLINIC DU VÉLO
B.P. 51085 Pirae
Tahiti / French Polynesia
Tel: +689 40 43 27 90
Fax: +689 40 43 27 90
laklinicduvelo@gmail.com
www.laklinicduvelo.pf

TURKEY
KRON BISIKLET TIC. VE SAN. A.S
34959 Tuzla / Istanbul
Tel: 0090216 444 68 10
Fax: 02165931042
info@kronbisiklet.com.tr
www.kronbisiklet.com.tr

UKRAINE
LLC EXTREME SPORTS DISTRIBUTION
UA - 04053 Kyiv
Tel: +380 95 145 4774
Fax: +380 96 145 4774
scott.ukraine@gmail.com
www.scott-extreme.com.ua

UNITED ARAB EMIRATES/ SAUDI ARABIA/ OMAN BAHRAIN/ KUWAIT
WBS SPORT EQUIPMENT TRADING LLC
UAE-Dubai
Tel: +971 4 339 4453
Fax: +971 4 339 4452
info@wbs.ae
www.wbssporttrading.com

URUGUAY
DECELESTE S.A.
UY-CP.11800 Montevideo
Tel: +598 2 203 5929
Fax: +598 2 209 0311
scott-uruguay@deceleste.com.uy
www.deceleste.com.uy

VENEZUELA
PEDAL POWER
Calle Madrid c/Monterrey Edif. Monterrey Local PB
Caracas
Tel: +58 (212) 9936450
ventas@pedalpower.com.ve
www.pedalpower.com.ve

All rights reserved ©2026 SCOTT Sports SA

PHOTOGRAPHY
STYLE PHOTOS: SCOTT SPORTS
ACTION PHOTOS: Nils Laengner, Roo Fowler, Michal Cerveny, Arthur Chambre, Moritz Ablinger, Andrea Passerini, Piper Albrecht, Katrhrin Schafbauer, Lea Kurth, Florian Fatton, Remi Fabregue, Michael Riehle, Perrini Meiers

The information contained in this workbook is in various languages but only the English version will be relevant in case of conflict.
Although SCOTT Sports SA has published all information contained in this workbook after careful examination, SCOTT Sports SA assumes no liability for being up-to-date, correct, reliable or complete. SCOTT Sports SA reserves the right to change the content of this workbook, particularly colors, materials and specifications, at any time without prior notice. Any liability shall be exempted. Products shown may not be available in all regions, please check with your local SCOTT retailer for availability.

EDITOR
SCOTT Sports SA
Route du Crochet 11
1762 Givisiez
Switzerland

www.scott-sports.com/contact

Commercial register: Fribourg
IDE/UID: CHE-103.535.982